A-esterases, defined, 56 Absorbed daily dose, pesticide exposure, 6 Acceptable toxic response, reentry field data, 73 Acetylcholine, defined, 56 Acetylcholinesterase, "G" and "A" types, 56 Acetylcholinesterase, molecular forms,	Biological response markers, pesticide exposure, 19 Biologically effective dose markers, pesticide exposure, 19 Biomarkers, classification, 18 Biomarkers, direct internal dose, 22 Biomarkers, organophosphates, 23 Biomarkers, pesticide exposure, 17 ff. Biomarkers, potential of pesticide
Acetylcholinesterase periodic deviations, illustrated, 81 ACh, see Acetylcholine, 56 AChE, see Acetylcholinesterase, 56	exposure, 34 Biomarkers, sensitivity and specificity, 21 Biomarkers, subject's nutritional status effects, 22
Alkaline phosphatase, serum increases, 19 Alkylphosphates, urinary organophosphate biomarkers, 23 Anutritive pesticide exposure, 2 Arsenical urinary excretion, 27 Arylesterases, defined, 56	Biomarkers, time-of-day sampling effects, 22 Biomonitoring, pesticide exposure, 9 Blood esterase, markers of pesticide exposure, 55 ff. Breast milk, organochlorine exposure, 24
Assessing human exposure, pesticides, 1 ff. Atropine, in cholinesterase inhibition, 64 Azinphosmethyl, field reentry summary, 103 Azinphosmethyl, human exposure, 10 Azinphosmethyl, reentry intervals, 87	Cacodylic acid urinary excretion, 27 CaE, see Carboxylesterases, 56 Captan, human exposure, 10 Captan urinary excretion, 28 Carbamate biomarkers, 24 Carbamates, esterases inhibited, 57 Carbamylated ChE, reactivation times,
BChE, see Cholinesterases, nonspecific, 56	24, 57 Carbaryl exposure, urinary 1-naphthol, 24, 28
BED, see Biologically effective dose markers, 19 Benomyl urinary excretion, 28 Benzimidazole urinary excretion, 26 Bifenox urinary excretion, 28 Biological monitoring, pesticide exposure, 17 ff.	Carbophenothion, field reentry summary, 101 Carbophenothion, reentry intervals, 87 Carboxylesterases, defined, 56 Chlorophenoxy biomarkers, 24 Chlorophenoxy herbicides, urinary excretion, 24

Chlorothalonil, human exposure, 10 Chlorthiophos, field reentry summary, 102 Cholinesterase, as biomarker, 23 Cholinesterase, assay methods, 58 Cholinesterase, baseline level, 55 Cholinesterase inhibition, marker of pesticide exposure, 55 ff. Cholinesterase measurement, 58 Cholinesterase measurement, field kits, 60 Cholinesterase measurement, standardization, 62 Cholinesterase, red blood cell, 56 Cholinesterase, serum, 56 Cholinesterase, testing of workers, California, 55 Cholinesterases, half-lives, 56 Cholinesterases, nonspecific, 56 Cholinesterases, tissue-bound, 56 Cholinesterases, types, 56 Cholinesterases, vertebrate comparisons, 58 Chromosomal aberration confounders, Chromosomal aberrations as biomarkers, 30 Complex pesticide exposure biomarkers, 29, 31 Cotinine, urinary assay for smoking quantitation, 20 Cytogenic markers, 21

2,4-D urinary excretion, 24, 28
2,4-DP urinary excretion, 25, 28
Data bases, on-line pesticides, 89
Delayed neuropathy biomarker, neurotoxic esterase, 23
Demeton, reentry intervals, 87
DFR, see Dislodgable foliar residue, 3
Dialifor, field reentry summary, 107
Dialifor, reentry intervals, 87
Diazinon, reentry intervals, 87
Dicamba urinary excretion, 25
Dicarboximide urinary excretion, 26

Dichlorprop urinary excretion, 25 Dicofol, human exposure, 10 Dicofol exposure, urinary 4,4'-dichlorobenzilic acid, 24 Dicrotophos, reentry intervals, 87 Dimethoate, field reentry summary, Dimethoate, reentry intervals, 88 Dioxathion, field reentry summary, Dioxathion, reentry intervals, 88 Dipyridilium urinary excretion, 26 Dislodgable citrus foliage residues, parathion, 80 Dislodgable foliar residue, defined, 3 Disulfoton, reentry intervals, 88 Dithiocarbamate urinary excretion, 25 DNA adducts, pesticide exposure

biomarker, 34

EBDC urinary excretion, 25 Electric eel, acetylcholinesterase 3-D structure, 56 Ellman assay, cholinesterase measurement, 59 Endosulfan, reentry intervals, 88 Endrin, reentry intervals, 87 EPN, reentry intervals, 87 Erythrocyte ChE, as organophosphate biomarker, 23 Erythrocytes, acetylcholinesterase forms, 58 Esterase determination, markers of pesticide exposure, 55 ff. Estimating pesticide worker exposure, 43 ff. Ethion, field reentry summary, 108 Ethion, reentry intervals, 87 Ethyl parathion, field reentry summary, Ethyl parathion, reentry intervals, 87 Ethylenethiourea urinary excretion, 25

Fenvalerate urinary metabolite, 25, 28

Field kits, cholinesterase measurement, 60
Field reentry data, interpretation, 71 ff.
Field reentry hazard, 102 ff.
Field reentry intervals, evaluation, 112
Folpet, human exposure, 10
Formamidine urinary excretion, 26

Gamma-glutamyltranspeptidase, serum increases, 19
Genotoxicity biomarkers, 30
Glucaric acid, nonspecific urinary pesticide biomarker, 32

Harvesters, pesticide exposure, 8
Heptachlor, breast milk as exposure indicator, 24
Human exposure studies, 12
Human subjects research committee, 13

Lymphocytes as biomarkers, 30

Malathion, field reentry summary, 110 Malathion, human exposure, 10 Malathion, reentry intervals, 88 MBC urinary excretion, 26 MCPA urinary excretion, 25 Mercapturic acids, nonspecific urinary pesticide biomarkers, 32 Methidathion, field reentry summary, 112 Methidathion, reentry intervals, 88 Methomyl, reentry intervals, 88 Methyl parathion, field reentry summary, 111 Methyl parathion, reentry intervals, 87 Mevinphos, field reentry summary, Mevinphos, reentry intervals, 88 Micronuclei formation, pesticide

exposure biomarker, 33

Modeling worker exposure to
pesticides, 43 ff.

Models, pesticide exposure, 44, 48

Monocrotophos, field reentry
summary, 113

Monocrotophos, reentry intervals, 87

Monte Carlo simulation, field reentry
model, 72, 78

Mutagenicity biomarkers, 30

Naled, human exposure, 10
Neuropathy target esterase,
lymphocytes, 65
Neuropathy target esterase,
organophosphate inhibition, 65
Neurotoxic esterase, delayed
neuropathy biomarker, 23
Nonspecific pesticide biomarkers, 32
NTE, see Neuropathy target esterase,
65
Nutritional status, biomarker effects,
22

OIPDN, see Organophosphate-induced delayed neurotoxicity, 65 On-line pesticide data bases, 89 Organochlorine biomarkers, 24 Organomercurial urinary excretion, 25 Organophosphate biomarkers, 23 Organophosphate-induced delayed neurotoxicity, 65 Organophosphates, esterases inhibited, 57 Oxime reactivation, phosphorylated ChE, 64 Oxons, relative toxicity to parent compound, 99 Oxydemeton, field reentry summary, Oxydemeton, reentry intervals, 87

2-PAM, pralidoxime, 64

Para-nitrophenol, urinary parathion biomarker, 23

Paraoxon, dislodgable citrus foliage	Pesticide exposure, modeling, 44
residues, 80	Pesticide exposure, monitoring, 13
Parathion, dislodgable citrus foliage	Pesticide exposure, potential
residues, 80	biomarkers, 34
Parathion, field reentry summary, 109	Pesticide exposure, protein adducts as
Parathion, reentry intervals, 87	biomarkers, 34
Parathion use history, oranges in	Pesticide exposure, risk assessment, 6
California, 85	Pesticide exposure, susceptibility
Passive dosimetry, pesticide, 9	markers, 20
PDE, see Potential dermal exposure, 3	Pesticide exposure, transfer factors, 10,
Permethrin urinary metabolite, 25	11
Pesticide data bases, 89	Pesticide exposure, workplace doses, 3
Pesticide, defined, 2	Pesticide handlers, exposure, 7
Pesticide exposure, absorbed daily	Pesticide reentry intervals, 87
dose, 6	Pesticide registration, estimating
Pesticide exposure, anutritive, 2	worker exposure, 43 ff.
Pesticide exposure, biological	Pesticide residue, hazard as time
monitoring, 17 ff.	function, 97
Pesticide exposure, biological response	Pesticide transfer factors, human
markers, 19	exposure, 10
Pesticide exposure, biologically	Phenthoate, field reentry summary, 113
effective dose markers, 19	Phorate, reentry intervals, 88
Pesticide exposure, biomarkers, 17 ff.	Phosalone, field reentry summary, 113
Pesticide exposure, biomonitoring, 9	Phosalone, reentry intervals, 87
Pesticide exposure, complex	Phosmet, field reentry summary, 114
biomarkers, 29, 31	Phosmet, human exposure, 10
Pesticide exposure, dermal estimation,	Phosmet, reentry intervals, 88
49, 50	Phosphamidon, field reentry summary,
Pesticide exposure, DNA adducts as	114
biomarkers, 34	Phosphamidon, reentry intervals, 88
Pesticide exposure, during application,	Phosphorylated ChE, oxime
49, 50, 51	reactivation, 64
Pesticide exposure, during mixing/	Phosphorylated ChE, reactivation
loading, 47, 49	times, 57
Pesticide exposure, estimating worker,	Picloram urinary excretion, 24, 26, 28
43 ff.	Plasma ChE, as organophosphate
Pesticide exposure, experimental	biomarker, 23
studies, 13	Porphyria, nonspecific pesticide
Pesticide exposure, handlers, 7	biomarker, 33
Pesticide exposure, harvesters, 8	Porphyrins, nonspecific urinary
Pesticide exposure, human studies, 12	pesticide biomarker, 32, 33
Pesticide exposure, inhalation	Potential biomarkers of pesticide
estimation, 49, 50	exposure, 34
Pesticide exposure, internal dose	Potential dermal exposure, defined, 3
markers, 19	Pralidoxime, cholinesterase reactivator,
Pesticide exposure, lethal, 4	64
virpount, ionimi, i	÷ .

Protein adducts, pesticide exposure biomarker, 34 Pyrethroid urinary metabolite excretion, 25, 28

Radiometric assay, cholinesterase
measurement, 59
RBC, see Red blood cell, 58
Reactivation, inhibited enzymes, 57
Red blood cell (RBC),
acetylcholinesterase forms, 58
Red blood cell ghosts, 61
Red blood cells, lifetimes, 77
Reentry field data, interpretation, 71
ff.
Reentry field data, simulation methods,
75
Reentry field data, unified field model,
72
Reentry interval, definition, 71

Reentry intervals, evaluation, 112
Reentry intervals, exposure- vs illness-based, 8
Reentry intervals, exposure-based, 12
Reentry intervals, tier I, II, III, 9

Reentry intervals, USEPA & CalEPA,

Reference dose (RfD), defined, 63 Regional Research, defined, xi Residue hazard as time function, 96 RfD, see Reference dose, 63 Risk assessment, pesticide exposure, 6 Round-robin, cholinesterase assay

standardization, 63

Serum albumin adducts, pesticide exposure biomarker, 34
Simulation methods, reentry field data, 75, 86
Sister chromatid exchange as biomarkers, 29
Smoking, biomarker alteration, 20
Smoking quantitation, urinary cotinine assay, 20
Sulphur, reentry intervals, 88

Surrogates, modeling worker exposure, 46 Susceptibility markers, pesticide exposure, 20

2,4,5-T urinary excretion, 24, 28 T-lymphocytes, acetylcholinesterase forms, 58 Target cells, measures of changes, 19 Test-Mate®, cholinesterase field kit, 60 Thioethers, nonspecific urinary pesticide biomarker, 32 Thioethers, urinary, alkylating agent exposure, 20 Tier I, II, III, reentry intervals, 9 Torpedo californica, acetylcholinesterase 3-D structure, 56 Toxigonin, cholinesterase reactivator, Triadimefon urinary excretion, 28 Triazole urinary excretion, 26 Trichlorfon, field reentry summary, Trichloro-2-pyridinol, urinary chlorpyrifos biomarker, 23, 28

Unified field model, reentry field data, 72, 95 Urinary 1-naphthol, carbaryl biomarker, 24, 28 Urinary 2,4-D, exposure biomarker, 24 Urinary 4,4'-dichlorobenzilic acid, dicofol exposure, 24 Urinary alkylphosphates, organophosphate biomarkers, 23 Urinary arsenical excretion, 27 Urinary benzimidazole excretion, 26 Urinary dicarboximide excretion, 26 Urinary dipyridilium excretion, 26 Urinary DNA adducts, pesticide exposure biomarker, 34 Urinary EBDC excretion, 26 Urinary ethylenethiourea excretion, 25 Urinary formamidine excretion, 26

Urinary metabolites, pesticide
exposure, 28, 66
Urinary para-nitrophenol, parathion
biomarker, 23
Urinary pyrethroid metabolite
excretion, 25, 28
Urinary thioethers, alkylating agent
exposure, 20
Urinary thioethers, nonspecific
pesticide biomarkers, 32
Urinary triazole excretion, 26
Urinary trichloro-2-pyridinol,
chlorpyrifos biomarker, 23, 28

Urine mutagenicity test, nonspecific exposure "screen," 33

W-169, Regional Research Project, xi
Worker exposure, estimation diagram,
45
Worker exposure, surrogate usage, 46
Worker exposure models, pesticide
registration, 47, 48
Worker exposure to pesticides,
modeling, 43 ff.