

## Subject Index

### A

- Acceptable daily intake, defined, 101
- Acceptable daily intake, pesticides, 101
- Acephate, tolerances, 147
- Acetylcholinesterase, phosphorylation, 100
- Acrolein, as aquatic herbicide, 63 ff.
- Acrolein, environmental properties, 66
- ADI, *see* acceptable daily intakes
- Adsorption coefficient, 64
- Alga, green, 69
- Amia calva*, 78
- Amitrole, as aquatic herbicide, 63
- Amitrole, environmental properties, 68
- Analytical methods, organophosphates, 105 ff.
- AOAC, *see* Association of Official Analytical Chemists
- Applicator exposure, maleic hydrazide, 52
- Aquatic herbicides, 61 ff.
- Aquatic herbicides, persistence, 90
- Arachis oil, as subdermal carrier, 53
- Aroclor-1254, 3
- Aroclors, 1 ff., 17, 20, 24, 26, 29, 33, 34
- Askarel transformer fluid, 30
- Association of Official Analytical Chemists, Subcommittee E, 105
- Aufwuchs, 76
- Azinphos-ethyl, residues in fruit, 113 ff.
- Azinphos-ethyl, tolerances, 147
- Azinphos, methyl, tolerances, 147-148
- Azinphos-methyl, residues in fruit, 125 ff.

### B

- Bass, dichlobenil bioconcentration, 72
- Bayer, Farbenfabriken, 100

- Benzo (a) pyrene, in cigarette smoke, 51
- Bioaccumulation, PCBs, 33
- Bioconcentration, as partitioning process, 63
- Bioconcentration, herbicides, 63
- Biodegradation, PCBs, 34
- Bladan, 100
- Bluegill sunfish, 2,4-D bioconcentration, 75
- Bluegill sunfish, dichlobenil bioconcentration, 72
- Bluegill sunfish, herbicide toxicity, 67, 78, 84
- Bowfin, 78
- Bromphos, residues in fruit, 117 ff.
- Bromphos, tolerances, 148
- Bromphos-ethyl, tolerances, 148
- Butamifos, 100

### C

- Carbophenothion, residues in fruit, 132 ff.
- Carbophenothion, tolerances, 149
- Carrots, PCB bioaccumulation, 33
- Cattails, control with dalapon, 70
- CCPR, *see* FAO/WHO Codex Committee on Pesticide Residues
- Channel catfish, 78, 84, 85
- Channel catfish, 2,4-D bioconcentration, 75
- Chara* sp., control with endothall, 80
- Chemical Abstract Service Numbers, herbicides, 66 ff.
- Chlorella fusca*, bioconcentration of 2, 4-D, 74
- Chlorella vulgaris*, 69
- Chlorfenvinphos, residues in fruit, 113 ff.
- Chlorfenvinphos, tolerances, 149
- Chlorpyrifos, residues in fruit, 122 ff.

Chlorpyrifos, tolerances, 149  
 Chlorpyrifos-methyl, tolerances, 150  
 Chlorthion, tolerances, 150  
 Clams, hardshelled, 69  
 Codex Alimentarius, 104 ff.  
 Copper, bioconcentration, 69  
 Copper complex, as aquatic herbicides, 63, 68  
 Copper sulfate and complexes, environmental properties, 69  
 Croton oil, as tumor promoter, 52  
 Cyanide, in cigarette smoke, 51  
 Cyanofenphos, tolerances, 150

## D

2,4-D, as aquatic herbicide, 63  
 2,4-D, bioconcentration in fish, 75, 78  
 2,4-D butoxyethanol esters, 74  
 2,4-D dimethylamine salts, 74  
 2,4-D dimethylamine, environmental properties, 77  
 2,4-D environmental properties, 75  
 2,4-D half-life in aquatic environments, 74  
 2,4-D residues in fish, 78  
 2,4-D toxicity in fish, 75  
 Dalaphon, as aquatic herbicide, 63  
 Dalaphon, environmental properties, 70  
*Daphnia magna*, 69  
 Demeton, tolerances, 150  
 Demeton-S-methyl, residues in fruit, 114 ff.  
 Demeton-S-methyl, tolerances, 150  
 Desorption, herbicides into water, 64  
 Desorption kinetics, PCBs, 26 ff.  
 Dialifos, residues in fruit, 132 ff.  
 Dialifos, tolerances, 151  
 Diazinon, residues in vegetables, 131 ff.  
 Diazinon, tolerances, 151  
 Dicamba, as aquatic herbicide, 63  
 Dicamba, environmental properties, 71  
 Dichlobenil, as aquatic herbicide, 63  
 Dichlobenil, bioconcentration in fish, 72  
 Dichlobenil, environmental properties, 73  
 Dichloro PCBs, 7, 14, 15  
 Dichlorvos, residues in fruit, 117 ff.  
 Dichlorvos, tolerances, 151

Diethion, residues in French diet, 134  
 Dimethoate, residues in fruit, 117 ff.  
 Dimethoate, tolerances, 151  
 Dimethyl benzenes, see xylenes  
 Dioxathion, tolerances, 152  
 Diquat, as aquatic herbicide, 63  
 Diquat, binding to montmorillonite, 79  
 Diquat, <sup>14</sup>C-labeled, 80  
 Diquat, environmental properties, 79  
 Disulfoton, tolerances, 152  
 DNA synthesis, inhibition by maleic hydrazide, 48  
*Drosophila* sp., 54  
 Duckweed, bioconcentration of fluridone, 85

## E

Ecocores, used in half-life studies, 74  
 Ecosystem model, Metcalf, 71, 81  
*Eichhornia crassipes*, 67  
 Endothall, as aquatic herbicide, 63  
 Endothall, bioconcentration, 80 ff.  
 Endothall, bioconcentration in mosquito fish, 81  
 Endothall, environmental properties, 81  
 Endothall, half-life, 82  
 Ethephon, tolerances, 152  
 Ethion, residues in French diet, 134  
 Ethion, residues in fruit, 117 ff.  
 Ethion, tolerances, 152  
 Ethoprophos, tolerances, 153  
 Etrifos, tolerances, 153  
 Eurasian watermilfoil, 2,4-D half-life, 76  
 Eurasian watermilfoil, endothall bioconcentration, 82  
 European Economic Community, pesticide usage, 101

## F

FAO/WHO Codex Alimentarius, 104 ff.  
 FAO/WHO Codex Committee on Pesticide Residues, 102  
 Fathead minnow, 69  
 Federal Environmental Pesticide Control Act, see FEPCA

- Federal Insecticide, Fungicide, and Rodenticide Act, *see* FIFRA
- Fenac, as aquatic herbicide, 63
- Fenac, bioconcentration in fish, 84
- Fenac, environmental properties, 83
- Fenac, half-life in aquatic environments, 84
- Fenamiphos, tolerances, 153
- Fenchlorphos, tolerances, 153
- Fenitrothion, residues in fruit, 125 ff.
- Fenitrothion, tolerances, 154
- Fensulfothion, tolerances, 154
- Fenthion, tolerances, 154
- FEPCA, 62
- FIFRA, 62
- Filamentous algae, control with endothall, 80
- Fluridone, as aquatic herbicide, 63
- Fluridone, bioconcentration, 85
- Fluridone, environmental properties, 85
- Fonofos, residues in carrots, 134
- Formothion, tolerances, 155
- Freundlich isotherms, 3
- Freundlich isotherms, glyphosate and kaolinite, 87
- Freundlich sorption coefficients, 3
- Fungicides, organophosphate, 100
- G**
- Gambusia affinis*, endothall bioconcentration, 81
- Glucoside, metabolite of maleic hydrazide, 46
- Glyphosate, 100
- Glyphosate, as aquatic herbicide, 63
- Glyphosate, environmental properties, 86
- Growth regulators, maleic hydrazide, 44
- H**
- Half-life, 2,4-D in aquatic environments, 74 ff.
- Half-life, endothall in aquatic environments, 82 ff.
- Half-life, herbicide, defined, 65
- Henry's Law coefficient, defined, 64
- Heptenophos, 100
- Herbicides, aquatic, 61 ff.
- Herbicides, aquatic fate processes, 62 ff.
- Herbicides, bioconcentration, 63
- Herbicides, environmental persistence, 90
- Herbicides, organophosphate, 100
- Herbicides, persistence in aquatic environments, 90
- Herbicides, photolysis, 64
- Herbicides, registered for aquatic use, 63
- Herbicides, volatility, 64 ff.
- Hexachloro PCBs, 7, 14, 15
- Hexobarbital, sleeping time, 51
- High-performance liquid chromatography, *see* HPLC
- High-pressure liquid chromatography, *see* HPLC
- HPLC, 107
- HPLC,  $K_{ow}$  determinations, 16
- Hydrazine, as a mutagen, 54
- Hydrolysis, herbicides, 65
- Hydrosoil, herbicide sorption, 63
- Hydroxypropionaldehyde, as metabolite, 67
- I**
- Ictalurus punctatus*, 78, 85
- Ictalurus punctatus*, 2,4-D bioconcentration, 75
- Insecticides, organophosphate, usage, 102
- Iodofenphos, residues in fruit, 117 ff.
- Isofenphos, tolerances, 155
- J**
- JMPR, *see* Joint FAO/WHO Meeting on Pesticide Residues
- Joint FAO/WHO Meeting on Pesticide Residues, 102
- L**
- Langmuir adsorption, diquat, 79
- Langmuir isotherms, 3, 4
- Largemouth bass, 78
- Lemna* sp., 85

*Lepomis macrochirus*, 67, 78

*Lepomis macrochirus*, 2,4-D bioconcentration, 75

## M

Malathion, residues in fruit, 113 ff.

Malathion, tolerances, 155

Maleic hydrazide, 43 ff.

Maleic hydrazide, absorption by hand harvesters, 51

Maleic hydrazide, as growth regulator, 44

Maleic hydrazide, as inhibitor of carcinogenesis, 52

Maleic hydrazide, chemical structure, 44

Maleic hydrazide, in mainstream cigarette smoke, 50

Maleic hydrazide, metabolism in animals, 51

Maleic hydrazide, metabolism in plants, 45 ff.

Maleic hydrazide, mode of action, 48

Maleic hydrazide, residues in tobacco, 48

Maleic hydrazide, RPAR, 54

Maleic hydrazide, toxicological effects, 52 ff.

Maximum residues limit, defined, 102

Mecarbam, tolerances, 155

Menazon, 101

*Mercenaria mercenaria*, 69

Metcalf model ecosystems, 71, 81

Methacrifos, 100

Methamidophos, residues in fruit, 128 ff.

Methamidophos, tolerances, 155–156

Methidathion, residues in fruit, 117 ff.

Methidathion, tolerances, 156

Mevinphos, residues in fruit, 127 ff.

Mevinphos, tolerances, 156

Microcosm studies, PCBs, 29

*Micropterus salmoides*, 78

*Micropterus* spp., dichlobenil bioconcentration, 72

Mode of action, maleic hydrazide, 48

Monochrotophos, tolerances, 157

Montmorillonite, binding of diquat, 79

Mosquito fish, endothall bioconcentration, 81

MRL, see maximum residues limit

*Myriophyllum spicatum*, 2,4-D half-life, 76

## N

Nitrosamines, in cigarette smoke, 51

Nitrosodiethanolamine, in tobacco, 51

Octanol-water partition coefficients, herbicides, 63 ff.

Octanol-water partition coefficients, measured by HPLC, 16

Octanol-water partition coefficients, organic compounds, 25

Octanol-water partition coefficients, PCBs, 2, 16, 20 ff.

*Oedogonium* sp., endothall bioconcentration, 82

Omethoate, residues in fruit, 122 ff.

Omethoate, tolerances, 157

Organophosphate fungicides, 100

Organophosphate herbicides, 100

Organophosphate insecticides, usage, 102

Organophosphate pesticides, analytical methods, 105 ff.

Organophosphate residues, brassica, 110

Organophosphate residues, Denmark, 122 ff.

Organophosphate residues, exceeding tolerances, 113–123, 125–134, 136–137

Organophosphate residues, France, 124, 134

Organophosphate residues, fruits, 99 ff.

Organophosphate residues, in imported foods, 113–116

Organophosphate residues, lettuce, 109

Organophosphate residues, Netherlands, 124, 131–133

Organophosphate residues, soft fruit, 109

Organophosphate residues, top fruit, 108

Organophosphate residues, United Kingdom, 99 ff.

Organophosphate residues, vegetables, 99 ff.

- Organophosphate residues, Western Europe, 99 ff.
- Organophosphates, analytical methods, 105 ff.
- Organophosphates, biological action, 100
- Organophosphates, mode of action, 100
- Organophosphates, usage, 101–105
- Organophosphorus insecticides, early history, 100
- Oxidation, herbicides, 65
- P**
- Parathion-ethyl, patent, 100
- Parathion-ethyl, residues in fruit, 118 ff.
- Parathion-ethyl, tolerances, 157
- Parathion-methyl, residues in fruit, 115 ff.
- Parathion-methyl, tolerances, 157
- Partition coefficients, PCBs, 14
- PCBs, attenuation processes, 2
- PCBs, bioaccumulation, 33
- PCBs, biodegradation, 34
- PCBs, congeners, 3 ff.
- PCBs, decachloro, 24
- PCBs, desorption from soils, 26, 29
- PCBs, dichloro, 7 ff., 16, 20, 24
- PCBs, heptachloro, 23
- PCBs, hexachloro, 7 ff., 16, 22, 24
- PCBs, in soils, 1 ff.
- PCBs, industrial uses, 2
- PCBs,  $K_{ow}$ , 16 ff.
- PCBs, losses from soils, 1 ff.
- PCBs, mobility in solvent systems, 28
- PCBs, monochloro, 17, 20, 24
- PCBs, nonachloro, 23
- PCBs, octachloro, 19, 22, 24
- PCBs, octanol-water partition coefficients, 16, 20 ff.
- PCBs, partition coefficients, 3, 14
- PCBs, pentachloro, 18, 22, 24
- PCBs, photodegradation, 34
- PCBs, physical constants, 16 ff.
- PCBs, physical-chemical characteristics, 2
- PCBs, research needs, 34 ff.
- PCBs, *see also* polychlorinated biphenyls
- PCBs, soil column studies, 29
- PCBs, sorption coefficients, 6 ff.
- PCBs, sorption isotherms, 2
- PCBs, tetrachloro, 7 ff., 16, 21, 24
- PCBs, trichloro, 18, 21, 24
- PCBs, vapor pressure, 16 ff.
- PCBs, water contamination, 30
- PCBs, water solubility, 16 ff.
- PCDDs, *see* polychlorinated dibenzodioxins
- PCDFs, *see* polychlorinated dibenzofurans
- Persistent herbicides, 90
- Pesticide applicator exposure, maleic hydrazide, 52
- Pesticide residues, automated analyses, 107
- Pesticide residues, Belgium, 130
- Pesticide residues, cigarettes, 50
- Pesticide residues, Denmark, 122 ff.
- Pesticide residues, exceeding tolerances, 113–123, 125, 134, 136–137
- Pesticide residues, Federal Republic of Germany, 130
- Pesticide residues, France, 124, 134
- Pesticide residues, infant foods, 121
- Pesticide residues, Italy, 130
- Pesticide residues, Netherlands, 124, 131–133
- Pesticide residues, organophosphate, 99 ff.
- Pesticide residues, tobacco, 48
- Pesticide residues, total diet, 119
- Phenthoate, tolerances, 158
- Phorate, tolerances, 158
- Phosalone, residues in fruit, 126 ff.
- Phosalone, tolerances, 158
- Phosethyl-Al, 100
- Phosmet, tolerances, 158
- Phosphamidon, residues in fruit, 129 ff.
- Phosphamidon, tolerances, 159
- Phosphorylation, acetylcholinesterase, 100
- Photodegradation, PCBs, 34
- Photodegradation, xylenes, 90
- Photolysis, herbicides, 64
- Phoxim, tolerances, 159

- Physa* sp., endothall bioconcentration, 82  
 Physical constants, PCBs, 16 ff.  
*Pimephales promelas*, 69  
 Pirimiphos-ethyl, residues in fruit, 117 ff.  
 Pirimiphos-methyl, residues in fruit, 117 ff.  
 Pirimiphos-methyl, tolerances, 159  
 Polychlorinated biphenyls, losses from soils, 1 ff.  
 Polychlorinated dibensofurans, toxicity, 2  
 Polychlorinated dibenzodioxins, toxicity, 2  
 Pyrazophos, 100  
 Pyrazophos, residues in fruit, 133  
 Pyrolysis, cyanide formation in tobacco, 51  
 Pyruvic acid, metabolite of dalapon, 70
- R**  
 Rainbow trout, 2,4-D half-life, 76  
 Research needs, PCBs, 34  
 RNA synthesis, inhibition by maleic hydrazide, 48  
 Rushes, control using dalaphon, 70
- S**  
*Salmo gairdneri*, 2,4-D half-life, 76  
*Salmonella*-microsome test, 54  
 Sampling, guidelines for pesticide residues, 104  
 Schrader, Gerhardt, 99  
 Simazine, as aquatic herbicide, 63  
 Simazine, bioconcentration in fish, 88  
 Simazine, environmental properties, 88  
 Smoking, effects on maleic hydrazide, 47  
 Snail, endothall bioconcentration, 82  
 Soil column studies, PCBs, 29  
 Soil thin-layer chromatography, PCBs, 28  
 Soil types, surface areas, 6 ff.  
 Soils, effects on PCBs, 31–33  
 Sorption coefficients, 64  
 Sorption coefficients, PCBs, 6 ff.  
 Sorption partition coefficients, 64  
 Structure–activity relationships, herbicides, 65
- Sugar beets, PCB bioaccumulation, 33  
 Sulfotep, residues in vegetables, 132
- T**  
 TEPP, tolerances, 159  
 Tetrachloro PCBs, 7, 14, 15  
 Tobacco products, maleic hydrazide residues, 43 ff., 50  
 Tobacco, sucker control, 44  
 Total diet, pesticide residues, 119  
 Toxicological studies, maleic hydrazide, 52 ff.  
 Triamiphos, 100  
 Triazophos, residues in fruit, 132 ff.  
 Triazophos, tolerances, 160  
 Trichlorfon, tolerances, 160  
 Trichloronate, residues in vegetable, 131 ff.
- V**  
 Vamidothion, residues in fruit, 134  
 Vamidothion, tolerances, 160  
 Vapor pressure, PCBs, 16, 24 ff.
- W**  
 Water contamination, PCBs, 30  
 Water contamination, trichlorobenzenes, 30  
 Water flea, herbicide toxicity, 69, 84  
 Water hyacinth, control with amitrole, 67  
 Water solubility, PCBs, 17 ff.
- X**  
 Xylenes, as aquatic herbicide, 63  
 Xylenes, environmental properties, 89  
 Xylenes, photodegradation, 90  
 Xylenes, vapor pressure, 89
- Z**  
 Zooplankton, bioconcentration, 2,4-D, 75

---

## INFORMATION FOR AUTHORS

# Reviews of Environmental Contamination and Toxicology

Edited by

*George W. Ware*

Published by

Springer-Verlag New York • Berlin • Heidelberg

---

*The original copy and one good photocopy of the manuscript, complete with figures and tables, are required.* Manuscripts will be published in the order in which they are received, reviewed, and accepted. They should be sent to the editor:

Dr. George W. Ware  
College of Agriculture  
University of Arizona  
Tucson, Arizona 85721  
Telephone: (602) 621-3859 (office)  
(602) 299-3735 (home)

### 1. Manuscript

The manuscript, in English, should be typewritten, double-spaced throughout (including reference section), on one side of 8½ × 11-inch blank white paper, with at least one-inch margins. The first page of the manuscript should start with the title of the manuscript, name(s) of author(s), with author affiliation(s) as first-page starred footnotes, and "Contents" section. Pages should be numbered consecutively in arabic numerals, including those bearing figures and tables only. In titles, in-text outline headings and subheadings, figure legends, and table headings only the initial word, proper names, and universally capitalized words should be capitalized.

*Footnotes* should be inserted in text and numbered consecutively in the text using arabic numerals.

*Tables* should be typed on separate sheets and numbered consecutively within the text in *roman numerals*; they should bear a descriptive heading, in lower case, which is underscored with one line and which starts after the word "Table" and the appropriate roman numeral; *footnotes in tables* should be designated consecutively within a table by the lower-case alphabet. *Figures* (including photos, graphs, and line drawings) should be numbered consecutively within the text in

---

arabic numerals; each figure should be affixed to a separate page bearing a legend (below the figure) in lower case starting with the term “Fig.” and a number.

## 2. Summary

A concise but informative summary (double-spaced) must conclude the text of each manuscript; it should summarize the significant content and major conclusions presented. It must not be longer than two 8½ × 11-inch pages of double-spaced typing. As a summary, it should be more informative than the usual abstract.

## 3. References

All papers, books, and other works cited in the text must be included in a “References” section (*also double-spaced*) at the end of the manuscript. If comprehensive papers on the same subject have been published, they should be cited when the bibliographic citations extend farther back than to these papers.

All papers cited in the text should be given in parentheses and alphabetically when more than one reference is cited at a time, e.g. (Coats and Smith 1979, Holcombe et al. 1982, Stratton 1986), except when the author is mentioned, as for example, “and the study of Roberts and Stoydin (1985).” References to unpublished works should be kept to a minimum and mentioned only in the text itself in parentheses. References to published works are given at the end of the text in alphabetical order under the first author’s name, citing all authors (surnames followed by initials throughout; do not use “and”) according to the following examples:

*Periodicals:* Name(s), initials, year of publication in parentheses, full article title, journal title as abbreviated in “The ACS Style Guide: A Manual for Authors and Editors” of the American Chemical Society, volume number, colon, first and last page numbers. Example:

Leistra MT (1970) Distribution of 1,3-dichloropropene over the phases in soil. *J Agric Food Chem* 18:1124–1126.

*Books:* Name(s), initials, year of publication in parentheses, full title, edition, volume number, name of publisher, place of publication, first and last page numbers. Example:

Gosselin R, Hodge H, Smith R, Gleason M (1976) *Clinical Toxicology of Commercial Products*, 4th Ed. Wilkins-Williams, Baltimore, MD, pp 119–121.

*Work in an edited collection:* Name(s), initials, year of publication in parentheses, full title. In: name(s) and initial(s) of editor(s), the abbreviation ed(s) in parentheses, name of publisher, place of publication, first and last page numbers. Example:

Metcalf RL (1978) Fumigants. In: White-Stevens J (ed) *Pesticides in the environment*. Marcel Dekker, New York. pp 120–130.

---

References by the same author(s) are arranged chronologically. If more than one reference by the same author(s) published in the same year is cited, use a, b, c after year of publication in both text and reference list.

#### 4. Illustrations

Illustrations may be included only when indispensable for the comprehension of text. They should not be used in place of concise explanations in text. Schematic line drawings must be drawn carefully. For other illustrations, clearly defined black-and-white glossy photos are required. Should darts (arrows) or letters be required on a photo or other type of illustration, they should be marked neatly with a soft pencil on a duplicate copy or on an overlay, with the end of each dart indicated by a fine pinprick; darts and lettering will be transferred to the illustrations by the publisher.

Photos should be not less than five × seven inches in size. Alterations of photos in page proof stage are not permitted. *Each photograph or other illustration should be marked on the back, distinctly but lightly, with soft pencil, with first author's name, figure number, manuscript page number, and the side which is the top.*

If illustrations from published books or periodicals are used, the exact source of each should be included in the figure legend: if these “borrowed” illustrations are copyrighted by others, permission of the copyright holder to reproduce the illustration must be secured by the author.

#### 5. Chemical Nomenclature

All pesticides and other subject-matter chemicals should be identified according to *Chemical Abstracts*, with the full chemical name in text in parentheses or brackets the first time a common or trade name is used. *If many such names are used, a table of the names, their precise chemical designations, and their Chemical Abstract Numbers (CAS) should be included as the last table in the manuscript, with a numbered footnote reference to this fact on the first text page of the manuscript.*

#### 6. Miscellaneous

*Abbreviations:* Common units of measurement and other commonly abbreviated terms and designations should be abbreviated as listed below; if any others are used often in a manuscript, they should be written out the first time used, followed by the normal and acceptable abbreviation in parentheses [e.g., Acceptable Daily Intake (ADI), Angstrom (Å), picogram (pg)]. Except for inch (in.) and number (no., when followed by a numeral), abbreviations are used without periods. Temperatures should be reported as “°C” or “°F” (e.g., mp 41° to 43°C). Because the metric system is the international standard, when pounds (lb) and gallons (gal) are used the metric equivalent should follow in parentheses.

## Abbreviations

A	acre	sec	second(s)
bp	boiling point	$\mu\text{g}$	micrograms(s)
cal	calorie	$\mu\text{L}$	microliter(s)
cm	centimeter(s)	$\mu\text{m}$	micrometer(s)
cu	cubic (as in "cu m")	mg	milligram(s)
d	day	mL	milliliter(s)
ft	foot (feet)	mm	millimeter(s)
gal	gallon(s)	mM	millimolar
g	gram(s)	min	minute(s)
ha	hectare	<u>M</u>	molar
hr	hour(s)	mon	month(s)
in.	inch(es)	ng	nanogram(s)
id	inside diameter	nm	nanometer(s) (millimicron)
kg	kilogram(s)	<u>N</u>	normal
L	liter(s)	no.	number(s)
mp	melting point	od	outside diameter
m	meter(s)	oz	ounce(s)
ppb	parts per billion	sp gr	specific gravity
ppm	parts per million	sq	square (as in "sq m")
ppt	parts per trillion	vs	versus
pg	picogram	wk	week(s)
lb	pound(s)	wt	weight
psi	pounds per square inch	yr	year(s)
rpm	revolutions per minute		

**Numbers:** All numbers used with abbreviations and fractions or decimals are arabic numerals. Table numbers are roman numerals. Otherwise, numbers below ten are to be written out. Numerals should be used for a series (e.g., "0.5, 1, 5, 10, and 20 days"), for pH values, and for temperatures. When a sentence begins with a number, write it out.

**Symbols:** Special symbols (e.g., Greek letters) must be identified in the margin, e.g.

$$A = \beta/2\lambda$$

Percent should be % in text, figures, and tables.

**Style and format:** The following examples illustrate the style and format to be followed (except for abandonment of periods with abbreviation):

Sklarew DS, Girvin DC (1986) Attenuation of polychlorinated biphenyls in soils. *Reviews Environ Contam Toxicol* 98:1-41.

Yang RSH (1986) The toxicology of methyl ethyl ketone. *Residue Reviews* 97:19-35.

---

## **7. Proofreading scheme**

The senior author must return the Master set of page proof to the Editor within one week of receipt. Author corrections should be clearly indicated on proof with ink, and in conformity with the standard "Proofreader's Marks" accompanying each set of proofs. In correcting proof, new or changed words or phrases should be carefully and legibly handprinted (not handwritten) in the margins.

## **8. Offprints**

Senior authors receive 30 complimentary offprints of a published article. Additional offprints may be ordered from the publisher at the time the principal author receives the proof. Order forms for additional offprints will be sent to the senior author along with the page proofs.

## **9. Page charges**

There are no page charges, regardless of length of manuscript. However, the cost of alteration (other than corrections of typesetting errors) attributable to authors' changes in the page proof, in excess of 10% of the original composition cost, will be charged to the authors.

If there are questions that are not answered in this leaflet, see any volume of *Reviews of Environmental Contamination and Toxicology* (formerly *Residue Reviews*) or telephone the Editor (see first page for telephone numbers). Volume 98 is especially helpful for style and format.