

Index

- Abscisic acid, 296, 302, 318, 327, 328, 330
Abscisic acid-induced morphogenic response, 260
Abscisic acid signaling, 318
Abscisic acid-resistant gene, 302
Acetylcholine (ACh), 3, 5, 44, 48, 52
Acetylcholine esterase, 166, 172
Acquorin, 293, 324
Actin-binding protein, 98, 109
Actin cytoskeleton, 97, 98, 100
Actin filament turnover to lamellipodia, 97
microspikes, 97
Actin satellite protein, 101
Actin stress fiber, 102
Action potential, 304
Adenine nucleotide, effects of, 70
Adenophostins A & B, 60, 383, 390, 394
Adenylate cyclase, 18, 346
Adipocyte, 174
ADP-ribosylation, 19
AIDS, 154
Alkaline phosphatase, 170, 177
Alzheimer's disease, 54
Analogues of inositol phosphates, 243, 244
Anion exchange chromatography, 398
Anthocyanins, 305
AP-1, 103, 133, 142
AP-2, 211, 268, 313, 215, 268, 301
AP-3, 212, 213, 215
Arabidopsis thaliana, 295, 319, 329
Arachidonate, 104
Arachidonic acid, 305
ATPase, 306, 351, 363
Atropine, 2, 6, 11
Attachment of GPI, 170
Autocrine regulation, 104
Autophosphorylation, 48, 68
Auxins, 318, 349
Avian sarcoma virus, 26, 131
Basophilic cytoplasm, 7
Biosynthesis of *myo*-inositol phosphates, 239, 288, 289
Blue-light-induced kinase, 302
Bombesin, 24, 47
Bradykinin, 25, 47
Brain-derived growth factor, 119
bZIP, 142
cycli-AMP-dependent protein kinase, 67, 267; *see also* protein kinase A
Caffeine, 70
Calcineurin, 128, 137, 320, 328, 329
Ca²⁺, 146, 297
Ca²⁺-ATPase, 202
Ca²⁺ calmodulin-activated protein phosphatase, 328
Ca²⁺ channel blockers, 321
La³⁺, 323
nifedipine, 330
Verapamil, 330
Ca²⁺ channels, 48, 294
InsP₃-activated/abscisic-acid-activated/Ca²⁺-activated, 295–297
Voltage-dependent (VDCC), 297

- Ca^{2+} -dependent Cl^- secretion, 202, 203, 204
 Ca^{2+} -dependent PIP_2 hydrolysis, 11
 Ca^{2+} in deflagellation, 322
 Ca^{2+} gradient, 358
 Ca^{2+} homeostasis, 304
 Ca^{2+} -induced turgor change, 332
 Ca^{2+} ionophore A 23187, 8, 10, 332
 Ca^{2+} mobilization by
 $\text{Ins}(3,4,5,6)\text{P}_4$
 $\text{Ins}(1,3,4,5)\text{P}_4$, 17, 61
 Ca^{2+} mobilization in plant response, 293, 319
 Ca^{2+} -mobilizing neurotransmitters, 10
 Ca^{2+} receptor, 294
 Ca^{2+} release, 60, 61, 70
 all-or-none/steady-state, 81, 82
 Calmodulin, 68, 126, 127, 128, 136, 294, 295, 296, 346
 Calmodulin-dependent protein kinases, 68
 Calmodulin-dependent protein phosphorylation, 295
 Calmodulin-independent protein phosphorylation, 295
 Carbohydrate transport/capsule synthesis, 152
 Carboxy-terminal domain (CTD) kinase, 141
 Casein kinase II, 137, 155
 Caveolae, 176
 cDNA encoding $\text{Ins}(1)\text{P}$ synthase, 260
 CDP-diacylglycerol, 43
 CDP-diacylglycerol-inositol-3-phosphatidyl transferase, 261, 290
 CEA, 177
 Cell-derived cycle factor ($\text{cdc}^{2.25.45}$), 320
 Cell proliferation, 104
 Cellulose microfibrils, 326
 cGMP, 68, 125, 135
 Cerebellar cortex, 51
 Cerebellar granule cells, 49
che genes, 149
 Chemotaxis, 149, 150
che proteins, 149
 Chiroinositol, 167
L-chiro-Ins(1,4,6) P_3 , 374, 375
Chlamydomonas reinhardtii, 319, 322, 323, 334
chloro-inositols, 385
 Cholecystokinin-pancreozymin (CCK/PZ), 3
 Cholera toxin, 19
 Cholin esterase, 53
 Cholinergic neurons, 50, 52
 Cholinergic receptor, 47, 48
 Circadian rhythm, 306
c-jun, 142
 Clathrin, 176, 211, 301
 Colony-stimulating factor, 145
 CMP-PA cytidyltransferase, 6
c-myc, 142
 Concanavalin A, 144
 Control by luminal Ca^{2+} , 81
 COS cells, 175
 CREB, 136, 142
 CTP-PA cytidyl transferase, 290
 Cyclin, 140
 Cyclin A,B, 145, 147
 Cyclin-dependent protein kinase (CDK), 302
 Cyclophilin, 328, 329
 Cyclosporin A, 328, 329
 Cyclitols, 228, 249
 Cytokinin, 318
 Cytoskeletal domain, 144
 Cytoskeletal protein, 104
 Cytoskeleton, 70, 71
 DAG-PKC pathway of Ca^{2+} signaling, 23
 Decay-accelerating factor (DAF), 169, 170, 176, 177
 Deflagellation, 322
 Dephosphorylation of InsP_6 , 208, 291
 Deoxy-inositol trisphosphate (1,4,5) P_3 , 382-383, 391-392
 Detection of inositol phosphates, 399-401
 Diacylglycerol (DAG), 3, 11, 20, 21, 23, 44, 133-135, 171, 249, 297, 320, 345-347, 353, 354, 361, 363, 364
Dictyostelium, 272-274, 277
 Dihexanoyl glycerol, 21
 Diphosphoinositol polyphosphates, 209, 210, 211
 Dioctanoyl glycerol, 21
Dionaea muscipula, 326
 DNA-binding protein, 132
 Dopamine, 47
Dunaliella salina, 319

egr-a, 104
 Endocytosis, 212, 214
 Endocytotic vesicles, 176
 Endoplasmic reticulum (ER), 7, 8, 15, 16, 168, 170

- Entamoeba histolytica*, 210
envZ protein, 152
Epithelial growth factor (EGF), 103, 107
Epidermal growth factor receptor (EGFR),
117, 132, 134, 140, 154
Epithelial cell lines
MDCK I and II, 175
LLC-PK₁, 175
Caco-2, 175
SK-CO15, 175
Electrical signal, 304
Elongation factor EF1a, 175
Erythropoietin, 124
Ethanalamine, 53, 166
Ethylene, 304, 305
ETS-like transcriptional regulators, 132
Expression of InsP₃R, 300
Extensor cell, 326
protoplast, 305
Extraction of inositol phosphates, 397

Fibroblast growth factor (FGF), 117, 134
Fibroblast growth factor receptor (FGFR), 117
Fibronectin type III, 117
Flagellor gene (fliG), 149, 150
Flexor cells, 326
protoplast, 305
Fussicoccin, 349

GTPase activating protein (GAP), 99, 102,
120
Galactinol, 232
Gas chromatography of inositol phosphates,
403
GDPβS, 19
Gelsolin, 100, 107
Gibberellins, 318
Glucuronic acid, 232
Glutamate receptor, 48, 52, 150
Glutamine synthetase, 150
Glycero-3-phosphate transacylase, 5, 7
Glycosyl phospholipid, 165
Glycosyl phosphoinositides, 165
Glycosylphosphatidylinositol (GPI), 165,
166, 167, 168, 169, 171
GPI in
anchoring, 169
mimetic insulin action, 172, 173
GPI-anchored proteins, 177
GPI-specific phospholipases, 178

G-protein, 18, 19, 46, 298, 299, 300, 306,
319, 323, 325, 346, 356
Golgi apparatus, 7, 261
grb 2-SOS1 complex, 123, 130
GTPase, 120, 129
GTP YS, 18, 19, 20, 325, 331, 356, 362
Guanine nucleotide exchange factors (GEFs),
100, 129
Guanylate cyclase, 125, 136, 137
Guard cell, 320

Helix-loop-helix domain, 141
Hematopoiesis, 141
Hexokinase, 167
Hexosamine, 288
High-performance liquid chromatography
(HPLC) of inositol phosphates, 398
5-HT, 9, 28, 350, 359, 360
Human growth hormone (HGH), 170
Human mammary carcinomas, 154
Hydrogen peroxide, 325
Hydraulic movement, 326, 333
Hydraulic signal, 304
Hypersensitive response (HR), 305, 318,
350, 359, 360, 362, 364

Identification of inositol phosphates, 371,
401
Immunoelectron microscopy, 76
Immunoglobulin repeat, 81
Inactivation of InsP₃ receptor, 85
Indoleacetic acid, 349; *see also* Auxins
Indole esters, 232
INO-1 gene, 234, 259
Inositol auxotroph, 259, 260
Inositol bisphosphate, 236
Inositol cyclic phosphate, 12, 16
Inositol glycan antilipolytic lipogenic, 173
Inositol methyl phosphonate, 389
Inositol phosphates, 272, 284, 372
analogues, 384, 386, 388
formation, 9
receptor, 267, 372
receptor isoforms, 300
Inositol 1-phosphate kinase, 260, 261
phosphatase, 259, 260, 269
Inositol phospholipid turnover, 346, 350,
358, 359
Inositol polyphosphate 5-phosphatase, 269,
270

- Inositol trisphosphate (InsP₃), 13, 64, 236, 345, 353
 as second messenger, 14
 phytase (complex) action, 303, 306
 heterogeneity, 71, 82
 inactivation, 82
 subtypes, 16
 type I, 60, 72, 80
 type II, 60, 72, 80
 type III, 60, 72, 80
 type IV, 60, 72, 80
 type V, 60, 72, 80
 Ins(1,4)P₂ (5) PS, 389
 Ins(1,3,4)P₃, 13, 353
 Ins(1,3,4)P₃ 5-kinase, 193
 Ins(1,3,4)P₃ 6-kinase, 200, 259, 260
 Ins(1,4,5)P₃, 13, 45, 268, 319, 323, 371, 378
 Ins(1,4,5)P₃ degradation, 45
 Ins(1,4,5)P₃ 3-kinase, 45, 380
 Ins(2,4,5)P₃, 303, 353
 InsP₃R isoforms, 78
 Ins(1,3,4,5)P₄, 13, 49, 373
 Ins(1,4,5,6)P₄ 3-kinase, 195, 269
 Ins(1,3,4,6)P₄ 5-kinase, 193
 Ins(1,3,4,5)P₄ 3-phosphatase, 195
 Ins(3,4,5,8)P₄, 372–374, 385, 386
 InsP₅, 17, 187, 206, 216, 238, 289
 Ins(1,3,4,5)P₅ formation, 17
 Ins(1,3,4,5,6)P₅ 2-kinase, 205
 Ins(1,3,4,5,6)P₅ 3-phosphatase, 195
 InsP₆, 17, 187, 206, 216, 238
 InsP₆-ADP-phosphotransferase, 289, 290, 293
 Ins-1,2-cyclic phosphates, 244, 266
 Insulin, 120, 171–174, 177, 178, 264
 receptor, 120, 121
 receptor substrate, 120
 Interaction with cytoskeleton, 70, 71
 Interferon, 139
 Interferon-stimulated response elements, 139
 Isocitrate dehydrogenase, 153
- JAK, 122, 124, 139
 Jasmonic acid (methyl jasmonate), 305
- K⁺-channel, 328, 354, 358
 K⁺ efflux, 304, 321
 Ketamine, 28
- Kentaxerin, 28
 5-keto-glucose-6-phosphate, 232, 234
- Kinases
 Ca²⁺/calmodulin-dependent protein, 125, 128
 histidine, 149
 Janus, 124
 insulin-stimulated protein, 126
 MAP, 125, 131
 mek, 131
 phosphatidyl inositol-3-, 124
 ribosomal protein S₆, 116, 132
 serine/threonine, 117, 124, 125, 131, 133
 Src, 123
 tyrosine, 117, 120, 123, 124
 ZAP-70, 120, 123, 124
- Lamprothamnium succinetum*, 320
 Leaf movement, 326, 331, 357
 Leukotrienes, 104
 Light signal, 349
 LIM domain, 109
 Lipid-based signaling, 305
 Lipoprotein lipase, 177
 Lithium-mediated NR gene expression, 360
 Lithium, effect on PI metabolism, 13, 49, 235
 .Lowe's oculocerabrorenal syndrome (OCRL), 270, 271
 LPI/LPIP/LPIP₂, 362, 363
 Lymphokines, 145
 Lysophosphatidyl choline, 51
 Lysophosphatidyl inositol, 4
- Macrophage colony-stimulating factor, 119
 Mannitol, 249
 Mannose, 53
 MAP kinase, 103, 116, 125, 131, 132
 MARCKS proteins, 22, 135, 136
 Mast cells, 18
 Maturation-promoting factor (MPF), 145
Medicago sativa, 325
 mek, 131, 133
 mekk, 131, 132, 133
 Membrane ruffles, 108
 Memory formation, 51, 52
 Metabolism
 of InsP₃, 205, 288, 372
 of IndP₆, 205, 288, 372
 Mitogenes in PI turnover, 25
 Motility, 119, 152

- Muscarinic cholinergic agonists, 18
 Muscarinic receptor, 48, 52
myo-Inositol-1-phosphate
 dehydrogenase, 293
 synthase, 231, 234, 259, 288
myo-Inositol phosphate
 genetics, 257
 phosphatase (MIPP), 195, 208, 209, 213;
 see also Phytases

 N-acetyl glucosamine, 53
 NAD⁺, 234, 293
 NDF, 118
 NEL-GF, 118
 Neoinositol, 232
 Neomycin, 333, 362
 Neuroblastoma cells, 49
 Neurofibronin, 154
 Neurokinins A&B, 48
 Neuromodulin, 135
 Neurophils, 177
 Neutrophin, 119
 NGF, 19, 172
 Nicotinic receptor, 48
 Nifedipine, 330
 Nitrate reductase, 355, 360
Nitella translucens, 321
 Nitrogen assimilation, 150
 Nitric oxide (NO), 136
 synthase (NOS), 128, 136, 137
 NMDA receptor, 28
 NMR spectroscopy of InsP, 401, 402
 Nomenclature of *myo*-inositol, 228, 375
 Nonreceptor tyrosine kinases, 122
 NTPase, 306; *see also* JAK
ntr gene system, 150

 Olfactory signals, 155
 ompC, ompF, ompR, 151, 152
 Osmotic stress, 151
 Outer membrane porins, 151

 PAL, 304
 Paracrine regulation, 104
 Paroxysmal nocturnal hemoglobinemia, 169
 Patch clamp, 328
 Pathogen responses, 304, 305, 324
 Permeant inositol phosphates, 394
 Pertussis toxin, 48
 Pfr-mediated signal transduction, 351

 pH (Pleckstrin homology) domain, 100, 130,
 197
 pH receptor, 324
 Phorbol ester, 21, 177, 354
 receptor, 21
 Phosphatidylcholine, 3, 4, 348, 355
 Phosphatidylethanolamine, 3, 355
 Phosphatidylinositol (PI), 2, 3, 4, 258, 261,
 290
 glycans, 52, 53, 232
 inositol phosphatidyl transferase, 290
 transfer proteins, 261, 262, 265
 Phosphatidylinositol(4,5)bisphosphate (PIP₂),
 43, 44, 49, 347
 Phosphatidylinositol 3-kinase, 9, 26, 52,
 116, 121, 262, 277, 290, 334
 Phosphoinositides, 1, 43, 44, 49, 288, 290,
 297, 317, 318, 334, 348
 Phospholamban, 127
 Phospholipase A-, 2, 43, 103
 Phospholipase C, 19, 45, 46, 53, 235, 264,
 265, 266, 299, 346, 348, 351, 358
 Phospholipase γ , 99, 116, 120, 134
 Phospholipase C (GPI-specific), 165, 166,
 167, 171, 177, 178
 Phospholipase D (GPI-specific), 51, 53, 178
 Phosphomyoinositol kinase, 292
 Phosphorylation of protein, transcription fac-
 tor, 115, 117, 118
 Phosphoserine, 155
 Phosphotransduction in *Drosophila*, 285
 Phosphotyrosine, 120, 121, 123
 on PLC γ_1 , 105
 Phototransduction, 350
 Phytoalexins, 304, 325
 Phytochromes, 318, 331, 349, 350, 352,
 356, 358, 361
Phytophthora nicotianae, 325
 Phytases, 241, 242, 271, 272, 292
 Phytic acid (PA), 238–240, 242, 258, 260,
 272, 274, 287, 288, 376, 398, 402
 as antioxidant, 258, 260, 272–275
 as anticolon cancer agent, 258, 260,
 272–275
 as chelator, 258, 260, 272–275
 mutants, 273, 275, 276
 pin gene, 304
 D-Pinitol, 249, 376
 PI-4 kinase, 107
 PIP kinase, 351

- Plasma membrane, 52, 53
 Polyene antibiotics, 304
 Polyphosphoinositides, 347, 349, 356
 metabolism, 10
 Polysaccharides, 306
 Porins, 151
 Potassium channel, 328, 354, 358
 P21, 109
 P ras, 109
 Prenylation, 271
 Priming specific factor, 261
 Profilin, 100, 105, 106
 Prostaglandins, 104
 Protein kinase
 A, 67, 68, 125
 C, 20, 45, 50, 51, 132, 135, 190, 204,
 205, 295, 320, 346, 354
 G, 67, 68, 125
 substrates, 135
 Protein phosphatases, 302, 303, 329
 Protein phosphorylation, 115
 Proteinase inhibitors, 304
 Protein serine/threonine kinase, 122, 124,
 125, 127, 130, 131, 133, 145, 154
 Protein tyrosine phosphatase, 99, 120, 144,
 302, 303
 Proton ATPase, 334
 Protoplast culture, 356, 361
 Pulvinus, 326
 Pyrophosphorylated phytic acid, 248
 Pyruvate kinase, 173
- Quinic acid, 376
 L-Quebrachetol, 376
- Radiolabelling of InP, 400
 raf, 130
 ANP, 116, 129, 130, 132, 135
 Cd-interleukins (IL), 116, 129, 130, 132,
 135
 T cell erythropoietin, 116, 129, 130, 132,
 135
 ras, 102
 ras-GEF, 130
 ras-transformed cell line, 103
 Receptor-linked PI hydrolysis, 44
 growth factor, 47
 Receptors
 cytokine, 116
 EGF, 116
 PDGF, 107
 tyrosine kinase, 116, 132, 302
retinal degeneration gene B (rdgB), 282
 Ca²⁺ binding, 262, 265, 276
 in olfaction, 262, 265, 276
 ptd transfer protein, 262, 265, 276
 in retinal degeneration, 262, 265,
 276
 Rhodopsin, 214
 rho protein: *see* G-protein
 Ribulose-5-P, 291, 293
 mRNA, 50
 RSV-transformed fibroblast, 28
 RTK, 98, 103
 Ryanodine receptor, 63, 72
- Saponin-permeabilized cells, 49, 384
 Satellite proteins, 99
 Scylloinositol, 232
 Second messengers, 14–15, 21, 135, 146,
 153, 155, 171, 174, 190, 243, 263,
 321, 324, 372
 cAMP, 345
 DAG, 345
 Ins(1,4,5)P₃, 14
 Separation of inositol phosphates, 371, 396
 Serum response
 element, 142
 factor, 142
 Serine/threonine phosphatase, 173
 SH₂ domain in
 Ptd Ins 3-kinase, 121
 tyrosine kinase, 263, 264
 SH₃ domain, 100, 106, 120
 Sphingolipids, 232
 Sphingomyelin, 176
 Signal transduction, 249, 262, 264, 266,
 271, 276, 277, 317, 346
 Signaling by inositol hexakisphosphate, 298,
 303
 Signaling by wound, 304
 Site-directed mutagenesis, 155
 Son of sevenless (sos), 102
 src Homology 2 (SH2), 120
 STD, 154
 Stomata, 327
 closure, 328
 guard cells, 305, 329
 pores, 328
 Substance P receptor, 214

- SV40, 147
Synaptic transmission, 51, 215
Synaptosomes, 5
Synaptotagmin, 215
Synthesis of,
 Ins(1,3,4,6)P₄, 191
 Ins(1,4,5,6)P₄, 193, 194
 Ins(3,4,5,6)P₄, 193, 198, 199, 289
 Ins(1,3,4,5,6)₅, 188, 289
 InsP₆, 207, 289
 InsP₇/InsP₈, 210, 246, 257, 274
Systemic wound response, 304
Synthetic inositol phosphates, 377, 378

TGF- β -signaling, 133
Thrombin, 7, 12, 25
Thy-1, 166, 168, 169, 176, 177
T/pp6oc src complex, 107
Transducers, 129, 148
Transmembrane integrins, 129
Transpeptidase, 169
Transforming growth factor β (TGF- β),
 133
3-5,6-trideoxy Ins(1)P, 387, 388
Trifluoromethylsulfonic acid, 385
Troponin C, 127
Troponin I, 127

UDP-galactose (UDP-GlcNac), 169

Vanadate, 15
Vascular endothelial cell growth factor, 117,
 119
Virulence, 152
v-fos, 154
v-jun, 154
v-raf, 131, 154
v-ras, 131, 154
v-src, 131, 154
Vasodilator-stimulated protein (VASP),
 137
Vasopressin, 13, 18
Verapamil, 330
Verticillium albatrum, 325
Virulence, 152
Voltage-dependent Ca²⁺ channels, 297
von Recklinghausen neurofibromatosis,
 154
VSV G proteins, 175

Wound-inducible genes, 305

Xenopus oocytes, 14, 15, 29, 63, 72

Yttrium ions, 400