

INDEX

- Acetylcholine, 99, 132
ACTH: *see* Hormone,
 adrenocorticotrophic (ACTH)
Activity of animal
 locomotor, 101–102
 sexual, 101–102
Adjustment, social scale, 71
Adolescent, depressed, 53–56
 and illness, psychiatric, in the family,
 54
Affect, depressive: *see* Disorders,
 depressive
Affective illness: *see* Illness, mental,
 affective
Alcoholism, 117, 167
 and dexamethasone suppression test,
 117
Ambivalence, unconscious, 82–85
Amine, biogenic, and mood, 30
 α -Aminobutyric acid (GABA), 169
Amitriptyline, 69, 71
Amphetamine, 98, 150
Animal model of disorders, depressive,
 5, 93–107
 activity, 101–102
 locomotor, 101–102
 sexual, 101–102
 sleep, 101–102
 criteria, 101–106
 despair, behavioral, 95–96
Animal model of disorders (*cont.*)
 helplessness, learned, 99–101
 intervention, pharmacological, 102–
 103
 locomotor activity, 101–102
 motor retardation, 94
 neurotransmitter receptor, 103–106
 response to drug, 94
 sexual activity, 101–102
 sleep, 101–102
 usefulness, 93–95
 validity of experiment, 94
 weight gain, 101–102
Anorexia nervosa, 117–118
Antidepressants, 150–154, 156
 and receptors, 150–154
Anxiety
 and disorders, depressive, 88, 169
 and marker, biological, 169
Arecoline, 133
Attachment
 binding, 47–49, 86, 97
 theory and disorders, depressive, 45–
 77
 Bowlby's, 47–49
 and death, 49–51
 and grief, 50–51
 Klein's, 86–87
Attributional style questionnaire, 11

- Beck's cognitive model, 13–23
 cognition in etiology, 14–15
 critique of, 33–35
 future, negative view of, 20
 information-processing is faulty, 14
 perception, biased, 21
 recall, biased, 21
 self-
 blame, 18–19
 esteem, negative, 13–14, 17–18
 perception of coping adequacy, 19–20
 stress-diathesis model, 15–16
 triad, negative, 13–14
 world, negative view of, 20–21
- Beck's Depression Inventory, 28
- Behavior
 care-eliciting, 61–64
 convert, 11
 despair of swimming animal, 95–96
 escape deficit, 24–26
- Bereavement, 49–50
 marker, biological, 169; *see also* Grief
- Biochemistry of disorders, depressive, 165–171
 and subgroups, clinical, 168
- Blood elements, peripheral
 in disorders, depressive, 163–164
- Bond, social, 61; *see also* Attachment
 and disorders, depressive, 62
 and intimacy, 62
 and marriage: *see* Marriage
- Bowlby's theory of infant attachment, 87
- Brain tissue studies, postmortem, 46
- Care-eliciting behavior, 61–64
- Catecholamine hypothesis, 145–149
 challenged, 154
- Childhood and disorders, depressive, 51–56, 118–120
 and abuse, 52
 and family discord, 52
 and neglect, 52
 and parents
 depressed, 55–56
 loss of, 52–53
 separation of, 52–53
 and rejection, 52
- p-Chlorophenylalanine (PCPA), 99, 105, 155, 158
- m-Chlorophenylpiperazine, 155, 162
- Choline theory: *see* Cholinergic hypothesis of affective illness
- Cholinergic hypothesis of affective illness, 132–134
- Chromosome 11, 126–127; *see also* X-chromosome with gene for manic–depressive illness
- Clonidine, 151, 158, 161
- Cognition
 attribution, 10
 and behavior, convert, 11
 mechanism, 10
 model, cognitive, of disorders,
 depressive, 3–4, 9–43; *see also*
 Beck's cognitive model
 clarity, 12
 comprehensiveness, 12
 foundation, theoretical, 13
 power, predictive, relative, 12
 simplicity, 12
 tripartite, 13–14
 utility, heuristic, 12
 verbalization, depressive, 13
 verisimilitude, 12
 and mood, 22–23
 research, 11
 schema, 10, 12
 self-report measures, 11
- College student, depressed, 32–33
- Colorblindness, 124–126
- Comfort, interpersonal, 61–62
- Control, lack of: *see* Uncontrollability
- Coping adequacy, self-perception, 19–20
- Corticotropin-releasing hormone, 160
- Cortisol hypersecretion, 159
- Cosegregation, genetic, 129–130
- Danish twin register, 110
 manic–depressive illness, 110–111
 polarity analysis, 110–111
- Deficit, cognitive, 28
- Depression, mental: *see* Disorders, depressive
- Desipramine, 98
- Despair, behavioral, of animal, 95–96
 rodent swimming test, 95
 and drugs, 95–96

- Dexamethasone, 167
 resistance to suppression, 159–160
- Disorders, affective
 and catecholamine transmission, 144
- Disorders, depressive
 of adolescent, 53–56
 in adulthood, 59–60
 and alpha-adrenergic receptor, 150, 151, 157
 and ambivalence, unconscious, 83–85
 antidepressants for, 151–153
 and anxiety, 88, 169
 and appetite, loss of, 82
 and attachment binding, 47–49, 86–88; *see also* Attachment
 and beta-adrenergic receptor, 150–154, 157; *see also* Receptor, beta adrenergic
 biochemistry of, 165–171
 and subgroups, clinical, 168–171
 and blood elements, peripheral, 163–164
 and brain, functioning of, 49
 as cause of psychic conflict, 87
 and character, 56–59
 of child, 53–56
 and childhood experience, 51–52
 and conflict, psychic, 87
 chronic, 88
 and community activity, 66
 correlates
 biological, 171
 state-dependent, 171
 trait-dependent, 171
 physiological, 28–29
 diagnosis, specificity of, 169
 difficulties, interpersonal, 63–65
 and discord, marital, 62–63
 and drugs, 149–150; *see also* separate compounds
 and family, 65–66
 and functioning
 of brain, 49
 noradrenergic, 150, 153–154
 as grief, 81; *see* Grief
 and helplessness, learned model: *see* Helplessness, learned
 and hostility, unconscious, 83–84
 and intervention, cognitive, 23
- Disorders (*cont.*)
 and learned helplessness model: *see* Helplessness, learned
 and life events, 49–51, 60
 and loss
 of appetite, 82
 response to, 86–88; *see also* Grief
 and marriage: *see* Marriage
 mechanism, biological, 49
 and neuroendocrinology, 159–163
 and neuroticism, 57–59
 and noradrenergic function, 150, 153–154
 and oral themes, 82–84
 and patient, adrenergic
 hyper-, 166
 hypo-, 166
 normal, 166
 and personality, 56–59, 88
 and psychic conflict, 87
 and psychoanalysis, 56–57
 and psychodynamic approaches, 79–91
 and psychotherapy, 67
 and rage, 85
 and receptor theories: *see* Receptor
 recovery from, 66–67
 as result of psychic conflict, 87
 and self-
 esteem, 85–86
 punishment, 85
 and sociobiology, 47–49
 attachment theory, 47–49
 and sleep studies, 164–165
 and stress, social, 60
 life events, 49–51, 60
 stress-diathesis model, 15–16, 35
 and superego, 85
 and support, social, 60–62
 syndrome, 15
 and thyroid-stimulating hormone, 160
 and thyrotropin-releasing hormone, 160
 treatment, 23
 vulnerability to, 52
 and work, 66
- Divorce as a consequence of depression, 65
- Dopamine, 29, 99, 144

- Drugs and
 disorders, depressive, 149–150
 mood, 144
- Dysfunctional Attitudes Scale, 11
- Dysphoria, 15, 22
- Dysregulation hypothesis, 158–159
- Ego ideal, 86; *see also* Superego
 and disorders, depressive, 86
- Electromyography, 22
- Emotion, 47
- β -Endorphin, 132
- Epidemiologic Catchment Area Project,
 62
- Escape behavior deficit in stressed
 animal, 24–26, 101–102
 and loss of
 libido, 102
 sleep, 102
 weight, 101–102
- Ethanol: *see* Alcoholism
- Family studies of affective illness, 113–
 120
 cohort effect, 114–115
 criteria, diagnostic, unresolved, 114
 disorders, major, 113–115
 methodology, 119
 onset, 115
- Fenfluramine, 155, 162, 167
- Fornix, 106
- Genetics
 and illness, affective, 109–142
 Mendelian, 2
- Glucose-6-phosphate dehydrogenase
 deficiency, 124–125
- Grief, 49–50, 81–82
versus melancholia, 81
- Growth hormone, 151, 161
- Growth hormone-releasing hormone,
 161
- Helplessness, learned
 as analogue of depression, 27
 of animal, 99–101
 and antidepressants, 30
 central hypothesis, 25
 and characteristics, temporal, 29–30
- Helplessness (*cont.*)
 and correlates, physiological, 28–29
 and deficit
 in animals, 23–24, 99, 101–102
 cognitive, 28
 in humans, 24–25, 27–28
 and desipramine, 30
 and dopamine, 29
 and drugs, 103
 and imipramine, 30, 103
 and iproniazid, 30
 and MAO inhibitor, 30
 as model of depression, 23–33
 and neurotransmitters, 99
 and norepinephrine, 28–29
 and nortriptyline treatment, 30
 reformulation, attributional, 30–33
 Seligman's model, 23
 temporal, 29–30
 treatment, 30
- Hippocampus and beta-receptor field,
 104–105
 and helplessness behavior, 105
 and serotonin, 105
- Hormone
 adrenocorticotrophic (ACTH), 132, 160
 and atropine, 132
 pituitary, 132
- Hopelessness, 20
 scale, 11
- Huntington's disease
 locus mapping, 123
- 5-Hydroxyindoleacetic acid (5-HIAA),
 155
 depletion of, 155
- 5-Hydroxytryptophan, 167
- Hypercortisolemia, 167
- Hypercortisolism, 160
- Illness, affective, 109–142
 adoption studies, 111–113
 alcoholism, 117
 anorexia nervosa, 117–118
 bipolar in twins, 110–111
 childhood depression, 118–120
 choline theory, 132–134
 cohort effect, 114–115
 Danish twin register, 110
 family studies, 113, 129–130

- Illness (*cont.*)
 and lymphocyte receptor, beta-adrenergic, 131–132
 major, 113–115
 marker, etiological, potential, 128–134
 onset, 115
 personality, cyclothymic, 118
 and platelet imipramine, 130–131
 and relative of patient, 116
 at increased risk, 109
 and studies, genetic, 109–142
 and transmission, genetic, 120–128;
 see also Transmission
 unipolar in twins, 110–111
- Illness, mental
 affective: *see* Illness, affective
 challenges, role of, 3
 disorders, depressive: *see* Disorders, depressive
 models, 1–3
 animal as, 5, 93–107
 cognitive, 3–4, 9–43
 genetic studies of, 6–7, 109–142
 interpersonal, 4–5, 45–77
 intrapsychic, 5, 79–91
 neurobiological, 7–8, 143–177
 psychiatric and life events, 60
 schizoaffective, 116–117
 treatment, 3
- Imipramine, 98, 103, 130–131
- Indoleamine hypothesis, 144–145, 154–156
- Infant: *see* Attachment
- Information processing, faulty, 14
- Interpersonal model of mental illness, 4–5, 45–77
 paradigm, 46–47
 relations and disorders, depressive, 49–77
- Intervention, pharmacological, 102–103
- Intimacy, 62
- Iprindole, 151, 154
- Iproniazid, 144
- Klein's theory, 86–87
- Learned helplessness: *see* Helplessness, learned
- Leukocyte, human, antigen (HLA), 127–128
- Life events hypothesis, 49–51, 60
- Linkage studies in psychiatric illness, 123–124
- Lithium carbonate, 148, 155
- Locus single, autosomal, in inheritance models for, 120–123
- Loss
 personal, 81–84; *see also* Grief
- Lymphocyte receptor, beta-adrenergic, 131–132
- Maudsley Personality Inventory (MPI-N), 57
- Manic–depressive illness, 124–125
- Marriage, 65–66
 discord, 62–63
- Melancholia, 50, 56, 81, 84, 143
versus grief, 81
versus mourning, 50, 84
 and self-hatred, 81
- Melatonin, 162–163
- Methamphetamine, 161
- 3-Methoxy-4-hydroxyphenylglycol (MHPG), 146–148
- Methyldopa, 149
- α -Methylparatyrosine, 98
- MHPG: *see* 3-Methoxy-4-hydroxyphenylglycol (MHPG)
- Mianserin, 103, 105, 152, 154
- MK-212, 155
- Model of disorder, depressive
 animal as, 5, 93–107
 cognitive, 3–4, 9–43
 genetic, 6–7, 109–142
 interpersonal, 4–5, 45–77
 intrapsychic, 5, 79–91
 neurobiological, 7–8, 143–177
 psychodynamic rather than psychoanalytic, 79
- Monoamine, 144, 145, 154, 158–159; *see also* Catecholamine hypothesis
- Monoaminooxidase, 145, 154
 inhibitors as antidepressants, 145, 151
- Mood and
 cognition, 22–23
 drugs, 144
- Mother separation
 and desipramine, 98
 among monkeys, 96–97

- Motivation, reduced, 27–28
- Mourning, 49–50
 as grief, 50–51; *see also* Grief
 as melancholia, 50; *see also*
 Melancholia
 not pathological, 49
- Multiple Affect Adjective Check List, 22
- Neurobiology of disorders, depressive,
 143–177; *see also*
 Antidepressants
 brain tissue studies, post-mortem, 146
 catecholamine hypothesis, 144–149
 indoleamine hypothesis, 154–156
 monoamine hypothesis, 144–145
 serotonin receptors, 156–157
- Neuroendocrinology, 159–163
 transmitter
 nonspecific, 159–161
 specific, 161–163
- Neuroticism in disorders, depressive,
 57–59
- Neurotransmitters, 99–106
 and adrenal gland, 106
 and escape response of animal, 99
 and receptor, function of, 103–106
 beta-receptor in the hippocampus,
 104–105
- Noncontingency, 26
- Norepinephrine, 99, 144–147, 151, 153,
 158
 and shock, electric, 28–29
- Normetanephrine, 148
- Nortriptyline, 30
- Pathogenesis of mental illness, models:
see Model of disorder,
 depressive
- Patients, depressed are depressing, 64–
 65
- PCPA: *see* p-Chlorophenylalanine
- Peer separation among monkeys, 98
 and drugs, 98
- Perception, negative, of
 coping adequacy, 19–20
 future, 20
 world, 20–21
- Personality
 cyclothymic, 118
- Personality (*cont.*)
 and depression, 88–89
 factors in disorders, depressive, 59; *see*
also Life events by hypothesis
- Piaget, Jean, 12
- Platelet
 binding imipramine, 130–131
- Process, cognitive, defined, 10–11
- Pseudohypoparathyroidism, 153
- Psychiatry and sociobiology, 47–49
- Psychiatry schools, theoretical, 45; *see*
also Model of disorder,
 depressive
 Cohen's concept, 45
 Kraepelin's concept, 45
 Meyer's concept, 45
 Sullivan's concept, 45
- Psychopathology, 60–63
- Psychotherapy
 interpersonal, for disorders,
 depressive, 67–72
 in acute case, 69–70
 and amitriptyline, 69, 71
 efficacy, 69
 as maintenance treatment, 70–72
 short-term, 67–68
 psychoanalysis, 50–52
 views on three levels, 68
- Rado's theory of rage *versus* guilt, 85
- Rage, 85
- Raskin Depression Scale, 69–70
- Rat, stressed, and learning deficit, 100
- Recall
 biased, 21
 verbal, 17
- Receptor
 alpha-adrenergic, 150, 151, 157
 beta-adrenergic, 131–132, 146, 149–
 154, 157
 cholinergic, 157
 dopaminergic, 157
 histaminic, 157
 noradrenergic, 158
 reduction in number, 151
 serotonergic, 157, 158
 supersensitivity of, 152–153
- Refutability as criterion, 9
- REM: *see* Sleep, and rapid eye
 movement

- Reserpine, 144, 149
- Rodent swimming test, 95
and drugs, 95–96
- Schema, negative, of Piaget, 14–15
- Schizophrenia, 32, 116, 167, 169
- Self-
blame, 18–19
esteem, negative, 15–20, 83–86
hatred, 81
perception of coping adequacy, 19–20
- Seligman's learned helplessness model,
23–24; *see also* Helplessness,
learned
- Separation
of animal, 96–99
of primate mother, 96–97
of primate peer, 98
- Serotonin, 105, 144, 154, 156–157
- Shock, electroconvulsive, 156
and norepinephrine, 28–29, *see also*
Helplessness, learned
- Sleep
of animal, 101–102
disorders, 164–165
and rapid eye movement (REM),
132, 133, 165
- Social Adjustment Scale, 71
- Stress, 50–51
and disorders, depressive, 60
-diathesis model, 15–16, 35
psychological
and marker, biological, 169
of school attendance, 19
social, 60; *see also* Life events
hypothesis
of teaching in school, 19
- Suicide, 111–113, 152–154, 167
and 5-hydroxyindoleacetic acid
depletion in brain slices, 155
nonpsychiatric, 112
- Suicide (*cont.*)
receptor, beta-adrenergic, in brain,
146, 152
tendency toward, 87
- Superego
and disorders, depressive, 85, 88
pathology, 88
and rage, 85
- Tetrabenazine, 149
- Thyroid-stimulating hormone, 160
- Thyrotropin-releasing hormone, 160
- Transmission
genetic, 120–126
chromosome-11, 126–127
chromosome-X, 124–126
leukocyte antigen, human (HLA),
127–128
linkage markers, 123
locus, single, autosomal, model,
120–123
noradrenergic, excessive, 152–153
- Trazodone, 103, 154
- Treatment of depression, clinical
intervention, cognitive, 23
pharmacological: *see* individual
compounds
- Twins and affective illness, 110–111
- Uncontrollability, 31–33
- Validation
of construct, 12
empirical, 11–12
- Weight gain, 101–102
- Work performance, 66–67
- X-chromosome with gene for manic-
depressive illness, 124–125