

Index

- A
- Abrasives
 - honing, 306
 - super, 98
 - types, 72
 - Adaptive Control, 337
 - need for, 338
 - sensors, 339
 - strategies, 341
 - Artificial Rigidity, 343
 - Average Chip Thickness, 61
- B
- Bond Types, 76
 - honing, 306
- C
- Cam Grinding
 - errors, 183
 - footprint speed, 184
 - CBN
 - see super abrasives, 98
 - Centerless Grinding
 - beta ratio, 215
 - bow correction, 228
 - chatter, 146
 - concentricity, 226
 - diamond offset, 203
 - gamma angle, 204, 214
 - lobing, 205
 - principles, 197
 - profile errors, 222
 - roundness error, 205
 - through feed, 224
 - truing angle, 203
 - Chatter
 - elimination, 153, 352
 - forced, 121, 151
 - self-excited, 123, 145
 - wheel regenerative, 125, 353
 - work regenerative, 125, 354
 - Climb Grinding, 251
 - equations for, 257
 - creep feed, 288
 - Compensation
 - cylindrical grinding, 27, 173, 179
 - rotary surface grinding, 239
 - (see also wheelwear)
 - Computer-Aided Process Planning, 20, 24
 - Conformity
 - (see equivalent diameter)
 - Continuous Dressing, 282, 290, 292
 - Controlled-Force Grinding, 174, 341
 - Coolant
 - application, 289
 - effect of, 49, 84, 280, 349
 - filtration, 295
 - honing, 314
 - Creep-Feed Grinding
 - description, 282
 - effect of stiffness, 259
 - effect of workspeed, 254
 - equations for, 256
 - Cubic Boron Nitride (CBN), 98
 - Cutting Stiffness
 - definition, 13
 - effect of, 156, 181, 258

D

- Difficult-to-Grind Steels, 22, 49, 57, 59
- Down Cutting
(see climb grinding)
- Dressing (Truing)
 - continuous, 289
 - effect of, 45, 47, 348
 - super abrasives, 88, 105

E

- Economics
 - grinding, 246, 271
 - honing, 325
- Energy Adaptive
(see adaptive control), 343
- Equivalent Diameter
 - definition, 10, 43
 - effect on WRP, 58
 - effect on cam grinding, 184
 - effect on chatter, 157
- Errors
 - flatness, 255, 260
 - form, 352
 - roundness, 180, 350
 - size, 187, 338, 356
 - taper, 188, 338, 356

F

- Feed-Rate Grinding, 175
- Form Grinding, 21, 285

G

- G Ratio, 40
 - effect of stock-removal rate, 113, 236
 - vertical spindle grinding, 243
- Grinding Cells, 297
- Grinding Chatter
(see chatter)
- Grinding Process
 - input variables, 4, 5
 - output variables, 5
 - random variables, 5

H

- H Equivalent, 39
- Honing
 - abrasives, 306
 - bond, 307
 - CBN, 117
 - machines, 309
 - oil, 314
 - speeds, 321
 - tools, 304

I

- Induced Grinding Force
 - effect of, 189
 - equation for, 12

M

Machining-Elasticity Number, 13
 Metal-Removal Parameter
 (see work-removal
 parameter)

N

Normal Force Profiles, 173

P

Penetration Rate, 7
 Ploughing-Cutting Transition, 8,
 185
 Ploughing Regime, 8, 185, 291
 Power, 13, 235
 (see also specific power)
 Process Planning, 3

R

Reciprocating Grinding
 effect of workspeed, 254
 equations, 253
 principles, 251, 283
 surface integrity, 64
 Residual Stress
 (see surface integrity)

Rounding-Up Process, 176, 339
 effect of threshold force, 180
 Roundness Criterion, 181

S

Sensors, 339
 Sizing
 dresser diamond, 172
 Sparkout, 56, 185
 Specific Energy, 35
 Specific Power, 13, 35, 52, 275
 Stock-Removal Rate
 cylindrical, 31
 honing, 336
 vertical spindle, 237
 Stock Variations, 175
 Surface Finish
 coated abrasives, 278
 determining factors, 347
 effect of T_{ave} , 61
 effect of wheelwear, 349
 honing, 326
 mottled patterns, 355
 Surface Integrity
 control of, 349
 creep feed, 286, 290
 cylindrical grinding, 65
 honing, 303
 shoulder grinding, 17
 surface grinding, 255
 Surface Profile, 114
 System Rigidity, 171

T

- Thermal Damage
 - (see surface integrity)
- Thermal Instability, 352
- Threshold Force
 - definition, 8
 - effect of wheelspeed and equivalent diameter, 23, 59
 - influence on roundness, 180
 - influence on cam profile, 183
 - M50, 23
 - waterpump bearings, 174
- Time Constant
 - equation, 14, 181
 - sparkout, 186
- Trouble Shooting
 - grinding problems, 347
 - honing, 335

V

- Vibration
 - (see chatter)

W

- Wheel Breakdown Force, 8, 12
- Wheel Depth of Cut
 - definition, 13, 32
 - effect of workspeed, 184
 - surface grinding, 252
- Wheel Grade
 - effect of, 48, 236
- Wheel Sharpness

- coated abrasive, 275
 - definition, 8
 - effect of, 189
 - monitoring, 343, 349
- Wheelspeed
 - effect of, 42, 111
- Wheelwear
 - parameter, 12, 60
 - rate, 7
 - stiffness, 159
- Wheelwork Characteristic Chart, 8
 - cubic boron nitride wheels, 70
 - easy-to-grind steels, 33
 - effect of wheel grade, 41
 - effect of equivalent diameter, 58
- Wheelwork Contact
 - length, 162
 - stiffness, 124
 - equation, 161, 171
- Work-Removal Parameter (WRP), 8
 - AISI 52100, 22
 - coated abrasives, 274
 - effect of equivalent diameter, 58
 - effect of wheelspeed, 22
 - effect on cutting stiffness, 157
 - equation, 51
 - M50, 22
 - sparkout, 185
- Workspeed
 - effect on stock removal, 17, 254
 - effect on surface integrity, 255