

LIST OF CONTRIBUTORS

- ATTINGER, E. O., Division of Biomedical Engineering, School of Engineering and Applied Science and School of Medicine, University of Virginia, Box 377, Medical Center, Charlottesville, Virginia 22908, USA.
- BARON, D. N., Department of Chemical Pathology and Human Metabolism, Royal Free Hospital and School of Medicine, Pond Street, London NW3 2QG, England.
- BENEKEN, J. E. W., Division of Medical Electrical Engineering, Eindhoven University of Technology, Den Dolech 2, P.O. Box 513, 5600 MB Eindhoven, Netherlands.
- BLOM, J. A., Division of Medical Electrical Engineering, Eindhoven University of Technology, Den Dolech 2, P.O. Box 513, 5600 MB Eindhoven, Netherlands.
- CARSON, E. R., Research Centre for Measurement and Information in Medicine, The City University, Northampton Square, London EC1V 0HB, England.
- CHIZECK, H. J., Departments of Systems Engineering and Biomedical Engineering, 611 Crawford Hall, Case Western Reserve University, Cleveland, Ohio 44106, USA.
- CRAMP, D. G., Department of Chemical Pathology and Human Metabolism, Royal Free Hospital and School of Medicine, Pond Street, London NW3 2QG, England.
- de RUYTER, J. A. F., Division of Medical Electrical Engineering, Eindhoven University of Technology, Den Dolech 2, P.O. Box 513, 5600 MB Eindhoven, Netherlands.
- DICKINSON, C. J., Department of Medicine, St. Bartholomew's Hospital Medical College, West Smithfield, London EC1A 7BE, England.
- FINKELSTEIN, L., Measurement and Instrumentation Centre, School of Electrical Engineering and Applied Physics, The City University, Northampton Square, London EC1V 0HB, England.
- GROTH, T. L., Unit for Bio-Medical Systems Analysis, Uppsala University, Box 2103, S-750 02 Uppsala, Sweden.
- INGRAM, D., Department of Medicine, St. Bartholomew's Hospital Medical College, West Smithfield, London EC1A 7BE, England.
- KATONA, P. G., Department of Biomedical Engineering, Wickenden Building, Case Western Reserve University, Cleveland, Ohio 44106, USA.

KELMAN, A. W., Department of Clinical Physics and Bioengineering,
West of Scotland Health Boards, 11 West Graham Street, Glasgow,
Scotland.

SARANUMMI, N., VTT/Sai, P.O. Box 316, 33101 Tampere 10, Finland.

WHITING, B., Department of Materia Medica, University of Glasgow,
Stobhill General Hospital, Glasgow G21 3UW, Scotland.

INDEX

- Absorption, 62
 Acid-base, 217
 Acid-base consultation system, 30
 Acquisition of knowledge, 53
 Adaptive control, 3, 100
 Adaptive filter, 157
 Aid.
 authoring, 230
 self-teaching, 230
 Alarm
 trend, 153, 167
 Anaesthesia, 23
 control of, 113
 Analysis
 formal, 189
 informal, 189
 Andrews' plot, 200
 Antiarrhythmic drug, 74
 Anticoagulant therapy, 108
 Artificial intelligence, 30, 54, 251
 Availability
 systemic, 63
 Bayes' theorem, 53, 76, 215, 251
 Bayesian classification, 54
 Bayesian conditional probability, 177
 Bayesian estimator, 79, 87
 Bioavailability, 63
 Black box model, 19, 34, 97
 Blood gases, 116
 Blood pressure control, 24, 120, 124
 CADUCEUS, 31, 252
 Cardiovascular system, 20
 CASNET, 31, 38, 252
 Chemical pathology, 47
 CHRONOS, 38, 41
 Circulatory mechanics, 20, 35
 Classification
 Bayesian, 54
 statistical, 53
 Clearance, 62, 64
 Clinical acceptability of models, 41
 Clinical control system, 121
 Clinical data base, 56
 Clinical decision making, 47, 52, 59, 214
 Clinical judgment, 47, 179
 Clinical reasoning, 29
 Closed loop control, 23, 95, 99
 Cluster analysis, 193
 Cognitive model, 55
 Compartment, 8
 central, 65
 effect, 86
 peripheral, 65
 Compartmental model, 8, 67
 Computer-aided decision making, 52, 179
 Computer-aided diagnosis, 29
 Computer-aided drug delivery, 104
 Computer-aided learning, 230
 Concentration
 maximum safe, 60
 minimum effective, 60
 target, 60, 62, 72
 Confidence limit, 164
 Consultation system, 30
 acid-base, 30

- Control
 - adaptive, 3, 100
 - closed loop, 23, 95, 99
 - feedback, 99
 - model-based, 1
 - open loop, 99
 - optimal, 100
 - PID, 99
 - robust, 100
- Control
 - of blood pressure, 24, 120, 124
 - of pain, 24
 - of respiration, 116
- Control system
 - clinical, 121
- Control system approach, 1, 246
 - to treatment, 2
- Control system concepts, 1
- Control system model, 9
- Convergence, 167
- Covariates, 187
- Cross validation, 191
- CT imaging, 28
- Cumulative sum, 159

- d-tubocurarine, 86
- Data
 - laboratory, 36
- Data base
 - clinical, 56
- Data base system, 54
- Dead-time, 102
- Decision making
 - clinical, 47, 52, 59, 214
 - computer-aided, 179
 - logical, 53
- Decision protocol, 29
- Decision support system, 253
- Decision tree, 53
- Delay
 - onset, 102
- Diagnosis, 1, 27
 - computer-aided, 29
 - non-invasive, 28
- Diagnostic evidence, 215
- Diagnostic methods, 28
- Diagnostic model, 6, 32, 40
- Diagnostic process, 27
- Dialysis, renal, 21
- Digitalis glycoside, 86
- Digitalis therapy, 105
- Discriminant analysis, 54
- Disease
 - nature of, 48
- Disopyramide, 86
- Distribution volume, 62, 63
- Divergence, 163
- Dominant variables
 - identification of, 191
- Dose, loading, 63, 74
- Dose regimen, 217
- Dose/response model, 6
- Drug
 - antiarrhythmic, 74
- Drug delivery
 - computer-aided, 104
- Drug disposition, 62

- Effect compartment, 86
- Efficiency of test, 51
- Elimination half life, 68
- Error
 - measurement, 189
 - model, 189
 - prediction, 89
 - residual, 163
- Estimation, 11
 - Bayesian, 79, 87
 - maximum likelihood, 71, 76
 - non-linear least squares, 70
 - parameter, 11, 69, 161
- Evaluation
 - of information, 52
 - of performance, 103
- Evidence, diagnostic, 215
- EXPERT, 31
- Expert system, 30, 54, 219, 236, 251

- Feedback control, 99
- Filter
 - adaptive, 157
 - Kalman, 109, 161, 162
- First pass effect, 63
- Fluid/electrolyte balance, 217
- Fluid theory
 - in burn patients, 127
- Fluidmod program, 234
- Formal analysis, 189

- Functional neuromuscular stimulation (FNS), 130
 - controller for, 130
 - lower extremity, 138
 - orthosis, 130
 - upper extremity, 137
- Global model, 20
- GUIDON, 252
- Hierarchical levels, 181
- Homeostasis, 2
 - derangement of, 2
- Identification
 - of model, 11
- Imaging, 28, 39
 - CT, 28
 - NMR, 28
 - X-ray, 28
- Inference
 - rule-based, 215
- Inference generation, 53
- Inference mechanism, 52
- Inference program, 55
- Information
 - for decision making, 250
 - and knowledge, 180
- Information collection, 52
- Information evaluation, 52
- Information overload, 192
- Input/output model, 6, 235
- Insulin infusion, 110
- Intensive care, 17
- Interactions
 - in complex systems, 176
- INTERNIST, 31, 252
- Joint probability density
 - function, 78
- Kalman filter, 109, 161, 162
- KIRON, 39
- Knowledge acquisition, 53
- Knowledge base, 52, 55, 253
- Knowledge representation, 37, 53, 180
- Laboratory data, 36
 - model as preprocessor of, 36
 - Laboratory investigation, 47
 - Laboratory medicine, 48
 - Laboratory test selection, 49
 - batch ordering, 245
 - Laboratory turnaround time, 246
 - Level of organisation, 180
 - Lignocaine, 75
 - LOCALIZE, 30
 - Logical decision making, 53
 - Lung function model, 221
- Mac series models, 221
- MacDopex, 16, 228
- MacPee, 228
- MacPuf, 16, 23, 226
- Markov decision process, 18
- Maximum likelihood estimation, 71, 76
- Maximum safe concentration, 60
- Measurement
 - of system variables, 98
- Measurement error, 189
- Minimum effective concentration, 60
- Model
 - black box, 18, 34, 97
 - circulatory, 20, 35
 - clinical acceptability of, 41
 - cognitive, 55
 - compartmental, 8, 67
 - complex, 20, 32, 33
 - continuous, 96
 - control system, 9
 - diagnostic, 6, 17, 32
 - discrete, 96
 - dose/response, 6
 - global, 20
 - heuristic, 33
 - hybrid, 96
 - input/output, 6, 235
 - level of, 19
 - lung function, 221
 - Mac series, 221
 - mechanistic, 97
 - non-compartmental, 10
 - observation, 161
 - one compartment, 67
 - pharmacodynamic, 83
 - pharmacokinetic, 66, 85
 - physiological, 19
 - predictive, 6

- Model (continued)
 - simple structure, 18
 - teaching, 6
 - trend prediction, 17
- Model
 - for off-line experiment, 16
 - for on-line control, 6
- Model-based control, 1
- Model error, 189
- Model evaluation
 - in medical education, 220, 238
- Model formulation, 7
- Model identification, 11
- Model purpose, 6
- Model reduction, 15
- Model validation, 11
- Model validity
 - final assessment, 14
- Modelling
 - forward, 34
 - inverse, 35
- Modelling process, 5
- Modulation, recruitment, 132
- Modulation
 - by temporal summation, 132
- Monitoring
 - patient, 153, 173
- Multidimensional scaling, 193
- Muscle stimulation, 133
- MYCIN, 31, 237, 252

- NMR imaging, 28
- Non-compartmental model, 10
- Non-linear least squares regression, 70
- NONMEM, 70, 78, 87
- Non-minimum phase process, 102
- Non-stationarity
 - strong, 164
- Normal range, 50

- Observation model, 161
- Onset delay, 102
- Onset time, 165
- Open loop control, 99
- Optimal control, 100
- Optimal sampling, 81
- Optimal treatment, 60
- Organisation
 - level of, 180

- Orthosis
 - FNS, 130
- Parameter,
 - pharmacokinetic, 72
- Parameter estimate, 11, 69, 161
 - population, 78
- Parsimonious description, 176
- Pathology, 47
- Patient alarm warning system (PAWS), 160
- Patient condition factor (PCF), 158
- Patient management
 - data centred, 246
 - problem centred, 246
- Patient monitoring, 173
- Patient simulator, 34
- Performance evaluation, 103
- Pharmacodynamic model, 83
- Pharmacodynamic variability, 60
- Pharmacokinetic model, 66
- Pharmacokinetic parameters, 72
- Pharmacokinetic variability, 60, 63
- Pharmacokinetics, 20
 - clinical, 70
 - linear, 64
 - non-linear, 65
- PID control, 99
- PIP, 31, 252
- Polythetic taxonomy, 177
- Population parameter estimate, 71, 78
- Population screening, 47
- Prediction
 - trend, 153
- Prediction error, 89
- Predictive model, 6
- Principal component analysis, 193
- Probability density function, 78
- Profiling, 47
- PROMIS, 16
- PUFF, 38, 252
- Purpose
 - of model, 6

- Quinidine, 86

- Range
 - normal, 50
 - reference, 50
 - therapeutic, 60

- Recruitment modulation, 132
- Reference range, 50
- Regulator
 - self-tuning, 100
- Renal dialysis, 21
- Residual error, 163
- Respiratory control, 116
- Robust control, 100

- Sampling
 - optimal, 81
- Scaling
 - multidimensional, 193
- Screening
 - population, 47
- Self-tuning regulator, 100
- Sensitivity
 - of test, 50
- Signal model, 154
- Simulation
 - of clinical encounter, 214
- Simulator
 - physical, 235
- Specificity
 - of test, 50
- Statistical test, 161
- Statistical tools, 251

- Target concentration, 60, 72
- Target value, 158
- Taxonomy
 - polythetic, 178
- Teaching
 - large group, 231
- Teaching model, 6
- TEIRESIAS, 253
- Test
 - statistical, 161
- Test dose, 73
- Test selection, 49
- Theophylline, 74, 86, 89
- Therapeutic range, 60
- Therapy
 - anticoagulant, 108
 - digitalis, 105
- Time
 - of onset, 165
- Treatment
 - optimal, 60
- Trend, 153

- Trend alarm, 153, 167
- Trend prediction, 153
- Trend prediction model, 17
- Trigg's tracking signal, 156

- Uncertainty, 163

- Validation
 - of completed model, 12
 - of identifiable model, 13
 - of model, 11
 - within modelling process, 12
 - of theoretically unidentifiable model, 13
- Validity
 - final assessment of, 14
- Validity
 - of predictive model, 191
- Validity criteria, 12
- Variability
 - analytical, 51
 - biological, 51
 - inter-individual, 51, 62, 71
 - intra-individual, 51, 71
 - pharmacodynamic, 60
 - pharmacokinetic, 60, 63
- Variable selection
 - for performance characterisation, 187
- Variation
 - spontaneous, 161
- Ventilation
 - minute, 119
- Volume
 - of distribution, 62, 63

- Wider health care system, 245, 249

- X-ray imaging, 28