
INDEX

- Acinic cell tumor, 96, 97, 102
- Actinic keratosis, 37
- Adenocarcinoma, 97, 98, 103
- Adenoid cystic carcinoma, 97, 102, 103
- Adenolymphoma, 93
- Ameloblastoma, 107–111
- Anatomic regions, 68–71
- Angiosarcoma, 123, 124
- Artificial saliva, 207

- Basal cell carcinoma, 60
- Bleomycin, 232, 233
- Burkitt's lymphoma, 136–138

- Carbon dioxide laser surgery, 178, 179
- Carcinoma
 - adenosquamous, 62
 - basal cell, 60
 - basosquamous, 60
 - in pleomorphic adenoma, 100, 103
 - odontogenic, 111, 112
 - sarcomatodes, 62
 - in situ, 18, 47
 - spindle cell, 60–62
 - squamous cell (see Squamous cell carcinoma)
 - transitional-cell, 62, 63
 - undifferentiated, 63
 - verrucous, 58–60, 194
- Chemotherapy, 217–242
 - adjuvant, 166, 240, 241
 - Bleomycin, 232, 233
 - Cis-platinum, 230–232
 - combination chemotherapy, 234–241
 - combined (with radiation and/or surgery), 201, 202, 221
 - 5-Fluorouracil, 233, 234
 - intra-arterial, 241, 242
 - leucovorin rescue, 224–228
 - methotrexate, 224–230
 - preoperative, 165, 166
 - polychemotherapy, 234–241
 - postoperative, 165, 166
 - response to chemotherapy, 218–224
 - single-agent, 224–234
- Chievitz's bodies, 49
- Chondrosarcoma, 127–130
- Cis-platinum, 230–232
- Clark's classification, 145
- Complications of radiotherapy, 207–209
- Complications of surgery, 172–177

- Cryosurgery, 177, 178
- Cytology
 aspiration, 40
 exfoliative, 13, 14, 45
- Dental care, 208, 279, 280
- Desmoid tumour, 115
- Desmoplastic fibroma, 115
- Dubreuilh's melanosis circumscripta
 praecancerosa, 141–144
- Epithelial dysplasia, 26, 27
- Erythroplakia, 26, 27
- Ewing's sarcoma, 130, 131
- Fibromatosis, 114, 115
- Fibrosarcoma, 114–117
- Flaps in reconstructive surgery, 258–260
 cervical flap, 258–260
 osteomyocutaneous, 269–270
 skin flap, 258–260
 temporal flap, 258–260
 tongue flap, 258
- 5-Fluorouracil, 233, 234
- Functional neck dissection, 161–163
- Giant cell tumour, malignant, 127
- Glossectomy, 166–169
- Haemangiopericytoma, 124
- Hutchinson's melanotic freckle, 141–144
- Intra-arterial chemotherapy, 241, 242
- Kaposi's sarcoma, 125
- Keratoacanthoma, 37, 38
- Laser therapy, 178, 179
- Leiomyosarcoma, 121
- Lentigo maligna, 141–144
- Leukoplakia, 3–26
 biopsy, indication and techniques, 14, 15
 clinical aspects, 10–12
 definition, 4
 differential diagnosis, 19–23
 epidemiology, 4
 erosiva, 11
 etiology, 4–8
 histopathologic aspects, 15–19
 homogeneous, 11
 malignant transformation, 23–26
 nodular, 12
 simplex, 11
 sites, 8–10
 speckled, 12
 verrucosa, 11
- Leucovorin rescue, 224–228
- Liposarcoma, 121–123
- Lymphoepithelioma, 62, 63
- Lymphoma, non-Hodgkin's, 133–136
- Lymph node metastases
 clinical aspects, 40–43
 cytologic puncture, 40
 extranodular spread, 54–57
 histopathology, 54–58
 radiotherapy, 195–200
 surgical treatment, 161–163, 167, 168
- Malignant melanoma, 140–146
 Clark's classification of, 145
 clinical features, 141–144
 histopathology, 144, 145
 irradiation, 207
 surgical treatment, 181
- Mandibular "swing" approach, 157, 158
- Mandibulectomy, 170, 171
- Melanotic neuroectodermal tumor of
 infancy, 113, 114
- Metachronous tumors, 36
- Metastatic tumors, 146–148
- Methotrexate, 224–230
- Midline (non-healing) granuloma, 140
- Monomorphic adenoma, 93–95, 102
- Mucoepidermoid tumor, 95, 96
- Mycosis fungoides, 135
- Myeloma, 131–133
- Neurogenous sarcoma, 117–119
- Nodular fasciitis, 115
- Nutrition, 172–173
- Odontogenic carcinoma, 111, 112
- Odontogenic sarcoma, 112, 113
- Odontogenic tumors, 107–114
- Oncocytosis, 93
- Osteomyocutaneous pedicle flap, 269, 270
- Osteoradionecrosis, 208
- Osteosarcoma, 125–127

- Plasmacytoma, 131–133
- Pleomorphic adenoma, 90–92, 101, 102
 carcinoma in, 100, 103
- Prosthetic rehabilitation, 279–291
 floor of mouth, 289–291
 mandibula, 285–289
 maxilla, 280–285
 tongue, 289–291
- Pseudosarcomatous fasciitis, 115
- Pseudosarcomatous fibromatosis, 115
- Radical neck dissection, 161–163
- Radiotherapy, complications, 207–209
 carcinogenic effect, 209
 mucositis, 209
 osteoradionecrosis, 208
 radiation caries, 207
 xerostomia, 207
- Radiotherapy, contraindications, 194–195
- Radiotherapy, investigational techniques, 201–206
 fractionated irradiation, 204
 heavy particle radiation beams, 203, 204
 neutron irradiation, 203, 204
 oxygen breathing and hyperbaric oxygen, 202, 203
 radiation sensitizers, 204
 unconventional radiation dose schedule, 206
- Radiotherapy, of the neck, 195–200
 elective irradiation, 196–199
 therapeutic irradiation, 199, 200
- Radiotherapy, of the primary, 188–193
 large tumors, 191–198
 small tumors, 189–191
- Radiotherapy, response to treatment, 200, 201
- Rappaport's classification of malignant non-Hodgkin's lymphoma, 133
- Reconstructive surgery, specific sites, 251–271
 buccal mucosa, 256–260
 cheek, 256–260
 floor of mouth, 261–267
 lips, 253–255
 mandible, 267–270
 palate, 271
 tongue, 260–263
- Resection splint, 280–285
- Reticulum cell sarcoma, 135
- Rhabdomyosarcoma, 119–121
- Rib graft in reconstructive surgery, 270
- Salivary glands tumors, minor glands
 acinic cell tumor, 96, 97, 102
 adenocarcinoma, 97, 98, 103
 adenoid cystic carcinoma, 97, 102, 103
 adenolymphoma, 93
 biopsy, 89
 carcinoma in pleomorphic adenoma, 100, 103
 classification, 79
 clinical aspects, 84–88
 distribution in the oral glands, 83, 84
 epidemiology, 79–82
 etiology, 83
 histopathology, 90–100
 irradiation, 206, 207
 monomorphic adenoma, 93–95, 102
 mucoepidermoid tumor, 95, 96
 myoepithelioma, 93
 nomenclature, 79
 pleomorphic adenoma, 90–92, 101, 102
 radiographic aspects, 88, 89
 squamous cell carcinoma, 99, 100
 surgical treatment, 179, 180
- Sarcoma
 angio, 123, 124
 chondro, 127–130
 Ewing's, 130, 131
 fibro, 114–117
 fibroxantho, 115
 Kaposi's, 125
 leiomyo, 121
 lipo, 121–123
 neurogenous, 117–119
 odontogenic, 112, 113
 osteo, 125–127
 reticulum cell, 135
 rhabdomyo, 119–121
- Squamous cell carcinoma, 33–68
 adenoid, 62
 biopsy, 46
 bone invasion, 49
 classification systems, 64–67
 clinical aspects, 37–40
 distant metastases, 41, 44
 epidemiology, 33, 34
 etiology, 34, 35
 histologic grading, 53, 54

- Squamous cell carcinoma (continued)
 - histopathology, 47–53
 - in situ, 18, 47
 - lymphatic spread, 40–43
 - perineural spread, 49, 51
 - prognosis, 67, 68
 - registration, 64–67
 - salivary gland origin, 99, 100
 - staging, 64–67
 - symptoms, 35, 36
- Secondary primary, 36
- Shoulder syndrome, 162
- Spindle cell carcinoma, 60–62
- Staging, 64–67
 - STNMP classification, 67
 - TNM classification (AJC), 66
 - TNM classification (UICC), 64–66
- STNMP classification, 67
- Submucous fibrosis, 27
- Surgical treatment, complications, 173–177
 - airway obstruction, 176, 177
 - carotid artery rupture, 176
 - morbidity, 174, 175
 - mortality, 173, 184
- Surgical treatment, of the neck, 161–163, 167, 168
 - elective neck dissection, 161
 - functional neck dissection, 161–163
 - radical neck dissection, 161–163
 - suprahyoidal neck dissection, 163
- Surgical treatment of the primary (specific sites), 166–172
 - cheek mucosa, 171
 - floor of mouth, 168–170
 - gum, lower, 170, 171
 - gum, upper, 172
 - mandible, 170, 171
 - maxilla, 172
 - palate, 172
 - tongue, 166–168
- Synchronous tumors, 36
- TNM classification (AJC), 66
- TNM classification (UICC), 64–66
- Toluidine blue staining, 13, 44, 45
- Transitional-cell carcinoma, 62, 63
- Verrucous carcinoma, 58–60, 194
- Visor flap approach, 157, 159
- Weber-Fergusson approach, 157, 159
- Wegener's granulomatosis, 138–140
- Xerostomia, 207