
INDEX

- Accurate dot product, 381–383, 386, 388, 390
 - hardware, 388–389, 392
- ACRITH-XSC, 382, 385–386
- Active function set, 215
- Agriculture, 276
- AIDS epidemics, 249, 274
- Air pollution, 277
- Algebraic equations, 213
- Algebraic optimization, 185, 189
- Algebra, computer, 381–382
- Analytic function, 153, 162
- Appliances, 278
- Approximate minimization, 24, 29
- AQUARELS, 388
- Arizona, Coconino county, 140
- Artificial intelligence, 356
- Artificial Intelligence, Russian Institute of, 211
- Atomic energies, 151
- Automatic differentiation, 385
- Automatically verified histogram method, 240, 242
- Automatically verified histogram, 242
- Banach algebra, 152, 162
- Banach space, 152, 154
- BIAS, 385
- Biomedical models, 53
- Bipartite graph, 218
- Bisection, generalized, 28–29, 213
- BNR–Prolog, 174
- Body of evidence, 348–351, 360
 - combining two or more, 352
 - nonspecificity of, 366
- Bound constraints, 23–24, 26, 30, 32–33, 37, 39, 52, 54
- Boundary value problem, 154, 157
- Bounded-error approach, 91, 111
- Box-splitting strategies, 29
- Branch and bound, 24–25, 27, 29, 185–186
- C, 387
- C++, 30, 141, 173, 181, 385, 391, 412–413
- C-XSC, 141, 382, 386
- CADAC processor, 383, 390
- Calculator, interval, 413
- Cascade processor, 383, 389
- Cascaded function evaluation, 170
- CDF, 228, 231
- Cement kilns, 278
- Census data, business, 135
- Center of gravity defuzzification, 272
- Certainly feasible, 34
- Characteristic function, fuzzy logic, 342
- Checklist paradigm, 291–292, 302
- Checklist valuation, 304
 - coarse, 304
- Chemical engineering, 53
- Choice function, 270
- Circuits, electronic, 171
- Clinaid, 292, 321–322
 - medical diagnosis, 322
- Clinical knowledge structures, 317
- Coconino county, Arizona, 140
- Cognitive science, 338–339, 347, 370

- Commercial considerations,
 - interval arithmetic, 407, 414
- Complement intervals, 176
- Complex variables, 163
- Computational complexity, 81
- Computer algebra systems, 387
 - performance of, 387
- Computer algebra, 381–382
 - systems, 383, 387
- Computer systems administration, 237
- Computer-aided geometric design, 11, 53
- Computer-assisted analysis, 153
- Computer-assisted proof, 14, 145
- Concavity test, 26
- Confidence intervals, 136
- Conjugate gradient algorithm, 386
- Connectives, logical, 293
- Connectives, logical
 - abstract group properties, 310
- Connectives, logical
 - many-valued, 297
- Consonant evidence sets, 354
- Constrained optimization, 223, 273
 - global, 23
- Constraint propagation, 10–11, 14, 211, 240
 - data structures, 218
 - interval, 169, 173–174
- Constraint satisfaction, 2, 169, 240, 385
- Contraction, 155–157
- Control theory, 2
- Control, 267
 - fuzzy, 278
 - intelligent, 278
- Controller, temperature, 123
- Convexity, 27
- Coulomb singularity, 149
- Crisp relations, fuzzy logic, 302, 342
- Cumulative distribution functions, 228, 231
 - as integral of histogram, 231
- Data processing, 1
- Decision analysis, 275
- Decision making, 267
- Defuzzification, 270
 - center of gravity, 272
 - mean of maxima, 271
- Degrees of belief, 251–252, 259, 265
 - storage of, 261
- Degrees of confidence, 340–341, 351
 - interval, 345
 - interval-valued, 363
- Dempster's rule of combination, 353
- Dempster-Shafer theory of evidence, 351, 353
- Dependency, interval, 184
- Dependent constraints, 34
- Design factors, 93
- Design optimization, 91, 97
- Design specifications, 93
- Differentiation, 387
- Dirac, 146, 149
- Directed rounding, 6–7, 141, 175, 381, 383–384, 386, 388, 390, 411
 - hardware, 389
- Discontinuous interval, 177
- Distributed-memory, 30
- Distribution functions, 227
 - cumulative, 228
- Dot product coprocessor, 389
- Dot product, accurate, 381–383, 386, 390
- Dot product, accurate
 - hardware, 388–389, 392
- DRAFT computer, 383, 389
- Dusty deck, 409
- Economics, mathematical, 17, 133

- EIA Excel, 174, 182
- Eigenfunction, 148, 150
- Eigenvalue, 84, 147–150, 386, 391
- Eigenvector, 386
- Electrical networks, 53, 92
- Electron density, 147
- Electronic circuit, 171
- Email alias, interval computations, 407, 414
- Employment multiplier, 135
- Engineering design, 275
- Environments, problem solving, 382–383
- Epsilon-inflation, 30
- Equality constraints, 34–35, 223
- Equilibrium economic models, 133
- Error bounds, 4, 408
- Error detection, 412
- Euler-Lagrange equation, 148
- Evidence sets, 337–338, 353–354, 356–357, 376–377
 - membership functions of, 353
 - nonspecificity of, 366
 - consonant, 354
 - index of fuzziness of, 361
 - L, 371, 373–375, 377
 - index of nonspecificity, 372
 - probabilistic sets, 354
- Evidential reasoning, 339
- Excel, 169–170, 174, 182
- Existence verification, 24–26, 28, 30, 40, 42, 48–51
- Expert systems, 19, 263, 279, 322, 339–340, 346–348, 362, 367
 - knowledge representation in, 20
- Extended interval arithmetic, 29, 174
 - software, 182
- Extension principle, 260
- Fermi, 146
- Finance, 237
- Fixed point theorem, 154
- Floating point arithmetic, 381, 405, 408, 410
 - IEEE standard, 383, 411
 - variable-precision, 384, 390
- Flowsheeting, 53
- Focal elements, 349
- FORTRAN-77, 30, 54, 385, 388
- Fortran-90, 30, 54, 412–413
- FORTRAN-SC, 174, 385
- Fritz-John, 26, 34, 42, 51–52
- Fuzzy control, 278
- Fuzzy logic, 19, 291, 340–341
 - interval-valued, 292, 337, 343, 345
 - versus classical logic, 298
- Fuzzy measures, 351
- Fuzzy membership function, 293
- Fuzzy sets, 259, 342
 - index of fuzziness, 358–360
 - interval-valued, 343
 - index of fuzziness, 360
 - non-specificity of, 365
 - operations on, 345
 - operations on, 259, 342
 - type 2, 346
- Gauss decomposition, 102, 108–110
- Gauss-Seidel method, classical, 43
- Gauss-Seidel method, interval, 29–30, 34, 41, 43–44, 46, 48
- Gaussian elimination, 17
- Gaussian elimination, interval, 17, 34, 41, 44, 46, 52, 140
- Generalized bisection, 28–29, 213
- Geometric modeling, 389
- Global optimization, 2, 10, 12, 15, 41, 114, 172, 186, 211, 221–222, 382, 384–385
 - unconstrained, 24
- GNP, 136
- Graph, bipartite, 218
- Gross domestic product, 136

- Gross national product, estimation of, 136
- Ground-state energy, 147
- GUI, 408
- Hamiltonian, 146, 148
- Hansen Hessian, 48
- Hansen's algorithm, 28
- Hardware
 - integer arithmetic, 389
 - interval arithmetic, 20, 383, 388
 - variable-precision, 390
 - performance, 408–409, 411
 - variable-precision arithmetic, 383
- Hartley measure, 363
- Hartree-Fock approximation, 148
- Helicopters, 278
- Highway networks, 278
- Histograms, 227
 - arithmetic on, 232, 234, 236–239
 - as representing families of PDFs, 231
 - information loss from PDFs, 229
 - to represent intervals, 229, 232
 - to represent probability distribution functions, 229
- Hull, interval, 41, 43
- Hypercube, 30
- I/O, 411, 413
- Identification, 267
- IEEE 754 floating point standard, 383, 385, 411
 - hardware, 395
- Ill-conditioned problems, 386
- IMPLAN, 140–141
- InC++, 173, 181, 185–186, 385
- Index of fuzziness, 358–360
- Index of nonspecificity, 372
- Indirect measurements, 246
- Inequalities, 211
- Inequality constraints, 23, 32, 34, 223
- Inference, fuzzy, 291
- Infinite intervals, 177
- Information retrieval, 356
- Information theory, 362
- Initial value problem, 154, 156, 382
- Input-output models, 133
 - Leontief, 138
- INTBIS, 53, 385
- Integer arithmetic
 - hardware, 389
 - variable-precision, 389–390
- Integer programming problems, 219–220
- Integral equations, 382, 384
- Integration, 387
- Intelligent control, 278
 - applications, 278
- Internet, 414
- Interval arithmetic, 6, 381–384, 405, 407–410, 412
 - commercial considerations, 407
 - compilers, 407
 - demand for, 412
 - hardware, 20, 383, 388, 405, 407
 - problem solving environments, 382
 - programming languages, 381, 385–386
 - software, 20, 153, 383, 405, 407
 - portable, 54
 - staggered, 383, 390
 - variable-precision, 381, 383, 386, 391–392, 395
 - performance of, 395
- Interval computations, World Wide Web page, 407, 414
- Interval degrees of confidence, 345
- Interval dependency, 106, 184
- Interval extension, order, 31
- Interval fuzzy membership function, 291
- Interval Gauss-Seidel method, 17, 29–30, 34, 41, 43–44, 46, 48

- Interval Gaussian elimination, 34, 41, 44, 46, 52, 140
- Interval hull, 41, 43
- Interval linear equations, 118
 - introduction, 15
- Interval linear programming, 276
- Interval many-valued logic system, 291
- Interval Newton methods, 28, 30, 34, 40–42, 52, 188, 395
- Interval reasoning, 319
- Interval-valued degrees of confidence, 363
- Interval-valued fuzzy logic, 292
- Interval-valued fuzzy sets, 337, 360
 - nonspecificity of, 365
- Interval-valued logic of belief, 353
- Interval, represented as a histogram, 232
- INTLIB, 54, 384–385
- Intuitionistic fuzzy sets, 346
- Inverse midpoint preconditioner, 46
- Inversion algorithm, 161
- IVFS, 337, 345–346, 354, 365–366, 375
- Jacobi matrix, 35, 41, 50, 52
- Jacobi method, 44
- Kahan arithmetic, 29
- KBS, 292
- KDL, 294, 299
- Kleene-Dienes logic algebra, 299
- Knapsack problem, 220
- Knowledge engineering, 292
- Knowledge representation, 363
- Knowledge-based systems, 321, 337, 339, 341, 356
 - inference in, 292
- Krawczyk method, 41, 43–44, 46, 48
- L-evidence sets, 371, 373–375, 377
 - index of nonspecificity, 372
- Lagrange multiplier, 42, 45, 51–52
- Laminates, 52
- Laplacian, 149
- Least squares, 386
- Leontief input-output model, 138
 - introduction, 17
- Leontief matrix, 134–135, 137, 139–140
 - inverse of, 135, 138
- Leontief, 133
- LIA, 181
- Libraries for interval arithmetic, 382
- Line search, 24
- Linear interval systems, 81, 84, 138, 140
 - introduction, 15
 - solution set, 81
 - strong regularity, 82
 - symmetric, 81, 86
- Linear programming
 - interval, 276
 - nested intervals, 277
- Linear systems of equations, 386
 - interval, 118
 - symmetric, 61
- Linked lists, 385
- Lipschitz constants, 3, 10
- Lipschitz matrix, 41–42, 47–48
- Load balancing, 30
- Local optimization, 29–30
- Logic of belief, interval-valued, 353
- Logical connectives, 293
 - abstract group properties, 310
- Logical operations, 341
- Logic, classical, 298
- Long accumulator, 389, 391, 395
- Loss function, 101
- Lotus 1–2–3, 169
- LP preconditioners, 46
- Lukasiewicz implication operator, 294, 300

- Lukasiewicz logic algebra, 299
- M-matrix, 138–140
- Macintosh, 408
- MACSYMA, 387
- Magnitude, 32
- Manufacturing design, 278
- Many-valued logic, 291
- Maple, 174, 387
- Mathematica, 174, 387
- Mathematical economics, 17, 133
 - models, 133
- Matrices, tridiagonal, 62
- Matrix arithmetic, 386–387, 389–391
- Matrix factorization, 391
- Matrix operations, 383
- Maximal smear, 29
- Mean of maxima, 271
- Media selection, 277
- Medical applications, 321
- Medical computing, Clinaid, 322
- Medical diagnosis, Clinaid, 322
- Membership function, fuzzy logic, 259, 291, 342, 353
- Membership function, fuzzy logic
 - estimating values of, 262
- MGAP-2 computer, 383, 389
- Midpoint test, 26–28, 30
- Minimax optimization, 91, 101
- Model-based quality control, 91–92, 97–98, 100, 128
 - deterministic, 126
 - statistical, 126
- MODULA-SC, 385
- Monotonicity test, 26–27, 30
- Monte Carlo method, 240, 242
- Monte Carlo simulation, 53
- Moore / Skelboe algorithm, 27
- Moore, R. E., 407
- MP, 384
- MS Excel, 170–171, 174, 182
- Multipliers, mathematical
 - economics, 134
- Multivariate quadratic polynomial, 108
- MuMath, 387
- MVL, 291
- Natural interval extension, 188
- Nested intervals, 245, 248–250, 252, 263
 - combining, 253
 - linear programming, 277
- Netlib, 412
- Network representation, 218
- Noise factors, 93
- Non-convex optimization, 24
- Non-convexity, 27
- Non-existence verification, 49, 51
- Nonlinear systems of equations, 385–387
- NP-completeness, 17, 24, 37, 41, 43, 81
- Nuclear power, 248, 278
- Number theory, 389
- Numerical Turing Language, 390
- Objective function, 1
- ODE, 153–154, 158
- Operator overloading, 385–386
- Optimal LP preconditioners, 46
- Optimization, 211, 267
 - constrained, 101, 211, 223, 273
 - design, 91, 97
 - global, 211
 - minimax, 91, 101
 - range computation, 273
 - with nested sets, 268
 - worst-case, 91, 115
- Order, interval extension, 31
- Overestimation, 7, 81, 106, 108, 110, 250, 407
 - bounds on, 43
 - in data, 247
 - non-interval, 4

- Overflow, 171, 180
- Parallel processing, 223, 381
- Parallelization, 30
- Parameter-fitting, 30
- Pascal-SC, 174, 385
- Pascal-XSC, 29, 382, 386
- PBasic, 174
- PDF, 228
 - arithmetic on, 232
 - represented as a histogram, 229
- Peeling, 37
- Penalty function, 34
- Pentium hardware bug, 410
- Performance, 382–383, 386, 407, 411
 - interval arithmetic, 385
 - statistic, 94
 - variation, 94
- Plausibility, 351
- Polynomial, quadratic,
 - multivariate, 108
- Portability, 54, 386, 411
 - interval arithmetic, 385
 - variable-precision arithmetic, 384
- Positive definite, 27
- Precision fixed point, 187
- Preconditioners, 30, 34, 41, 43–46
- Primitive functions, 180
- Probabilistic sets, 354
- Probability density functions, 274
- Probability distribution functions, 227
 - arithmetic on, 18, 20, 232
 - over intervals, 20
 - represented as histograms, 229
- Probability, subjective, 340–341, 344, 354
- Problem solving environments, 381–383, 388
 - AQUARELS, 388
 - performance of, 388
- Product development, 91
- PROFIL, 385
- Programming languages, 381–382
 - interval arithmetic, 385–386
- Prolog, 174
- Quadratic convergence, 26, 28, 40, 42
- Quadratic model, 99
- Quadratic polynomial,
 - multivariate, 108
- Quadratic programming, 37
- Quality control, 12, 91–92, 97–98, 100
 - bounded-error approach, 91, 111
 - model-based, 128
 - deterministic, 126
 - statistical, 126
 - statistical, 91
- Quantum mechanics, 13, 145–146
- Quattro Pro, 169
- Rational arithmetic, 387
- Ray tracing, 53
- Reasoning systems, 356
- Recursion variable, 170
- REDUCE, 387
- Reduced gradient, 26, 37, 39
- Reichenbach implication operator, 294
- Reliability analysis, 227
- Reliability problems, 277
- Response surface methodology, 95
- Rigorous arithmetic, 151
- Risk analysis, 275
- Robot sensing and manipulation, 53
- Robotics, 11, 278
- Robust geometric computations, 53
- Robust statistics, 237
- Roundoff error, 6, 171–172, 382, 384, 387, 389, 410
- Russian Institute of Artificial Intelligence, 211

- Scaling, 124
- Scheduling, 277
- Schwinger, 147, 150
- Scott, 146, 149–150
- SCRATHPAD II, 387
- Seismic engineering, 249, 273
- Self-validating arithmetic, 382
- Separation of variables, 147–148
- Shannon entropy, 362
- Sharp bounds, 407
- Shooting method, 157
- Sigma-count, 262
- Signal-to-noise ratios, 94
- Slack variables, 23, 33
- Slope matrix, 41–42, 47–51, 54
- Smear, 29
- Soft computing, 292
- Software
 - EIA Excel, 182
 - extended interval arithmetic, 182
 - computer algebra, 382
 - constraint propagation, 211
 - DOS, 213
 - I/O, 411
 - interval arithmetic, 20, 54, 153, 384–385, 414
 - interval spreadsheets, 182
 - languages, 212
 - libraries, 382
 - notepad, 211
 - performance, 411
 - problem solving environments, 212, 381
 - standardization, 411
 - UniCalc, 211
 - variable precision arithmetic, 382, 384
- Solution set, interval linear systems, 81
- Space exploration, 278
- Splitting strategies, 29
- Spreadsheet
 - applications, 171–172
 - interval, 169, 173, 413
 - software, 182
 - programs, 169–171
- Square relational product, fuzzy logic, 314
- Staggered interval arithmetic, 383, 390
 - hardware, 391
- Standardization, 411
- Statistical estimation, 119
- Statistical quality control, 91
- Strife, 367
- Strong regularity, interval linear systems, 82
- Structural design analysis, 52
- Subdefinite computations, 12, 211
- Subjective probability, 340–341, 344, 354
- Subways, 278
- Symbolic manipulation, 174, 221, 223, 387
- Symmetric linear interval systems, 86
- Symmetric solution set, 62
- Systems of nonlinear equations, 211
- Taguchi, 93
- Technical coefficients
 - mathematical economics, 135
 - matrix, 134
- Temperature controller, 123
- Ternary relations, 325
- Tessellation, 26, 30, 32–33, 42
- Testbed, 413
- Tetral, 263
- Thomas, 146
- Thomas–Fermi
 - energy, 149
 - equation, 146, 154
 - function, 157, 159–160
 - potential, 145, 150

- theory, 14, 147–148
- Tolerance interval, 91, 96, 127
- Total income multiplier, 135
- TRAC computer, 383, 389
- Tree, 39
- Triangle relational product, fuzzy logic, 314
- Tridiagonal matrices, 62
- Trust region, 24
- Type 2 fuzzy sets, 346
- Uncertainty, measures of, 337
- Unconstrained optimization, 24, 29
- UniCalc, 211–213, 219–223
- Uniqueness verification, 24–26, 28, 30, 42, 47–51
- Variable-precision arithmetic,
 - 382–383, 386–387
 - applications, 384
 - floating point, 384, 387, 390–391
 - integer, 389
 - interval, 381, 383, 386, 390–392, 395
 - hardware, 395
 - performance of, 395
 - matrix, 391
 - portability, 384
 - vector, 391
- Variational principles, 13
- Vector arithmetic, 383, 386–387, 389–391
- VisiCalc, 169
- Visual Basic, 182
- VLSI technology, 381
- VPI, 174, 382, 386
- Wage income multiplier, 135
- Wave function, 148
- Width optimality, 46
- World Wide Web page, 407, 414
- Worst-case optimization, 91, 115

Applied Optimization

1. D.-Z. Du and D.F. Hsu (eds.): *Combinatorial Network Theory*. 1996
ISBN 0-7923-3777-8
2. M.J. Panik: *Linear Programming: Mathematics, Theory and Algorithms*. 1996
ISBN 0-7923-3782-4
3. R.B. Kearfott and V. Kreinovich (eds.): *Applications of Interval Computations*.
1996 ISBN 0-7923-3847-2