

References

- Adamjan, V.M., Arov, D.Z., and Krein, M.G. (1968a) "Infinite Hankel matrices and generalized problems of Carathéodory-Fejér and F. Riesz," *Funct. Anal. Appl.* 2, 1–18.
- Adamjan, V.M., Arov, D.Z., and Krein, M.G. (1968b) "Infinite Hankel matrices and generalized problems of Carathéodory-Fejér and I. Schur," *Funct. Anal. Appl.* 2, 269–281.
- Adamjan, V.M., Arov, D.Z., and Krein, M.G. (1971) "Analytic properties of Schmidt pairs for a Hankel operator and the generalized Schur-Takagi problem," *Math. USSR Sbornik* 15, 31–73.
- Adamjan, V.M., Arov, D.Z., and Krein, M.G. (1978) "Infinite Hankel block matrices and related extension problems," *Amer. Math. Soc. Transl., series 2, Vol. 111*, 133–156.
- Antoulas, A.C. (2005) *Approximation of Large Scale Dynamical Systems*, SIAM, Philadelphia.
- Axler, S. (1995) "Down with determinants," *Amer. Math. Monthly*, 102, 139–154.
- Beurling, A. (1949) "On two problems concerning linear transformations in Hilbert space," *Acta Math.* 81, 239–255.
- Brechenmacher, F. (2007) "Algebraic generality vs arithmetic generality in the controversy between C. Jordan and L. Kronecker (1874)." <http://arxiv.org/ftp/arxiv/papers/0712/0712.2566.pdf>.
- Carleson, L. (1962) "Interpolation by bounded analytic functions and the corona problem," *Ann. of Math.* 76, 547–559.
- Davis, P.J. (1979) *Circulant Matrices*, J. Wiley, New York.
- Douglas, R.G., Shapiro, H.S. & Shields, A.L. (1971) "Cyclic vectors and invariant subspaces for the backward shift," *Ann. Inst. Fourier, Grenoble* 20, 1, 37–76.
- Dunford, N. and Schwartz, J.T. (1958) *Linear Operators, Part I*, Interscience, New York.
- Dunford, N. and Schwartz, J.T. (1963) *Linear Operators, Part II*, Interscience, New York.
- Duren, P. (1970) *Theory of H^p Spaces*, Academic Press, New York.
- Fuhrmann, P.A. (1968a) "On the corona problem and its application to spectral problems in Hilbert space," *Trans. Amer. Math. Soc.* 132, 55–67.
- Fuhrmann, P.A. (1968b) "A functional calculus in Hilbert space based on operator valued analytic functions," *Israel J. Math.* 6, 267–278.
- Fuhrmann, P.A. (1975) "On Hankel operator ranges, meromorphic pseudo-continuation and factorization of operator valued analytic functions," *J. Lon. Math. Soc. (2)* 13, 323–327.
- Fuhrmann, P.A. (1976) "Algebraic system theory: An analyst's point of view," *J. Franklin Inst.* 301, 521–540.
- Fuhrmann, P.A. (1977) "On strict system equivalence and similarity," *Int. J. Contr.* 25, 5–10.
- Fuhrmann, P.A. (1981) *Linear Systems and Operators in Hilbert Space*, McGraw-Hill, New York.
- Fuhrmann, P.A. (1981b) "Polynomial models and algebraic stability criteria," *Proceedings of Joint Workshop on Synthesis of Linear and Nonlinear Systems*, Bielefeld June 1981, 78–90.
- Fuhrmann, P.A. (1991) "A polynomial approach to Hankel norm and balanced approximations," *Lin. Alg. Appl.* 146, 133–220.

- Fuhrmann, P.A. (1994) "An algebraic approach to Hankel norm approximation problems," in *Differential Equations, Dynamical Systems, and Control Science*, the *L. Markus Festschrift*, Edited by K.D. Elworthy, W.N. Everitt, and E.B. Lee, M. Dekker, New York, 523–549.
- Fuhrmann, P.A. (1994b) "A duality theory for robust control and model reduction," *Lin. Alg. Appl.* 203–204, 471–578.
- Fuhrmann, P.A. (2002) "A study of behaviors," *Lin. Alg. Appl.* (2002), 351–352, 303–380.
- Fuhrmann, P.A. and Helmke, U. (2010) "Tensored polynomial models," *Lin. Alg. Appl.* (2010), 432, 678–721.
- Gallivan, K., Vandendorpe, A. and Van Dooren, P. (2003) "Model reduction via truncation: an interpolation point of view," *Lin. Alg. Appl.* 375, 115–134.
- Gantmacher, F.R. (1959) *The Theory of Matrices*, Chelsea, New York.
- Garnett, J.B. (1981) *Bounded Analytic Functions*, Academic Press, New York.
- Glover, K. (1984) "All optimal Hankel-norm approximations and their L^∞ -error bounds," *Int. J. Contr.* 39, 1115–1193.
- Glover, K. (1986) "Robust stabilization of linear multivariable systems, relations to approximation," *Int. J. Contr.* 43, 741–766.
- Gohberg, I.C. and Krein, M.G. (1969) *Introduction to the Theory of Nonselfadjoint Operators*, Amer. Math. Soc., Providence.
- Gohberg, I.C. and Semencul, A.A. (1972) "On the inversion of finite Toeplitz matrices and their continuous analogs" (in Russian), *Mat. Issled.* 7, 201–233.
- Gragg, W.B. and Lindquist, A. (1983) "On the partial realization problem," *Lin. Alg. Appl.* 50, 277–319.
- Grassmann, H. (1844) *Die Lineale Ausdehnungslehre*, Wigand, Leipzig.
- Halmos, P.R. (1950) "Normal dilations and extensions of operators," *Summa Brasil.* 2, 125–134.
- Halmos, P.R. (1958) *Finite-Dimensional Vector Spaces*, Van Nostrand, Princeton.
- Helmke, U. and Fuhrmann, P. A. (1989) "Bezoutians," *Lin. Alg. Appl.* 122–124, 1039–1097.
- Helson, H. (1964) *Lectures on Invariant Subspaces*, Academic Press, New York.
- Hermite, C. (1856) "Sur le nombre des racines d'une equation algebrique comprise entre des limites donnés," *J. Reine Angew. Math.* 52, 39–51.
- Higham, N.J. (2008) "Cayley, Sylvester, and early matrix theory," *Lin. Alg. Appl.* 428, 39–43.
- Hoffman, K. (1962) *Banach Spaces of Analytic Functions*, Prentice Hall, Englewood Cliffs.
- Hoffman, K. and Kunze, R. (1961) *Linear Algebra*, Prentice-Hall, Englewood Cliffs.
- Householder, A.S. (1970) "Bezoutians, elimination and localization," *SIAM Review* 12, 73–78.
- Hungerford, T.W. (1974) *Algebra*, Springer-Verlag, New York.
- Hurwitz, A. (1895) "Über die bedingungen, unter welchen eine Gleichung nur Wurzeln mit negativen reelen Teilen besitzt," *Math. Annal.* 46, 273–284.
- Joseph, G.G. (2000) *The Crest of the Peacock: Non-European Roots of Mathematics*, Princeton University Press.
- Kailath, T. (1980) *Linear Systems*, Prentice-Hall, Englewood Cliffs.
- Kalman, R.E. (1969) "Algebraic characterization of polynomials whose zeros lie in algebraic domains," *Proc. Nat. Acad. Sci.* 64, 818–823.
- Kalman, R.E. (1970) "New algebraic methods in stability theory," *Proceeding V. International Conference on Nonlinear Oscillations, Kiev*.
- Kalman R.E., Falb P., and Arbib M. (1969) *Topics in Mathematical System Theory*, McGraw Hill.
- Kravitsky N. (1980) "On the discriminant function of two noncommuting nonselfadjoint operators," *Integr. Eq. and Oper. Th.* 3, 97–124.
- Krein, M.G. and Naimark, M.A. (1936) "The method of symmetric and Hermitian forms in the theory of the separation of the roots of algebraic equations," English translation in *Linear and Multilinear Algebra* 10 (1981), 265–308.
- Lander, F. I. (1974) "On the discriminant function of two noncommuting nonselfadjoint operators," (in Russian), *Mat. Issled.* IX(32), 69–87.
- Lang, S. (1965) *Algebra*, Addison-Wesley, Reading.
- Lax, P.D. and Phillips, R.S. (1967) *Scattering Theory*, Academic Press, New York.

- Livsic, M.S. (1983) "Cayley–Hamilton theorem, vector bundles and divisors of commuting operators," *Integr. Eq. and Oper. Th.* 6, 250–273.
- Liapunov, A.M. (1893) "Problème général de la stabilité de mouvement", *Ann. Fac. Sci. Toulouse* 9 (1907), 203–474. (French translation of the Russian paper published in *Comm. Soc. Math. Kharkow*).
- Mac Lane, S. and Birkhoff, G. (1967) *Algebra*, Macmillan, New York.
- Magnus, A. (1962) "Expansions of power series into P-fractions," *Math. Z.* 80, 209–216.
- Malcev, A.I. (1963) *Foundations of Linear Algebra*, W.H. Freeman & Co., San Francisco.
- Maxwell, J.C. (1868) "On governors," *Proc. Roy. Soc. Ser. A*, 16, 270–283.
- Moore, B.C. (1981) "Principal component analysis in linear systems: Controllability, observability and model reduction," *IEEE Trans. Automat. Contr.* 26, 17–32.
- Nehari, Z. (1957) "On bounded bilinear forms," *Ann. of Math.* 65, 153–162.
- Nikolskii, N.K. (1985) *Treatise on the Shift Operator*, Springer-Verlag, Berlin.
- Peano, G. (1888) *Calcolo geometrico secondo l'Ausdehnungslehre di H. Grassmann, preceduto dalle operazioni della logica deduttiva*, Bocca, Turin.
- Prasolov, V.V. (1994) *Problems and Theorems in Linear Algebra*, Trans. of Math. Monog. v. 134, Amer. Math. Soc., Providence.
- Rosenbrock, H.H. (1970) *State-Space and Multivariable Theory*, John Wiley, New York.
- Rota, G.C. (1960) "On models for linear operators," *Comm. Pure and Appl. Math.* 13, 469–472.
- Routh, E.J. (1877) *A Treatise on the Stability of a Given State of Motion*, Macmillan, London.
- Sarason, D. (1967) "Generalized interpolation in H^∞ ," *Trans. Amer. Math. Soc.* 127, 179–203.
- Schoenberg, I.J. (1987) "The Chinese remainder problem and polynomial interpolation," *The College Mathematics Journal*, 18, 320–322.
- Schur, I. (1917,1918) "Über Potenzreihen die im Innern des Einheitskreises beschränkt sind," *J. Reine Angew. Math.* 147, 205–232; 148, 122–145.
- Sorensen, D.C. and Antoulas, A.C. (2002) "The Sylvester equation and approximate balanced reduction," *Lin. Alg. Appl.* 351–352, 671–700.
- Sz.-Nagy, B. and Foias, C. (1970) *Harmonic Analysis of Operators on Hilbert Space*, North Holland, Amsterdam.
- Vidyasagar, M. (1985) *Control System Synthesis: A Coprime Factorization Approach*, M.I.T. Press, Cambridge MA.
- van der Waerden, B.L. (1931) *Moderne Algebra*, Springer-Verlag, Berlin.
- Willems, J.C. (1986) "From time series to linear systems. Part I: Finite-dimensional linear time invariant systems," *Automatica*, 22, 561–580.
- Willems, J.C. (1989) "Models for dynamics," *Dynamics Reported*, 2, 171–269, U. Kirchgraber and H.O. Walthers (eds.), Wiley-Teubner.
- Willems, J.C. (1991) "Paradigms and puzzles in the theory of dynamical systems," *IEEE Trans. Autom. Contr.* AC-36, 259–294.
- Willems, J.C. and Fuhrmann, P.A. (1992) "Stability theory for high order systems," *Lin. Alg. Appl.* 167, 131–149.
- Wimmer, H. (1990) "On the history of the Bezoutian and the resultant matrix," *Lin. Alg. Appl.* 128, 27–34.
- Young, N. (1988) *An Introduction to Hilbert Space*, Cambridge University Press, Cambridge.

Index

Symbols

- $\mathbb{F}[z]$ -Kronecker product, 260
- $\mathbb{F}[z]$ -Kronecker product model, 260

A

- AAK theory, 400
- abelian group, 3
- addition, 8
- adjoint, 167
- adjoint transformation, 86
- all-pass function, 364
- analytic Toeplitz operator, 332
- annihilator, 81
- atoms, 237

B

- backward invariant subspace, 334
- backward shift operator, 30, 113
- balanced realization, 398
- Barnett factorization, 213
- barycentric representation, 132
- basis, 28, 38
- basis transformation matrix, 47
- Bessel inequality, 163
- Beurling's theorem, 336
- Bezout equation, 15, 17
- Bezout form, 210
- Bezout identity, 10
- Bezout map, 272
- Bezoutian, 210
- bijjective map, 2
- bilateral shift, 29
- bilinear form, 79, 196, 254
- bilinear pairing, 79

- binary operation, 3
- binary relation, 1

C

- canonical embedding, 84
- canonical factorization, 2
- canonical map, 256
- canonical projection, 7
- Cauchy determinant, 66
- Cauchy index, 248
- causality, 299
- Cayley transform, 177
- Cayley–Hamilton theorem, 129
- characteristic polynomial, 93
- characteristic vector, 93
- Chinese remainder theorem, 118, 353
- Christoffel–Darboux formula, 323
- circulant matrix, 109
- classical adjoint, 56, 60
- codimension, 43
- coefficients of a linear combination, 36
- cofactor, 56
- commutant, 136
- commutative ring, 8
- companion matrices, 100
- composition, 2, 71
- congruent, 197
- continued fraction representation, 237
- control basis, 99
- controllability realization, 310
- controller realization, 310
- coordinate vector, 45
- coordinates, 45
- coprime factorization, 22, 354
- cosets, 4

Cramer's rule, 61
 cyclic group, 8
 cyclic transformation, 105
 cyclic vector, 105

D

degree, 11
 degree function, 329
 determinantal divisors, 146
 determinants, 55
 diagonalizable matrix, 154
 dimension, 40
 direct sum, 41
 DSS factorization, 354
 dual basis, 81
 dual Jordan basis, 143
 dual space, 79

E

eigenvalue, 93
 eigenvector, 93
 entire ring, 10
 equivalence classes, 4
 equivalence relation, 1
 equivalent, 145, 371
 Euclidean algorithm, 15
 Euclidean ring, 13
 exact sequence, 27
 external representation, 296

F

factor, 14
 factor group, 6
 factorizable polynomial, 18
 field, 8
 field of quotients, 22
 final space, 182
 finite-dimensional space, 38
 formal derivative, 31
 formal power series, 20
 forward shift operator, 30
 fractional linear transformation, 238
 free module, 32
 functional equation of Hankel operators, 206
 fundamental polynomial equation, 367

G

g.c.d., 10
 generalized Christoffel–Darboux formula, 241
 generalized Euclidean algorithm, 278

generating function, 210, 281
 generating set, 28
 generator, 8, 10
 Gohberg–Semencul formulas, 215
 Gram matrix, 181
 Gram–Schmidt orthonormalization, 163
 Gramian, 181
 gramian, 399
 greatest common divisor, 10
 greatest common left divisor, 10
 group, 3
 group homomorphism, 5

H

Hankel functional equation, 355
 Hankel matrix, 207
 Hankel operator, 205, 332, 354
 Hardy spaces, 326
 Hautus test, 321
 Hermite interpolation, 120
 Hermite interpolation problem, 120
 Hermite–Fujiwara quadratic form, 284
 Hermite–Hurwitz theorem, 250
 Hermitian adjoint, 167
 Hermitian form, 161, 197
 Hermitian operator, 173
 high-order interpolation problem, 348
 homogeneous polynomial Sylvester equation,
 269
 Hurwitz determinants, 290
 Hurwitz polynomial, 284
 hyperspace, 82

I

ideal, 9
 identity, 8
 identity matrix, 35
 image, 68
 index, 5
 induced map, 7, 91
 inertia, 202
 initial space, 182
 injectivity, 2
 inner function, 336
 inner product, 161
 input space, 297
 input/output relation, 296
 integral domain, 10
 interlacing property, 284
 internal representation, 296
 internal stability, 320
 interpolation basis, 99

interpolation problem, 345
 intertwining map, 88, 344
 invariant factor algorithm, 145
 invariant factors, 146
 invariant subspace, 89, 334
 invertible, 72
 invertible element, 8
 irreducible polynomial, 18
 isometric isomorphism, 170
 isometry, 170
 isomorphic realizations, 304
 isomorphism, 5, 75

J

Jacobi's signature rule, 274
 Jacobson chain matrix, 131
 Jordan basis, 141
 Jordan canonical form, 142

K

kernel, 9, 68, 270
 Kronecker delta function, 35
 Kronecker product model, 260
 Kronecker product of polynomials, 260

L

Lagrange interpolation, 119
 Lagrange interpolation polynomials, 49, 120
 Lagrange interpolation problem, 49
 Lagrange reduction method, 199
 Lanczos polynomials, 239
 Laurent operator, 332
 Laurent operators, 123
 leading coefficient, 11
 left coprimeness, 10
 left ideal, 9
 left inverse, 8
 left invertible transformation, 72
 left module, 26
 Levinson algorithm, 276
 linear combination, 28, 36
 linear dependence, 37
 linear functional, 79
 linear independence, 37
 linear operator, 67
 linear transformation, 67
 linearly independent, 28

M

Möbius transformation, 238
 Markov parameters, 300

matrix, 34
 matrix representation, 76
 McMillan degree, 207
 minimal polynomial, 93
 minimal rational extension, 231
 minimax principle, 176
 minimum phase, 24
 minor, 56
 model operators, 339
 model reduction, 363
 monic polynomial, 18
 multiplication, 8
 multiplicative set, 21
 mutual coprimeness, 42

N

Nehari's theorem, 378
 Nevanlinna–Pick interpolant, 379
 Newton expansion, 52
 Newton interpolation problem, 121
 Newton sums, 280
 nonnegative form, 198
 nonnegative operator, 180
 norm, 161, 169
 normal operator, 178
 normal subgroup, 5
 normalized coprime factorization, 359
 nullity, 69

O

observability map, 301
 observability realization, 311
 observer realization, 311
 order, 5
 Orlando's formula, 293
 orthogonal basis, 163, 246
 orthogonal vectors, 162
 orthonormal basis, 163
 output space, 297

P

parallelogram identity, 163
 partial isometry, 182
 partial realization, 392
 partition, 1
 permutations, 3
 PID, 10
 polar decomposition, 183
 polarization identity, 163
 polynomial, 11
 polynomial coefficients, 11

polynomial model, 98
 polynomial Sylvester equation, 269
 positive form, 198
 positive operator, 180
 positive pair, 284
 positive sequence, 275
 primary decomposition, 19
 prime polynomial, 18
 principal ideal, 10
 principal ideal domain, 10
 projection, 91
 proper, 23
 proper rational function, 112
 Pythagorean theorem, 162

Q

quadratic form, 88
 quotient group, 6
 quotient module, 27

R

rank, 69
 rational control basis, 224
 rational functions, 22, 111
 rational models, 116
 reachability map, 301
 real Jordan form, 144
 real pair, 284
 reducible polynomial, 18
 reducing subspace, 89
 relative degree, 23, 329
 remainder, 13, 352
 representer, 109
 reproducing kernel, 271
 restricted input/output map, 300
 restriction, 91
 resultant, 63
 resultant matrix, 62
 reverse Hankel operator, 332
 reverse polynomial, 213
 right inverse, 8
 right-invertible transformation, 72
 ring, 8
 ring homomorphism, 8
 ring of quotients, 22

S

Schmidt pair, 185
 Schur parameters, 276
 Schwarz inequality, 162

self-adjoint operator, 173
 self-dual map, 87
 sesquilinear form, 196
 shift, 29
 shift operator, 98
 shift realizations, 308
 short exact sequence, 27
 signature, 202
 similar, 78
 similarity, 88
 singular value, 185
 singular value decomposition, 192
 singular vectors, 185
 Smith form, 146
 solution pair, 364
 spanning set, 37
 spectral basis, 99
 spectral factorization, 190, 358
 spectral representation, 141
 spectral theorem, 174
 stable polynomial, 284
 standard basis, 48, 98
 state space, 297
 state space isomorphism theorem, 305
 state space-realization, 297
 strict causality, 299
 strictly proper, 23
 subgroup, 4
 submodule, 26
 subspace, 36
 sum of squares, 201
 surjectivity, 2
 Sylvester equation, 268
 Sylvester operator, 268
 Sylvester resultant, 215
 symbol, 332
 symbol of Hankel operator, 205
 symbol of Laurent operator, 123
 symmetric bilinear form, 205
 symmetric form, 197
 symmetric group, 3, 57

T

Taylor expansion, 51
 tensor product, 256
 tensor product of the bases, 256
 tensor product over a ring, 259
 Toeplitz form, 275
 Toeplitz operator, 332
 trace, 79
 transfer function, 298
 transpose, 35
 triangle inequality, 162

trivial linear combination, 36
truncated Laurent series, 26, 42

U

unimodular, 145
unitary equivalence, 171
unitary isomorphism, 170

V

Vandermonde matrix, 50, 63
vector, 33

vector space, 33
vector space dual, 254

Y

Youla–Kucera parametrization, 321

Z

zero, 14
zero divisor, 10
zero element, 8