

Index

A

Activity-based models, 29–31

B

Bayesian inference, 25

Boyd control loop, 29–30

C

Central data fusion (CDF) module

remote monitoring system,

sand in pipelines

acoustic sensor, 40–41

proposed centralized fusion methods,
50–54

WSDA framework, 42–50

sand measuring, pipelines

intrusive devices, 38–39

non-intrusive devices, 39

simulation and experimental results, 54–56

Central Kalman filters (CKF), 60, 65–67

CoD module, 45–49

Current-to-voltage converting circuit, 48

D

Dasarathy model, 28–29

Data-based models, 27–29

Data-feature-decision (DFD) model, 28–29

Data fusion

architectures and models

activity-based models, 29–31

data-based models, 27–29

role-based model, 31–34

classification

input and output, 24

levels of abstraction, 23

relationship among sources, 22–23

information fusion, sensor fusion, 19–21

properties, 18

techniques, methods, and algorithms

estimation, 26–27

inference, 24–25

Data in–data out (DAI-DAO), 24

Data in–feature out (DAI-FEO), 24

Decision in–decision out (DEI-DEO), 24

Dempster–Shafer inference, 25

Differential pressure, 41, 42

Digital signal processors (DSP), 9

Distributed Kalman filter (DKF)

asymptotic average consensus with

polynomial filter, 80–81

multiplication algorithm, 90–99

network representations, 79

proposed distributed Kalman filter, 81–85

simulation results, 85–89

WSN, 77–79

E

EJA110A differential pressure transmitter,

41, 42

F

Feature in–decision out (FEI-DEO), 24

Feature in–feature out (FEI-FEO), 24

Feature level fusion, 23

Field programmable gate array, 9

Finite impulse response filter (FIR), 91, 95–97

Frankel-Bedworth architecture, 32–34

Fuzzy art, 50–52

Fuzzy logic, 25

H

High-level fusion, 23
 High-pass consensus filter, 71

I

Infinite impulse response filter (IIR), 91, 95–97
 Intelligence cycle, 30

J

Joint Directors of Laboratories (JDL) model
 database management system, 27
 human computer interaction (HCI), 27–28
 sources, 27

K

Kalman filter, 26, 54
 adjacency matrix, 64
 consensus filters, 69–74
 degree matrix, 64
 direct graph, 62, 63
 distance matrix, 63
 distributed Kalman filter (DKF), 67–68
 graph theory, 61
 incidence matrix, 64
 laplacian matrix, 64–65
 network representations, 63
 node degree, 63
 Olfati-Saber's distributed Kalman filter,
 68–69
 undirected graph, 62–63
 wireless sensor network, 65–67
 wireless sensor network representation,
 60–61

L

Least squares method, 26
 Linear matrix inequality, 83
 Low-level fusion, 23
 Low-pass consensus filter, 70–71

M

MaC module, 49–50
 MAF. *See* Moving average filter (MAF)
 Maximum likelihood (ML), 26
 Maximum likelihood estimator (MLE), 40, 52–53
 MC-II flow analyzer specifications, 41, 42
 Medium access control, 11–12
 Medium-level fusion, 23

MLE. *See* Maximum likelihood estimator (MLE)
 Moving average filter (MAF), 26, 40, 50, 53–54
 Multilevel fusion, 23
 Multiplication algorithm
 case study, 95–97
 counter example power measurement, 97–99
 proposed method, 94
 simulation result, 94–95
 Multisensor/sensor fusion, 21

N

Neural networks, 25

O

Object-oriented model, 32
 Observe, orient, decide, act (OODA) loop,
 29–30
 Omnibus model, 31

P

Particle filter, 26–27
 Pixel level fusion, 23
 Polynomial filter, 103

R

Radio frequency (RF), 4, 11
 Reduced instruction set computing, 97
 ReT module, 44–45
 Role-based model, 31–33

S

Sand rate module, 49
 Semantic data fusion, 25
 Senaco AS100 sensor, 41
 Sensor network architecture
 active sensors, 11
 external memory, 10
 medium access control (MAC), 11–12
 microcontroller, 9–10
 omni-directional sensors, 11
 passive sensors, 11
 power source, 10
 sensors, 10–11
 transceiver, 10
 Sensor node evaluation metrics
 communication, 8
 computation, 8
 flexibility, 7

- power, 6–7
 - robustness, 7
 - security, 7–8
 - size and cost, 9
 - time synchronization, 8–9
 - Signal level fusion, 23
 - Symbol level fusion, 23
- V**
- Voltage amplification diagram, 47
 - Voltage divider diagram, 47
 - Voltage-to-current converting circuit, 49
- W**
- Wireless sensor data acquisition (WSDA)
 - module, 42–50
 - Wireless sensor network (WSN)
 - applications
 - agriculture, 5
 - area monitoring, 3
 - environmental data collection, 4
 - greenhouse monitoring, 6
 - landfill ground well level monitoring
 - and pump counter, 4–5
 - node tracking, 6
 - security monitoring, 5
 - vehicle detection, 5
 - windrow composting, 5–6
 - challenges
 - dynamic network topology, 13
 - mixed traf?c, 13–14
 - platform heterogeneity, 13
 - resource constraints, 12–13
 - data fusion
 - architectures and models, 26–34
 - classification, 21–24
 - information fusion and sensor fusion,
 - 19–21
 - techniques, methods, and algorithms,
 - 24–26
 - sensor network architecture, 2, 10–12
 - sensor node evaluation metrics, 6–9