

# References

1. Blanchard BS (1998) Systems engineering management. Wiley Interscience, NJ
2. Systems Engineering Fundamentals (2001) Defense Acquisition University Press. Department of Defence, Systems Managements College, Fort Belvoir, Virginia
3. Reilly NB (1993) Successful systems engineering for engineers and managers. Kluwer Academic Publishers, Dordrecht
4. Boehm BW (1998) Spiral model of software development. In: Thayer RH, Dorfman M (eds) Tutorial software project management. IEEE Press, New York
5. Forsberg K, Mooz H, Cotterman H (2000) Visualizing project management: a model for business and technical success. Wiley, New York
6. Keane JF, Lutz RR, Myers SE, Coolahan JE (2000) An architecture for simulation based acquisition. Johns Hopkins APL Tech Dig 21:348–358
7. Matthews T (2003) A process review and appraisal of the systems engineering capability for the Florida Department of Transportation (FDOT), version 2, Technical Memorandum, February 20, 2003
8. Mitretek Systems, Inc. (2002) Building quality: intelligent transportation systems through systems engineering. Intelligent Transportation Systems Joint Program Office, US Department of Transportation
9. Technical Performance Measurement Handbook (1984) Department of Defense Management College, VA
10. U.S. DOT (2011) Research and innovative technology administration. Intelligent Transportation Systems Joint Program Office. <http://www.its.dot.gov/index.htm>
11. U.S. DOT (2007) Systems engineering for intelligent transportation systems. Federal Highway Administration & Federal Transit Administration
12. Cal. DOT. (2005) Systems engineering guidebook for ITS, ver. 1. California Department of Transportation
13. Goldblatt R (2004) Evacuation planning: a key part in emergency planning. In: Proceeding of 83rd annual meeting transportation research board. Washington, DC
14. Hamacher HW, Tjandra SA (2002) Mathematical modeling of evacuation problems: a state of the art. In: Sharma SD, Schreckenberg M (eds) Pedestrian and evacuation dynamics. Springer, Heidelberg
15. Greenshields BD (1935) A study of traffic capacity. In: Highway research board proceedings, vol 14, pp 448–477
16. Naser A (2008) An integrated methodology for dynamic routing optimization and road traffic simulation: application in evacuation planning. Dissertation, University of Houston

17. Ahuja R, Magnanti T, Orlin J (1993) *Network flows*. Prentice Hall, NJ
18. Fahy RF (1995) EXIT89—an evacuation for high-rise buildings—recent enhancements and example applications. In: *International conference of fire research and engineering*, pp 332–337. September 10–15, 1995. Orlando, FL
19. Yamada T (1996) A network approach to a city emergency evacuation planning. *Int J Syst Sci* 27:931–936
20. Cova TJ, Johnson PJ (2003) A network flow model for lane-based evacuation routing. *Transport Res* 37:579–604
21. Ford LR, Fulkerson DR (1958) Constructing maximal dynamic flows from static flows. *Oper Res* 6:419–433
22. Minieka E (1973) Maximal lexicographic and dynamic network flows. *Oper Res* 21:517–527
23. Wilkinson WL (1971) An algorithm for universal maximal dynamic flows in a network. *Oper Res* 19:1602–1612
24. Hoppe B, Tardos E (1994) Polynomial time algorithms for some evacuation problems. In: *Proceedings of 5th annual ACM-SIAM symposium on discrete algorithms*. pp 433–441
25. Burkard RE, Dlaska K, Klinz B (1993) The quickest flow problem. *ZOR Meth Model Oper Res* 37:31–58
26. Chalmet LG, Francis RL, Saunders PB (1982) Network models for building evacuation. *Manag Sci* 28:86–105
27. Jarvis JJ, Ratliff HD (1982) Some equivalent objectives for dynamic network flow problems. *Manag Sci* 28:106–109
28. Hamacher HW, Tufekci S (1987) On the use of lexicographic min cost flows in evacuation modeling. *Nav Res Logist* 34:487–503
29. Wolfram S (1986) *Theory and applications of cellular automata: including selected papers 1983–1986*. World Scientific, NJ
30. Nagel K, Schreckenberg M (1992) A cellular automaton model for freeway traffic. *J Phy I (France)* 2:2221–2229
31. Klupfel H, Meyer-Konig T, Wahle J, Shreckenber M (2000) Microscopic simulation of evacuation process on passenger ships. In: *Fourth international conference on cellular automata for research and industry*, October, Karlsruhe, Germany
32. Farahmand K (1997) Application of simulation modeling to emergency population evacuation. In: *Proceedings of the 1997 winter simulation conference*. pp 1181–1188. Washington, DC
33. Doheny J, Fraser J (1996) MOBEDIC—a decision modeling tool for emergency situations. *Expert Syst Appl* 10:17–27
34. Gartner NH, Messer CJ, Rathi A (1992) *Traffic flow theory: a state of the art report—revised monograph on traffic theory*. Federal Highway Administration. Washington, DC
35. Lighthill JJ, Witham GB (1955) On kinematic waves II: a theory of traffic flow on long crowded roads. *Proc R Soc Lond A* 229:317–345
36. Daganzo CF (1994) The cell transmission model: a simple dynamic representation of highway traffic. *Transport Res B* 28:269–287
37. Daganzo CF (1995) The cell transmission model, part II: network traffic. *Transport Res B* 29:79–93
38. Chien CC, Zhang Y, Stotsky A, Dharmasena SR, Ioannou P (1995) Macroscopic roadway traffic controller design. California PATH Research Report, UCB-ITS-PRR
39. Papageorgiou M (1989) Macroscopic modeling of traffic flow on the Boulevard Peripherique in Paris. *Transport Res* 23B:29–47
40. Corrine B (2000) Metacor—a macroscopic modeling tool for corridor application to the Stockholm test site. Research Report, RR-1998-0547, Center for Traffic Engineering and Traffic Simulation, Sweden
41. Heydecker BG, Addison JD (1997) Stochastic and deterministic formulations of dynamic traffic assignment. In: *Proceedings of the 25th European Transport Forum*. pp 107–120. London, England
42. Sussman J (2000) *Introduction to transportation systems*. Artech House.

43. Lu Q, George B, Shekhar S (2005) Capacity constrained routing algorithms for evacuation planning: a summary of results. University of Minnesota, pp 291–307
44. Haight FA (1958) Towards a unified theory of road traffic. *Oper Res* 6(6):813–826.
45. Greenberg H (1959) An analysis of traffic flow. *Oper Res* 7:78–85
46. Chen YL, Chin YH (1990) The quickest path problem. *Comput Oper Res* 17:153–161
47. Choi W, Francis RL, Hamacher HW, Tufekci S (1984) Network models of building evacuation problems with flow-dependent exist capacities. *Proceeding of the 10th intranational Conference of Operations Research, Washington, DC, 1047–1059*
48. Francis RL (1981) A uniformity principle for evacuation route allocation. *J Res Natl Bur Stand* 86(5)
49. Choi W, Francis RL, Hamacher HW, Tufekci S (1988) Modeling of building evacuation problems with side constraints. *Eur J Oper Res* 35:98–110
50. Fleischer L (1998) Efficient continuous-time dynamic network flow algorithms. *Oper Res Lett* 23:71–80
51. Kaufman DE, Nonis J, Smith RL (1998) Mixed integer linear programming model for dynamic route guidance. *Transport Res B* 32:431–440
52. Chiu YC (2004) Traffic scheduling simulation and assignment for area-wide evacuation. In: *Proceedings of the IEEE intelligent transportation systems conference (ITSC), Washington, DC*

# Index

## B

Boundary conditions, 73  
Build–test–fix method, 8

## C

Capacity constrained route planner (CCRP), 57  
Cell transmission model (CTM), 56  
Cellular automata  
  definition, 52  
  input variables, 54  
  passenger ship evacuation simulation,  
    53–54  
  patterns, 53  
  principle of, model, 53–54  
  simple structure, 52–53  
Complexity, 14–15  
Concept of operations (ConOps), 25–26  
Concurrent engineering (CE), 9  
CTM. *See* Cell transmission model (CTM)

## D

Department of Defense (DOD) model, 12  
Dynamic network optimization, 45–46  
Dynamic system, 1

## E

Early prototype method, 9  
Evacuation planning  
  analysis  
    improvement, 98–100  
    network representation and parameters,  
      93–94  
    no improvement, 94–98  
  CTM, 56

elements involvement, 37, 38  
experimentation  
  case studies results, 91–93  
  factors, 91  
  GreenSheild’s and Greenberg’s  
    equations, 90  
  parameters, 90  
  state of system, 89  
flow decomposition, 84–85  
Houston case studies  
  downtown, 87  
  and Galveston., 88–89  
  maximum flow rate, 86  
  methodology, 85  
  network parameters, 86  
  north side, 87–88  
  southwest side, 87–88  
integrated model (*see* Integrated model)  
macroscopic models  
  classical network optimization  
    problems, 44  
  dynamic network optimization,  
    45–46  
  solving max dynamic flow problems,  
    46–52  
  static network optimization, 45  
microscopic models, 52–54  
modeling methodology  
  analytical models, 40  
  basic steps, 38–39  
  dynamic routing, 39  
  flow definition, 44  
  hurricane threat, 37–38  
  intelligent evacuation systems  
    architecture, 42–43  
  network representation, 40–41  
  problem statements, 39

- Evacuation planning (*cont.*)
- simulation-based models, 42
  - total evacuation time minimization, 43
  - second-order macroscopic traffic models, 57
  - traffic assignment models, 57
  - traffic theory
    - continuum flow models, 55
    - CTM, 56
    - fundamental diagram, 55
    - travel time and capacities, 54
- F**
- Feasibility analysis, ITS, 23–25
- Flow decomposition, 84–85
- Flow rate, 69
- Ford and Fulkerson algorithm., 48–49
- Free speeds, 86
- G**
- Gantt chart, 3
- Greenberg's equations, 90
- GreenSheild's equations
  - speed-density, 90
  - traffic flow theories, 55
- H**
- High-risk project, ITS
  - characteristics, 21
  - "V" diagram, 22
- Homogenous cells, 89
- Houston case studies, evacuation planning
  - downtown, 87
  - and Galveston., 88–89
  - maximum flow rate, 86
  - methodology, 85
  - network parameters, 86
  - north side, 87–88
  - southwest side, 87–88
- I**
- IDEF0 activity diagram
  - concept of operations analysis, 25–26
  - feasibility analysis, 23–24
  - high-level design, 27–28
  - initial deployment, 31–32
  - need analysis, 23–24
  - regional ITS analysis, 22–23
  - requirement analysis, 26–27
  - systems hardware and software
    - development, 29
    - systems integration, 30
    - systems operations and maintenance, 33
    - systems replacement and retirement, 34
    - systems verification, 30–31
    - unit-level design, 27–28
- INCOSE. *See* International Council on Systems Engineering (INCOSE)
- Integrated model
  - algorithm and flow diagram, 79–80
  - diagram for, optimization and simulation routines, 60–61
  - evacuation problem statement, 59
  - general structure
    - algorithm, 61
    - equivalent problem maintenance, 62
    - instance of problem, 62–64
    - optimization routine, 64–65
    - simulation routine, 65–67
    - time discretization, 60
  - network representation, 59–60
  - optimization routine
    - cell occupants, 77
    - network representation, 75
    - quickest transshipment problem (QTP), 73–74
    - subsimulation, 78
    - supply assignment, 79
    - supply vector updation, 78
    - time-expanded network, 76
  - traffic simulation models
    - anticipation factor, 71
    - boundary conditions, 73
    - calculations, 72
    - convection factor, 71
    - microscopic and macroscopic models, 68
    - relaxation factor, 71
    - road into homogenous cells, 70
    - variables, 68–69
- Intelligent evacuation, 42–43
- Intelligent transportation systems (ITS)
  - concept of operations, 25–26
  - feasibility analysis, 23–25
  - high-level and unit-level designs, 27–29
  - high-risk project
    - characteristics, 21
    - "V" diagram, 22
  - INCOSE, 19
  - initial deployment, 31–32
  - integration and verification, 30–31
  - low-risk project, 21
  - operations and maintenance, 32–33
  - project management, 21–22
  - regional architecture, 22–23
  - requirements, 26–27

- research, 20
  - retirement and replacement, 33–36
  - software and hardware development, 29–30
- International Council on Systems Engineering (INCOSE), 19
- ITS. *See* Intelligent transportation systems (ITS)
  
- J**
- Jam density, 86
  
- L**
- Learning cycle, 15
- Life cycle, 4–5
  
- M**
- Macroscopic models
  - classical network optimization problems, 44
  - dynamic network optimization, 45–46
  - solving max dynamic flow problems, 46–52
  - static network optimization, 45
- Microscopic models, 52–54
- Modeling and simulation methods, SE, 17
  
- N**
- Network optimization, 64–65
- Network topology, 86
  
- P**
- Project management, 3–4
  
- Q**
- Quickest flow problem, 50
- Quickest transshipment problem (QTP), 73–74
  
- R**
- Regional ITS, 22–23
- Requirement analysis, ITS, 26–27
- Router solution, 91, 98
  
- S**
- SE. *See* Systems engineering (SE)
- Simulation-based acquisition (SBA) concept
  - advantage and disadvantages, 13–14
  - architecture, 13
  - definition, 12
  - illustration, 13
- Sink node, 87–88
- Speed equation, 90
- Spiral method, 9, 10
- Staircase method, 8
- Static network optimization, 45
- Static system, 1
- Systems decomposition, 7
- Systems engineering (SE)
  - build–test–fix method, 8
  - classification, 1
  - components, 1
  - DOD model, 12
  - early prototype method, 9
  - elements of
    - engineering process, 6–7
    - organization process, 5–6
    - project process, 6
  - engineers, 4
  - evacuation plan (*see* Evacuation planning)
  - integrated development method, 9
  - life cycle, 4–5
  - overall life cycle design, 2
  - project management, 3–4
  - quality, 3
  - SBA concept
    - advantage and disadvantages, 13–14
    - definition, 12
    - illustration, 13
    - principal architecture, 13
  - scope of, 1–2
  - space transportation system hierarchy, 1–2
  - spiral method, 9, 10
  - staircase method, 8
  - technical management technique, 2
  - tools
    - modeling and simulation, 17
    - project scheduling, 15–16
    - prototypes, 17
    - reviews and audits, 16
    - technical performance measures, 16–17
    - trade-off analysis, 16
  - transportation (*see* Intelligent transportation systems (ITS))
  - uncertainty and risk management, 3
    - complexity, 14–15
    - learning cycle, 15
  - “V” model, 10–12
  - waterfall method, 8–9
- Systems hierarchy, 1–2
- Systems integration, ITS, 30–31
- Systems level design, 27–29

- Systems requirements, ITS, 26–27
  - Systems retirement, ITS, 33–36
  - Systems verification, ITS, 30–31
  - Systems operations and maintenance, ITS, 32–33
- T**
- Technical performance measures (TPM), 16–17
  - Time-expanded network
    - dynamic flow problems, 46–47
    - minimum transshipment time, 76
  - Trade-off analysis, 16
  - Traffic assignment models, 57
  - Traffic simulation models
    - anticipation factor, 71
    - boundary conditions, 73
    - calculations, 72
    - convection factor, 71
    - microscopic and macroscopic models, 68
    - relaxation factor, 71
    - road into homogenous cells, 70
    - variables, 68–69
- Traffic theory**
- continuum flow models, 55
  - CTM, 56
  - fundamental diagram, 55
  - travel time and capacities, 54
- U**
- Unit-level design, ITS, 27–29
- V**
- “V” diagram, 22
  - “V” model, 10–12
- W**
- Waterfall systems engineering process model, 8–9