

Index

A

- Adhesion layer, 320, 327–330, 336
- Affinity, 2, 32, 39, 40, 50, 51, 110, 121, 144, 146, 148, 214, 241–243, 310, 360, 363
- AFM. *See* Atomic force microscopy (AFM)
- ALD. *See* Atomic layer deposition (ALD)
- Analyte, 2, 33, 100, 106, 128, 163, 185, 200, 235, 268, 290, 318, 334, 370, 386
- Analyte concentration, 53, 110, 118, 131, 236, 237, 239–241, 250, 370
- Anthrax, 51
- Antibiotin, 31, 32, 38, 39
- Anti-epidermal growth factor receptor (Anti-EGFR), 76
- AR. *See* Aspect ratio (AR)
- Ar⁺ plasma etch, 272
- Array-based plasmonic sensing, 147–148
- Artificial cell membrane, 59–78, 243
- Aspect ratio (AR), 33, 34, 44, 111, 319, 320, 325, 326, 330, 343, 344
- Atomic force microscopy (AFM), 30, 161, 170, 174, 175, 187, 203, 280, 336, 338, 339, 341, 343
- Atomic layer deposition (ALD), 51
- AuNP-OFT, 301, 302

B

- Beam splitter, 108, 155, 253, 254
- Benzenethiol (BT), 221–223, 298, 303, 305
- Binding constant, 31
- Bioassay, 31, 51, 53, 216
- Biomarker, 32, 43, 51, 53, 127, 128, 130, 233, 241
- Biotin-streptavidin, 31, 32, 45, 118, 121, 140, 147
- Bloch wave, 210, 212

BT. *See* Benzenethiol (BT)

- Bulk sensitivity, 12–15, 19, 22, 70, 71, 250, 268, 320, 321, 323, 325, 329

C

- Calmodulin (CaM), 40, 41
- Carbohydrate-protein interactions, 336, 357–361
- Carbon monoxide oxidation, 189
- Cavity, 95, 96, 371–373, 375–379
- Cetyl trimethyl ammonium bromide (CTAB), 77
- Charge transfer to plasmonic particles, 186–187
- Chemical imaging, 217–221
- Chemomechanical forces, 213, 216–217
- Cladding, 291, 292, 295, 297, 302, 303, 306
- Clausius–Mossotti polarizability, 8
- Cobalt phthalocyanine (CoPc), 294
- Colloidal lithography, 14, 171, 172, 178, 189, 335
- Colloids, 17, 30, 31, 38–40, 44, 155, 156, 160, 161, 163–165, 270, 293, 318
- Colorimetric sensing, 3
- Complex dielectric function, 5
- Complex media, 20, 127–149
- ConA. *See* ConcavalinA (ConA)
- Concanavalin A, 33
- ConcavalinA (ConA), 357–364
- Core, 60, 89, 110, 176, 192, 291, 292, 294–298, 304, 306–308, 310
- Cross-section, 73, 83, 86, 87, 109, 117, 120, 171, 177, 180, 183, 187, 203–205, 255, 270, 276, 277, 303, 307, 318, 320, 329, 338, 370, 371, 375
- Cross-sectional transmission electron microscopy (TEM), 44, 53, 109, 118, 170, 187, 188, 193, 195, 336–338, 342

CTAB. *See* Cetyl trimethyl ammonium bromide (CTAB)
 Cutinase-calmodulin cutinase (CutCaMCut), 41, 42
 CYP101, 37, 38
 Cytochrome *c*, 90, 92, 94
 Cytochrome P450cam, 36–37
 Cytotoxicity, 89

D

Dark-field scattering, 44, 45, 158, 180, 183
 Data analysis, 254, 257–258, 362
 Deep-subwavelength sensing platform, 381
 Density, 11, 42, 88, 89, 100, 117, 131, 159, 170, 180, 181, 237, 242–243, 245, 251, 270, 336, 350, 351, 381
 Derjaguin–Landau–Verwey–Overbeek theory (DLVO), 160, 165
 Detector, 8, 47, 51, 54, 106, 131, 155, 238, 254–256, 258, 262, 292, 302, 347, 369–383, 386
 Differential SPR (dSPR), 130
 Diffraction limit, 84–86, 109, 111, 154
 Diffuse scattering, 11
 Direct nano plasmonic sensing, 172–183
 Dispersion relation of surface plasmons, 4, 5
 Dissociation constant, 235, 242
 DLVO. *See* Derjaguin–Landau–Verwey–Overbeek theory (DLVO)
 DNA/RNA, 84, 133
 DR. *See* Dynamic range (DR)
 Drude model, 8, 371
 dSPR. *See* Differential SPR (dSPR)
 Dynamic range (DR), 8, 110, 114, 117, 118, 122, 233, 295

E

EBL. *See* Electron-beam lithography (EBL)
 Effective refractive index, 15–17, 129, 183, 329
 EGTA. *See* Ethylene glycol tetraacetic acid (EGTA)
 Elastomeric stamp, 201
 Electron-beam evaporation, 96, 97, 204, 295
 Electron-beam lithography (EBL), 271–273, 278–280, 304
 ELISA. *See* Enzyme-linked immunosorbent assay (ELISA)
 Ellipsoid, 248, 319, 324–326
 Embedding (kinetics), 342, 343
 Energy scale, 147, 320–323, 329
 Enzymatic signal amplification, 20

Enzyme-linked immunosorbent assay (ELISA), 2, 3, 20, 22, 32, 38, 127, 233
 Epi-illumination, 108
 Ethylene glycol tetraacetic acid (EGTA), 41, 42
 Evanescent field, 69, 107, 274, 291, 292, 297, 306, 345, 347
 Extinction, 11, 19, 30–32, 39, 42, 65, 67, 94, 107, 109, 129, 155, 156, 171, 172, 174, 175, 177, 193, 246–248, 253, 254, 257–262, 274, 279, 280, 318, 320, 333, 339, 343–351, 353, 359, 361, 362

F

Fabry–Perot resonator, 371
 FDTD. *See* Finite-difference time-domain (FDTD)
 FEM. *See* Finite elements method (FEM)
 Fibrinogen, 142, 145, 218, 219
 Field-decay length, 16, 19, 31, 33, 34, 40, 43, 70, 128, 268
 Figure-of-merit (FOM), 12–14, 19, 21, 60, 117, 118, 123, 206–208, 212, 213, 246–249, 297, 299, 300, 311, 318, 321–329, 378, 380
 Finite-difference time-domain (FDTD), 210–213, 219, 222, 304, 322, 323, 326, 329, 371
 Finite-difference time-domain (FDTD) calculations, 211–213, 304, 323, 326
 Finite elements method (FEM), 274, 275, 278, 279
 Flow-cell, 66–68, 75, 205, 213, 214, 360–362
 Fluid handling system, 106
 Fluorescence resonant energy transfer, FRET, 40
 Fluorescent labeling, 100, 101
 Focused ion beam (FIB) milling, 201, 272, 304
 FOM. *See* Figure-of-merit (FOM)
 Fresnel coefficient, 6
 Full width at half maximum (FWHM), 12–14, 19, 39, 94, 109, 193, 270, 320–323, 325, 326, 328, 378, 380

G

GaAs, 370, 371, 373, 374, 376–378, 381, 382
 Galactose, 33, 357, 358, 360–362
 Gas sensing, 43, 171, 183–187, 195

Gaussian laser beam, 162
Gene-regulation, 85, 90
Gene silencing, 89, 91
GNPs. *See* Gold nanoparticles (GNPs)
Gold, 2, 30, 63, 88, 107, 128, 156, 178, 200, 245, 271, 290, 324, 333, 370
Gold nanoparticles (GNPs), 4, 34, 38, 39, 77, 92, 100, 101, 113, 129, 157, 160, 162, 164, 178, 185, 275, 281, 307
Grating, 6–8, 65, 200, 203, 210, 253, 254, 256, 262, 297

H

HCl, 302
Heterogeneous catalysis, 170, 182, 189–191
High-resolution scanning electron microscopy (HRSEM), 336–340, 347, 348, 356–358, 360
Hole-mask colloidal lithography, 171, 172, 178, 189
Hot spots, 10, 20, 100, 158, 162, 163, 270, 273, 282–284, 297
HRSEM. *See* High-resolution scanning electron microscopy (HRSEM)
Human serum albumin (HSA), 38, 128, 140, 142, 143, 147
Hybridization, 30, 62, 75, 157, 160, 161, 240, 334
Hydrogel, 213, 216, 217
Hydrogen storage, 169, 176, 183, 192
Hydroxyethyl methacrylate, 216

I

IgG. *See* Immunoglobulin (IgG)
Ilkovic equation, 234
Immunoglobulin (IgG), 130, 131, 213, 214, 310, 354, 356, 357
Indirect nanoplasmonic sensing (INPS), 183, 187–195
Indium tin oxide (ITO), 271, 272
Inert background, 239, 244
INPS. *See* Indirect nanoplasmonic sensing (INPS)
Integrated circuit, 174, 370
Integration, 100, 109, 163, 207, 223, 284, 290, 291, 293, 306, 310, 370, 381
Interparticle distance (gap), 273, 278–279
Intracellular gene switch, 88–90
ITO. *See* Indium tin oxide (ITO)

K

Kinetic discrimination, 147
Kinetics, 2, 33, 45, 84, 100–102, 114, 131, 136, 176, 179, 182, 192, 193, 233–235, 238, 240, 268, 276, 340, 342, 343, 361, 362
Kramers–Kronig transformation, 35, 36
Kretschmann configuration, 5–7, 107, 108, 200, 290

L

Label-free, 2, 4, 20, 22, 72, 84, 85, 87, 90, 100–102, 105–123, 128, 147, 148, 200, 238, 290, 318, 330
Laser desorption ionization mass spectrometry (LDI-MS), 49, 51–53
Laser manipulation, 153–165
Layer-by-layer assembly, 215
LCTF. *See* Liquid crystal tunable filter (LCTF)
LF-CDA. *See* Lorentz force and the coupled dipole approximation (LF-CDA)
Light-emitting-diodes (LEDs), 7, 253, 296, 302, 381–383
Limit-of-detection (LOD), 31, 34–49, 51, 107, 295, 298, 300, 309, 318, 327
Line width, 54, 106, 171, 177, 178, 270, 271, 297
Lipid vesicles, 62–63, 66–68, 70–72, 74–76, 78, 251
Lipid vesicles' tethering, 75
Liquid crystal tunable filter (LCTF), 20, 47
Localized surface plasmon resonance (LSPR), 3, 29, 73, 106, 128, 156, 171, 200, 250, 268, 290, 318, 333, 369
LOD. *See* Limit-of-detection (LOD)
Long-range nanoplasmonic sensing, 66
Loosely-bound surface competition reactions, 138–142, 147
Lorentz force and the coupled dipole approximation (LF-CDA), 159, 160
Lorentzian, 8, 110, 156, 321
LSPR. *See* Localized surface plasmon resonance (LSPR)

M

Mannose, 33, 357, 358, 360–364
Mass-transport (diffusion) limited response, 132
MDL. *See* Molecular detection limit (MDL)
Membrane proteins, 61, 63, 243
3-Mercaptopropyltrimethoxysilane (MPTMS), 98, 300, 302, 354

- Mercaptoundecanoic acid (MUA), 30, 52, 281–284
- Metal hydride formation, 173, 176–178
- Metal-insulator-metal waveguide (MIM), 378, 379, 381–383
- Metal-organic framework (MOF), 43
- Metal-oxide composite films, 184–186
- MgPz, 35, 36
- Micro spectroscopy, 116, 117, 238, 254, 259
- Microstructured optical fiber (MOF), 292, 305–309
- MIM. *See* Metal-insulator-metal waveguide (MIM)
- Miniaturization, 64, 106, 123, 174, 195, 223, 236–241, 277, 309, 318
- MOF. *See* Metal-organic framework (MOF); Microstructured optical fiber (MOF)
- Molecular detection limit (MDL), 114–122
- Molecular identification, 34, 49–53
- Molecular ruler, 84, 100–102, 219–221
- Monochromator, 373
- MPTMS. *See* 3-Mercaptopropyl-trimethoxysilane (MPTMS)
- MUA. *See* Mercaptoundecanoic acid (MUA)
- Multi-analyte sensing, 127, 133
- N**
- Nanocrescent, 94–98
- Nano-groove, 375–378
- Nanoholes, 14, 18, 78, 201–215, 217–223, 262, 335, 352
- Nanoparticle dimer, 156, 262, 272
- Nanoplasmonic molecular ruler, 100, 101
- Nanoplasmonic optical antennae, 83–102
- Nanopost, 202, 203, 206–211, 218, 219
- Nanorods, 109–122, 156, 241, 242, 279
- Nanospheres lithography (NSL), 174, 201, 280
- Nanostructure optimization, 106, 113–119
- Near-field, 15, 18, 19, 77, 153, 154, 157, 183, 192, 269, 272, 274–277, 283, 297, 318, 369
- Near-field optical forces, 153
- Near-infrared (NIR) electromagnetic radiation, 85, 99
- NeutrAvidin, 62, 68–71, 113
- Noble metal, 4, 49, 153, 180, 336, 386
- Noise, 14, 41, 43, 44, 60, 107, 109, 131, 183, 184, 207, 214, 232–236, 241, 247, 252–262, 296, 297, 305, 307, 327, 329, 338
- Noise minimization, 60, 232, 252–262
- Non-calcium sensitive cutinase-cutinase (CutCut), 41
- Non-specific binding, 3, 128, 129, 131–133, 135, 136, 138, 139, 141, 142, 146, 148, 242, 244, 296, 357
- NSL. *See* Nanospheres lithography (NSL)
- O**
- [2,3,7,8,12,13,17,18-Octakis (propyl) porphyrinato]magnesium(II), 35
- OF-bundles (OFB), 302, 303
- Oligonucleotides, 84, 88–90, 242
- Optical calorimetry, 171, 191–193
- Optical chopper, 373
- Optical fiber technology, 290
- Optical trapping, 154, 155, 158, 160
- Optical tweezers, 153–155, 163–164
- Optrode, 291–294, 300, 302, 305–307
- P**
- Palladium, 249
- PBZ. *See* Plasmonic Brillouin zone (PBZ)
- PDMS. *See* Poly (dimethylsiloxane) (PDMS)
- PEG. *See* Poly(ethyleneglycol) (PEG)
- Percolation, 337–339, 343
- pH, 31, 187, 213, 216–217, 245, 268, 296, 309, 318
- Photodetector, 255, 269–274, 376–381
- Photolithography, 54, 200–202
- Photoresponse, 371
- Plasmonic Brillouin zone (PBZ), 208–210
- Plasmonic crystals, 202–206, 208–223
- Plasmon resonance energy transfer (PRET), 84, 85, 92
- Platinum, 249
- POF. *See* Polymeric-OF (POF)
- Poly(dimethylsiloxane) (PDMS), 202, 305
- Poly(ethyleneglycol) (PEG), 75, 205, 206, 208, 244, 245, 358, 359
- Polydispersity, 270
- Polyelectrolyte, 215–216, 347–349
- Poly(ethyleneglycol) grafted to poly(L-lysine) (PLL-g-PEG), 245
- Polymeric-OF (POF), 302
- Polymer phase transitions, 193–195
- Positive EBL resist, 272
- Post-deposition annealing, 335, 336
- PRET. *See* Plasmon resonance energy transfer (PRET)
- Probe solution, 291
- Protein conformational changes, 40–43

Q

- Quadrupolar resonance, 377, 380
- Quartz crystal microbalance with dissipation monitoring (QCMD), 72–74, 78, 178

R

- Random island film, 355
- Reactive ion etching (RIE), 272
- Redox catalysis, 180
- Refractive index sensing, 1–22, 201, 205–208, 212, 269, 284
- Refractive index unit, 43, 140, 216, 233, 377
- Resolution, 20, 34, 43, 77, 93, 100, 107, 109, 122, 170, 171, 178, 187, 190, 200, 201, 204, 233, 235–239, 250, 254–256, 272–274, 278, 284, 302, 310, 320–322, 327, 336, 337
- Resonant molecules-chromophores, 35–38
- Rhodamine 6G (R6G), 36, 49, 96, 97, 158, 297, 300
- RIE. *See* Reactive ion etching (RIE)
- RIU, 131, 142, 143, 296, 302, 304, 345

S

- SAM. *See* Self assembled monolayer (SAM)
- Scanning near-field optical microscopy (SNOM), 274, 297
- Scattering spectroscopy, 44, 180, 183, 238, 258–262, 274
- Selective chemical etching (SCE), 296
- Self assembled monolayer (SAM), 30, 37, 44, 45, 50, 111, 112, 209, 284, 352, 357–359, 361, 363
- Sensing volume, 14, 17, 33, 38, 40, 115, 118–120, 130, 188, 200, 277, 347
- Sensitivity enhancement, 268, 278, 279
- SERS. *See* Surface-enhanced Raman spectroscopy (SERS)
- Serum, 3, 19, 38, 74, 128, 130, 131, 138–142, 145, 147, 214, 244
- Short-range order, 3, 65, 66, 70, 74
- Signal enhancement, 38, 200, 221, 245
- Signal-to-noise ratio (SNR), 11, 44, 107, 109, 117, 120, 207, 296, 297, 305, 307, 327, 329
- Silane, 111, 300, 301, 336, 354, 358, 359
- Silver, 9, 16, 30–33, 52, 63, 68, 71, 74, 76, 97, 98, 110, 121, 122, 155, 156, 158, 159, 162–164, 180, 181, 249, 290, 295, 298, 300, 305, 307, 326, 327, 334

- Single-nanoparticle sensing, 44–46
- Single-particle spectroscopy, 270
- SNOM. *See* Scanning near-field optical microscopy (SNOM)
- SNR. *See* Signal-to-noise ratio (SNR)
- Soft nanoimprint lithography, 201–205, 221, 223
- Solid-liquid phase-transitions, 173, 178
- Specificity of detection, 242
- Spectrophotometer, 107, 109, 205, 253
- Spectroscopic imaging, 84, 101
- Specular reflection, 11, 12
- SPR. *See* Surface plasmon resonance (SPR)
- Stability, 31, 122, 160, 233, 238, 252, 269, 294, 296, 320, 326, 327, 334, 336, 340
- Substrate deformation, 342
- Supported lipid bilayer (SLB), 62–64
- Supporting substrate, 12, 74
- Surface and bulk oxidation and corrosion, 173
- Surface chemical reactions, 180–182
- Surface displacement reactions, 138, 142–147
- Surface-enhanced Raman scattering, 49, 200, 221–223, 270, 290
- Surface-enhanced Raman spectroscopy (SERS), 20, 29–31, 36, 49–51, 53, 54, 78, 84–87, 94–101, 153–165, 200, 201, 212, 221–223, 270, 274, 290–300, 302–310, 318, 334
- Surface functionalization, 22, 169, 182, 232, 239, 242–245, 250, 251
- Surface plasmon, 1, 29, 65, 108, 128, 153, 171, 200–201, 241, 268, 289, 318, 333–364, 369–384, 386
- Surface plasmon resonance (SPR), 1, 33, 65, 107, 128, 186, 200, 250, 269, 289, 319, 353, 381, 386
- Surface sensitivity, 250, 323–329

T

- Tapered fiber tip, 296
- TEM. *See* Cross-sectional transmission electron microscopy (TEM); Transmission electron microscopy (TEM)

TF-TIR-OF. *See* Total-internal reflection-based optical fiber (TF-TIR-OF)
Thermal evaporation, 294, 335–337
Thermal reshaping, 336
Thiophenol (TP), 162, 163, 297, 305
Time-resolved, 180, 205
Time-resolved transmission map, 206
Top-down nanofabrication, 268, 271–273
Total-internal reflection-based optical fiber (TF-TIR-OF), 295, 299
TP. *See* Thiophenol (TP)
TPL. *See* Two-photon-induced luminescence (TPL)
Transducer, 2, 113, 233, 334, 335, 342–345, 347–354, 358, 359, 361
Transmission electron microscopy (TEM), 44, 53, 109, 118, 170, 187, 188, 193, 195, 336–338, 342
Transmission spectroscopy, 72
Two-photon-induced luminescence (TPL), 274, 275

U
Unit cell, 210

V
Vertical cavity surface-emitting laser (VC-SEL), 252
Visible light, 121, 220, 255

W
Wave length scale, 320–323
Wide-field single nanoparticles spectroscopy (imaging), 84

Y
Yttrium stabilized zirconia (YSZ), 186, 187

Z
Zirconium oxide, 295