

Index

A

- Abu-Saad, K., 122
- Adverse childhood experiences (ACEs), 203
- Ainsworth strange situation procedure (SSP), 39
- Ayala, A., 119

B

- Bakermans-Kranenburg, M.J., 64
- Barclay, C.J., 110
- Barker, D., 14, 15, 20, 27, 124, 125, 216, 217, 221
- Bavellier, D., 34
- Becker, G.S., 203
- Beeton, M., 28
- Behrman, J., 125
- Berger, L., 171
- Berkman, L.F., 115, 181, 182, 184, 185, 191–194, 196, 201, 202, 206, 207, 221, 223
- Biological processes in utero, 216–217
- Blumenshine, P., 110
- Bowlby, J., 35, 164
- Bracy, P., 169, 174
- Braveman, P.A., 110
- Brent, H.P., 34
- Bucharest early intervention project (BEIP)
 - caregiver–child ratio, 36
 - foster care placement, 37
 - industrial productivity, 36
 - institutionalization of children, 35
 - intent-to-treat approach, 37
 - Macarthur Foundation, 36–37
- Burgess, S., 114

C

- Case, A., 114, 119, 203
- Cassel, J., 147
- Castles, F., 174
- Ceausescu, N., 36
- Champagne, F., 119
- Childhood exposures
 - environmental toxins, 116
 - epigenetic processes, 119
 - family environments, 118–119
 - neighborhood social and compositional environments, 117–118
 - physical neighborhood conditions, 115–116
- Chronic adult diseases
 - brain growth, 5
 - cigarette smoking and psychosocial stress, 3–4
 - compensatory growth, 6
 - coronary heart disease
 - birth weights, 4
 - mortality from, 4
 - fetal nutrition, 6
 - malnutrition, 5
 - maternal nutrition
 - birth weight, 7
 - gestational diabetes, 7
 - mother's diet, 7
 - size of mother, 6–7
 - transgenerational roots, 7, 8
 - organ maturity, 5
 - placenta, 8–9
 - sweat glands development, 5

- Cognitive development (IQ)
 age at placement, 38
 intent-to-treat approach, 38
 MDI, 37
 8 years of age, 38
- Complexity complex. *See* Social class
 and child health
- Connelly, L., 114
 Crittenden, P.M., 67
 Cubbin, C., 110
 Currie, A., 114
 Currie, J., 114, 123, 135
- D**
- Dallos, R., 67
 Davies, P.T., 62, 63, 76–78, 81, 82, 87–92,
 100, 115, 119, 218, 223
 Del Giudice, M., 67
 Dennis, W., 35
 Developmental origins of disease (DOD)
 birth weight distribution, 24
 compensatory growth, 25
 critical periods, 26–27
 epigenetic processes, 25–26
 global nutritional intake, 24–25
 health and socioeconomic status, 28
 induced phenotype, 26–27
 intergenerational processes, 29
 limitation of, 24
 placenta variation, 25
 race-ethnic differences, 27
 racial and socioeconomic
 disparity, 26
 Diez Roux, A., 118
 Dubos, R., 9
- E**
- Egerter, S., 110
 Ellen, I.G., 117
 Emotional security theory (EST-R)
 bidirectional parent–child influences,
 80–81
 compensatory parent influences, 78
 differential susceptibility, 78–79
 extrafamilial influences, 82–83
 family-focused preventive interventions
 adolescent problem behaviors, 97
 complexity and specificity, 100
 discipline and supervision strategies,
 96–97
 harsh discipline, 96
 inductive discipline, 96
 interparental relationship, 101
 meta-analyses, 98
 parent–child relationships, 98
 potential moderating conditions, 101
 prevention programs, 102
 randomized clinical trials, 97
 small-theory models, 98–99
 family influences on
 emotional insecurity, 89
 parents, 88–89
 social defense and attachment
 systems, 89
 stress response system, 89
 mental and physical health sequela
 defensive analogues, 56–57
 social competence, 55
 types of outcomes, 56
 nature and composition of
 attachment behaviors, 49
 ethological modules, 48
 family precursors, insecurity, 50–51
 interparental conflict, 49
 interparental insecurity, 51–52
 parental diary, 49–50
 parent–child attachment
 security, 52–53
 parent–child relationship, 48
 types of security, 54–55
 social–emotional development, 79–80
 sources of heterogeneity
 child attributes, 63–64
 family system dynamics, 62–63
 unique contributions of
 form and function of, 77
 parent–parent relationship, 76–77
 process-level accounts, 77
 Eschbach, K., 117
 Evans, G., 115
- F**
- Family discord
 clinical intervention
 family risk and protective factors, 91
 key features identification, 89–90
 long-term child health
 outcomes, 90–91
 specific child health outcomes, 90
 defense, form and function, 64–65
 developing preventative strategies,
 91–92
 developmental processes, 66–67
 emotional security theory
 behavioral system, 89

- parents, 88–89
 - social defense and attachment systems, 89
 - stress response system, 89
- escalation of risk, 88
- graphical depiction of, 46, 47
- health impact, prevalence of, 88
- stress response system (*see* Stress response system)
- Family-friendly policy
 - eco-social conceptual framework
 - individual level situations, 193
 - “outcomes” and “channels, 193
 - evaluation of, 194–195
 - health in all policies
 - finance, specific strategies, 196, 197
 - intersectoral action, explanatory model, 196, 197
 - MOH guidance, 195–196
 - theoretical causal model, 191, 192
- Ferrarini, T., 166–168, 192
- Finch, B., 111
- Fosco, G.M., 52
- Fox, N.A., 34, 36, 217, 221
- Fraser, D., 122
- Frost, W.H., 147
- Fundamental causes theory, 108–109

- G**
- Geronimus, A.T., 26, 120
- Giudice, L., 122
- Gluckman, P.D., 26
- Goldfarb, W., 35
- Gold, P., 119
- Goodwin, J., 117
- Gornick, J., 166
- Grossman theory, 108, 145–146
- Grych, J.H., 52

- H**
- Haas, S.A., 223
- Hadley, C., 118
- Hamilton, E., 117
- Hanson, M., 26
- Health care policy, 221–222
- Health inequality, 214
- Heckman, J., 203
- Herbstman, J., 122
- Herd-Loxavio, M., 123
- Heymann, J., 166, 171
- Higley, J., 119
- Hume, D., 149

- I**
- Immervoll, H., 173
- In utero exposures
 - BMI, 120
 - environmental exposures, pregnancy, 122–123
 - epigenetic processes, 124
 - fertility decisions/timing, 120–121
 - mother’s fertility, 119
 - prenatal health behaviors, 121–122
 - stress during pregnancy, 123–124

- J**
- Johnston, J., 56

- K**
- Kakuma, R., 14
- Kaminski, J.W., 98
- Kandula, N., 118
- Kantrowitz, E., 115
- Kaplan, G., 170
- Karoly, L.A., 205
- Kerr, M., 80
- Khanam, R., 114
- Kilburn, M.R., 205, 221
- Knudsen, E.I., 34
- Kramer, M.S., 14
- Kuehnle, K., 56
- Kuzawa, C.W., 217

- L**
- Lee, D., 114
- Levin, A.V., 34
- Lewin, K., 95, 96
- Lewis, T.L., 34
- Lindell, S., 119
- Link, B., 108, 145, 146
- Lipton, R., 149
- Lubotsky, D., 114
- Lumey, L., 125
- Lundberg, O., 168, 169
- Lynch, J.W., 170

- M**
- Macrolevel interventions, child health, 220–221
- Maestripieri, D., 119
- Markides, K., 117
- Marmot, M., 109, 146
- Martin, M.A., 87, 218

- Martinson, M., 113
 Mattison, D., 122
 Maurer, D., 34
 Mental developmental index (MDI), 37
 Microlevel intervention, child health, 220–221
 Muntaner, C., 170
 Murasko, 114
- N**
 Najarian, P., 35
 Nelson, C., 36
 Neville, H., 34
 Nghiem, H., 114
 Norstrom, T., 167
- O**
 Odegaard, T., 149
 O'Donnell, E.M., 115, 181, 182, 184, 185,
 191–194, 196, 201, 202, 206, 207,
 221, 223
 Ostir, G., 117
 Osypuk, T., 118
- P**
 Parent–child relationships, 218
 children's attachment security, 55
 children's mental and physical health, 76
 EST-R, 98
 interparental insecurity, 52
 psychological goal of, 48
 threats exposure, 62
 unintentional injury risk, 81
 youth, 97
 Patel, K., 117
 Paxson, C., 114, 119, 203
 Pearson, K., 28
 Perera, F., 122
 Phelan, J., 108, 145, 146
 Pickett, K.E., 140
 Prenatal nutrition
 anthropology and human adaptability
 fat deposition, 15–16
 insulin resistant muscle, 15
 maternal separation stress, 16
 modified methylation, 16
 smaller kidneys, fewer nephrons, 15
 birth weight, 14
 fetal adjustments
 birth weights, 18
 gestation/ early infancy, 17
 mother's physiology, 17–18
 nutritionally stressed fetus, 16–17
 nutritional interventions failure, 19–20
 nutritional supplementation trials, 14–15
 protein-calorie pregnancy supplement
 trials, 14
 Pro-family workplace
 ecosocial framework
 attachment theory, 164–165
 parental time investments, 165
 work, family, strain model, 165–166
 family policies
 breastfeeding, 171–172
 child anthropometrics, 173
 childhood poverty and injuries, 172–173
 fertility, 173–174
 infant mortality, 168–169
 low birth weight, 170–171
 parental employment, 172
 theoretical causal model, 166–167
 types of, 167
 women's labor force participation, 174
 infant mortality
 cross-country comparisons, 160
 female life expectancy, 162, 163
 female longevity, 163
 in Japan, 161
 life expectancy (LE), 159–160
 by race, US, 161–162
 USA vs. OECD countries, 160–161
 Propper, C., 114
- R**
 Rees, J., 35
 Reichman, N.E., 113, 117, 122, 125, 135–139,
 144–148, 150, 151, 215, 219,
 220, 223
 Reppetti, R.L., 76
 Rigg, J., 114
 Rindfuss, R., 173
 Roberts, E., 117
 Roe, B., 171
 Roseby, V., 56
 Ruhm, C.J., 166, 169, 171, 172
- S**
 Sandler, I., 102
 Schorr, E.A., 34
 Seeman, T.E., 76
 Shields, M., 114
 Smith, G.C., 203
 Smith, J.P., 203
 Social class and child health
 cause of death, 145
 competing directed acyclic graphs, 147–148

- culture problems, 150–151
 - disease causation, 148–150
 - Grossman theory, 145–146
 - preconception, 144
 - social psychological theory, 146–147
 - spatial geographic differences, health, 144
 - Social policies and programs
 - ACEs, 203
 - adverse events, children’s exposure, 203
 - cost–benefit analysis, 205–206
 - family characteristics, 204
 - human capital, 203–204
 - KIDS COUNT Data Books, 202
 - mental health, 203
 - Socioeconomic disparities (SES)
 - birth outcomes, 110–111
 - CDC, 109
 - childhood exposures
 - environmental toxins, 116
 - epigenetic processes, 119
 - family environments, 118–119
 - neighborhood social and compositional environments, 117–118
 - physical neighborhood conditions, 115–116
 - children’s health trajectories, 114–115
 - children’s poor health exacerbates, 125–126
 - diabetes and asthma, 113
 - dynamic intergenerational process, 127, 128
 - economic theory, 108
 - epigenetic process, 139
 - fundamental causes theory, 108–109
 - Grossman theory, 108
 - health conditions and disadvantage, 113
 - Health Policy and Administration, 136
 - health-related intervention opportunity, 138, 139
 - intergenerational exposures
 - epigenetic imprinting, 124
 - maternal nutrition, childhood, 125
 - paternal occupational exposures, 124–125
 - low-income communities, 137
 - NICHD-funded project, 126
 - parent-child interactions, 115
 - pregnancy weight gain, 138
 - prenatal care, 136–137
 - psychological processes, 115
 - racial and ethnic disparities, 111–112
 - SES gradient widening, 135
 - social psychological theory, 108–109
 - stress, 138
 - strong healthy women intervention, 137
 - theories, 215–216
 - in utero exposures
 - BMI, 120
 - environmental exposures, pregnancy, 122–123
 - epigenetic processes, 124
 - fertility decisions/timing, 120–121
 - mother’s fertility, 119
 - prenatal health behaviors, 121–122
 - stress during pregnancy, 123–124
 - women’s preconceptional health, 137
 - Spencer, N., 170
 - Spitz, R., 35
 - Stabile, M., 114
 - Stattin, H., 80
 - Stein, A., 125
 - Stillerman, K., 122
 - Stress response system (SRS)
 - allostasis and allostatic load, 58–59
 - attachment security and, 59
 - behavioral/ ethological systems of approach
 - affiliation, 61
 - caregiving, 61
 - exploration, 60
 - social defense systems, 60
 - hypothalamic–pituitary–adrenal axis (HPA), 57–58
 - parasympathetic nervous system, 58
 - Structural risk factors, 219–220
 - Strully, K., 170, 171, 175
 - Sturge-Apple, M.L., 87, 218
 - Sundström, M., 174
- T**
- Tanaka, S., 169
 - Taylor, S.E., 76
 - Teitler, J.O., 113, 117, 135, 215, 219, 220, 223
 - Theoretical causal model, 191, 192
 - Thompson, R.A., 56
 - Tizard, B., 35
- V**
- van IJzendoorn, M.H., 64
 - van Wassenhove, V., 34
- W**
- Wennemo, I., 168
 - Wheatley Price, S., 114
 - Wilkinson, R.G., 109, 146
 - Winegarden, C., 166, 169, 174

- Winter, H., 25
- Woodruff, T., 122
- Work–family strain and health care
 - children with special health-care needs, 183–185
 - family leave policies
 - federal policies, 185–186
 - international comparison, 188
 - state and local policies, 187
 - parent roles in, 182–183

Z

Zeanah, C., 36