

# INDEX

## A

- Acidic peptides ..... 60, 176
- Acquisition ..... 24, 26, 27, 33–47, 54, 56, 63, 65, 66, 76–77, 86, 122, 126, 131, 133, 134, 163, 197
- Affinity capture ..... 30, 89, 97, 98, 110, 112, 192
- Agarose ..... 183, 185, 214
- Albumin ..... 13, 25, 34, 35, 41, 73, 84, 93, 105, 171, 216
- Algorithm ..... 48, 78, 90, 126, 127, 150, 153, 154, 212, 213, 217
- Amino acid sequence ..... 6, 34, 59, 64, 185, 187, 188, 212
- Amyloid plaque ..... 121
- Analyte ..... 3, 14, 23, 26, 38, 54, 69–73, 77, 79, 116, 125, 132, 133, 162, 164, 177
- Analytical technique ..... 4
- Angiotensin ..... 86, 89, 105, 171
- Annotation ..... 153
- Antibody array ..... 138
- AQP2. *See* Aquaporin-2 (AQP2)
- AQUA-peptide ..... 28, 32, 42
- Aquaporin ..... 181
- Aquaporin-2 (AQP2) ..... 181–189
- Assay development ..... 32, 57, 59, 66

## B

- Bead coupling ..... 138–142
- Biofluid ..... 170
- Bioinformatics ..... 59, 61, 127, 147, 212–213
- Biomarker ..... 13, 26, 31, 46, 54, 59, 83–86, 90, 95, 114, 115, 162, 169–179, 192
- Biopanning ..... 183–186
- Bioprocessor ..... 193, 196, 197, 199
- Biotin ..... 28, 140, 142, 144, 189
- Body fluid ..... 84, 208
- Brain ..... 121, 124, 125, 128, 132, 191–201
- Brain tumor ..... 191–201
- Bronchoalveolar lavage ..... 30, 84, 204–205

## C

- Calibration ..... 15, 16, 69–72, 78, 86, 104, 105, 110, 112, 122, 126, 127, 171, 197

- Calibration curve ..... 69–72, 78, 104, 112
- Capillary electrophoresis (CE) ..... 63
- Cellulose resin ..... 89, 93, 863
- CID. *See* Collision induced dissociation (CID)
- Classification ..... 84, 90, 91
- Clone ..... 182, 185–189
- Cluster ..... 150, 151, 201
- CNBr-activated sepharose beads ..... 105, 107
- Collecting duct ..... 181–183, 186–187
- Collision energy (CE) ..... 16, 63–66
- Collision induced dissociation (CID) ..... 16, 42, 54, 63, 64, 78, 153, 212
- Complex sample ..... 31, 32, 44, 45, 54, 95, 144, 150
- Confidence ..... 16, 22, 45, 110, 135, 151–153
- Correlation ..... 23, 32, 151, 152
- Coupling ..... 33, 78, 102, 104, 105, 107–108, 117, 138, 140–142, 206, 210, 215, 216
- Cryostat ..... 122–124, 131
- C-terminus ..... 64

## D

- Data acquisition ..... 24, 26, 27, 33–34, 44, 46, 47, 86, 197
- Database ..... 4, 16, 18, 22, 23, 40, 42, 59, 64, 93, 100, 103, 123, 131, 150, 152, 153, 185, 212, 213
- Data curation ..... 155
- Data evaluation ..... 40, 93, 128–129
- Data processing ..... 23, 38, 86, 93, 122, 127–129, 134
- Data quality ..... 45–47
- Degradation ..... 17, 84, 85, 123, 124, 131, 132, 162–164, 212, 215, 216
- Denaturation ..... 17, 92, 109
- Denaturing ultrafiltration ..... 13–18
- Denominator ..... 153, 155
- De novo sequencing ..... 212, 217
- Depletion ..... 4, 32, 55, 84, 93, 163, 164
- Detection ..... 32, 55, 56, 60–61, 63, 65–67, 77, 79, 84, 85, 90, 99, 100, 106, 108, 112–115, 117
- Diagnostics ..... 170
- Digestion ..... 4–7, 10, 24, 26–31, 56, 59, 66, 69, 74, 75, 79, 91–93, 98–102, 104, 106, 109, 110, 117, 151, 217

Dimethyl-labeling .....25, 29, 42  
Discovery.....13, 23, 24, 26, 46, 54, 84,  
152–154, 169–179, 212  
Disease markers .....84, 93  
DNA sequencing.....183, 185–186  
Drug.....121  
Dynamic range .....3, 14, 22, 33, 38, 54, 71, 84, 113

## E

EGFRvIII .....101, 106, 108, 109, 112, 113, 115, 118  
EDTA .....56, 73, 140, 163, 165, 182, 183, 193  
EGFR.....99–102, 106, 109, 112, 118, 119  
EIC. *See* Extracted ion chromatogram (EIC)  
Electrospray ionization (ESI) .....29, 34, 60,  
73, 76, 87, 91–93, 115, 131, 171, 172, 175, 179,  
208, 211  
Elution .....5, 8, 9, 77, 87, 92, 129, 131, 172,  
175–178, 207, 209, 211, 213  
Endogenous peptides.....57, 65, 69, 70, 73, 77,  
79, 100, 110, 135, 161  
Enrichment .....4, 14, 23, 26, 28, 32, 55, 62, 79,  
89, 113, 129, 170, 188  
Enrichment analysis .....23  
Epitope.....97–100, 115, 144, 212–213  
Epitope-containing peptide.....99, 100, 115  
Epitope prediction.....212–213  
Equilibration .....89, 172, 177, 207, 210  
Equivalent .....8, 55, 56, 63, 75, 80, 104,  
105, 193–195, 198  
ESI. *See* Electrospray ionization (ESI)  
*E*-value .....188  
Extracted ion chromatogram (EIC) .....35, 36, 39,  
42, 44, 65, 69  
Extraction .....9, 13, 22, 24, 30, 56, 57, 75–76,  
87, 91, 104, 118, 125, 129, 133, 169–179,  
206–210, 213, 214, 216

## F

False discovery rate (FDR).....23, 152, 212  
Fibronectin.....183, 186, 187  
FITC .....183, 188  
FLexImaging.....122, 124, 126, 127  
Fluorescein .....182, 183, 186–189  
Fluorescein-conjugated peptide.....182, 183, 186–188  
Fluorescein-labeled peptide.....183, 188  
Fluorescence .....140, 143  
Fluorescent dye.....143  
Fluorophore.....143  
Fraction .....11, 15, 16, 93, 123, 129, 144,  
173–175, 183–185, 195  
Fractionation .....4, 15, 17, 22, 28, 29, 32, 91,  
95, 129, 170, 172–175, 177, 178, 192  
*Francisella tularensis*.....99, 103, 111, 112, 114, 115  
Fresh frozen tissue .....122–123

## G

Gene ontology (GO).....23  
Generic.....99  
Glu-Fibrinogen peptide .....37, 38  
Gradient .....5, 9, 16, 17, 62, 76, 77, 129,  
174, 211, 215, 216

## H

Heavy isotope .....25  
Heme group .....131  
Hemoglobin .....131, 164, 176  
Hemolysis.....164, 165, 167  
High abundant protein.....4, 14, 84  
High-pressure liquid chromatography  
(HPLC) system.....16, 17, 129, 175, 207  
High-throughput screening.....84, 137  
Homogenate.....182, 184, 195  
Homogenization.....192, 193, 195, 198  
Hydrolysis.....62, 144

## I

ICAT. *See* Isotope-coded affinity tags (ICAT)  
ICPL. *See* Isotope coded protein label (ICPL)  
Identification .....11, 14–16, 22, 23, 28, 30, 31, 40, 42,  
59, 64, 85, 91, 93, 110, 122–123, 129–131, 135,  
150, 152, 153, 173–176, 178, 204, 205, 209,  
211–212, 215–217  
Imaging .....121–134  
Imaging mass spectrometry (IMS).....121–134  
iMALDI. *See* Immuno-matrix-assisted laser desorption  
ionization (iMALDI)  
Immobilized .....4, 29, 100, 102, 104, 107,  
108, 138, 141, 192, 210, 212, 216  
Immobilized pH strips (IPG strips) .....4, 5, 8, 10, 11  
Immuno-absorption .....99  
Immunoaffinity.....203–217  
Immunoblotting .....184  
Immunodepletion .....32  
Immuno-matrix-assisted laser desorption ionization  
(iMALDI) .....97–119  
Immunoprecipitation.....105  
IMS. *See* Imaging mass spectrometry (IMS)  
Incubation .....85, 88, 89, 107, 110, 118, 143,  
184, 195, 196, 198  
Intact protein labeling .....29  
Interface .....17, 18, 76, 153–155, 192  
Internal standard .....10, 23, 28, 31, 36, 54, 69,  
73, 89, 98, 109, 111–113  
Intracellular .....164, 181, 182, 184  
In vitro phage display .....182, 184  
Ion detector .....33  
Ionization .....34, 60, 73, 76, 85, 86, 91, 97, 132,  
170, 171, 175, 191, 211, 212

Ion source ..... 33, 87, 131  
 IPG strips. *See* Immobilized pH strips (IPG strips)  
 Iso electric focusing ..... 3–11  
 Isotope-coded affinity tags (ICAT) ..... 28, 30  
 Isotope coded protein label (ICPL) ..... 28, 30  
 Isotopic pair ..... 23  
 iTRAQ ..... 4–7, 10, 23, 25, 29–31, 38, 42, 151, 153

**K**

Kidney ..... 181–187

**L**

Label-free ..... 85, 93, 152  
 Labeling methods ..... 21–47, 150  
 Labelling ..... 4–7, 10, 166  
 LC. *See* Liquid chromatography (LC)  
 LC-ESI MS ..... 87, 91, 93  
 LC-MS. *See* Liquid-chromatography mass spectrometry (LC-MS)  
 Life science ..... 105, 137, 207  
 Ligand ..... 181–189, 203–217  
 Light isotope ..... 26, 28, 100  
 Linear range of quantification ..... 69–72  
 Liquid chromatography (LC) ..... 14, 15, 21, 33, 34, 45, 123, 131, 171, 174, 175, 178  
 Liquid-chromatography mass spectrometry (LC-MS) ..... 21, 22, 24, 26–28, 30–45, 47, 55–57, 90–94, 150, 170, 173, 179, 204, 207, 211  
 Low molecular weight (LMW) ..... 13, 14, 83–95, 170, 191  
 Luminex ..... 138, 143

**M**

Magnetic bead ..... 108, 141, 182, 184–186, 213, 216  
 Magnetic protein-G bead ..... 105, 108  
 Major histocompatibility complexes (MHC) ..... 203–217  
 MALDI. *See* Matrix-assisted laser desorption ionization (MALDI)  
 MALDI/TOF-MS ..... 13–18, 62, 79, 86, 90, 122, 170, 173–176, 179  
 MASCOT ..... 212  
 Mass analyzer ..... 33, 34, 42, 121, 192  
 Mass spectrometry ..... 3–11, 13–18, 21–23, 25, 26, 29, 33–34, 47, 53, 54, 59, 63, 65, 69, 76–77, 80, 83–95, 100, 101, 121–135, 137, 151, 161, 163, 164, 169–171, 173–175, 178, 179, 191, 192, 204, 207, 211, 215  
 Mass spectrometry analyzer 1 (MS1) ..... 25, 27, 30, 34–45  
 Mass spectrometry analyzer 2 (MS2) ..... 26, 30, 40–42  
 Material-enhanced laser desorption/ionization (MELDI) ..... 85–94  
 MATLAB ..... 122, 127, 128, 151, 154, 155, 157

Matrix-assisted laser desorption ionization (MALDI) ..... 13–18, 29, 34, 62, 86, 87, 89, 90, 92, 94, 97–100, 104–106, 108, 110–117, 121–135, 154, 170, 172, 175, 179, 191  
 acquisition method ..... 126  
 matrix ..... 86, 89, 94, 97, 99, 105, 106, 110, 122, 124, 125, 131–133, 179  
 target ..... 16, 86, 87, 89, 90, 92, 98, 99, 110, 114, 116, 118, 123–125

MaxQuant ..... 30  
 MELDI. *See* Material-enhanced laser desorption/ionization (MELDI)

Membrane ..... 4, 10, 14, 15, 17, 88, 109, 181–189, 203, 204

Membrane proteins ..... 4, 109

Meningioma ..... 192

Metabolic labeling ..... 22, 24, 26–28

MHC. *See* Major histocompatibility complexes (MHC)

MHC Class I (MHC-I) ..... 203–206, 210–211

MHC Class II (MHC-II) ..... 204, 206, 207, 210–211

MHC-ligand ..... 203–217

Microarray ..... 99, 129, 137, 138

Monitoring transition ..... 32

MRM. *See* Multiple reaction monitoring (MRM)

MRM assay ..... 32, 33, 54, 57–61, 63, 65, 66, 68–70, 72, 73

MS1. *See* Mass spectrometry analyzer 1 (MS1)

MS2. *See* Mass spectrometry analyzer 2 (MS2)

msInspect ..... 30

MSQuant ..... 30

Multi-dimensional separation ..... 87–90

Multiple reaction monitoring (MRM) ..... 31–33, 38, 42–45, 53–81

Multiplexed ..... 33, 73, 137–144

Multiplexed sandwich immunoassay ..... 138

Multivariate method ..... 23

**N**

Nano-LC ..... 174, 175, 204, 207, 211–212

NanoLC-MS ..... 34, 38, 45

Narrow-range ..... 3–11

Native peptides ..... 13, 14, 29, 61, 65, 173, 178

Neuropeptides ..... 13, 121–135

NHS-biotin ..... 142, 144

Noise ..... 30, 42, 72, 78, 108, 117, 126–128, 133, 134, 201

Non-magnetic bead ..... 140, 141

Non-parametric tests of variance ..... 129

Normalization ..... 90, 127, 133, 134, 151, 152

N-terminus ..... 34, 64, 115, 189

Numerator ..... 153, 155

## O

<sup>18</sup>O-isotopes ..... 29  
<sup>18</sup>O-labeling ..... 29  
Orbitrap ..... 27, 30, 31, 42, 207, 211–212  
Orders of magnitude ..... 84, 127, 138  
Organic molecule ..... 34  
Outlier ..... 23, 150, 157

## P

Paraformaldehyde ..... 140, 183, 187  
Parametric tests of variance ..... 129  
PCR ..... 89, 142, 143, 183, 185–186  
Peak ..... 25–27, 29–31, 34–38, 42, 44–46, 63, 66–71, 74, 77–79, 90, 91, 94, 97, 108, 110, 112, 113, 126–131, 133, 134, 152, 153, 169, 174, 175, 178, 179, 199–201, 212, 215, 217  
    binning ..... 127  
    detection ..... 127  
peptide atlas ..... 59  
peptide elution ..... 9, 129, 131  
peptide extraction ..... 125, 129, 133  
peptide fragmentation ..... 30, 42  
peptide identification ..... 15, 16, 22, 23, 30, 42, 64, 131, 152, 153, 211–212  
peptide quality control ..... 149–157  
peptide quantity visualization ..... 154  
peptide selection ..... 57, 59, 116, 153, 154  
peptide sequence ..... 22, 23, 40–42, 59, 60, 106, 131, 150, 152, 153, 157, 182, 183, 185–186, 188, 204, 207, 211, 212  
peptide synthesis ..... 33, 61, 78, 100, 109  
Peptide-spectrum-match (PSM) ..... 22  
Peptidome ..... 162, 163  
Peptidomics ..... 13, 135, 161–167, 169–179, 181–189  
Permeabilization ..... 183  
Phage ..... 181–189  
Phage library ..... 183–186, 188  
Phospholipids ..... 121  
Phosphoproteomics ..... 30  
pI ..... 4, 11  
Plasma ..... 4, 13, 14, 32, 53–81, 84, 99, 109, 137–144, 162–167, 170, 181, 182, 184, 208, 216  
    membrane ..... 181, 182, 184  
    sample ..... 54, 69, 70, 74, 79, 140, 142, 165, 166  
Post-translational modification ..... 60  
PQPQ. *See* Protein quantification by peptide quality control (PQPQ)  
Precipitation ..... 4–6, 10, 24, 62, 80, 105, 118, 170  
Precision ..... 10, 125, 133, 150, 170  
Precursor peptide ions ..... 150  
Pre-fractionation ..... 31, 54  
Primary human leukocytes ..... 30  
Primer ..... 21, 183, 185

Principal component analysis (PSA) ..... 85, 91, 98, 129  
Profile ..... 77, 85, 91, 138, 140, 143, 169, 212  
Prognosis ..... 84, 85, 192  
Program ..... 9, 151, 152, 154, 185, 196  
Prostate cancer ..... 85, 86, 90  
Protease ..... 29, 30, 118, 161–165, 182, 193, 203, 204, 206, 207, 211, 212, 215  
Protease inhibitor ..... 118, 164–165, 182, 193, 206, 207, 215  
protein labeling ..... 26–29  
protein precipitation ..... 6, 24, 80  
protein profiling ..... 21–47, 84, 85, 90, 93, 137–144, 169, 170  
protein quantification ..... 21, 22, 31–33, 45, 149–157  
ProteinChip ..... 191–194, 196–199  
ProteinPilot™ ..... 131, 152, 154  
Protein quantification by peptide quality control (PQPQ) ..... 149–157  
Proteome ..... 4, 13, 22, 33, 47, 59, 84, 137, 152–154, 162, 164, 191, 192, 197  
Proteome Discoverer ..... 152–154  
Proteomics ..... 3, 14, 21–23, 26–28, 30, 32–34, 53, 54, 57, 83, 84, 91, 95, 98, 126, 135, 137, 149–157, 163, 165, 169, 192, 194, 197, 211  
Proteotypic peptides ..... 53–55, 59–62, 66, 68  
PSA. *See* Principal component analysis (PSA)  
PSM. *See* Peptide-spectrum-match (PSM)  
Purification ..... 5, 28, 32, 56, 62–63, 79, 85, 87–90, 104, 122, 170, 177–179, 192  
p-value ..... 151, 152, 188

## Q

QC. *See* Quality control (QC)  
QconCATs ..... 28–29  
QQQ. *See* Triple quadrupole (QQQ)  
Quadrupole-time-of-flight (QTOF) ..... 34, 38, 39, 42  
Quality control (QC) ..... 6, 22, 29, 45–47, 149–157, 194–196, 199  
Quantification ..... 4, 14, 21–23, 25–28, 30–45, 47, 85, 149–157  
Quantitative accuracy ..... 36, 37, 150

## R

Ratkidney ..... 182–184, 186–187  
Raw data ..... 18, 23, 90, 126, 212  
Recalibration ..... 127  
Receptor ..... 203  
Regulation ..... 94, 181, 182  
Relative quantification ..... 4, 26  
Relative quantity ..... 153  
Reporter ion ..... 23, 26, 30, 31, 38, 42, 151, 152  
Reproducibility ..... 53, 54, 68, 72, 84, 87, 109, 125, 126, 132, 134, 151, 162, 163, 174, 175, 178, 179, 192, 194, 198, 199, 213

Resolution .....27, 29, 30, 38, 76, 77, 126,  
 131–134, 200, 201, 207, 212  
 Retention time..... 27, 44–47, 65, 77, 78, 94, 174, 178  
 Reversed phase microarray .....137  
 Reverse phase .....14–17, 137, 170, 171, 177, 178, 192  
 Reverse phase LC.....178  
 Reverse phase LC fractionation.....15, 175  
 Reverse phase-strong cation exchange  
 (RP-SCX).....169–179  
 RP-SCX purification.....178

**S**

SAM. *See* Stanford statistical analysis of Microarray data  
 (SAM)  
 Sample preparation.....6, 22, 24, 29, 55–57,  
 73–75, 79, 86–94, 122, 134, 192–193, 195,  
 206–208, 210, 211  
 Screening..... 13, 32, 79, 84, 85, 100, 137, 173,  
 183–185, 188, 191, 194, 197  
 SCX-clean-up ..... 4, 5, 7–8  
 Search engine software .....22, 131  
 SELDI-MS .....191–201  
 SELDI ProteinChip® Array .....193–194, 196–197  
 Selected reaction monitoring  
 (SRM) ..... 31–33, 42–45, 59  
 Sepharose ..... 105, 107–108, 206, 210, 213,  
 214, 216  
 Sep-Pak C18 desalting .....14, 16  
 SEQUEST .....131, 212  
 Serum .....13–17, 25, 34, 35, 41, 84–91,  
 93, 94, 104, 105, 137, 138, 142, 162–165,  
 169–171, 183, 216  
 Serum proteins ..... 14, 84, 90, 93  
 Shotgun Proteomic.....149–157  
 Signal interference..... 32  
 SILAC. *See* Stable isotope-labeled amino  
 acids (SILAC)  
 Sinapinic.....86, 89, 125, 126, 132, 193  
 Single-dimensional separation.....87–90  
 SISCAPA ..... 32  
 SIS peptide.....54–57, 61–63, 65, 66, 68–70,  
 73–75, 77–80, 113, 114, 118  
 Skyline..... 59  
 Software ..... 18, 22, 30, 31, 45, 59, 65, 66,  
 70, 77–79, 86, 90, 93, 122, 123, 126, 127, 131,  
 150, 152, 174, 197, 212  
 Solid phase extraction (SPE)..... 30, 56, 57,  
 69, 70, 75–76, 80, 118, 169–179, 207, 211, 216  
 SPE. *See* Solid phase extraction (SPE)  
 Specificity ..... 32, 33, 43, 44, 59, 61, 76,  
 78, 85, 90, 100, 106, 121, 213  
 Specimen .....84, 161–167

Spectra..... 16, 17, 22, 25, 30, 34, 36, 37,  
 42, 43, 59, 64, 78, 90, 91, 93, 110–112, 118,  
 125–131, 134, 150, 151, 199, 200, 211, 212  
 Spectrum Mill .....152–154  
 Splice variant .....23, 149  
 Spotting.....87, 89–90, 116, 125, 129  
 SRM. *See* Selected reaction monitoring (SRM)  
 Stable isotope-labeled amino acids (SILAC) .... 4, 26–28, 30  
 Stable isotope labeling.....21–47, 53–55,  
 61–63, 78, 79, 97, 109, 113  
 Stable-isotope-labeled standard peptides .....57, 98, 113  
 Stanford statistical analysis of microarray data  
 (SAM) .....129  
 Statistical analysis ..... 127–129, 179  
 Supernatant ..... 9, 62, 76, 108, 116, 129,  
 166, 171, 172, 184, 195, 196, 208–211  
 Super-SILAC ..... 28  
 Supervised multivariate method ..... 23  
 Surrogate standard.....23, 26  
 Suspension bead array .....137–144

**T**

Tandem mass spectrometer (MS/MS) .....212  
 Tandem mass tags (TMT) ..... 25, 30–31, 38, 42, 151  
 Targeted protein quantification .....31–33  
 Targeted proteomics .....32, 57  
 T-cell ..... 203, 204, 212  
 Therapeutic application ..... 83  
 Tissue section .....122, 126, 129, 131, 133  
 TMT. *See* Tandem mass tags (TMT)  
 T7 phage .....183–186  
 TPP. *See* Trans proteomic pipeline (TPP)  
 Transition ..... 32  
 Trans proteomic pipeline (TPP)..... 30  
 Triple quadrupole (QQQ).....31, 33, 38, 39, 42,  
 44, 54, 56, 57, 63, 76, 77  
 Tryptic cleavage.....59, 150  
*t*-test ..... 129, 151

**U**

Ultrafiltration .....13–18, 170  
 Univariate method..... 23  
 Urinary peptidomics .....169–179  
 Urine ..... 84, 85, 170–173, 176–179

**V**

Validation .....26, 54, 86, 90, 185, 187, 205  
 Vasopressin .....181, 182

**Y**

Yeast ..... 28, 33, 59, 183