

Index

A

Academic achievement, 3, 7, 15, 23, 24, 26, 28, 29, 283
 genetic influences on, 24
Academic achievement–specific cognitive abilities correlation, 26
Adoption designs, 9, 284
Adoptive sibling model, basis of, 9
Aging
 longitudinal twin studies, 140
Aging studies
 in rodent model, 180
Alcohol dehydrogenase (ADH), 79
Alcohol-derived teratogenesis, 79
Alzheimer's disease (AD), 106, 108, 117, 118, 120, 135, 154, 155, 181, 184, 186, 203, 237, 250, 251, 286
 causes of, 204
 histopathological markers, 203
Alzheimer's Disease Neuroimaging Initiative (ADNI) database, 251
American Psychiatric Association's Diagnostic and Statistical Manual (DSM-IV), 71
Amyloid cascade hypothesis, 204, 209
Amyloid precursor protein (APP), 154, 209, 221
Animal models, 89, 283
Apolipoprotein E (APOE), 120, 210
 gene, 120, 154
Association analysis, 12
Attention-Deficit/Hyperactive Disorder (ADHD), 12, 249
Autism, 12, 85, 86, 247
Autism spectrum disorder (ASD), 248
Autosomal single mutations, 75

B

Behavior genetic
 analysis, 92
 approaches, 135
 inception and development of, 281
 model, 152
 of intelligence, 282
 studies, 110, 287
Behavior genetic studies, 110
 of aging, 109
 of cognitive aging, 127
Best fitting model, 17, 122
Biomarkers, 182, 186, 188, 201, 203, 204
 disease detection, 220
 DNA, 184
 for disease detection, 219
Bivariate DF analysis, 21
Blood oxygen level dependent (BOLD), 238, 239, 243, 252
Brain
 aging, 241, 242
 development, 78, 239
 morphology, 82, 183, 235, 236, 250
 myelination, 241
 structure, 243, 252
 structures, 89
Brain-derived neurotrophic factor (BDNF), 154, 155, 182, 185, 188, 216

C

Candidate gene, 12, 153, 154, 156, 158, 178, 210, 214, 246, 250
 genetic association studies of, 211
 studies, 153
Catecholamin-O-methyltransferase (COMT), 93

Cellular mechanisms
 identification of, 88

Cerebral autosomal dominant arteriopathy
 with subcortical infarcts and leukoencephalopathy (CADASIL), 210

Cerebral cortex, 59
 surface area of, 243

Cholesky decomposition model, 11

Chromosomal anomalies, 75

Cognitive ability, 11
 conceptualizations of, 4
 genetic and environmental influences on, 15
 measures of, 13, 28
 molecular genetic approaches to, 153
 standardized tests for, 4
 tasks, 145

Cognitive aging
 genetic studies of, 160
 longitudinal twin study of, 143, 144

Cognitive development
 theories of, 3, 4

Cognitive functioning, 6, 283
 extremes of, 283
 longitudinal twin studies, 285
 maintenance of, 169
 molecular genetic approaches, 284

Cohort comparisons, 287

Colorado Learning Disabilities Research Center (CLDRC), 27, 29

Competence-environmental press model, 171

COMT Val158Met genotype, 57

Context processing, 125, 129

Continuity hypothesis, 19

Copy number variants (CNV), 12

Cortical thickness, 237

Co-twin control model, 151, 152

Cross-sectional, 150, 179
 analyses, 148
 anatomical imaging studies, 249
 approach, 113
 data, 74, 108, 114
 heritability, 65
 models, 65
 samples, 148
 studies, 107, 127, 185
 study samples, 150
 twin studies, 117, 137

Cross-syndrome comparison, 69, 79

Crystallized intelligence (Gc), 6, 116, 157

D

Definition Manual on Intellectual Disability, 70

DeFries-Fulker (DF) regression analysis, 20, 21, 49, 59

DeFries-Fulker (DF) regression analysis, 11

Dementia, 201, 222
 environmental risk factors, 217, 221
 epidemiology of, 201
 prevalence, 203
 subtypes, 203

Dementia with Lewy Bodies (DLB), 184, 205

De novo
 deletion, 78

Depression, 178, 184, 217, 218

Developmental behavior genetics, 285

Diagnostic and Statistical Manual of Mental Disorders (DSM-5), 202

Diffusion tensor imaging (DTI), 238, 240

Diffusion-weighted MRI (DW-MRI), 238

Disability, definition of, 71

E

Early Childhood Longitudinal Study (ECLS), 55

Education, 49, 57, 59

Education for idiots and imbeciles, 70

Endophenotype, 248
 approach, 246

English and Romania Adoptee (ERA) study, 78

Environmental influences, 6, 7, 8, 9, 13–19, 26–28, 115–119, 123, 124, 136, 137, 147, 151, 152, 169, 174, 177, 179, 181, 183, 205, 215, 217, 243, 281, 282, 285, 286
 on memory function, 140

Environmentality, 9, 11

Epidemiology, 69, 72

Epigenesis, 184

Epigenetic, 172, 184, 220, 285
 processes, 185, 188

Estrogen replacement therapy, 217

Executive function, 5, 57, 80, 82, 107, 108, 109, 110, 121, 122, 123, 125, 129, 154, 155, 156, 159, 242, 251, 283
 skills, 4
 tests of, 124

Extreme paucity, 106

F

- Factor-analytic theories, 5
- Fetal alcohol syndrome (FAS), 77
 - features of, 77
 - fetus vulnerability in, 79
- Fetal Basis of Adult Disease hypothesis, 221
- Fluid intelligence (Gf), 6, 116, 157, 158
- Fragile X Mental Retardation Protein (FMRP)
 - Fragile X site mental retardation-1 (FMR-1), 81
 - methylation of, 83
 - role in development, 82
- Fragile X phenotype, 83
- Fragile X syndrome, 11, 69, 76, 79, 81, 87, 93
 - genes involved, 82, 83
- Frontotemporal lobar degeneration (FTLD), 205
- Full Scale IQ score–environmental indicator interaction studies, 54
- Functional MRI (fMRI), 83, 123, 238, 248, 252
- Functional neuroimaging, 109

G

- GE correlation, 114, 170, 172, 173, 187, 189
 - active, 114, 171, 180, 289
 - evocative, 65, 171
 - passive, 114, 170
- GE interplay
 - lifespan models of, 172
 - potential forms of, 176
- Gene–environment interactions, 219
- Gene–environment interplay, 136, 169, 181, 189, 289
 - biomarkers of, 188
- General cognitive ability (g), 3, 4, 6, 7, 12–16, 18, 19, 22, 24, 31, 106, 107, 108, 115, 116, 127, 136, 137, 140, 143, 144, 155, 159, 169, 180, 188
 - measures of, 128
- Genetic canalization, 173
- Genetic factor analysis, 110, 121
- Genetic signal-to-noise ratio, 113
- Genetic simplex factor, 16
- Genomewide association studies (GWAS), 12, 22, 29, 153, 154, 157–159, 188, 201, 210, 211, 214, 215, 219, 222, 250, 251, 287, 290
- Genomewide Complex Trait Analysis (GCTA), 13, 23, 157, 158, 159
- Ginfluences
 - on aging outcomes, 189

- Ginteraction, 51, 60, 170, 172, 177, 187, 284
 - in cognitive ability, 59
- Growth curve models, 140, 285
- GxG interaction, 12

H

- Heritability, 7, 8, 9, 15, 24, 29, 41, 42, 49, 59, 64, 65, 113, 114, 205
 - magnitude of, 18
 - of change, 137, 150, 183
 - of IQ, 61
- Hierarchical models, 5
- High cognitive ability, 12, 19, 20, 22
 - etiology of, 19
- Hippocampus, 85, 109, 120, 174, 182, 183, 185, 216, 242
- Hippocampus atrophy, 251
- Human brain gray matter volume, 237

I

- Impairment, definition of, 71
- Individual differences, etiology of, 14
- Inflammatory biomarkers, 182
- Intellectual disability (ID), 69, 70, 74, 79, 81, 90
 - causes of, 74, 78
 - diagnosis of, 72
 - role of genes, 75
 - sex linkage of, 76
- Intellectual processes modeling, 90
- Intelligence, 246
 - genome-wide association studies for, 246
- International Classification of Diseases and Related Health Problems, 71
- International Classification of Functioning, Disability and Health (ICF), 71, 73
 - based indicators, 72
 - studies using, 72
- Interplay of Genes and Environment across Multiple Studies (IGEMS) consortia, 289
- Intraindividual variability, 147

K

- Knockout genes, 88
- Knockout mice, 87

L

- Latent variable growth curve modeling (LGC), 11, 15
- Lesch-Nyhan
 - disease, 89
 - syndrome, 89

- Linkage, 11, 12, 30, 210
 analysis, 11
 disequilibrium, 23, 116
 effects, 59
 studies, 209
- Lipidomics, 219
- Longitudinal, 114, 150, 151
 assessment, 65
 cognitive data, 19
 data, 15, 19, 26, 148
 relationships, 15, 21
 studies, 25, 106, 140
- Longitudinal Study of Aging Danish Twins (LSADT), 144
- Long-term neurocognitive disorders, 76
- M**
- Magnetic Resonance Imaging (MRI), 87, 89, 128, 183, 235, 236, 238, 248, 249, 250, 251, 252
 scanners, 235
- Major neurocognitive disorder, 202
- Math ability, 31
- Mediterranean-type diet, 216
- Memory, 6, 27, 30, 31, 57, 72, 108, 118, 119, 144, 145, 155, 156, 169, 172, 184, 185, 205, 238, 242, 250
 episodic memory, 117, 186
 longitudinal studies of, 119
 genetic influences on, 119
 impairment risks of, 120
 verbal working memory, 122
 working memory, 4, 106, 118, 121–123, 125, 126, 129, 202, 240, 242, 244, 250
- Metabolomics, 219, 220, 285
- Methylation, 185, 188, 221
 DNA, 160, 185
 histone proteins, 184
 loci-specific, 185
 tissue specific, 220
- Methylation regulatory pathway, 220
- Metropolitan Achievement Test (MAT), 27, 28
- Midlife, 105, 106, 114, 119, 127, 150, 171, 176, 189, 209, 215, 216, 218
- Mild cognitive impairment (MCI), 106, 108, 189, 202, 209, 283, 290
- Minnesota Twin Study of Adult Development and Aging (MTSADA), 106, 110, 113, 117, 118, 127
- Missing heritability problem, 12
- Model organisms
 development of, 87
 functions of, 92
 of diseases, 86
- Molecular genetics, 33, 115, 286
- Molecularly-targeted treatments
 mTOR inhibitors, 92
- Mothers' education, 78
- Multiple intelligences, Gardner's theory of, 5
- Multiple regression
 analysis, 78
 models, 11
- Multivariate methods, 144
- MZ and DZ twin pairs correlation patterns, 14
- N**
- National Collaborative Perinatal Project (NCP), 41, 42
- National Institute on Aging-Alzheimer's Association workgroups, 106
- National Institutes of Health (NIH), 215
- National Longitudinal Study of Adolescent Health (Add Health), 48
- National Longitudinal Survey of Youth (NLSY), 47
- National Merit Scholarship Qualifying Test (NMSQT), 54
- Neonate
 effects of environmental factors, 77
- Neurocognitive changes, 242
- Neurodevelopmental psychiatric disorders, 247
- Neuroimaging research, 285
- Neurological diseases
 models of, 90
- Non-normative development, history of, 69
- Nonshared environment, 115, 171, 177
- Nonverbal ability tests, 52
- Nonverbal skills assessment, 4
- P**
- Parental education, 22, 28, 49, 53, 54, 55, 59, 61, 177, 288
- Parental socioeconomic status, 41, 42, 45, 49, 55
- Parent-offspring
 correlations, 9
 models, 9, 26
- Parent Report of Children's Cognitive Abilities, 51
- Parieto-Frontal Integration Theory (P-FIT), 245
- Parkinson's disease with dementia (PDD), 205
- Pathological processes
 specificity of, 93
- Pathway modeling approaches, 288
- Perceived SES, 179, 181

Perceived/subjective environment, 175, 176
 Perceptual speed, 6, 27, 175, 178, 181
 Phenylketonuria (PKU), 11, 69, 79, 86
 treatment of, 80
 Physical activity, 178, 179, 186, 216, 218
 Pleiotropy, 127, 155
 Postnatal environmental risk factors, 77
 Prefrontal cortex, 109, 123, 129, 156, 221
 in rodents, 90
 thinning, 120
 Primate model, 175
 Processing speed, 4, 28, 106, 108, 109, 119,
 122, 124–127, 129, 136, 145, 158, 159,
 179, 202, 242, 283

Q

QTL methods, 11, 12
 Quantitative genetic approaches
 analysis of twin and family data, 136

R

Reading ability, 31, 59, 122, 283
 Reading difficulties (RD)
 genetic etiology of, 29
 Resting state functional MRI (RS-fMRI),
 239, 242
 Rett syndrome, 89, 91

S

Sample selection, 161
 Scarr–Rowe interaction, 60, 61, 64, 65
 Scarr–Salapatek study 1971, 47
 Schizophrenia, 146, 155, 156, 247, 250
 research on, 250
 studies in, 250
 Senescent rat models, 87
 Sex differences, 31, 32, 119, 128, 285, 286,
 290
 studies, 30
 Shared environment, 18, 49, 53, 60, 137
 Single genetic disorder, studies of, 85
 Single Nucleotide Pleomorphism (SNP), 23,
 29, 116, 188, 210
 Single Nucleotide Polymorphism (SNP), 154,
 156–159
 Social push model, 175
 Social trigger model, 175
 Socioeconomic status (SES), 245
 conceptual marker, 180, 181
 SOC model, 173, 174, 187
 Spatial ability, 4, 6, 27, 31, 283
 Spearman's general factor theory, 5

Specific cognitive ability, 24, 27, 116, 140,
 143
 Stroop color-word heritability, 124
 Stroop interference task, 124
 Structural equation modeling (SEM), 8, 28
 path analysis, 15
 Structural Magnetic Resonance Imaging
 (MRI), 236
 Swedish adoption twin Study of Aging
 (SATSA), 113
 Swedish Adoption Twin Study of Aging
 (SATSA), 106, 108, 110, 113, 117–119,
 123, 127, 143, 145, 150
 Swedish Adoption Twin Study of Aging
 (SATSA), 178, 188, 207

T

Tau hypothesis, 204
 Telomere, 156, 186
 length, 156, 186, 188
 Terminal decline, 136, 148, 149, 150
 concept of, 148
 Trail making test, 126
 Translational strategy, 86
 Traumatic brain injury (TBI), 217
 Trisomy 21 (T21), 70, 75, 85–87, 89
 model organism testing, 91
 Tuberos sclerosis complex/Bourneville
 disease, 92
 Twin model, 8, 43
 basis of, 7
 Twins Early Development Study (TEDS),
 21, 51
 comprehensive analysis of, 52
 second analysis of, 52
 Two-factor model, 122

U

Undernutrition, 78

V

Variances
 Biometric interaction model, 43
 Quadratic model, 43
 Vascular dementia (VaD), 204, 210
 diagnosis of, 204
 Verbal ability, 6, 27, 30, 117, 118, 122, 155,
 189, 283
 Verbal ability tests, 52
 Verbal skills assessment, 4
 Vietnam Era Twin Study (VETS), 53, 60,
 105, 107, 108, 110, 114–117, 124–126,
 128, 183, 209

Voxel-based morphometry (VBM), 236, 246
analysis, 237
Voxel-by-voxel genetic model fitting, 243

W

Waddington's epigenetic
landscape, 172
model, 176
Wadsworth and DeFries model, 32
Wechsler Intelligence Scale for Children
(WISC) scores, 25, 42

White matter development, 240
White matter integrity, 59, 80, 159, 236,
245, 249
Williams-Beuren syndrome (WBS), 84, 91
World Health Organization (WHO), 71, 72

X

X-linked traits, 76