

# References

1. Divac I, Oberg O. Subcortical mechanisms in cognition. In: Vallar G, Cappa SF, Wallesch C, editors. *Neuropsychological disorders associated with subcortical lesions*. New York: Oxford; 1992. pp. 42–60.
2. Alexander GE, DeLong MR, Strick PL. Parallel organization of functionally segregated circuits linking basal ganglia and cortex. *Annu Rev Neurosci*. 1986;9:357–81.
3. Schmahmann JD, Pandya DN. The cerebrotocerebellar system. *Int Rev Neurobiol*. 1997;41:31–60.
4. Castellanos FX, Proal E. Large-scale brain systems in ADHD: beyond the prefrontal-striatal model. *Trends Cogn Sci*. 2012;16(1):17–26.
5. Koziol LF, Budding DE. *Subcortical structures and cognition: Implications for neuropsychological assessment*. New York: Springer; 2009.
6. American Psychiatric Association. *Diagnostic and statistical manual of mental disorders: DSM-IV-TR*. Washington, DC: American Psychiatric Association; 2000.
7. Hyman SE. The diagnosis of mental disorders: the problem of reification. *Annu Rev Clin Psychol*. 2010;6:155–79.
8. Freedman R, Lewis DA, Michels R, Pine DS, Schultz SK, Tamminga CA, et al. The initial field trials of DSM-5: new blooms and old thorns. *Am J Psychiatry*. 2013;170(1):1–5.
9. Neuroskeptic. DSM-5: A Ruse By Any Other Name. 2013. <http://blogs.discovermagazine.com/neuroskeptic/2013/01/13/dsm-5-a-ruse-by-any-other-name/>.
10. Keogh B. A matrix of decision points in the measurement of learning disabilities. In: Lyon GR, editor. *Frames of reference for the assessment of learning disabilities*. Baltimore: Paul H. Brookes; 1994. pp. 15–26.
11. Morris SE, Cuthbert BN. Research domain criteria: cognitive systems, neural circuits, and dimensions of behavior. *Dialogues Clin Neurosci*. 2012;14(1):29–37.
12. Bush G. Attention-deficit/hyperactivity disorder and attention networks. *Neuropsychopharmacology*. 2010;35(1):278–300.
13. Diamond A. Attention-deficit disorder (attention-deficit/ hyperactivity disorder without hyperactivity): a neurobiologically and behaviorally distinct disorder from attention-deficit/hyperactivity disorder (with hyperactivity). *Dev Psychopathol*. 2005;17(03):807–25.
14. Bauermeister JJ, Barkley RA, Bauermeister JA, Martinez JV, McBurnett K. Validity of the sluggish cognitive tempo, inattention, and hyperactivity symptom dimensions: neuropsychological and psychosocial correlates. *J Abnorm Child Psychol*. 2012;40(5):683–97.
15. Barkley RA. *Attention-deficit hyperactivity disorder: a handbook for diagnosis and treatment*. New York: Guilford Press; 2006.
16. Barkley RA. Distinguishing sluggish cognitive tempo from attention-deficit/hyperactivity disorder in adults. *J Abnorm Psychol* 2011 23 May.
17. Voeller KK. Attention-deficit hyperactivity disorder (ADHD). *J Child Neurol*. 2004;19(10):798–814.

18. Nigg JT, Willcutt EG, Doyle AE, Sonuga-Barke EJ. Causal heterogeneity in attention-deficit/hyperactivity disorder: do we need neuropsychologically impaired subtypes? *Biol Psychiatry*. 2005;57(11):1224–30.
19. Insel T, Cuthbert B, Garvey M, Heinssen R, Pine DS, Quinn K, et al. Research domain criteria (RDoC): toward a new classification framework for research on mental disorders. *Am J Psychiatry*. 2010;167(7):748–51.
20. Pritchard AE, Nigro CA, Jacobson LA, Mahone EM. The role of neuropsychological assessment in the functional outcomes of children with ADHD. *Neuropsychol Rev*. 2012;22(1):54–68.
21. Yaryura-Tobias JA, Rabinowitz DC, Neziroglu F. Possible basal ganglia pathology in children with complex symptoms. *J Clin Psychiatry*. 2003;64(12):1495–501.
22. Barkley RA, Brown TE. Unrecognized attention-deficit/hyperactivity disorder in adults presenting with other psychiatric disorders. *CNS Spectr*. 2008;13(11):977–84.
23. Valo S, Tannock R. Diagnostic instability of DSM-IV ADHD subtypes: effects of informant source, instrumentation, and methods for combining symptom reports. *J Clin Child Adolesc Psychol*. 2010;39(6):749–60.
24. Kinsbourne M. Development of attention and metacognition. In: Rapin I, Segalowitz SJ, editors. *Handbook of Neuropsychology*, vol. 7. Amsterdam: Elsevier; 1993. pp. 261–78.
25. Bernfeld J. ADHD and factor analysis: are there really three distinct subtypes of ADHD? *Appl Neuropsychol Child*. 2012;1(2):100–4.
26. Pennington BF. Toward a new neuropsychological model of attention-deficit/hyperactivity disorder: subtypes and multiple deficits. *Biol Psychiatry*. 2005
27. Lezak MD, Loring DW. *Neuropsychological assessment*. USA: Oxford University Press; 2004.
28. Koziol LF, Stevens MC. Neuropsychological assessment and the paradox of ADHD. *Appl Neuropsychol Child*. 2012;15:1–11.
29. Baranek GT, Boyd BA, Poe MD, David FJ, Watson LR. Hyperresponsive sensory patterns in young children with autism, developmental delay, and typical development. *Am J Ment Retard*. 2007;112(4):233–45.
30. Mendoza J, Foundas AL. *Clinical neuroanatomy: a neurobehavioral approach*. Berlin: Springer; 2007.
31. Barkley RA. Behavioral inhibition, sustained attention, and executive functions: constructing a unifying theory of ADHD. *Psychol Bull*. 1997;121(1):65.
32. Mattes JA. The role of frontal lobe dysfunction in childhood hyperkinesis. *Compr Psychiatry*. 1980;21(5):358–69.
33. Zametkin AJ, Nordahl TE, Gross M, King AC, Semple WE, Rumsey J, et al. Cerebral glucose metabolism in adults with hyperactivity of childhood onset. *N Engl J Med*. 1990;323(20):1361–6.
34. Mayberg H. Depression, II: localization of pathophysiology. *Am J Psychiatry*. 2002;159(12):1979.
35. Lou HC, Henriksen L, Bruhn P. Focal cerebral hypoperfusion in children with dysphasia and/or attention deficit disorder. *Arch Neurol*. 1984;41(8):825–9.
36. Lou HC, Henriksen L, Bruhn P, Borner H, Nielsen JB. Striatal dysfunction in attention deficit and hyperkinetic disorder. *Arch Neurol*. 1989;46(1):48–52.
37. Lou HC, Henriksen L, Bruhn P. Focal cerebral dysfunction in developmental learning disabilities. *Lancet*. 1990;335(8680):8–11.
38. Vaidya CJ. Neurodevelopmental abnormalities in ADHD. *Curr Top Behav Neurosci*. 2011;9:49–66.
39. Sergeant J. The cognitive-energetic model: an empirical approach to attention-deficit hyperactivity disorder. *Neurosci Biobehav Rev*. 2000;24(1):7–12.
40. Sonuga-Barke EJ. The dual pathway model of AD/HD: an elaboration of neurodevelopmental characteristics. *Neurosci Biobehav Rev*. 2003;27(7):593–604.

41. Sonuga-Barke E, Bitsakou P, Thompson M. Beyond the dual pathway model: evidence for the dissociation of timing, inhibitory, and delay-related impairments in attention-deficit/hyperactivity disorder. *J Am Acad Child Adolesc Psychiatry*. 2010;49(4):345–55.
42. Durston S, Belle JV, Zeeuw PD. Differentiating frontostriatal and fronto-cerebellar circuits in attention-deficit/hyperactivity disorder. *Biol Psychiatry*. 2010;69(2):1178–84.
43. Seidman LJ, Valera EM, Makris N. Structural brain imaging of attention-deficit/hyperactivity disorder. *Biol Psychiatry*. 2005;57(11):1263–72.
44. Doyle AE, Biederman J, Seidman LJ, Reske-Nielsen JJ, Faraone SV. Neuropsychological functioning in relatives of girls with and without ADHD. *Psychol Med*. 2005;35(8):1121–32.
45. Cromwell HC, Panksepp J. Rethinking the cognitive revolution from a neural perspective: How overuse/misuse of the term ‘cognition’ and the neglect of affective controls in behavioral neuroscience could be delaying progress in understanding the Brain Mind. *Neurosci Biobehav Rev*. 2011;35(9):2026–35.
46. Mirsky AF, Fantie BD, Tatman JE. Assessment of attention across the lifespan. In: Mapou R, Spector J, editors. *Clinical neuropsychological assessment: a cognitive approach*. New York: Plenum Press; 1995. pp. 17–48.
47. Pribram KH, McGuinness D. Arousal, activation, and effort in the control of attention. *Psychol Rev*. 1975;82(2):116–49.
48. Posner MI, Petersen SE. The attention system of the human brain. *Annu Rev Neurosci*. 1990;13:25–42.
49. Mesulam MM. Attention, confusional state, and attention. *Principles of behavioral neurology* Philadelphia: FA Davis Company; 1985.
50. Mirsky AF, Anthony BJ, Duncan CC, Ahearn MB, Kellam SG. Analysis of the elements of attention: a neuropsychological approach. *Neuropsychol Rev*. 1991;2(2):109–45.
51. Mirsky AF, Duncan CC. A nosology of disorders of attention. *Ann N Y Acad Sci*. 2001;931:17–32.
52. Douglas VI. Cognitive deficits in children with attention deficit disorder with hyperactivity. In: Bloomingdale LM, Sergeant J, editors. *Attention deficit disorder: criteria, cognition, intervention*. Oxford: Pergamon Press; 1988. pp. 65–81.
53. Denckla MB, Reiss AL. Prefrontal-subcortical circuits in developmental disorders. In: Krasnegor NA, Lyon GR, Goldman-Rakic PS, editors. *Development of the prefrontal cortex: evolution, neurobiology, and behavior*. Baltimore: P. H. Brookes; 1997. pp. 283–94.
54. Douglas VI, Barr RG, Amin K, O’Neill ME, Britton BG. Dosage effects and individual responsivity to methylphenidate in attention deficit disorder. *J Child Psychol Psychiatry*. 1988;29(4):453–75.
55. Aron AR, Poldrack RA. The cognitive neuroscience of response inhibition: relevance for genetic research in attention-deficit/hyperactivity disorder. *Biol Psychiatry*. 2005;57(11):1285–92.
56. Berridge CW, Devilbiss DM. Psychostimulants as cognitive enhancers: the prefrontal cortex, catecholamines, and attention-deficit/hyperactivity disorder. *Biol Psychiatry*. 2011;69(12):e101–11.
57. Wilens TE. Effects of methylphenidate on the catecholaminergic system in attention-deficit/hyperactivity disorder. *J Clin Psychopharmacol*. 2008;28(3 Suppl 2):S46–53.
58. Arnsten AFT, Pliszka SR. Catecholamine influences on prefrontal cortical function: relevance to treatment of attention deficit/hyperactivity disorder and related disorders. *Pharmacol Biochem Behav*. 2011;99(2):211–6.
59. Berridge CW, Devilbiss DM, Andrzejewski ME, Arnsten AF, Kelley AE, Schmeichel B, et al. Methylphenidate preferentially increases catecholamine neurotransmission within the prefrontal cortex at low doses that enhance cognitive function. *Biol Psychiatry*. 2006;60(10):1111–20.
60. Kipp K. A developmental perspective on the measurement of cognitive deficits in attention-deficit/hyperactivity disorder. *Biol Psychiatry*. 2005;57(11):1256–60.

61. Frank MJ, Santamaria A, O'Reilly RC, Willcutt E. Testing computational models of dopamine and noradrenaline dysfunction in attention deficit/hyperactivity disorder. *Neuropsychopharmacology*. 2007;32(7):1583–99.
62. Rubia K, Halari R, Mohammad AM, Taylor E, Brammer M. Methylphenidate normalizes frontocingulate underactivation during error processing in attention-deficit/hyperactivity disorder. *Biol Psychiatry*. 2011;70(3):255–62.
63. Govindaiah G, Wang Y, Cox CL. Dopamine enhances the excitability of somatosensory thalamocortical neurons. *Neuroscience*. 2010;170(4):981–91.
64. Pliszka SR. The neuropsychopharmacology of attention-deficit/hyperactivity disorder. *Biol Psychiatry*. 2005;57(11):1385–90.
65. Rogers TD, Dickson PE, Heck DH, Goldowitz D, Mittleman G, Blaha CD. Connecting the dots of the cerebro-cerebellar role in cognitive function: Neuronal pathways for cerebellar modulation of dopamine release in the prefrontal cortex. *Synapse*. 2011;65(11):1204–12.
66. Biederman J, Monuteaux MC, Doyle AE, Seidman LJ, Wilens TE, Ferrero F, et al. Impact of executive function deficits and attention-deficit/hyperactivity disorder (ADHD) on academic outcomes in children. *J Consult Clin Psychol*. 2004;72:757–66.
67. Brown TE, Reichel PC, Quinlan DM. Executive function impairments in high IQ adults with ADHD. *J Atten Disord*. 2009;13(2):161–7.
68. Willcutt EG, Doyle AE, Nigg JT, Faraone SV, Pennington BF. Validity of the executive function theory of attention-deficit/hyperactivity disorder: a meta-analytic review. *Biol Psychiatry*. 2005;57(11):1336–46.
69. Doyle AE, Biederman J, Seidman LJ, Weber W, Faraone SV. Diagnostic efficiency of neuropsychological test scores for discriminating boys with and without attention deficit-hyperactivity disorder. *J Consul Clin Psychol*. 2000;68(3):477–88.
70. Hinshaw SP, Carte ET, Sami N, Treuting JJ, Zupan BA. Preadolescent girls with attention-deficit/hyperactivity disorder: II. Neuropsychological performance in relation to subtypes and individual classification. *J Consult Clin Psychol*. 2002;70(5):1099–111.
71. Whelan R, Conrod PJ, Poline JB, Lourdasamy A, Banaschewski T, Barker GJ, et al. Adolescent impulsivity phenotypes characterized by distinct brain networks. *Nat Neurosci* 2012 29 Apr; advance online publication.
72. Greenberg L, Kindschi C, Corman CL. T.O.V.A. test of variables of attention. 1996.
73. Multi-Health Systems Inc., Conners CK. Conners' Continuous Performance Test II Version 5 for Windows (CPT II V.5). North Tonawanda, N.Y: MHS Systems; 2007.
74. Sanislow CA, Pine DS, Quinn KJ, Kozak MJ, Garvey MA, Heinssen RK, et al. Developing constructs for psychopathology research: research domain criteria. *J Abnorm Psychol*. 2010;119(4):631–9.
75. Cuthbert B, Insel T. The data of diagnosis: new approaches to psychiatric classification. *Psychiatry*. 2010;73(4):311–4.
76. Hager F, Volz HP, Gaser C, Mentzel HJ, Kaiser WA, Sauer H. Challenging the anterior attentional system with a continuous performance task: a functional magnetic resonance imaging approach. *Eur Arch Psychiatry Clin Neurosci*. 1998;248(4):161–70.
77. Schulz KP, Fan J, Tang CY, Newcorn JH, Buchsbaum MS, Cheung AM, et al. Response inhibition in adolescents diagnosed with attention deficit hyperactivity disorder during childhood: an event-related FMRI study. *Am J Psychiatry*. 2004;161(9):1650–7.
78. Hongwanishkul D, Happanye KR, Lee WSC, Zelazo PD. Assessment of hot and cool executive function in young children: age-related changes and individual differences. *Deve Neuropsychol*. 2005;28(2):617–44.
79. Friston K. Beyond phenology: what can neuroimaging tell us about distributed circuitry? *Annu Rev Neurosci*. 2002;25:221–50.
80. Johnson-Frey SH, Newman-Norland R, Grafton ST. A distributed network in the left cerebral hemisphere for planning everyday tool use actions. *Cereb Cortex*. 2005;15(6): 681–95.
81. Blumenfeld H. *Neuroanatomy through clinical cases*. Sinauer Associates; 2002.

82. Banich MT, Compton RJ. *Cognitive Neuroscience*. 3rd ed. Belmont, CA: Wadsworth; 2011.
83. Bostan AC, Dum RP, Strick PL. The basal ganglia communicate with the cerebellum. *Proc Natl Acad Sci USA*. 2010;107(18):8452–6.
84. Sakoglu U, Upadhyay J, Chin CL, Chandran P, Baker SJ, Cole TB, et al. Paradigm shift in translational neuroimaging of CNS disorders. *Biochem Pharmacol*. 2011;81(12):1374–87.
85. Rosazza C, Minati L. Resting-state brain networks: literature review and clinical applications. *Neurol Sci*. 2011;32(5):773–85.
86. Poldrack RA, Mumford JA, Schonberg T, Kalar D, Barman B, Yarkoni T. Discovering relations between mind, brain, and mental disorders using topic mapping. *PLoS Comput Biol*. 2012;8(10):e1002707.
87. Konrad K, Eickhoff SB. Is the ADHD brain wired differently? A review on structural and functional connectivity in attention deficit hyperactivity disorder. *Hum Brain Mapp*. 2010;31(6):904–16.
88. Greicius MD, Krasnow B, Reiss AL, Menon V. Functional connectivity in the resting brain: a network analysis of the default mode hypothesis. *Proc Natl Acad Sci U S A*. 2003;100(1):253–8.
89. Fox K, Wong RO. A comparison of experience-dependent plasticity in the visual and somatosensory systems. *Neuron*. 2005;48(3):465–77.
90. Greicius M. Resting-state functional connectivity in neuropsychiatric disorders. *Curr Opin Neurol*. 2008;21(4):424–30.
91. Cordes D, Haughton VM, Arfanakis K, Wendt GJ, Turski PA, Moritz CH, et al. Mapping functionally related regions of brain with functional connectivity MR imaging. *AJNR Am J Neuroradiol*. 2000;21(9):1636–44.
92. Fransson P, Marrelec G. The precuneus/posterior cingulate cortex plays a pivotal role in the default mode network: Evidence from a partial correlation network analysis. *Neuroimage*. 2008;42(3):1178–84.
93. Seeley WW, Menon V, Schatzberg AF, Keller J, Glover GH, Kenna H, et al. Dissociable intrinsic connectivity networks for salience processing and executive control. *J Neurosci*. 2007;27(9):2349–56.
94. Damoiseaux JS, Rombouts S, Barkhof F, Scheltens P, Stam CJ, Smith SM, et al. Consistent resting-state networks across healthy subjects. *Proc Natl Acad Sci USA*. 2006;103(37):13848–53.
95. Fox MD, Snyder AZ, Vincent JL, Corbetta M, Van Essen DC, Raichle ME. The human brain is intrinsically organized into dynamic, anticorrelated functional networks. *Proc Natl Acad Sci USA*. 2005;102(27):9673–8.
96. Salvador R, Suckling J, Schwarzbauer C, Bullmore E. Undirected graphs of frequency-dependent functional connectivity in whole brain networks. *Philos Trans R Soc Lond B Biol Sci*. 2005;360(1457):937–46.
97. Greicius MD, Srivastava G, Reiss AL, Menon V. Default-mode network activity distinguishes Alzheimer’s disease from healthy aging: evidence from functional MRI. *Proc Natl Acad Sci USA*. 2004;101(13):4637–42.
98. Gotman J, Grova C, Bagshaw A, Kobayashi E, Aghakhani Y, Dubeau F. Generalized epileptic discharges show thalamocortical activation and suspension of the default state of the brain. *Proc Natl Acad Sci USA*. 2005;102(42):15236–40.
99. Weissman DH, Roberts KC, Visscher KM, Woldorff MG. The neural bases of momentary lapses in attention. *Nat Neurosci*. 2006;9(7):971–8.
100. Yeo BT, Krienen FM, Sepulcre J, Sabuncu MR, Lashkari D, Hollinshead M, et al. The organization of the human cerebral cortex estimated by intrinsic functional connectivity. *J Neurophysiol*. 2011;106(3):1125–65.
101. Buckner RL, Krienen FM, Castellanos A, Diaz JC, Yeo BT. The organization of the human cerebellum estimated by intrinsic functional connectivity. *J Neurophysiol*. 2011;106(5):2322–45.

102. Habas C, Kamdar N, Nguyen D, Prater K, Beckmann CF, Menon V, et al. Distinct cerebellar contributions to intrinsic connectivity networks. *J Neurosci.* 2009;29(26):8586–94.
103. Catani M, Dell’Acqua F, Bizzi A, Forkel SJ, Williams SC, Simmons A, et al. Beyond cortical localization in clinico-anatomical correlation. *Cortex.* 2012;48(10):1262–87.
104. Schmahmann JD, Smith EE, Eichler FS, Filley CM. Cerebral white matter: neuroanatomy, clinical neurology, and neurobehavioral correlates. *Ann N Y Acad Sci.* 2008;1142:266–309.
105. Gruber T, Müller MM. Oscillatory brain activity in the human EEG during indirect and direct memory tasks. *Brain Res.* 2006;1097(1):194.
106. D’Esposito M. Working memory. *Handb Clin Neurol.* 2008;88:237–47.
107. Habeck C, Rakitin BC, Moeller J, Scarmeas N, Zarahn E, Brown T, et al. An event-related fMRI study of the neural networks underlying the encoding, maintenance, and retrieval phase in a delayed-match-to-sample task. *Cogn Brain Res.* 2005;23(2–3):207–20.
108. McNab F, Klingberg T. Prefrontal cortex and basal ganglia control access to working memory. *Nat Neurosci.* 2008;11(1):103–7.
109. Ravizza SM, McCormick CA, Schlerf JE, Justus T, Ivry RB, Fiez JA. Cerebellar damage produces selective deficits in verbal working memory. *Brain.* 2006;129(2):306–20.
110. Hazy TE, Frank MJ, O’Reilly RC. Towards an executive without a homunculus: computational models of the prefrontal cortex/basal ganglia system. *Philos Trans R Soc Lond B Biol Sci.* 2007;362(1485):1601–13.
111. Ito M. *The cerebellum: brain for an implicit self.* Upper Saddle River: Ft Press; 2011.
112. Hazy TE, Frank MJ, O’Reilly RC. Banishing the homunculus: making working memory work. *Neuroscience.* 2006;139(1):105–18.
113. Wong CG, Stevens MC. The effects of stimulant medication on working memory functional connectivity in attention-deficit/hyperactivity disorder. *Biol Psychiatry.* 2012;71(5):458–66.
114. Stevens MC, Kiehl KA, Pearlson GD, Calhoun VD. Functional neural networks underlying response inhibition in adolescents and adults. *Behav Brain Res.* 2007;181(1):12–22.
115. Stevens MC, Kiehl KA, Pearlson GD, Calhoun VD. Brain network dynamics during error commission. *Hum Brain Mapp.* 2009;30(1):24–37.
116. Corbetta M, Patel G, Shulman GL. The reorienting system of the human brain: from environment to theory of mind. *Neuron.* 2008;58(3):306–24.
117. Cisek P, Kalaska JF. Neural mechanisms for interacting with a world full of action choices. *Ann Rev Neurosci.* 2010;33:269–98.
118. Cisek P, Kalaska JF. Neural correlates of reaching decisions in dorsal premotor cortex: specification of multiple direction choices and final selection of action. *Neuron.* 2005;45(5):801–14.
119. Milner AD, Goodale MA. Two visual systems re-viewed. *Neuropsychologia.* 2008;46(3):774–85.
120. Barsalou LW. Grounded cognition. *Annu Rev Psychol.* 2008;59:617–45.
121. Njiokiktjien C. Developmental dyspraxias: assessment and differential diagnosis. In: Riva D, Njiokiktjien C, editors. *Brain lesion localization and developmental functions.* Montrouge: John Libbey Eurotext; 2010. p. 157–86.
122. Burgess GC, Depue BE, Ruzic L, Willcutt EG, Du YP, Banich MT. Attentional control activation relates to working memory in attention-deficit/hyperactivity disorder. *Biol Psychiatry.* 2010;67(7):632–40.
123. Schneider MF, Krick CM, Retz W, Hengesch G, Retz-Junginger P, Reith W, et al. Impairment of fronto-striatal and parietal cerebral networks correlates with attention deficit hyperactivity disorder (ADHD) psychopathology in adults - a functional magnetic resonance imaging (fMRI) study. *Psychiatry Res.* 2010;183(1):75–84.
124. Wolf RC, Plichta MM, Sambataro F, Fallgatter AJ, Jacob C, Lesch KP, et al. Regional brain activation changes and abnormal functional connectivity of the ventrolateral prefrontal cortex during working memory processing in adults with attention-deficit/hyperactivity disorder. *Hum Brain Mapp.* 2008;30(7):2252–66.

125. Tamm L, Menon V, Reiss AL. Parietal attentional system aberrations during target detection in adolescents with attention deficit hyperactivity disorder: event-related fMRI evidence. *Am J Psychiatry*. 2006;163(6):1033–43.
126. Stevens MC, Pearlson GD, Kiehl KA. An FMRI auditory oddball study of combined-subtype attention deficit hyperactivity disorder. *Am J Psychiatry*. 2007;164(11):1737–49.
127. Banich MT, Burgess GC, Depue BE, Ruzic L, Bidwell LC, Hitt-Laustsen S, et al. The neural basis of sustained and transient attentional control in young adults with ADHD. *Neuropsychologia*. 2009;47(14):3095–104.
128. Bayerl M, Dielentheis TF, Vucurevic G, Gesierich T, Vogel F, Fehr C, et al. Disturbed brain activation during a working memory task in drug-naive adult patients with ADHD. *Neuroreport*. 2010;21(6):442.
129. Seger CA. The involvement of corticostriatal loops in learning across tasks, species, and methodologies. *The basal ganglia IX*. Springer: New York; 2009. pp. 25–39.
130. Rauschecker JP. Ventral and dorsal streams in the evolution of speech and language. *Front Evol Neurosci*. 2012; 4. doi:[10.3389/fnevo.2012.00007](https://doi.org/10.3389/fnevo.2012.00007).
131. Kaldy Z, Leslie AM. Identification of objects in 9 month old infants: integrating “what” and “where” information. *Dev Sci*. 2003;6(3):360–73.
132. Raichle ME. The restless brain. *Brain Connectivity*. 2011;1(1):3–12.
133. Vance A, Silk TJ, Casey M, Rinehart NJ, Bradshaw JL, Bellgrove MA, et al. Right parietal dysfunction in children with attention deficit hyperactivity disorder, combined type: a functional MRI study. *Mol Psychiatry*. 2007;12(9):826–32, 793.
134. Silk T, Vance A, Rinehart N, Bradshaw J, Cunnington R. Dysfunction in the Fronto-Parietal Network in Attention Deficit Hyperactivity Disorder (ADHD): An fMRI Study. *Brain Imaging and Behavior* 2008 Jun 23;2(2):123-31.
135. Dickstein SG, Bannon K, Xavier Castellanos F, Milham MP. The neural correlates of attention deficit hyperactivity disorder: an ALE meta-analysis. *J Child Psychol Psychiatry*. 2006;47(10):1051–62.
136. Raichle M. The brain’s dark energy. *Sci Am Mag*. 2010;302(3):44–9.
137. Sonuga-Barke EJ, Castellanos FX. Spontaneous attentional fluctuations in impaired states and pathological conditions: a neurobiological hypothesis. *Neurosci Biobehav Rev*. 2007;31(7):977–86.
138. Castellanos FX, Sonuga-Barke EJ, Scheres A, Di MA, Hyde C, Walters JR. Varieties of attention-deficit/hyperactivity disorder-related intra-individual variability. *Biol Psychiatry*. 2005;57(11):1416–23.
139. Stray LL, Ellertsen B, Stray T. Motor function and methylphenidate effect in children with attention deficit hyperactivity disorder. *Acta Paediatr*. 2010;99(8):1199–204.
140. Pitcher TM, Piek JP, Hay DA. Fine and gross motor ability in males with ADHD. *Dev Med Child Neurol*. 2003;45(8):525–35.
141. Fliers E, Rommelse N, Vermeulen SH, Altink M, Buschgens CJ, Faraone SV, et al. Motor coordination problems in children and adolescents with ADHD rated by parents and teachers: effects of age and gender. *J Neural Transm*. 2008;115(2):211–20.
142. Piek JP, Pitcher TM, Hay DA. Motor coordination and kinaesthesia in boys with attention deficit-hyperactivity disorder. *Dev Med Child Neurol*. 1999;41(3):159–65.
143. Wasserman T, Wasserman LD. Toward an integrated model of executive functioning in children. *Appl Neuropsychol Child*. 2013;25:1–9.
144. Koziol LF, Budding DE, Chidekel D. From movement to thought: executive function, embodied cognition, and the cerebellum. *Cerebellum*. 2011;11(2):505–25.
145. Diamond A. Close interrelation of motor development and cognitive development and of the cerebellum and prefrontal cortex. *Child Dev*. 2000;71(1):44–56.
146. Mahone EM. ADHD: volumetry, motor, and oculomotor functions. *Curr Top Behav Neurosci*. 2012;9:17–47.
147. Tau GZ, Peterson BS. Normal development of brain circuits. *Neuropsychopharmacology*. 2010;35(1):147–68.

148. Chu-Shore CJ, Kramer MA, Bianchi MT, Caviness VS, Cash SS. Network analysis: applications for the developing brain. *J Child Neurol.* 2011;26(4):488–500.
149. Supekar K, Musen M, Menon V. Development of large-scale functional brain networks in children. *PLoS Biol.* 2009;7(7):e1000157.
150. Cortese S, Kelly C, Chabernaud C, Proal E, Di Martino A, Milham MP, et al. Toward systems neuroscience of ADHD: a meta-analysis of 55 fMRI studies. *Am J Psychiatry.* 2012;169(10):1038–55.
151. Fair DA, Dosenbach NU, Church JA, Cohen AL, Brahmbhatt S, Miezin FM, et al. Development of distinct control networks through segregation and integration. *Proc Natl Acad Sci USA.* 2007;104(33):13507–12.
152. Desrochers TM, Jin DZ, Goodman ND, Graybiel AM. Optimal habits can develop spontaneously through sensitivity to local cost. *Proc Nat Acad Sci USA.* 2010;107(47):20512–7.
153. Nigg JT, Casey BJ. An integrative theory of attention-deficit/hyperactivity disorder based on the cognitive and affective neurosciences. *Dev Psychopathol.* 2005;17(03):785–806.
154. Cole WR, Mostofsky SH, Larson JCG, Denckla MB, Mahone EM. Age-related changes in motor subtle signs among girls and boys with ADHD. *Neurology.* 2008;71(19):1514–20.
155. Piek JP, Dyck MJ, Nieman A, Anderson M, Hay D, Smith LM, et al. The relationship between motor coordination, executive functioning and attention in school aged children. *Arch Clin Neuropsychol.* 2004;19(8):1063–76.
156. Rubia K. Neuro-anatomic evidence for the maturational delay hypothesis of ADHD. *Proc Natl Acad Sci U S A.* 2007;104(50):19663–4.
157. Redgrave P, Prescott TJ, Gurney K. The basal ganglia: a vertebrate solution to the selection problem? *Neuroscience.* 1999;89(4):1009–23.
158. Redgrave P, Rodriguez M, Smith Y, Rodriguez-Oroz MC, Lehericy S, Bergman H, et al. Goal-directed and habitual control in the basal ganglia: implications for Parkinson's disease. *Nat Rev Neurosci.* 2010;11(11):760–72.
159. Reiner A. The conservative evolution of the vertebrate basal ganglia. In: Steiner H, Tseng KY, editors. *Handbook of basal ganglia structure and function.* London: Academic Press; 2010. pp. 29–62.
160. Miller R. *A theory of the basal ganglia and their disorders.* Boca Raton: CRC Press; 2008.
161. Reiner A. You cannot have a vertebrate brain without a basal ganglia. *The basal ganglia IX.* Springer: NY; 2009;3–24.
162. Frank MJ, Scheres A, Sherman SJ. Understanding decision-making deficits in neurological conditions: insights from models of natural action selection. *Philos Trans R Soc Lond B Biol Sci.* 2007;362(1485):1641–54.
163. Middleton FA. Fundamental and clinical evidence for basal ganglia influences on cognition. In: Bedard MA, editor. *Mental and behavioral dysfunction in movement disorders.* New Jersey: Humana Press; 2003. pp. 13–33.
164. Utter AA, Basso MA. The basal ganglia: an overview of circuits and function. *Neurosci Biobehav Rev.* 2008;32(3):333–42.
165. Lichten DG, Cummings JL. *Frontal-subcortical circuits in psychiatric and neurological disorders.* New York: The Guilford Press; 2001.
166. Vaidya CJ, Gabrieli JD. Searching for a neurobiological signature of attention deficit hyperactivity disorder. *Mol Psychiatry.* 1999;4(3):206–8.
167. Stevens MC, Kiehl KA, Pearlson GD, Calhoun VD. Functional neural networks underlying response inhibition in adolescents and adults. *Behav Brain Res.* 2007;181(1):12–22.
168. Frank MJ. Hold your horses: a dynamic computational role for the subthalamic nucleus in decision making. *Neural Netw.* 2006;19(8):1120–36.
169. Nambu A, Tokuno H, Takada M. Functional significance of the cortico-subthalamo-pallidal “hyperdirect” pathway. *Neurosci Res.* 2002;43:111–117.
170. Middleton FA, Strick PL. A revised neuroanatomy of frontal-subcortical circuits. *Frontal-Subcortical Circ Psychiatr Neurol Disord.* 2001;44–58.



171. Doll BB, Frank MJ. The basal ganglia in reward and decision making: computational models and empirical studies. *Handb Reward Decis Mak.* 2009;399:399–425.
172. Lewis SJG, Dove A, Robbins TW, Barker RA, Owen AM. Striatal contributions to working memory: a functional magnetic resonance imaging study in humans. *Eur J Neurosci.* 2004;19(3):755–60.
173. Arsalidou M, Duerden EG, Taylor MJ. The centre of the brain: topographical model of motor, cognitive, affective, and somatosensory functions of the basal ganglia. *Hum Brain Mapp.* 2012;. doi:[10.1002/hbm.22124](https://doi.org/10.1002/hbm.22124).
174. Cockburn J, Frank M. Reinforcement learning, conflict monitoring, and cognitive control: An integrative model of cingulate-striatal interactions and the ERN. *Neural basis of motivational Cogn Control.* 2011;311–31.
175. Pastura G, Mattos P, Gasparetto EL, Araujo AP. Advanced techniques in magnetic resonance imaging of the brain in children with ADHD. *Arq Neuropsiquiatr* 2011;69(2A): 242–52.
176. Durston S, Tottenham NT, Thomas KM, Davidson MC, Eigsti IM, Yang Y, et al. Differential patterns of striatal activation in young children with and without ADHD. *Biol Psychiatry.* 2003;53(10):871–8.
177. Vaidya CJ, Austin G, Kirkorian G, Ridlehuber HW, Desmond JE, Glover GH, et al. Selective effects of methylphenidate in attention deficit hyperactivity disorder: a functional magnetic resonance study. *Proc Natl Acad Sci USA.* 1998;95(24):14494–9.
178. Heilman KM, Valenstein E, Rothi LJG, Watson RT. Upper limb action-intentional and cognitive-apraxic motor disorders. *Neurology in Clinical Practice* 5th ed. PA: Butterworth Henieman Elsevier; 2008. pp. 121–32.
179. Heilman KM, Voeller KKS, Nadeau SE. A possible pathophysiologic substrate of attention deficit hyperactivity disorder. *J Child Neurol.* 1991;6(1 suppl):S76.
180. Jahfari S, Verbruggen F, Frank MJ, Waldorp LJ, Colzato L, Ridderinkhof KR, et al. How preparation changes the need for top-down control of the basal ganglia when inhibiting premature actions. *J Neurosci.* 2012;32(32):10870–8.
181. Wardak C, Ramanoel S, Guipponi O, Boulinguez P, Hamed SB. Proactive inhibitory control varies with task context. *Eur J Neurosci.* 2012;36(11):3568–79.
182. Haber SN. Neural circuits of reward and decision making: integrative networks across corticobasal ganglia loops. In: Mars RB, Sallet J, Rushworth MFS, Yeung N, editors. *Neural basis of motivational and cognitive control.* Cambridge: MIT Press; 2011. pp. 21–36.
183. Quay HC. The behavioral reward and inhibition system in childhood behavior disorder. In: Bloomingdale LM, editor. *Attention deficit disorder, vol. 3.* New York: Pergamon Press; 1988. pp. 176–86.
184. Doya K. What are the computations of the cerebellum, the basal ganglia and the cerebral cortex? *Neural Netw.* 1999;12(7–8):961–74.
185. Bonci A, Jones S. The mesocortical dopaminergic system. In: Miller BL, Cummings JL, editors. *The human frontal lobes: functions and disorders.* New York: Guilford Press; 2007. pp. 145–64.
186. Ridderinkhof KR, Ullsperger M, Crone EA, Nieuwenhuis S. The role of the medial frontal cortex in cognitive control. *Sci Signal.* 2004;306(5695):443.
187. Dillon DG, Holmes AJ, Jahn AL, Bogdan R, Wald LL, Pizzagalli DA. Dissociation of neural regions associated with anticipatory versus consummatory phases of incentive processing. *Psychophysiology.* 2008;45(1):36.
188. Heekeren HR, Wartenburger I, Marschner A, Mell T, Villringer A, Reischies FM. Role of ventral striatum in reward-based decision making. *Neuroreport.* 2007;18(10):951–5.
189. Heimer L, Alheid GF, de Olmos JS, Groenewegen HJ, Haber SN, Harlan RE, et al. The accumbens: beyond the core-shell dichotomy. *J Neuropsychiatry Clin Neurosci.* 1997;9(3): 354–81.

190. Heimer L, Van Hoesen GW, Trimble M, Zahm DS. Anatomy of neuropsychiatry: the new anatomy of the basal forebrain and its implications for neuropsychiatric illness. San Diego: Academic Press; 2008.
191. Robbins TW, Everett BJ. Motivation and reward. In: Squire LR, Bloom FE, Roberts JL, Spitzer NC, Zigmond NC, McConnell MK, editors. *Fundamental Neuroscience*. 2nd ed. San Diego: Academic Press; 2003. pp. 1109–26.
192. Sillitoe RV, Vogel MW. Desire, disease, and the origins of the dopaminergic system. *Schizophr Bull*. 2008;34(2):212–9.
193. Ashby FG, Turner BO, Horvitz JC. Cortical and basal ganglia contributions to habit learning and automaticity. *Trends Cogn Sci*. 2010;14(5):208–15.
194. Graybiel AM. Habits, rituals, and the evaluative brain. *Annu Rev Neurosci*. 2008;31:359–87.
195. Sheth SA, Abuelem T, Gale JT, Eskandar EN. Basal ganglia neurons dynamically facilitate exploration during associative learning. *J Neurosci*. 2011;31(13):4878.
196. Haber SN, Kim KS, Maily P, Calzavara R. Reward-related cortical inputs define a large striatal region in primates that interface with associative cortical connections, providing a substrate for incentive-based learning. *J Neurosci*. 2006;26(32):8368–76.
197. Koziol LF, Budding DE, Chidekel D. Adaptation, expertise, and giftedness: towards an understanding of cortical, subcortical, and cerebellar network contributions. *Cerebellum*. 2010;9(4):499–529.
198. Sonuga-Barke EJS, Fairchild G. Neuroeconomics of attention-deficit/hyperactivity disorder: differential influences of medial, dorsal, and ventral prefrontal brain networks on suboptimal decision making? *Biol Psychiatry*. 2012;72(2):126–33.
199. Wasserman T, Wasserman LD. The sensitivity and specificity of neuropsychological tests in the diagnosis of attention deficit hyperactivity disorder. *Appl Neuropsychol Child*. 2012;1(2):90–9.
200. Makris N, Buka SL, Biederman J, Papadimitriou GM, Hodge SM, Valera EM, et al. Attention and executive systems abnormalities in adults with childhood ADHD: A DT-MRI study of connections. *Cereb Cortex*. 2008;18(5):1210–20.
201. Zorcec T, Pop-Jordanova N. ADHD as an executive dysfunction. *Prilozi*. 2010;31(2):171–81.
202. Rubia K. “Cool” inferior frontostriatal dysfunction in attention-deficit/hyperactivity disorder versus “hot” ventromedial orbitofrontal-limbic dysfunction in conduct disorder: a review. *Biol Psychiatry*. 2011;69(12):e69–87.
203. Demurie E, Roeyers H, Baeyens D, Sonuga-Barke E. Temporal discounting of monetary rewards in children and adolescents with ADHD and autism spectrum disorders. *Deve Sci*. 2012;15(6):791–800.
204. Manes F, Sahakian B, Clark L, Rogers R, Antoun N, Aitken M, et al. Decision-making processes following damage to the prefrontal cortex. *Brain*. 2002;125(Pt 3):624–39.
205. Bechara A. Iowa gambling task professional manual. *Psychol Assess Resour*. 2007.
206. Bechara A, Damasio H, Tranel D, Damasio AR. The Iowa Gambling Task and the somatic marker hypothesis: some questions and answers. *Trends Cogn Sci*. 2005;9(4):159–62.
207. Bechara A, Dolan S, Denburg N, Hinds A, Anderson SW, Nathan PE. Decision-making deficits, linked to a dysfunctional ventromedial prefrontal cortex, revealed in alcohol and stimulant abusers. *Neuropsychologia*. 2001;39(4):376–89.
208. Blakemore SJ, Robbins TW. Decision-making in the adolescent brain. *Nature Neurosci*. 2012;15(9):1184–91.
209. Frank MJ, Claus ED. Anatomy of a decision: striato-orbitofrontal interactions in reinforcement learning, decision making, and reversal. *Psychol Rev*. 2006;113(2):300–26.
210. Frank MJ, Seeberger LC, O’Reilly RC. By carrot or by stick: cognitive reinforcement learning in parkinsonism. *Science*. 2004;306(5703):1940–3.
211. Stewart JT. The frontal/subcortical dementias. *Geriatrics*. 2006;61:23–7.

212. Ramnani N. Frontal lobe and posterior parietal contributions to the cortico-cerebellar system. *Cerebellum*. 2011;11(2):366–83.
213. Hogan MJ, Staff RT, Bunting BP, Murray AD, Ahearn TS, Deary IJ, et al. Cerebellar brain volume accounts for variance in cognitive performance in older adults. *Cortex*. 2011;47(4):441–50.
214. Imamizu H. Learning and switching of internal models for dexterous tool use. In: Danion F, Latash ML, editors. *Motor control: theories, experiments, and applications*. New York: Oxford University Press; 2010. p. 245.
215. Molinari M, Restuccia D, Leggio MG. State estimation, response prediction, and cerebellar sensory processing for behavioral control. *Cerebellum*. 2009;8(3):399–402.
216. Ito M. Control of mental activities by internal models in the cerebellum. *Nat Rev Neurosci*. 2008;9(4):304–13.
217. Haruno M, Wolpert DM, Kawato M. Multiple paired forward-inverse models for human motor learning and control. In: Kearns M, Solla S, Cohn D, editors. *Advances in neural information processing systems*. Cambridge: MIT Press; 1999. pp. 31–7.
218. Imamizu H, Kawato M. Brain mechanisms for predictive control by switching internal models: implications for higher-order cognitive functions. *Psychol Res*. 2009;73(4):527–44.
219. Schmahmann JD. The cerebrocerebellar system: anatomic substrates of the cerebellar contribution to cognition and emotion. *Int Rev Psychiatry*. 2001;13(4):247–60.
220. Schmahmann JD. From movement to thought: anatomic substrates of the cerebellar contribution to cognitive processing. *Hum Brain Mapp*. 1996;4(3):174–98.
221. Smaers JB, Steele J, Zilles K. Modeling the evolution of cortico cerebellar systems in primates. *Ann NY Acad Sci*. 2011;1225(1):176–90.
222. Leiner HC, Leiner AL, Dow RS. Does the cerebellum contribute to mental skills? *Behav Neurosci*. 1986;100(4):443.
223. Balsters JH, Cussans E, Diedrichsen J, Phillips KA, Preuss TM, Rilling JK, et al. Evolution of the cerebellar cortex: the selective expansion of prefrontal-projecting cerebellar lobules. *Neuroimage*. 2010;49(3):2045–52.
224. Ramnani N. The primate cortico-cerebellar system: anatomy and function. *Nat Rev Neurosci*. 2006;7(7):511–22.
225. Middleton FA, Strick PL. Cerebellar projections to the prefrontal cortex of the primate. *J Neurosci*. 2001;21(2):700–12.
226. Schmahmann JD. Disorders of the cerebellum: ataxia, dysmetria of thought, and the cerebellar cognitive affective syndrome. *J Neuropsychiatry Clin Neurosci*. 2004;16(3):367–78.
227. Schmahmann JD. The role of the cerebellum in affect and psychosis. *J Neurolinguistics*. 2000;13(2–3):189–214.
228. Schmahmann JD, Weilburg JB, Sherman JC. The neuropsychiatry of the cerebellum—insights from the clinic. *Cerebellum*. 2007;6(3):254–67.
229. Mackie S, Shaw P, Lenroot R, Pierson R, Greenstein DK, Nugent TF III, et al. Cerebellar development and clinical outcome in attention deficit hyperactivity disorder. *Am J Psychiatry*. 2007;164(4):647–55.
230. Bledsoe JC, Semrud-Clikeman M, Pliszka SR. Neuroanatomical and neuropsychological correlates of the cerebellum in children with attention-deficit/hyperactivity disorder—combined type. *J Am Acad Child Adolesc Psychiatry*. 2011;50(6):593–601.
231. Balsters JH, Ramnani N. Symbolic representations of action in the human cerebellum. *Neuroimage*. 2008;43(2):388–98.
232. Njiokiktjien C. *Developmental dyspraxias and related motor disorders: neural substrates and assessment*. Amsterdam: Suyi Publications; 2007.
233. Andreasen NC, Pierson R. The role of the cerebellum in schizophrenia. *Biol Psychiatry*. 2008;64(2):81–8.

234. Ackermann H, Mathiak K, Ivry RB. Temporal organization of “internal speech” as a basis for cerebellar modulation of cognitive functions. *Behav Cogn Neurosci Rev.* 2004;3(1):14–22.
235. Argyropoulos G, Muggleton N. Effects of cerebellar stimulation on processing semantic associations. *Cerebellum.* 2013;12(1):83–96.
236. Schoen SA, Miller LJ, Brett-Green BA, Nielsen DM. Physiological and behavioral differences in sensory processing: a comparison of children with autism spectrum disorder and sensory modulation disorder. *Front Integr Neurosci* 2009;3.
237. Von Hofsten C. Action in development. *Dev Sci.* 2007;10(1):54–60.
238. Piek JP, Dawson L, Smith LM, Gasson N. The role of early fine and gross motor development on later motor and cognitive ability. *Hum Mov Sci.* 2008;27(5):668–81.
239. de Quiros JB, Schragger OL. Neuropsychological fundamentals in learning disabilities. CA: Academic Therapy Publications; 1978.
240. Rorke LB, Riggs HE. Myelination of the brain in the newborn. Philadelphia: Lippincott; 1969.
241. Yakovlev PI, Lecours AR. The myelogenetic cycles of regional maturation of the brain. *Reg Dev Brain Early Life.* 1967;3–70.
242. Altman J, Bayer SA. Development of the cerebellar system: in relation to its evolution, structure, and functions. Boca Raton: CRC Press; 1997.
243. Power JD, Fair DA, Schlaggar BL, Petersen SE. The development of human functional brain networks. *Neuron.* 2010;67(5):735–48.
244. Giedd JN, Rapoport JL. Structural MRI of pediatric brain development: what have we learned and where are we going? *Neuron.* 2010;67(5):728–34.
245. Barber AD, Srinivasan P, Joel SE, Caffo BS, Pekar JJ, Mostofsky SH. Motor “Dexterity”? evidence that left hemisphere lateralization of motor circuit connectivity is associated with better motor performance in children. *Cereb Cortex.* 2011;22:51–9.
246. Poore MA, Barlow SM. Suck predicts neuromotor integrity and developmental outcomes. *Perspect Speech Sci Orofacial Disord.* 2009;19(1):44.
247. Westendorp M, Hartman E, Houwen S, Smith J, Visscher C. The relationship between gross motor skills and academic achievement in children with learning disabilities. *Res Dev Disabil.* 2011;32(6):2773–9.
248. Stout D. The evolution of cognitive control. *Top Cogn Sci.* 2010;2(4):614–30.
249. D’Agati E, Casarelli L, Pitzianti MB, Pasini A. Overflow movements and white matter abnormalities in ADHD. *Prog Neuropsychopharmacol Biol Psychiatry.* 2010;34(3):441–5.
250. Rigoli D, Piek JP, Kane R, Oosterlaan J. An examination of the relationship between motor coordination and executive functions in adolescents. *Dev Med Child Neurol.* 2012;54(11):1025–31.
251. Denckla MB, Rudel RG. Anomalies of motor development in hyperactive boys. *Ann Neurol.* 1978;3(3):231–3.
252. Mostofsky SH, Newschaffer CJ, Denckla MB. Overflow movements predict impaired response inhibition in children with ADHD. *Percept Mot Skills.* 2003;97(3 Pt 2):1315–31.
253. Korkman M, Kirk U, Kemp S. NEPSY: a developmental neuropsychological assessment. San Antonio: Psychological Corporation; 1998.
254. Mostofsky SH, Rimrodt SL, Schafer JG, Boyce A, Goldberg MC, Pekar JJ, et al. Atypical motor and sensory cortex activation in attention-deficit/hyperactivity disorder: a functional magnetic resonance imaging study of simple sequential finger tapping. *Biol Psychiatry.* 2006;59(1):48–56.
255. Krienen FM, Buckner RL. Segregated fronto-cerebellar circuits revealed by intrinsic functional connectivity. *Cereb Cortex.* 2009;19(10):2485–97.
256. Efstratopoulou M, Janssen R, Simons J. Differentiating children with attention-deficit/hyperactivity disorder, conduct disorder, learning disabilities and autistic spectrum disorders by means of their motor behavior characteristics. *Res Dev Disabil.* 2012;33(1):196–204.

257. Papadopoulos N, Rinehart N, Bradshaw JL, McGinley JL. Brief report: children with ADHD without co-morbid autism do not have impaired motor proficiency on the movement assessment battery for children. *J Autism Dev Disord.* 2012;1–6.
258. Goulardins JB, Marques JCB, Casella EB, Nascimento RO, Oliveira JA. Motor profile of children with attention deficit hyperactivity disorder, combined type. *Res Dev Disabil.* 2013;34(1):40–5.
259. Kolb B, Whishaw IQ. *Fundamentals of human neuropsychology.* New York: Worth; 2008.
260. Graybiel AM. The basal ganglia and chunking of action repertoires. *Neurobiol Learn Mem.* 1998;70(1–2):119–36.
261. Pasini A, D’Agati E, Pitzianti M, Casarelli L, Curatolo P. Motor examination in children with attention-deficit/hyperactivity disorder and Asperger syndrome. *Acta Paediatr.* 2012;101(1):e15–8.
262. Melchitzky DS, Lewis DA. Tyrosine hydroxylase-and dopamine transporter-immunoreactive axons in the primate cerebellum. *Neuropsychopharmacology.* 2000;22(5):466–72.
263. Kadesjo B, Gillberg C. Developmental coordination disorder in Swedish 7-year-old children. *J Am Acad Child Adolesc Psychiatry.* 1999;38(7):820–8.
264. Kadesjo B, Gillberg C. The comorbidity of ADHD in the general population of Swedish school-age children. *J Child Psychol Psychiatry.* 2001;42(4):487–92.
265. Wu YH, Gau SS, Lo YC, Tseng WY. White matter tract integrity of frontostriatal circuit in attention deficit hyperactivity disorder: Association with attention performance and symptoms. *Hum Brain Mapp.* 2012;. doi:[10.1002/hbm.22169](https://doi.org/10.1002/hbm.22169).
266. Casey BJ, Nigg JT, Durston S. New potential leads in the biology and treatment of attention deficit-hyperactivity disorder. *Curr Opin Neurol.* 2007;20(2):119–24.
267. Imamizu H, Kuroda T, Miyauchi S, Yoshioka T, Kawato M. Modular organization of internal models of tools in the human cerebellum. *Proc Natl Acad Sci USA.* 2003;100(9):5461–6.
268. Higuchi S, Imamizu H, Kawato M. Cerebellar activity evoked by common tool-use execution and imagery tasks: an fMRI study. *Cortex.* 2007;43(3):350–8.
269. Ito M. Bases and implications of learning in the cerebellum—adaptive control and internal model mechanism. *Prog Brain Res.* 2005;148:95–109.
270. Voogd J, Schraa-Tam CKL, van der Geest JN, De Zeeuw CI. Visuomotor cerebellum in human and nonhuman primates. *Cerebellum.* 2010;11(2):392–410.
271. Coffman KA, Dum RP, Strick PL. Cerebellar vermis is a target of projections from the motor areas in the cerebral cortex. *Proc Natl Acad Sci USA.* 2011;108(38):16068–73.
272. Yamazaki T, Tanaka S. Computational models of timing mechanisms in the cerebellar granular layer. *Cerebellum.* 2009;8(4):423–32.
273. Jarrett MA, Ollendick TH. A conceptual review of the comorbidity of attention-deficit/hyperactivity disorder and anxiety: Implications for future research and practice. *Clin Psychol Rev.* 2008;28(7):1266–80.
274. Levy F. Synaptic gating and ADHD: a biological theory of comorbidity of ADHD and anxiety. *Neuropsychopharmacology.* 2004;29(9):1589–96.
275. Schmahmann JD, Sherman JC. Cerebellar cognitive affective syndrome. *Int Rev Neurobiol.* 1997;41:433–40.
276. Taub AH, Mintz M. Amygdala conditioning modulates sensory input to the cerebellum. *Neurobiol Learn Mem.* 2010;94(4):521–9.
277. Skirbekk B, Hansen BH, Oerbeck B, Kristensen H. The relationship between sluggish cognitive tempo, subtypes of attention-deficit/hyperactivity disorder, and anxiety disorders. *J Abnorm Child Psychol.* 2011;39(4):513–25.
278. Ashtari M, Kumra S, Bhaskar SL, Clarke T, Thaden E, Cervellione KL, et al. Attention-deficit/hyperactivity disorder: a preliminary diffusion tensor imaging study. *Biol Psychiatry.* 2005;57(5):448–55.

279. Castellanos FX, Acosta MT. The neuroanatomy of attention deficit/hyperactivity disorder. *Rev Neurol.* 2004;38(Suppl 1):S131–6.
280. Valera EM, Faraone SV, Murray KE, Seidman LJ. Meta-analysis of structural imaging findings in attention-deficit/hyperactivity disorder. *Biol Psychiatry.* 2007;61(12):1361–9.
281. Ellison-Wright I, Ellison-Wright Z, Bullmore E. Structural brain change in attention deficit hyperactivity disorder identified by meta-analysis. *BMC Psychiatry.* 2008;8:51.
282. Hutchinson AD, Mathias JL, Banich MT. Corpus callosum morphology in children and adolescents with attention deficit hyperactivity disorder: a meta-analytic review. *Neuropsychology.* 2008;22(3):341–9.
283. Klein RG. Thinning of the cerebral cortex during development: a dimension of ADHD. *Am J Psychiatry.* 2011;168(2):111–3.
284. van Ewijk H, Heslenfeld DJ, Zwiers MP, Buitelaar JK, Oosterlaan J. Diffusion tensor imaging in attention deficit/hyperactivity disorder: a systematic review and meta-analysis. *Neurosci Biobehav Rev.* 2012;36(4):1093–106.
285. Cubillo A, Halari R, Smith A, Taylor E, Rubia K. A review of fronto-striatal and fronto-cortical brain abnormalities in children and adults with attention deficit hyperactivity disorder (ADHD) and new evidence for dysfunction in adults with ADHD during motivation and attention. *Cortex.* 2012;48(2):194–215.
286. Saling LL, Phillips JG. Automatic behaviour: efficient not mindless. *Brain Res Bull.* 2007;73(1–3):1–20.
287. Heaton RK. Psychological Assessment Resources I. Wisconsin Card Sorting Test manual. Odessa, Fla. (P.O. Box 998, Odessa 33556): Psychological assessment resources; 1993.
288. Monchi O, Petrides M, Petre V, Worsley K, Dagher A. Wisconsin Card Sorting revisited: distinct neural circuits participating in different stages of the task identified by event-related functional magnetic resonance imaging. *J Neurosci.* 2001;21(19):7733–41.
289. Culbertson CW, Zillmer EA. Tower of London Drexel University (TOL DX): technical manual. North Tonawanda, NY: Multi-Health Systems Inc. (MHS); 2001.
290. Lazeron RH, Rombouts SA, Machielsen WC, Scheltens P, Witter MP, Uylings HB, et al. Visualizing brain activation during planning: the tower of London test adapted for functional MR imaging. *AJNR Am J Neuroradiol.* 2000;21(8):1407–14.
291. Schall U, Johnston P, Lagopoulos J, Juptner M, Jentzen W, Thienel R, et al. Functional brain maps of Tower of London performance: a positron emission tomography and functional magnetic resonance imaging study. *Neuroimage.* 2003;20(2):1154–61.
292. Dagher A, Owen AM, Boecker H, Brooks DJ. Mapping the network for planning: a correlational PET activation study with the Tower of London task. *Brain.* 1999;122(Pt 10):1973–87.
293. Chang C, Crottaz-Herbette S, Menon V. Temporal dynamics of basal ganglia response and connectivity during verbal working memory. *Neuroimage.* 2007;34(3):1253–69.
294. Rush BK, Barch DM, Braver TS. Accounting for cognitive aging: context processing, inhibition or processing speed? *Aging Neuropsychol Cogn.* 2006;13(3–4):588–610.
295. Simmonds DJ, Pekar JJ, Mostofsky SH. Meta-analysis of Go/No-go tasks demonstrating that fMRI activation associated with response inhibition is task-dependent. *Neuropsychologia.* 2008;46(1):224.
296. Criaud M, Boulinguez P. Have we been asking the right questions when assessing response inhibition in go/no-go tasks with fMRI? A meta-analysis and critical review. *Neurosci Biobehav Rev.* 2013;37(1):11–23.
297. Bjorklund DF, Rosenberg JS. The role of developmental plasticity in the evolution of human cognition. *Orig Soc Mind: Evol Psychol Child Dev.* 2005;45–75.
298. Roberts W, Fillmore MT, Milich R. Linking impulsivity and inhibitory control using manual and oculomotor response inhibition tasks. *Acta Psychologica.* 2011;138(3):419–28.
299. Banich MT. Cognitive neuroscience and neuropsychology. 2nd ed. Boston: Houghton Mifflin; 2004.
300. Awh E, Vogel EK. The bouncer in the brain. *Nat Neurosci.* 2008;11(1):5–6.

301. Beck LH, Bransome ED Jr, Mirsky AF, Rosvold HE, Sarason I. A continuous performance test of brain damage. *J Consult Psychol.* 1956;20(5):343–50.
302. Kelly TP. The clinical neuropsychology of attention in school-aged children. *Child Neuropsychol.* 2000;6(1):24–36.
303. Rebok GW, Smith CB, Pascualvaca DM, Mirsky AF, Anthony BJ, Kellam SG. Developmental changes in attentional performance in urban children from eight to thirteen years. *Child Neuropsychol.* 1997;3(1):28–46.
304. Hassin RR, Bargh JA, Engell AD, McCulloch KC. Implicit working memory. *Conscious Cogn.* 2009;18(3):665–78.
305. Ungerleider LG. Functional brain imaging studies of cortical mechanisms for memory. *Science.* 1995;270(5237):769–75.
306. Goldman-Rakic PS, Cools AR, Srivastava K. The prefrontal landscape: Implications of functional architecture for understanding human mentation and the central executive [and discussion]. *Philos Trans Royal Soc London Ser B: Biol Sci.* 1996;351(1346):1445–53.
307. Hayter AL, Langdon DW, Ramnani N. Cerebellar contributions to working memory. *Neuroimage.* 2007;36(3):943–54.
308. Owen AM, McMillan KM, Laird AR, Bullmore E. N-back working memory paradigm: a meta-analysis of normative functional neuroimaging studies. *Hum Brain Mapp.* 2005;25(1):46–59.
309. Curtis CE, Sun FT, Miller LM, D’Esposito M. Coherence between fMRI time-series distinguishes two spatial working memory networks. *Neuroimage.* 2005;26(1):177–83.
310. Gazzaley A, Rissman J, D’Esposito M. Functional connectivity during working memory maintenance. *Cogn Affect Behav Neurosci.* 2004;4(4):580–99.
311. Miller BT, Deouell LY, Dam C, Knight RT, D’Esposito M. Spatio-temporal dynamics of neural mechanisms underlying component operations in working memory. *Brain Res.* 2008;1206:61–75.
312. Wager TD, Smith EE. Neuroimaging studies of working memory: a meta-analysis. *Cogn Affect Behav Neurosci.* 2003;3(4):255–74.
313. D’Esposito M, Postle BR, Rypma B. Prefrontal cortical contributions to working memory: evidence from event-related fMRI studies. *Exp Brain Res.* 2000;133(1):3–11.
314. Denckla MB. Revised neurological examination for subtle signs (1985). *Psychopharmacol Bull.* 1985;21(4):773–800.
315. Larson JC, Mostofsky SH, Goldberg MC, Cutting LE, Denckla MB, Mahone EM. Effects of gender and age on motor exam in typically developing children. *Dev Neuropsychol.* 2007;32(1):543–62.
316. Martin R, Tigera C, Denckla MB, Mahone EM. Factor structure of paediatric timed motor examination and its relationship with IQ. *Dev Med Child Neurol.* 2010;52(8):e188–94.
317. Reitan RM. Methodological problems in clinical neuropsychology: In: Reitan RM, Davidson LA, editors. *Clinical neuropsychology: current status and applications.* Washington, DC: Hemisphere; 1974. pp. 19–46.
318. Reitan RM, Wolfson D. Theoretical, methodological, and validation bases of the Halstead-Reitan Neuropsychological Test Battery. In: Grant I, Adams KM, editors. *Neuropsychological assessment of neuropsychiatric disorders.* 2nd ed. New York: Oxford University Press; 1997. pp. 3–24.
319. Squire LR, Shimamura AP. The neuropsychology of memory dysfunction and its assessment. In: Grant I, Adams K, editors. *Neuropsychological assessment of neuropsychiatric disorders.* New York: Oxford University Press; 1996. pp. 232–62.

# Index

## A

- ACC–basal ganglia–thalamic modulation loop, 46
- Activation, 13
- ADHD
  - attention and DSM diagnosis, 5–8, 41
  - brain network disturbances and, 31–32
  - DSM definition, 5–6
  - motor skills and executive function, 57–62
  - neuroanatomic pathways to, 62
  - neuropsychological model of, 13–14
  - and neuropsychological nomenclature, 9
  - neuropsychological tests and, 15, 63–65
  - structural and functional brain abnormalities, 9, 11–12
  - symptoms and abnormally functioning brain circuitry, 63
- Affective behavioral modulation, 53
- Alert maintenance, 13
- Anticipation, 46, 49, 57, 61
- Anxiety, 6, 7, 8, 19, 62
- Arousal, 12, 13
- Attention, 7, 13–14, 29, 53. *See also* Intention
- Atypical medication responders, 8
- Auditory Consonant Trigrams, 17

## B

- Basal ganglia, 1, 35, 60
  - anatomy, 38*f*
  - and bilateral frontal networks, 20
  - cortical–hyperdirect pathway, 42
  - and cross talk, 33
  - direct activity pathway, 36
  - in executive functions, 36–37
  - in fronto–striatal system, 36
  - abnormalities, 39

- globus pallidus, 35, 36*t*
- GPI and GPe, 42
- hyperdirect pathway, 36, 42
- and intention program, 41
- and reward circuitry, 45
  - dopaminergic projection systems, 46*f*
  - frontal–striatal system, 47
  - striatum, 35, 36*t*
  - substantia nigra, 35, 36*t*
  - subthalamic nucleus, 35, 36*t*
- Bipolar disorders, 8
- Brain, lesions in, 11, 24, 53, 64
- Brain networks, 21
  - and behavior, 3
  - cerebral cortex, 7
  - default network, 26–27
  - dorsal attentional network, 25
  - dynamics, 67–68
  - frontoparietal network, 25, 31, 32
  - and functional connectivity, 23–24
  - network parcellation, 24*f*
  - posterior parietal cortex, 25
  - sensory motor network, 27, 31
  - ventral attentional network, 26, 31
  - visual network, 26
- Brain, organization of, 1, 2
- Brain–behavior relationships, 1–3, 9, 11, 13, 63, 73
- Brown-Peterson Technique, 17.  
*See also* Auditory Consonant Trigrams

## C

- Cerebellar cognitive affective syndrome (CCAS), 53
- Cerebellum, 1, 51
  - cerebro-cerebellar circuitry system, 52



- Cerebellum (*cont.*)  
 and cognition, 51  
 in executive functions, 53  
 gray matter, 52  
 and thinking, 52  
 modular organization of, 55, 55*f*
- Cerebral cortex, 1, 21, 24*f*, 29, 35, 38*f*, 51, 52, 55, 55*f*
- Cerebral lesions, 53
- Cerebro-cerebellar circuitries, 58
- Childhood hyperactivity/impulsivity, 7
- Children, with ADHD, 5, 6, 7–8, 11, 13, 14, 27, 41, 45  
 associated movements or motor anomalies, 32, 57–60, 65, 72  
 and brain network, 29, 31, 44  
 “cold/cool” executive functions, 48, 49  
 delay aversion, 45  
 sensorimotor domain, 59
- Children’s Gambling Task, 49
- Cingulo-opercular network. *See* Ventral attentional network
- Classification, 5
- Clinical neuropsychology, 13, 15, 65, 73
- Cognitive inhibition, 65
- “Cold/cool” executive functions, 48, 49  
 versus “hot” executive functions, 49
- Conners’ CPT, 17
- Conscious processing, 13
- Continuous performance tests, 15
- Cortical and subcortical brain networks, 20
- Cortical working memory, 25, 51
- Cortical–basal ganglia circuits, 37*f*, 43, 45  
 cortico-striatal pathways, 43–44  
 globus pallidus interna, 44  
 midbrain striato-nigro-striatal projection system, 44  
 thalamo-cortical pathway, 44
- Cortical-striatal-pallidal-thalamic-cortical circuit, 14, 38
- D**
- Daydreaming, 6
- Default network, 2, 23, 26, 27, 31, 32, 38*f*, 48
- Default network disorder, 26–27
- Delay aversion, 20, 45, 48
- Diagnostic and statistical manual of psychiatric disorders, The (DSM), 5
- Disruptive behaviors, 7
- Dopamine (DA), 14, 45, 60
- Dopaminergic systems, 14, 46, 46*f*, 48, 60
- Dorsal and ventral attentional networks, 2
- “Dual-pathway” neurocognitive models, 12
- Dual-tiered system, 47–48
- Dysrhythmia, 72
- E**
- Effort, 13
- Error network, 68
- Executive functioning, 9, 45, 53, 57, 58, 59, 61, 71
- External segment of globus pallidus (GPe), 35
- F**
- Finger-tapping and finger-sequencing tasks, 59
- Focal brain abnormalities, 11
- Frontal hypometabolism, 11
- Frontal lobes, 11, 43, 60, 64
- Frontoparietal network, 2, 23, 25, 31, 32, 38*f*
- Fronto-striatal systems, 17, 58
- Functional brain network, ontogeny, 29
- Functional neuroimaging paradigm, 67
- Functional specialization, 21–22
- G**
- Gait and station, 72
- Globus pallidus interna (GPI), 35
- H**
- “Have–have not” abilities, 73
- Huntington’s disease, 42
- Hyperactivity, 5, 6, 7, 27, 31, 32, 58, 60
- Hypoactive behavior, 6, 7, 31, 32
- I**
- Identification, 5
- Inattention, 5, 19, 60, 62, 63
- Inhibition, 19  
 Stroop-like tasks, 20
- Internal cerebellar control models, 51
- Internalizing behaviors, 6
- IQ, 72
- L**
- Language, 13, 22, 53, 57
- Learning, 43–44, 53, 58
- Lethargy, 6
- Limbic network, 2, 23

**M**

Marital relationships, 18  
 Memory, 13, 29, 53  
 Mesocortical dopamine pathway, 48  
 Methylphenidate, 8

**N**

National Institutes of Mental Health (NIMH), 19  
 NEPSY-I, 59  
 Neural network dynamics, 67–69  
 Neuropsychological tests, 63, 64  
 Neuropsychology, 9.  
   *See also* Brain–behavior relationships  
   symptom dimensions, 20  
 Non-responders. *See* Atypical medication  
   responders  
 Norephedrine (NE), 14

**O**

Overflow, 72

**P**

Parkinson's disease, 42  
 “Pathognomonic sign” approach, 72–73  
 Physical and Neurological Examination for  
   Subtle Signs (PANESS), 72  
 Premotor cortex, 60, 64, 67  
 Probabilistic category learning test, 49  
 Psychostimulant medication, 14, 27, 58, 69  
 Purkinje cells, 57

**R**

Reciprocal cerebellar-vestibular intercon-  
 nections, 57  
 Research Domain Criteria (RDoC), ix, 3, 19  
   impulsivity, 20  
 Response disinhibition, 14  
 Response inhibition tasks, 15, 17  
 Reward circuitry, 12, 45–49

Reward processing, 19  
   ventral-striatal dysfunction, 61

**S**

Saliency network. *See* Ventral attentional  
 network  
 Sensorimotor network, ix, 2, 23, 31, 32, 38f  
 Signal detection, 13  
 Slowness, 6  
 Sluggish cognitive tempo (SCT), 6, 62  
 Social passivity, 6  
 Sonuga-Barke's dual-pathway model, 48  
 Sternberg's item recognition task, 69  
 Stimuli orientation, 13  
 “Stimulus-bound” hyperactivity, 32  
 Stroop effect, 20  
 Stroop-type task, 65  
 Subthalamic nucleus (STN), 35  
 Suck coordination, in infants, 57  
 Supplementary motor area (SMA), 31–32

**T**

Tests of motor behavior, 71  
 Thinking, 1, 7, 14, 47, 52, 61, 63, 73  
 Three-pathway model, 48  
 Timed movements, 72  
 TOVA, 17

**V**

Vigilant state, 13  
 Visual information processing, 29  
 Visual network, 2  
 Visuospatial regulation, 53

**W**

Wechsler Scales. *See* Working Memory Index  
 “What” or “object” identification pathway, 26  
 WISC-IV processing speed, 58  
 Working memory, 17, 19, 29, 68–69