

---

# Index

## A

- Abdel-Hamid, M., 96
- Abrams, G.D., 105–112
- Actifit scaffold, 49
- Adipose-derived stem cells (ADSC), 109
- Agung, M., 96
- Allaire, R., 71
- Annandale, T., 59
- Anterior cruciate ligament (ACL) reconstruction
  - deficient knee
    - lateral meniscus tears, 84–85
    - medial meniscus tears, 85–87
  - intact knee
    - lateral meniscus tears, 83–84
    - MRI, 82
    - postoperative rehabilitation, 121–122
- Anterior rotation drawer test, 13
- Apley grind test, 17
- Arnoczky, S.P., 95, 107
- Arthroscopic meniscal repair
  - all-inside repair
    - fourth-generation fixators, 66, 67
    - MaxFire, 68
    - third-generation fixators, 65, 66
  - arthroscopic surgery, 59
  - diagnostic arthroscopy, 60
  - indications, 59–60
  - inside-out repair
    - middle/posterior tears, 61
    - posterolateral counterincision, 61, 62
    - posteromedial counterincision, 61–62
    - retractors, 61
    - suture configuration, 62–63
  - outside-in repair, 63–65
  - positioning, 60
  - preparation, 60
  - suture fixation, 60–61

## B

- Ballyns, J.J., 53
- Belkin, N.S., 21–28, 39–55

Bergin, D., 26

- Biological augmentation
  - ACL reconstruction, 105
  - bucket-handle type tear, 111, 112
  - case studies, 111
  - enzymatic inhibition, 110–111
  - fibrin clot, 107
  - genetic modification, 111
  - hyaline cartilage damage and osteoarthritis, 105, 106
  - mechanical stimulation, 106–107
  - meniscus healing, 105–106
  - meniscus replacement
    - allograft transplantation, 109–110
    - collagen-based menisci, 110
    - high tibial osteotomy, 109
    - synthetic menisci, 110
  - platelet-rich plasma, 107–108
  - stem cells
    - adipose-derived stem cells, 109
    - bone marrow-derived stem cells, 108–109
    - synovial-derived stem cells, 109
  - treatment method, 111
- Boehler and Payr tests, 18
- Bone tunnel technique
  - ACL guide, 74–76
  - complications, 77–78
  - FiberWire, 74, 76
  - lobster-claw-type instrument, 76
  - medial collateral ligament, 74
  - PDS, 74, 76
- Bounce home test, 17
- Burks, R.T., 38

## C

- Cannon, W.D. Jr., 81
- Carey, J.L., 39–44
- Carr, D.R., 85
- Chiari, C., 53
- Childress tests, 19
- Cipolla, M., 80
- Circumferentially aligned (CircAl) nanofibers, 50, 51

Cole, B.J., 43, 105–112  
 Collagen meniscus implant (CMI), 48  
 Computed tomography arthrography, 28  
 Cook, J.L., 93

## D

Dial test, 13

## E

Eckenrode, B., 115–124

## F

Fairbank, T.J., 54  
 Fibrin clot, 107  
 Finochietto test, 17–18  
 Fisher, M.B., 45–55, 89–98  
 Fitzgibbons, R.E., 84  
 Freedman, K.B., 108

## G

Goto, H., 111  
 Gray, T., 80, 85, 87  
 Gupta, A.K., 105–112

## H

Harner, C.D., 73  
 Harris, J.D., 105–112  
 Heckman, T.P., 121  
 Heel props and prone hangs, 117, 118  
 Hein, C.N., 71  
 Heinrich, J., 84  
 High tibial osteotomy (HTO), 109  
 Holloway, J.L., 50  
 Hoop stress, 71  
 Horie, M., 109  
 Horneff III, J.G., 30–38  
 Hsu, J.E., 1–6

## I

Ibarra, C., 52  
 Ihara, H., 121  
 Imaging studies  
   computed tomography arthrography, 28  
   magnetic resonance arthrography, 27  
   magnetic resonance imaging  
   abnormal meniscal signals, 22–23  
   bone marrow edema, 26  
   “bucket-handle” tear, 23, 25  
   complex tear, 24, 26  
   displaced flap tear, 23, 25  
   false-positive diagnosis, 27  
   longitudinal horizontal tears, 23, 24  
   longitudinal vertical tears, 23, 24  
   meniscal appearance, 22  
   meniscal cysts, 24, 26

meniscal extrusion, 26  
 radial tears, 22–23, 25  
 root ligament avulsions, 24, 26  
 technique of imaging, 22  
   *versus* 3.0 Tesla, 22  
 radiographs, 21  
 roentgenographic evaluation, 21–22  
 ultrasound, 28

Ishida, K., 108

## J

Johnson, G.E., 87  
 Jung, Y.H., 77

## K

Kellgren-Lawrence scale, 73–74  
 Kelly, A.M., 71–78  
 Kelly, J.D., 21–28, 31–38, 50, 71–87  
 Khoury, V., 21–28  
 Kim, S.B., 77  
 Knee biomechanics and functioning, 71  
 Kurzweil, P.R., 59–69

## L

Lachman test, 14  
 Lateral meniscus tears  
   ACL-deficient knee, 84  
   ACL-intact knee  
   degenerative changes, 84  
   discoid tear, 83  
   posterior horn detachment, 83–84  
 Lee, D.H., 82  
 Lee, J.H., 77, 82  
 Lim, H.C., 82  
 Lobster-claw-type instrument, 76  
 Lochter, R.C., 39

## M

Magnetic resonance arthrography, 27  
 Magnetic resonance imaging (MRI)  
   abnormal meniscal signals, 22–23  
   bone marrow edema, 26  
   “bucket-handle” tear, 23, 25  
   complex tear, 24, 26  
   displaced flap tear, 23, 25  
   false-positive diagnosis, 27  
   longitudinal horizontal tears, 23, 24  
   longitudinal vertical tears, 23, 24  
   meniscal appearance, 22  
   meniscal cysts, 24, 26  
   meniscal extrusion, 26  
   radial tears, 22–23, 25  
   root ligament avulsions, 24, 26  
   technique of imaging, 22  
 Mandal, B.B., 53  
 Martinek, V., 52  
 Marzo, J.M., 71

- Mauck, R.L., 1–6, 45–55, 89–98
- McCormick, F.A., 105–112
- McHale, K.J., 9–19
- McMurray test, 16–17
- McNulty, A.L., 96, 97
- Medial collateral ligament (MCL), 74
- Medial meniscus tears
- ACL-deficient knee, 85–87
  - ACL-intact knee
    - degenerative tears, 81, 82
    - MRI scans, 82
    - posterior horn detachments, 81–82
    - posterior radial tear, 82
    - pullout suture technique, 82–83
    - success rates, 81
- Menaflex<sup>®</sup>, 48
- Meniscal anatomy
- embryonic development, 1
  - histology, 2
  - macroanatomy
    - discoid meniscus variants, 3–4
    - lateral meniscus, 3, 4
    - medial meniscus, 3
    - meniscomeniscal ligaments, 5
  - neuroanatomy, 6
  - vascular supply, 5–6
- Meniscal posterior root tears (MPRT)
- bone tunnel technique
    - ACL guide, 74–76
    - complications, 77–78
    - FiberWire, 74, 76
    - lobster-claw-type instrument, 76
    - medial collateral ligament, 74
  - clinical presentation, 72
  - complications, 77–78
  - imaging, 72–73
  - mechanism of injury, 72
  - physical examination, 72
  - rehabilitation, 77
  - suture anchor technique, 76–77
  - treatment
    - all-inside meniscal fixator, 74, 75
    - clinical outcomes, 77
    - debridement, 73, 74
    - Kellgren-Lawrence scale, 73–74
    - luggage tag technique, 74, 76
    - posterior horn root tear, 73
    - suture hook passage, 74
- Meniscal scaffolds
- acellular permanent replacements
    - Actifit, 49
    - CircAI nanofibers, 50, 51
    - collagen meniscus implant, 48
    - electrospun scaffolds, 50
    - Menaflex, 48
    - PVA hydrogel, 50
  - criteria for, 45
  - healing and regeneration, 51–52
  - materials and fabrication techniques
    - biological polymers, 47
    - electrospinning, 48
    - extracellular matrix, 47
    - hydrogels, 48
  - meniscal structure and function, 46–47
  - tissue-engineered scaffolds
    - cell-seeded hydrogels, 53
    - dual-polymer constructs, 54
    - meniscal fibrochondrocytes, 52
    - nanofiber-aligned scaffold, 53–54
- Meniscectomy
- arthroscopic partial meniscectomy, 35–36
  - diagnostic arthroscopy, 35
  - goals, 32
  - indications, 31–32
  - medial collateral ligament (MCL), 32
  - meniscal tears, 31
  - patient positioning, 32–33
  - special considerations
    - anterior lateral meniscal tears, 36
    - Baker's cyst, 37
    - horizontal cleavage tear, 36
    - pearls, 37–38
    - radial tear, 36
    - wound closure and postoperative care, 38
  - technique and portal placement
    - entire knee arthroscopy, 34
    - incisional wounds, 34
    - standard portal placement for knee, 33
  - valgus stress for knee, 33
- Meniscus allograft transplantation (MAT)
- allograft sizing, 40
  - considerations, 43
  - historical background, 39
  - indications, 39–40
  - surgical technique
    - anterior horn fixation, 42
    - bone bridge, 43
    - clinical outcomes, 43–44
    - direct graft bone fixation, 40
    - lobster/crab claw device, 41
    - nitinol wire loop, 41
    - postoperative management, 43
- Meniscus repair limitations and emerging strategies
- age, 91
  - cellularity improvement, 92, 93
    - chondrocytes and meniscal cells, 95
    - fibroblast-like type B synoviocytes, 95
    - mesenchymal stem cell, 96
  - degenerative osteoarthritis, 89
  - horizontal meniscal tear, 90
  - incidence of, 89
  - mechanical factors, 97–98
  - meniscus healing
    - cell and matrix density, 91–92
    - soluble and mechanical factors, 92
    - vascular supply, 90–91
  - soluble factors
    - MMP inhibitors, 96
    - PDGF-AB and IGF-1, 97
    - TGF- $\beta$ 3, 97

- Meniscus repair limitations and emerging strategies (*cont.*)
- vascularity enhancement
    - fibrin clots, 94–95
    - interpositional free synovial autografts, 93–94
    - mechanical rasping, 93
    - neovascularization, 92
    - parameniscal synovial abrasion, 93
    - trephination, 93
    - vascularized synovial flaps, 93
    - VEGF, 94
  - vascular supply, 90–91
- Mesenchymal stem cell (MSC), 96, 108
- Metcalf, M.H., 32
- Milachowski, K.A., 39
- Monllau, J.C., 48
- Morgan, C.D., 65
- Mueller, S.M., 52
- N**
- Nakayama, A., 121
- Neuromuscular electric stimulation (NMES), 117, 119
- Nourissat, G., 27
- P**
- Park, M.J., 9–19
- Photopoulos, C.D., 59–69
- Physical examination
  - anterior cruciate ligament, 14
  - collateral ligament, 13
  - joint stability
    - anterior rotation drawer test, 13, 14
    - dial test, 13
    - Lachman test, 14
    - pivot shift test, 14
    - posterior cruciate ligament, 15
    - posterior drawer test, 15
    - posterior sag sign, 15
    - quadriceps active test, 15
  - meniscus injury evaluation
    - Apley grind test, 17
    - Boehler and Payr tests, 18
    - bounce home test, 17
    - Childress tests, 19
    - Finochietto test or jump sign, 17–18
    - McMurray test, 16–17
    - Thessaly test, 18
  - palpation of knee joint, 10–11
  - range of motion, 12–13- Pivot shift test, 14
- Platelet-rich plasma (PRP), 107–108
- Pontillo, M., 115–124
- Posterior sag sign, 15
- Postoperative rehabilitation
  - early rehabilitation, 116, 119–120
  - exercise programs, 122
  - functional progression, 116, 120–122
  - knee ROM limitations, 115
  - physical therapy, 115
  - postoperative phase, 116
    - heel props and prone hangs, 117, 118
    - knee effusion and pain control, 117
    - neuromuscular electric stimulation, 117, 119
    - supine passive heel and wall slides, 117, 118
    - weight-bearing exercises, 119
  - principles, 115
  - return to sport/activity, 116–117
    - after ACL reconstruction, 121–122
    - graded exercise programs, 122
    - plyometric training, 121
    - red flags, 122–123
    - running program, 121
    - single-limb hop test, 122, 123
  - single-limb hop test, 122
  - varus and valgus malalignment, 124
  - warning signs, 123

Prove, S., 21

**Q**

Quadriceps active test, 15

Qu, F., 89–98

**R**

Rask, B.P., 85

Rodkey, W.G., 48

Rosenberg, T.D., 21, 22

Rue, J.P., 110

Ruiz-Iban, M.A., 109

**S**

Saltzman, B.M., 109

Scott, W.N., 61

Sennett, B.J., 39–44

Seo, H.S., 77

Sewick, A.E., 71–78

Shaffer, B., 40

Shelbourne, K.D., 72, 79–87

Single-limb hop test, 122, 123

Star Excursion Balance Test, 121

Supine passive heel and wall slides, 117, 118

Suture anchor technique, 76–77

Synthetic scaffold, 110

**T**

Thessaly test, 18

Tissue-engineered scaffolds
 
  - cell-seeded hydrogels, 53
  - dual-polymer constructs, 54
  - meniscal fibrochondrocytes, 52
  - nanofiber-aligned scaffold, 53–54

Tjoumakaris, F.P., 9–19  
Torres, S.J., 1–6

**U**

Ultrahigh molecular weight polyethylene (UHMWPE), 50  
Urch, S.E., 79–87

**V**

Van Thiel, G.S., 40  
van Trommel, M.F., 107  
Vascular endothelial growth factor (VEGF), 94  
Verdonk, R., 43

Vittori, J.M., 81  
Voleti, P.B., 21–28

**W**

Warren, R.F., 63  
Weber, 107  
Weinand, C., 95  
Wojtys, E.M., 121

**Z**

Zellner, J., 108  
Zhang, Z., 93