

Index

A

- Abdominal aortic aneurysm repair, 665–666
- Abdominal esophagus. *See* Gastroesophageal junction
- Abdominal wall
 - anterior, 113–115
 - blood supply
 - arterial, 131–133
 - venous drainage, 133
 - fossae, lower anterior, 117–118
 - groin (*see* Groin)
 - incisions
 - lower abdomen (Pfannenstiel incision), 154–155
 - lower midline, 152
 - McBurney, 156
 - pararectus, 152, 154
 - principles, 150
 - rectus (paramedian), 152–153
 - subcostal, 156
 - upper abdomen, 154
 - upper midline, 151–152
 - varieties, 150–151
 - inguinal area, laparoscopic cadaveric anatomy
 - anatomical entities, 144, 145
 - bladder and anterior abdominal wall, 138
 - circle of death, 147
 - diagrammatic presentation, 136
 - iliopubic tract and ligament of Cooper, 143
 - inferior epigastric vessels, 142
 - inguinal venous system, vasculature variations, 141
 - laparoscopic topographic anatomy, 137
 - myopectineal orifice, Fruchaud, 142
 - spermatic cord and iliac vessels, 143
 - transversalis fascia and femoral sheath, 139
 - triangle of doom, 146
 - triangle of pain, 146
 - vasculature, inguinal, 140
 - vessels and nerves, 144
 - lower anterior body wall, 117
 - nerve supply, 133–135
 - posterior (lumbar) body wall
 - inferior hernia, Petit triangle, 149

- Abdominal wall (*cont.*)
- inferior lumbar triangle (Petit), 148
 - muscle layers and fascia, 147–148
 - superior lumbar triangle (Grynfeltt), 148
 - umbilical region, 115–116
- Abdominoperineal resection
- abdominal phase, 480
 - incision, perianal, 481, 482
 - perineal phase, 481
 - rectum, 481, 483
 - sharp dissection, 481, 482
 - sigmoid colon, 480
- Accessory spleen, 614–615
- Achalasia/cardiospasm
- bougie insertion and myotomy continuation, 273, 274
 - dissection, stomach curvature, 272
 - exposure, mucosal surface, 272, 273
 - suturing, gastric fundus, 273, 274
- Adrenalectomy
- anterior approach
 - dissection direction, 642–643
 - downward retraction, 646
 - gastrocolic omentum opening, 641–642
 - incisions, 640
 - Kocher maneuver, 644–645
 - left adrenal gland, 641–644
 - left mesocolon, incision, 642–643
 - midline incision, 644
 - parietal peritoneum, incision, 641–642
 - right, exposure and mobilization, 644–645
 - unilateral/bilateral, 645–646
 - anterior, left, 647
 - left, 646
 - posterior approach, 647
 - right, 647–648
 - thoracoabdominal approach, 651
 - unilateral/bilateral
 - adrenal vein, division, 650–651
 - finger dissection, 650–651
 - Gerota's fascia, incision, 650
 - latissimus dorsi and serratus posterior muscles, division, 649
 - resection, 11th rib, 649
- Adrenal gland
- description, 635
 - relations, 635–637
 - vascular system
 - arterial supply, 637–638
 - lymphatic drainage, 638–639
 - venous drainage, 637–638
- Aldosteronism, 642
- Allen's test, 685
- Anal canal
- surgical
 - mucosa, 439
 - pectinate line and changes, 439, 441
 - rectal columns, 440
 - wall, musculature
 - external anal sphincter, 437–438
 - and rectum, 437–438
 - surgical, 439
- anal canal
- surgical and perianal regions
 - anal fistulectomy (*see* Anal fistulectomy)
 - anatomy, 494
 - distal interphalangeal joint, 495, 496
 - gauze packing, 495, 499
 - incision, swelling, 495, 499
 - intracavitary digital examination, 495, 499

- LIFT (*see* Ligation of intersphincteric fistula tract (LIFT))
- metacarpophalangeal joint, 494–495
- sigmoidoscopic examination, 494, 495, 498
- Anal fissure, 503–504
- Anal fistulectomy
- description, 497
 - excision, fistulous tract, 497, 500
 - fibrin plug, 497, 501
 - Goodsall–Salmon’s rule, fistulas, 497, 501
 - horseshoe fistula, 502
 - internal fistula opening, 497, 500
 - seton placement, 497, 500
- Anatomy
- nail, 6
 - scalp, 3
 - skin, 2
- Anorectum. *See* Colon
- Antrum
- antrum–body junction, “average stomach”, 319
 - distal pyloric, 316
 - and fundus, 295
 - gastric, 297
- Anus
- J-pouch, 480
 - rectum, 453–454
- Aorta
- abdominal portion, 665
 - and graft, 677
- Appendectomy
- appendix and mesentery, 422, 424
 - closing, layers, 425, 427
 - closing, skin, 425, 428
 - division, 425, 426
 - incision, fibers, 422, 423
 - inversion, 424, 426
 - laparoscopic, 428–430
 - ligation, 424, 425
 - location, McBurney’s point, 422, 423
 - packing, wound, 425, 427
 - preparation, peritoneum, 422, 424
 - site, ligation, 424, 425
- Appendicular artery
- lymphatic drainage, 421
 - single, 420
 - and vein, 420
- Appendicular vein, 420
- Appendix
- appendectomy (*see* Appendectomy)
 - mesentery, 419
 - vascular system, 420
- Arteriae rectae, 348
- Arteriovenous fistula (AVF)
- brachiocephalic, 686–687
 - radiocephalic, 685–686
- Autotransplantation, 622, 624
- AVF. *See* Arteriovenous fistula (AVF)
- Axilla
- artery, 97, 98
 - contents evacuation, 106, 110
 - dissection, 106, 108
 - exposed, 106, 108
 - lymph nodes, 98–99
 - structures, 104–105
 - topography, 93
 - vein and artery, 106, 109
 - walls, 91–92
- B**
- Bard plug and patch repair
- mesh insertion, 207–209
 - onlay patch, 207, 211
 - sac dissection, 207–208
 - securing mesh, internal oblique, 207, 210
 - suturing mesh, conjoined area, 207, 211

- Bariatric surgery
 anatomy, 728
 gastric bypass, 727
 laparoscopic vertical sleeve
 gastrectomy (*see*
 Laparoscopic vertical
 sleeve gastrectomy)
- Benign, skin lesions
 excision, cyst, 7–8
 incision, cyst removal, 7
 subcutaneous tissue, dissection, 7
- Bilateral salpingo-oophorectomy
 (BSO), 701
- Billroth
 Billroth I
 angle of sorrow, 327, 328
 division, stomach, 325, 326
 gastric and duodenal walls,
 325, 326
 transection, distal
 stomach, 325
- Billroth II
 elevation, transverse colon,
 328, 331
 four-layer anastomosis, 328,
 332–333
 method, anastomosis,
 328, 334
 partial closure, gastric
 opening, 328, 330
 proximal loop insertion,
 mesocolon, 328, 332
 specimen removal and
 closing, duodenal opening,
 328, 330
 and stomach mobilization,
 328, 329
 suture, mesocolon, 328, 331
 transection and removal, distal
 stomach, 328, 329
- Biopsy
 muscle, 730
 sentinel lymph node, 10
 sural nerve, 725
- Blepharoplasty, 716
- Branchial cleft
 excision
 fistula inset, 75–76
 fistulous tract exposure, 75–76
 location, incision, 75
 remnants, anatomy
 cysts, 49–51
 fistulas, 48
 incomplete closure, 51
 sinuses, 48–50
- Breast
 axilla, 93
 deep fascia, 91–92
 description, 91
 excisional biopsy
 creation, flaps, 103
 defect suturing, 104
 Langer's lines, incision, 103
 morphology, 94
 muscles and nerves, 94–96
 vascular system
 arterial supply, 94–98
 lymphatic drainage, 98–100
 lymph nodes, 98–99
 venous drainage, 98
- BSO. *See* Bilateral salpingo-
 oophorectomy (BSO)
- C**
- Cardiospasm. *See* Achalasia/
 cardiospasm
- Carotid artery
 and facilitation, vascular
 control, 670
 internal, 674
- Carotid endarterectomy
 arterial control, 670, 671
 arteriotomy, 670, 671
 bifurcation and adjacent nerves,
 669–670
 description, 665
 endarterectomy spatula, 672–673

- indwelling shunt placement, 672
- infiltration, local anesthesia, 669
- monofilament suture, 673
- suction drain, 674
- Carpal tunnel
 - central zone divisions, 703, 709
 - divisions, distal zone, 703, 709
 - flexor retinaculum, 703, 706
 - palmar arches, 703, 705
 - palmar cutaneous branch, 703, 708
 - proximal surgical zone, 703, 707
 - surgical treatment
 - anatomical variations, median nerve, 713–714
 - flexor retinaculum, 713
 - skin incision, 710, 711
 - superficial dissection, 710, 712
 - transverse carpal ligament, 710, 713
 - upper proximal zone divisions, 703, 709
 - wrist cross section, 703, 704
- Catecholamine, 642, 645
- Catheter
 - placement, 306, 307
 - subclavian vein, insertion, 723–724
- Caudate lobe
 - drainage, 522
 - resection, 562
 - subsegments, 519
 - transverse fissure/porta hepatis, 516, 517
- Cecopexy
 - colostomy (*see* Colostomy)
 - mobile cecum, 455, 456
 - teniae, 455, 456
- Cecum
 - appendix, 419
 - description, 431
 - identification, 422
 - inferior ileocecal fossa, 431–432
 - reinsertion, 422, 424
- Cervix
 - bladder, 693
 - esophagus, 256–257
 - submandibular triangle
 - basement, 21–22
 - contents, 20
 - floor, 21
 - lymphatic drainage, 22
 - neural “hammocks”, 19
 - roof, 17–19
 - subdivision, 18
 - triangle
 - carotid, 18, 23
 - muscular, 18, 23
 - posterior, 24–25
 - submental, 18, 22
 - and uterine segment, 689, 693
- Chest tube insertion, 724–725
- Cholangiogram
 - cystic duct, 581
 - T-tube drainage, 582
- Cholecystectomy
 - cystic
 - and common ducts, 576, 578
 - duct and artery, 576–577
 - electrocoagulation, gallbladder fossa, 578, 579
 - laparoscopic
 - cystic artery and duct, 602, 603
 - gallbladder, 602
 - liver, gallbladder, 603, 604
 - port placement, 600–601
 - procedure, 601
 - separating gallbladder, 604
 - procedures, 576
- Choledochocystectomy
 - ana, 597, 600
 - anastomosis, 597, 599
 - evaluation and lysis, 597
 - hepaticojejunal anastomosis, 597, 598
 - jejunojejunal anastomosis, 597, 599

Choledochoduodenostomy

- anastomosis, common bile duct and duodenum, 595, 596
- common bile duct, 595, 596
- duodenum, 593, 595
- placement, sutures, 595, 596

Colectomy

- colon, 459, 461
- colorectal anastomosis, 490
- distal colon fixation, 459, 462
- fixation sutures, 457, 458
- incision, transverse, 455, 457
- insertion, fingers, 459, 461
- laparoscopic and hand-assisted
 - right
 - periumbilical incision, 490–491
 - transverse colon and ileum, 491
 - laparoscopic hand assisted, 483–484

left

- closure alignment, 467, 470
- lateral approach, 466
- omentectomy, 467
- splenicocolic, phrenicocolic and pancreaticocolic ligaments, 467, 469
- ureter location, 467, 470
- loop, 455, 457–458
- operating room arrangement, splenic flexure
 - mobilization, 486, 488
- rectus muscle fibers, 459–460
- resection, sigmoid, 484–485

right

- alignment, colon and ileum, 464, 468
- anastomoses, 465, 468
- division, colon and ileum, 464, 467
- omentectomy, 463, 466
- resection line, 463, 465
- stapler insertion, 465, 468
- vascular division, 463, 464

sigmoid colectomy and low

- anterior resection, 489
- site, stoma, 459, 461
- skin level, stoma, 459, 462
- splenic flexure and left colon, 486–487
- stapler, 489
- stoma, 458–459
- transverse, 457, 458
- trocar placement, 485, 486

Colon

- anus, 453
- artery and lesion, 448–451
- ascending mesocolon, 432
- cecopexy (*see* Cecopexy)
- cecum, 431–432
- decatalogue, surgery, 455
- descending, 434
- description, 431
- fascial relations and tissue spaces, 440–442
- large intestine wall (*see* Large intestine wall)
- low anterior resection and triple stable procedure, 471–477
- lymphatic drainage, 448
- mesocolon, sigmoid, 433, 435
- mobile cecum, 432, 433
- pelvic diaphragm and continence, 442–443
- peritoneal reflections, 440 and rectum (*see* Rectum)
- rectum and anal canal, 434, 436
- resection
 - description, 462–463
 - left colectomy, 466, 467, 469–470
 - right colectomy, 463–468
- right, abdominal wall, 432, 433
- sigmoid, 452
- surgical anal canal and perianal regions (*see* Anal canal)
- transverse, 432

- Colostomy
- colon loop, 457, 458
 - distal colon fixation, 462
 - fat separation, 459, 460
 - fingers insertion, 459, 461
 - fixation sutures, 457, 458
 - incision, transverse, 457
 - loop, 455, 457
 - loop, transverse, 457, 458
 - site, stoma, 459, 461
 - skin level, 462
 - stoma, 458–459
 - transverse, 456
- Common bile duct
- diameter, 570
 - exploration
 - closure, 587, 591
 - demonstrating patency, 583, 588
 - duodenotomy, incision site, 583, 588
 - incision site, 583, 585
 - lateral peritoneum, 582, 583
 - “milking” stones, 583, 586
 - opening, stone removal, 583, 586
 - palpation, 582, 584
 - papillotomy, 583, 590
 - performance, duodenotomy, 583, 589
 - stay sutures, 583, 584
 - stones removal, instrumentation, 583, 587
 - T-tube insertion, 587, 591
 - and extrahepatic biliary tract, 569
 - length, 569
 - and pancreas, 570
 - retroduodenal portion, 569
- Common hepatic ducts
- cystohepatic junction, 565, 566
 - right and left, 565
 - variations, 565, 566
- Component separation
- external oblique muscle and rectus sheath, 163–164
 - ventral hernia, 163
- Crura
- origins, 217
 - pattern, 217–219
- Cystic duct, 567
- Cystogastrostomy
- aspiration, 397, 399
 - incision site, 397–399
 - suture, cyst wall, 397, 400
 - suture site, 397, 400
- Cysts, 49–51
- D**
- Deep fascia
- axillary, 28
 - buccopharyngeal, 27
 - carotid sheath, 26
 - investing, anterior/superficial layer, 25–27
 - pretracheal/middle layer, 26
 - prevertebral, posterior/deep layer, 26
 - walls, axilla, 91–92
- Diaphragm
- anatomy, 217
 - diaphragmatic-mediastinal relations (*see* Mediastinum)
 - esophageal hiatus (*see* Esophagus)
 - hernia
 - hiatus (*see* Hiatus)
 - laparoscopic nissen fundoplication (*see* Fundoplication)
 - sliding (*see* Sliding hernia)
 - traumatic, 243
 - nerve supply, 228, 230

Diaphragm (*cont.*)

- openings
 - aortic opening, 220, 222
 - esophageal hiatus, 218–223
 - hiatus, 218, 223
 - median arcuate ligament, 222–223
- paraesophageal hernia (*see* Paraesophageal hernia)
- traumatic diaphragmatic hernia, 243
- vascular system
 - arterial supply, 226–227
 - lymphatic drainage, 227, 229
 - venous drainage, 227–228
- Direct inguinal hernia, 176, 179–181
- Distal pancreatectomy
 - division, head of pancreas, 380, 381
 - exploration, pancreas, 380
 - laparoscopic
 - dissection, 393
 - EBVS device, 393
 - fibrin glue, 394
 - insufflate, abdomen, 392
 - LPR, 390–391, 394, 395
 - mobilization, pancreas, 393
 - pancreatic resection
 - instrumentation, 392
 - splenic preservation, 393
 - trocar placement, 392–393
 - ligated vessels, 380, 383
 - partial, 379
 - preparation
 - splenectomy, 380, 381
 - splenic vein tributaries, 380, 382
 - splenic artery division, 380, 382
 - with/without splenectomy
 - end-to-end
 - pancreaticojejunostomy, 384

- transection, pancreas, 382, 383

Diverticulum. *See*

- Pharyngoesophageal diverticulum

Duodenal papilla

- entities, sphincter of Boyden, 366, 368

- minor and major, 357

- musculature, 366

- relations, pancreatic and common bile ducts, 369

- T arrangement, mucosal, 367, 368

Duodenojejunal junction, 346

Duodenojejunostomy, 357, 360

Duodenotomy, 353

Duodenum

- configurations, Treitz suspensory ligament, 346, 347

- exposure and mobilization
 - accessory pancreatic duct, 356

- bile duct, 357

- Cattell maneuver, 354, 356

- medial retraction, right colon, 354, 355

- right colon, incision, 354

- sagittal section, 345, 346

- surgical applications, 353

- vascular compression repair
 - dilated proximal and duodenojejunostomy, 357, 360

- duodenum crossess, spine, 357, 358

- ligament, Treitz, 357, 359

- sagittal section, 357, 359

- superior mesenteric artery, 357, 358

- vascular system (*see* Vascular system)

E

- Elective infrarenal abdominal aortic aneurysm repair
 aneurysm sac closure, 677, 682
 aortic wall and common iliac arteries, 676–677
 back-bleeding lumbar arteries, 676, 678
 end-to-side anastomosis, 676, 680
 inferior mesenteric artery reimplantation, 676, 677, 681
 infrarenal aorta, 675
 proximal suture line, 676, 679
- Epigastric hernia
 fat dissection, 165–166
 linea alba, 165
 midline occurrence, 165
 small defect closure, 165–166
- Epineurium, 720
- Esophageal hiatus and crura
 peritoneal reflections, 262–263
 phrenoesophageal ligament, 261–262
 surgical considerations, 261
- Esophagectomy
 abdominal portion
 division, short gastric and left gastroepiploic vessels, 277
 midline upper abdominal and oblique left cervical incisions, 273, 275
 mobilization, stomach, 278, 279
 penrose drain, 276
 retractors *in situ*, 273, 276
 cervical portion
 anterior and posterior esophageal mobilization, 279, 281
 esophagus division, GIA stapler, 279, 282
 oblique incision, 279, 280
 postoperative care, 285
 preparation, gastric conduit and anastomosis
 end-to-side technique, single-layer, 283, 284
 linear GIA 75 stapler, 280, 282
 position, intrathoracic stomach, 283
- Esophagus
 abdominal and gastroesophageal junction (*see* Gastroesophageal junction)
 achalasia/cardiospasm, 272–274
 colon interposition
 colocolonic end-to-end anastomosis., 291, 293
 segments, 291, 292
 constrictions, 253–254
 curves, 254
 gastrophrenic ligament (*see* Gastrophrenic ligament, esophagus)
- hiatus
 attachments, 219, 223
 diaphragm, apertures, 219, 221
 inferior vena cava (IVC), 219, 222
 narrowing methods, 220, 224
 structures, 228–229, 231, 232
 hiatus and crura, 261–263
- Ivor Lewis approach (*see* Ivor Lewis approach)
- Ivor Lewis-McKeown (Three-Stage) esophagectomy, 290
- left thoracoabdominal esophagectomy, 290
- length, 253
- pharyngoesophageal diverticulum, 268–271
 junction (*see* Pharyngoesophageal junction)

Esophagus (*cont.*)
 skeletonization, 229
 transhiatal esophagectomy
 (*see* Esophagectomy)

Excision
 biopsy
 nonwedge/circumferential-
 type, 536–537
 wedge-type, 536
 branchial cleft cyst/fistula, 75–77
 breast biopsy
 creation, flaps, 103
 defect suturing, 104
 Langer's lines, incision, 103

External supravescical hernia, 185

Extrahepatic biliary tract
 aberrant hepatic duct, 565
 accessory hepatic ducts, 565, 567
 cholangiogram (*see*
 Cholangiogram)
 cholecystectomy, 576–580
 choledochocystectomy, 597–600
 choledochoduodenostomy (*see*
 Choledochoduo-
 denostomy)
 common bile duct (*see* Common
 bile duct)
 common hepatic ducts (*see*
 Common hepatic ducts)
 cystic duct, 567
 gallbladder (*see* Gallbladder)
 hepatocystic triangle (*see*
 Hepatocystic triangle)
 laparoscopic cholecystectomy,
 600–604
 sphincteroplasty (*see*
 Sphincteroplasty)
 vascular system, 573–575

F

Facial nerve, identification, 48
 Fallopian tube, 689, 692, 701

Fasciae
 deep fascia, 25–28
 superficial fascia, 25

Fascia of Gerota, 635, 641, 650

Femoral artery
 adductor canal, 668
 external iliac, 666

Femoral hernia
 aberrant obturator arteries,
 locations, 185–186
 repair
 above inguinal ligament,
 187–188
 below inguinal ligament,
 188–191
 incision site, 188–189
 inguinal hernia, 187–188
 inguinal ligament, suturing,
 190–191
 sac manipulation, 187
 sac opened and contents,
 inspection, 188–189
 typical and atypical pathways, 185

Femoropopliteal bypass
 anastomosis, femoral, 682, 684
 below-knee popliteal artery
 exposure, 681, 683
 distal anastomosis, 681, 684
 femoral and popliteal arteries,
 679, 682
 spatulated vein, 681, 684
 venous tributaries, 679, 683

Finger, 710, 711, 714

Finney pyloroplasty, 316

Fistulas, 48

Flexor
 carpi radialis, 708
 pollicis, 704
 retinaculum, 704

Fundoplication
 crura approximation, 250–251
 dissection, crura, 247–248
 fundic wrap, 244–245

- gastric fundus mobilization, 249–250
 - hepatogastric omentum opening, 245–247
 - operating room setup and trocar placement, 245–246
 - Penrose drain, 247–248
- G**
- Gallbladder**
- deformities, 568
 - description, 568
 - infundibulum, 568
 - neck, 568
- Gastrectomy**
- Billroth (*see* Billroth)
 - cancer
 - abdominal esophagus and duodenum, 337, 338
 - blunt penetration, 335
 - duodenal closure, 337, 339
 - elevation, greater omentum, 335, 336
 - omentum relationship, transverse colon, 335, 336
 - placement, stay sutures, 337, 338
 - removal, lesser omentum, 337
 - resection site, 334, 335
 - transverse mesocolon, 338, 339
 - determination, anatomical boundaries
 - arbitrary landmarks, 316, 317
 - gastric resection, guidelines, 317
 - guidelines, antrectomy, 317–318
 - gastric remnant, ischemia, 320
 - hemorrhage control,
 - gastroduodenal artery, 321
 - ischemia, duodenal cuff, 321, 322
 - location, antral boundary, 318–319
 - middle colic artery, 322–323
 - mobilization, duodenum, 320
 - posterior gastric artery, 323–324
 - stomach mobilization, 319–320
 - T-closure, stomach/duodenum, 320–321
- Gastric bypass, 727**
- Gastric ulcers, 313**
- Gastric units**
- distal surgical
 - duodenum, 297
 - gastric antrum, 297
 - pylorus, 297
 - relations, 297–298
 - proximal surgical unit, 295–296
- Gastric wall, 298**
- Gastroduodenal junction, 346**
- Gastroesophageal junction**
- and abdominal esophagus
 - “cardiac sphincter”, 261
 - external junction, 259–260
 - internal junction, 260–261
 - lymphatic drainage, 267
- Gastrojejunostomy**
- antecolic, 308, 311
 - retrocolic
 - clamps placement, lesser curvature, 307, 308
 - enterotomy and gastrotomy, 308, 310
 - location, avascular area, 308, 309
 - posterior gastric wall, 308, 310
 - suture, mesentery, 308, 309
- Gastrophrenic ligament, esophagus**
- blood supply, 265, 266
 - lymphatics
 - drainage, gastroesophageal junction, 267
 - groups, lymph nodes, 265, 267

Gastrophrenic ligament,
 esophagus (*cont.*)
 nerve supply, 265
 structure, wall
 adventitia, 264–265
 mucosa, 263
 muscularis externa, 264
 submucosa, 264

Gastrosplenic ligament,
 606, 608, 618

Gastrostomy
 incisions, 320, 321
 Stamm, 306–307

Giant prosthetic reinforcement of
 visceral sac (GPRVS),
 198–199

Goodsall–Salmon's rule, 497, 501

GPRVS. *See* Giant prosthetic
 reinforcement of visceral
 sac (GPRVS)

Graft
 full-thickness, 11
 split-thickness (epidermis plus
 partial dermis), 11

Groin
 anatomical entities
 aponeurosis, external oblique
 muscle, 119
 conjoined area, 121–122
 falx inguinalis (Henle
 ligament), 122
 femoral canal and
 its sheath, 131
 Hesselbach triangle, 121, 126
 iliopectineal arch, 126
 iliopubic tract, 123
 inguinal canal, 126–129
 inguinal ligament (Poupart),
 119–120
 interfoveolar ligament
 (Hesselbach), 122
 lacunar ligament (Gimbernat),
 120–121

pectineal ligament
 (Cooper), 121
 reflected inguinal ligament
 (Colles'), 122
 superficial fascia, 118–119
 surgical ellipse, 130–131
 transversalis fascia, 123–125
 transversus abdominis,
 arch of, 122

hernias, 174

mesh hernia
 anterior approach, repair
 (*see* Mesh groin hernia)
 posterior approach, repair
 (*see* Mesh groin hernia)

non-mesh hernia, repairs
 Cooper ligament repair,
 174–178
 direct, 179–181
 external suprapubic
 hernia, 185
 Femoral hernia (*see* Femoral
 hernia)
 indirect inguinal hernia,
 174–178
 relaxing incision, 184
 sliding, 178–179

H

Hamate, 710

Heineke–Mikulicz pyloroplasty, 315

Hemihepatectomy
 bisegmentectomy, 561
 caudate lobe resection, 562
 central liver resections, 563
 liver, 560
 MHVs and LHVs, 560
 mono segmentectomy, 561
 pringle maneuver, 561

Hemiliver
 left hemihepatectomy
 gallbladder, 560

- Glissonian approach, 561
 - segmentectomy, 562
- right hemihepatectomy (*see* Right hemihepatectomy)
- Hemorrhoidectomy
 - excision, 504, 506
 - prolapsing hemorrhoid, 504
 - rectal examination and anal dilatation, 504, 505
 - in toto excision, internal, 504, 507
- Hepatic artery
 - aberrant, 523, 524
 - accessory type, 524
 - intrahepatic distribution, 525–526
 - lymphatic drainage, 530–531
 - portal vein, 526–528
 - right/left, 525
 - veins, 528–529
- Hepatic resections, liver
 - blood vessels, 538
 - left lobectomy (*see* Left lobectomy)
 - lobar and segmental resections, 539
 - lobectomy and segmentectomy, 538, 539
 - resection and trauma, 545–550
 - right lobectomy (*see* Right lobectomy)
- Hepatocystic triangle
 - cystic artery origin, 571, 572
 - and triangle of Calot, 571–572
- Hiatus
 - hernia
 - congenital short esophagus, 235, 237
 - esophageal hiatus, 233–234, 236
 - paraesophageal, 235
 - sliding hernias, 233, 237–240
 - inferior vena cava, 218
- Hydrocele, 211–212
- Hypersplenism, 616
- Hysterectomy
 - bladder mobilization, 693, 695
 - broad ligament, 692, 693
 - cervix, 695, 698
 - double clamping, 693–694
 - incision line, 694, 697
 - open cuff, 696, 699
 - round ligament, 692
 - technique, 691
 - uterine vessels skeletonization, 694, 696
- I**
- Ileocecal valve
 - anatomy, 407
 - benign disease, 411
 - Meckel's diverticulum, 409
- Ileum
 - and end-to-end anastomosis, 410, 411
 - and jejunum, 405
 - location, 409
 - Meckel's diverticulum, 409
 - terminal, 415
- Incisional hernia
 - defects
 - dissection around ring, 158–159
 - herniation, left rectus incision, 158–159
 - Kugel patch, tacking, 162
 - transversalis fascia,
 - deep layer to posterior surface, 161
 - trunk, paramedial sagittal cross section, 158, 160
 - wall, horizontal cross section, 158, 160–161
 - etiology and pathogenesis, 157
 - location, 157
 - operating room strategy, 158
 - preoperative evaluation
 - and care, 157

Infertility, 701

Inguinal canal

anterior wall, 127–128

female, 126–127

Fruchaud's myopectineal orifice,
127, 129

male, 126–127

posterior wall, 127

strong posterior, 127–128

surgical ellipse, 130–131

weak posterior wall, 127, 129

Inguinal hernia

direct, 176, 179–181

indirect, Cooper ligament repair
direct hernia, bulging, 175–176
electrocoagulation, 174
femoral canal, closure,
177–178

inguinal canal floor, 175

sutures placement, 175–176

transition suture,
placement, 177

Inguinal hernia repair

laparoscopic repair

aberrant obturator artery, 204

fascia closure, 205

Fruchaud's myopectineal
orifice, 200

myopectineal orifice, mesh
coverage, 200–201

operating room setup and
cannula sites, 202–203

placement, mesh behind
defect, 200–201

preperitoneal dissection
balloon, insertion, 202–203

preperitoneal space,
operating, 204

Intercostal

arteries, 97–98

connective tissue, 100

veins, 98

Internal thoracic artery, 94, 98

Interrupted suture technique, 718

Intrahepatic duct system

caudate lobe, 522

left hepatic, 520, 522

terminology and pattern, 520–521

Intussusception

reduction, 415–416

surgical anatomy, 410–411

Ivor Lewis approach

abdominal portion, 285–287

operative approach, 285

thoracic portion

intrathoracic esophagogastric
anastomosis, 289

mobilization, mid-esophageal
tumor, 288

right thoracotomy, 287

Ivor Lewis–McKeown (Three-Stage)
esophagectomy, 290

J

Jejunostomy

feeding, 418

Witzel, 416–418

Jejunum

and ileum, 405

loop, proximal, 416

prevention, torsion, 418

K

Kocher maneuver, 644–645

Kugel hernia repair

dissection area, 196–197

muscle-splitting incision,
195–196

patch insertion, 197–198

patch, position, 198–199

L

Laparoscopic adrenalectomy

bilateral, 664

and cholecystectomy, 652

lateral decubitus position, 653

- left
 - cannula sites and uses, 654, 657, 660, 664
 - excised adrenal gland, placement, 658, 660
 - Hockey-stick incision, initial dissection, 661, 664
 - inferior vena cava, dissection, 661, 663
 - lateral decubitus position, patient, 653
 - left adrenal vein, 657, 659
 - ligation, right adrenal vein, 662, 664
 - “opening a book”, 655, 658
 - operating room setup, 654, 655
 - patient positioning, 654
 - specimen retrieval sac, 658, 661
 - splenorenal and splenicocolic ligaments, initial incision, 654, 657
 - right, 660–664
 - transabdominal approaches, 653
- Laparoscopic appendectomy
 - division, mesoappendix, 428, 429
 - location, incision and port placement, 428, 429
 - removal, appendix, 428, 430
- Laparoscopic vertical sleeve gastrectomy
- Foley catheter, orogastric tube, sequential compression devices
 - closure, mesenteric defect, 731, 733
 - completed roux-en-Y gastric bypass, 736, 737
 - completion, anastomosis, 734, 735
 - creation, roux limb, 730, 731
 - gastric pouch, creation, 734, 735
 - ice chips, 741
 - on-table leak test, 740
 - roux limb, 730, 731, 734, 735
 - stapler, fired, 731, 732, 739
 - patient positioning, 738
- Large intestine wall
 - anal canal, 437–441
 - and colon
 - epiploic appendages, 434
 - transverse colon, 434, 436
 - rectum, 437
- Left hepatic vein (LHV)
 - and MHVs, 529, 538, 560
 - preparation and isolation, 540
- Left lobectomy
 - ligaments division, 540, 541
 - lobar division, 540, 543
 - parenchyma, 540, 542
 - portal vein, 540, 542
 - resection line, 540, 544
 - and segmentectomy, 539–540
 - vessels ligation, 540, 541
- Lesion
 - benign (*see* Benign, skin lesions)
 - malignant (*see* Malignant, skin lesions)
- Lichtenstein tension-free herniorrhaphy, 206–207
- LIFT. *See* Ligation of intersphincteric fistula tract (LIFT)
- Ligament of Treitz
 - configurations, suspensory, 346, 347
 - duodenum, 357, 359
 - and inferior mesenteric vein, 346, 353
- Ligation of intersphincteric fistula tract (LIFT)
 - intersphincteric groove, 502, 503
 - probe, 502–503
 - wound, 502, 503
- Liver
 - anomalies, 523
 - excisional biopsy, 536–537

Liver (*cont.*)

- hepatic resections (*see* Hepatic resections, liver)
- morphology
 - caudate lobe, 519
 - hepatic artery ligation, 520
 - intrahepatic duct system, 520–522
 - left lobe, 519
 - true lobulation and segmentation, 518–519
- needle biopsy, 536
- perihepatic spaces (*see* Perihepatic spaces)
- peritoneal reflections and ligaments, 516–518
- resection and trauma
 - elective operations, 545
 - formal lobectomy, 546
 - hepatic salvage, 545, 550
 - hepatic triad, 545, 549
 - hepatic wound, 547, 548
- segment-oriented liver resection (*see* Segment-oriented liver resection)
- topographic anatomy
 - diaphragmatic surface relations, 515
 - visceral surface, 515–516
- vascular system (*see* Vascular system, liver)

Lobectomy

- left (*see* Left lobectomy)
- right (*see* Right lobectomy)

Loupes, 716

Low anterior resection

- connectors, 475–476
- presacral fascia, 471–472
- proximal colon and distal rectum, 475, 476
- resection sites, 472–473
- stable line, 473, 475
- triple stable procedure, 473, 475
- vessels ligation, 471

Lower extremity bypass

- infrainguinal region, 666
- popliteal artery, 667
- profunda femoris, 666–667
- saphenous vein, 668
- vascular anatomy, 666–667

Lumbar hernia

- gluteal fascia flap, securing, 214–215
- muscles approximation, 214–215
- sites, 213
- suturing patch, 214

Lumpectomy, 111–112

Lymphatic drainage

- deep lymphatics pathways, 531
- superficial, 530

Lymphatics and left thoracic ducts, 28–31

M

Malignant, skin lesions

- incision, removal, 8–9
- melanoma
 - lesion thickness and regional lymph node staging, 10
 - regional lymphadenectomy, 9
 - staging, 9
 - tumor thickness, 9
- resection, 8–9

Malleolus, 725

Mammary

- node, 99
- tissue, 104, 111

Mastectomy

- long thoracic nerve, 102
- medial anterior thoracic nerve, 102
- modified radical
 - axillary vein and artery, 106, 109
 - bed of, 106, 110
 - breast contour, 104–105
 - dissection, axillary, 106, 108

- drains placement, 106, 111
 - evacuation, axillary contents, 106, 110
 - exposed axilla, 106, 108
 - flap formation, 104–107
 - Jackson–Pratt drains, 106, 111
 - pectoralis minor, 106, 109
 - structures, 104–105
 - pectoralis major and minor muscles, atrophy, 102
 - thoracodorsal nerve, 101
 - triangular bed of modified radical, anatomy, 100–102
 - McBurney incision, 156
 - Meckel's diverticulum
 - location, ileum and frequency, 409
 - resection, 414, 417
 - types, 409, 410
 - Median arcuate ligament, 222–223
 - Mediastinum
 - left, 224, 225
 - right, 223, 225
 - thorax, 224, 226
 - Mesentery
 - appendix, 419
 - length, 405, 419
 - thrombosis, 411
 - Mesh groin hernia
 - anterior approach, repair
 - Bard plug and patch repair, 207–211
 - Lichtenstein tension-free herniorrhaphy, 206–207
 - posterior approach, repair
 - Kugel hernia repair, 195–198
 - laparoscopic inguinal hernia, 200–205
 - Nyhus procedure, 192–195
 - recurrent hernias, 195
 - stoppa procedure, 198–199
 - Mesoappendix
 - division, 422, 424, 429
 - ligation site, 424, 425
 - Meso-esophagus, 259
 - Metacarpal, 711
 - MHV. *See* Middle hepatic vein (MHV)
 - Microirrigation syringes, 715
 - Microsurgery
 - instruments, 715
 - methods, magnification, 716
 - neuroentubulation (*see* Neuroentubulation procedure)
 - procedure, nerve repair, 720–721
 - psychomotor skills training, 716
 - surgical setup, 717
 - suture materials, 717
 - vascular repair (*see* Vascular repair procedure)
 - Microsutures, 715
 - Middle hepatic vein (MHV)
 - and LHV's approach, 529
 - and RHV, 559
 - “Milking test”, 718
 - Modified radical mastectomy. *See* Mastectomy
 - Muscle biopsy, 730
- N**
- Nail
 - bed, 6
 - ingrown toenail
 - conservative treatment, 13
 - definition, 12
 - partial excision, 14–16
 - radical excision, 16
 - total excision (avulsion), 14
 - structures, 6
 - Neck
 - branchial cleft (*see* Branchial cleft)
 - facial nerve, identification, 48
 - fasciae
 - deep fascia, 25–28
 - superficial fascia, 25

Neck (*cont.*)

- lymphatics and left thoracic ducts, 28–31
- masses, 52
- parathyroid
 - gland, anatomy, 42
 - reoperation, 70–71
- parathyroidectomy, 68–69
- parotidectomy, 52–57
- parotid gland (*see* Parotid gland)
- radical neck dissection (*see* Radical neck dissection)
- spaces, 28
- submaxillary gland, resection, 57–60
- thyroid
 - gland (*see* Thyroid gland)
 - reoperation, 69–70
- thyroidectomy, 60–68
- trachea
 - anatomic landmarks, 43
 - nervous system, 43
 - vascular system, 42
- tracheostomy, 86–89
- Nerve repair procedure, 720–721
- Nerve supply, pancreas, 371–372
- Neural “hammocks”, 19
- Neuroentubulation procedure, 721–722
- Neuropathy, 725
- Nyhus procedure
 - direct, indirect and femoral inguinal hernias, 194–195
 - groin hernias, sites, 192–193
 - posterior inguinal wall, 192
 - preperitoneal space, operative approach, 192–193
 - transverse fascial incision, 194

O

- Oophorectomy, 701
- Ovary
 - adhesion barriers, 700

- Babcock clamp, 700
- cyst
 - baseball stitch, 700, 701
 - benign, 699, 700
 - dissection plane, 699–700
 - postmenopausal patient, 701
- infundibulopelvic ligament, 693

P

- Palm, 710
- Pancreas
 - anterior relationships, 361, 362
 - bare areas, duodenum, 361, 362
 - body, 365
 - drainage, pancreatic pseudocyst (*see* Pancreatic pseudocyst)
 - ducts (*see* Pancreatic ducts)
 - ectopic and accessory, 372
 - evaluation, resectability, 373
 - exploration, 373–374
 - head, 363–364
 - neck, 365
 - nerve supply, 371–372
 - pancreatectomies (*see* Pancreatectomy)
 - posterior relationships, 362, 363
 - puestow procedure (*see* Puestow procedure, pancreas)
 - tail, 365–366
 - transduodenal-pancreatic biopsy, 395, 396
 - uncinate process, 364
 - vascular system (*see* Vascular system)
- Pancreatectomy
 - distal (*see* Distal pancreatectomy)
 - total pancreatectomy (with/without splenectomy), 384
 - Whipple procedure (*see* Whipple procedure)
- Pancreatic arcades, 370
- Pancreatic ducts

- duodenal papilla (*see* Duodenal papilla)
- variations, 366, 367
- Pancreaticoduodenectomy. *See* Whipple procedure
- Pancreaticojejunostomy
 - end-to-end, 384
 - side-to-side, 375, 377
- Pancreatic pseudocyst
 - external drainage, 403
 - internal drainage
 - cystoduodenostomy, 401
 - cystogastrostomy (*see* Cystogastrostomy)
 - cystojejunostomy, 401–402
 - roux-en-Y, 396–398
- Paraduodenal fossae, 345, 353
- Paraesophageal hernia
 - anterior approximation, 240, 242
 - excision of sac, 240–241
 - fundic wrap, 243, 244
 - posterior approximation, 241, 242
 - reduction, stomach and esophagus, 240–241
 - suturing, fundus, 243
- Parasympathetic nerves
 - division
 - anterior gastric, 303–304
 - celiac, 305
 - hepatic, 304, 305
 - posterior gastric, 304
 - vagal structure identification, hiatus
 - relation, anterior and posterior vagal trunks, 302, 303
 - truncal vagotomy, 302, 304
 - vagal structures, thorax and abdomen, 301, 302
- Parathyroid
 - gland, anatomy, 42
 - reoperation, 70–71
- Parathyroidectomy, 68–69
- Parenchymal transection technique, 554–555
- Parotidectomy
 - deep lobe, resection, 55–56
 - facial nerve identification, 54–55
 - formation, flaps, 52–53
 - inverted T-incision, 52–53
 - modified Y incision, 52–53
 - radical, 57
 - superficial lobe, resection, 55–56
- Parotid gland
 - relations, 43–44
 - structures traversing
 - arteries, 45
 - auriculotemporal nerve, 47
 - facial nerve, 44–45
 - great auricular nerve, 46
 - lymphatics, 46
 - parotid bed, 47
 - veins, 45–46
- Pectoralis
 - major and minor muscles, atrophy, 102
 - minor, 106, 109
- Pedicle
 - anterior and posterior, 558
 - falciform ligament, 561
 - and hepatic veins, 555
 - right and left, 551
- Pelvis, 689, 696
- Peptic ulcers
 - attachment, omental plug, 311, 312
 - closure, layers, 311, 312
- Perforated ulcers
 - gastric, 313
 - peptic (*see* Peptic ulcers)
- Perihepatic spaces
 - abscess, anterior portion, 531, 532
 - anterior portion, left suprahepatic, 531, 533
 - left infrahepatic, 531, 535
 - posterior portion, left suprahepatic, 531, 534
 - right infrahepatic, 531, 534

Perihepatic spaces (*cont.*)
 right suprahepatic, 531, 533
 suprahepatic and subhepatic,
 531, 532
 upper abdomen, 531

Peritoneal reflections and ligaments,
 liver
 anterior abdominal wall, 516
 duodenum, 516, 518
 rib levels, 516, 518
 triangular ligament, 516, 517
 visceral surface, 516, 517

Pharyngoesophageal diverticulum
 clamping, 268, 270
 and cricopharyngeal muscle
 closure, 268, 270
 division
 omohyoid muscle, 268, 269
 subcutaneous fascia, 268
 elevation, 268, 269
 exposure, periesophageal space,
 269, 271

Pharyngoesophageal junction
 cervical, 256–257
 formation, muscular pharyngeal
 wall, 254, 255
 musculature, 255, 256
 thoracic (*see* Thoracic esophagus)

Pheochromocytoma, 642, 645

Phrenoesophageal ligament
 coronal section, 261, 262
 development, 262

Pilonidal cyst
 incised and removed, 511, 513
 marsupialization and packing,
 wound, 512, 513
 positioning, patient, 511–512
 sinus, 511, 512

Porta hepatis
 hepatotomies, 560
 right hepatic artery, 524–525

Portal vein
 hepatic duct and artery, 526–527
 intrahepatic distribution, 527–528

PPH. *See* Procedure for prolapse and
 hemorrhoids (PPH)

Precision techniques, 716

Procedure for prolapse and
 hemorrhoids (PPH)
 anoscopic evaluation, 507–508
 hemorrhoid, 510
 lower rectum examination, 509
 retraction, bander, 510, 511

Proctocolectomy
 anastomosis, 478, 479
 description, 477
 ileoileal pouch, 478–479
 J-pouch construction, 477, 478
 resection site, 477–478
 “Proximal gastric surgical unit”, 295

Psychomotor skills training, 716

Puestow procedure, pancreas
 completion, 378
 division, jejunum, 375, 376
 exposure, lesser sac, 374
 incision
 electrocautery, 375
 transverse mesocolon, 375, 376
 jejunojejunostomy, 378
 side-to-side
 pancreaticojejunostomy,
 375, 377
 suture, jejunal loop, 375, 377

Pyloromyotomy, 346

Pyloroplasty
 Finney, 316
 Heineke–Mikulicz, 315

Pylorus
 definition, 297
 incision, 320, 321
 stenosis, 314
 T-closure, 320

R

Radical neck dissection
 anterior triangle, 77, 79
 deep cervical fascia, 77

- posterior triangle, 79–80
 procedure
 anterior triangle, dissection, 83, 85
 carotid sheath removal, 83, 85
 incision, 80–82
 omohyoid muscle, transection, 82, 84
 overlying fascia, exploration, 82, 84
 posterior triangle, exploration, 82–83
 specimen removal, 83, 86
 superficial cervical fascia, 77
 synopsis, 78
- Radius, 707
- Rectum
 and anal canal
 arterial supply, 444, 446
 median sacral artery, 446–447
 and anus
 nerve supply, 453–454
 venous drainage, 447
 arteries
 inferior mesenteric, 443
 marginal, 444–445
 middle colic, 443
 superior mesenteric, 443, 444
- Recurrent hernias, 195
- Relaxing incision, 184
- Renal fascia, 635, 641–642
- Replantation, 715, 716
- Retrocolic roux-en-y gastric bypass
 diet, 729
 endoscopy, 729–738
 postoperative, 736–738
 tests, 729
- RHV. *See* Right hepatic vein (RHV)
- Right hemihepatectomy
 Glissonian sheaths, 555, 557
 hemihepatectomy (*see* Hemihepatectomy)
 hepatomies, 555
 hilar structures, 555, 556
 operations, left hemiliver, 560
 posterior approach, 555, 556
 right-sided segment-oriented resections, 559–560
 sheaths, 558, 559
- Right hepatic vein (RHV)
 ligation, 529, 558
 preservation, 559
- Right lobectomy
 hepatic duct, 544, 546
 IVC, 545, 547
 ligaments
 coronary, 544, 545
 falciform, 545, 547
 triangular and coronary, 543
- S**
- Salpinx, 689
- Saphenous vein
 anatomic tunnel, 684
 arteriotomy, 681
- Scalp
 nerves, 4–5
 structures, 2–3
 vascular system
 arterial supply, 3–4
 lymphatic drainage, 4–5
 venous drainage, 3–4
- Segmentectomy
 4A and 4B, Glissonian approach, 562
 left lateral, 543
 lobectomy, left, 538
- Segment-oriented liver resection
 brisbane terminology, 550–553
 Couinaud, 550, 553
 Glissonian approach, 551
 parenchymal transection technique, 554–555
 principle, 554
 right hemihepatectomy (*see* Right hemihepatectomy)
- Seldinger technique, 723

- Short esophagus, 233, 235, 237
- Shouldice technique
 - approximation
 - deep part, 181–183
 - pubic tubercle, internal ring, 182–183
 - posterior wall, incision, 181
- Sinuses, 48–50
- Skin
 - nervous system, 1–2
 - structures, 1–2
 - vascular system, 1
- Sliding hernia
 - fundic wrap, 237, 239
 - hiatus, repair of, 237–238
 - indirect inguinal
 - excess tissue, trimming, 179–180
 - hernia sac, location, 179–180
 - repair, 178–179
 - types, 178–179
- Penrose drain, placement, 237–238
- suturing wrap, 240
- Small intestine
 - anatomy, ileocecal valve, 407
 - exposure and mobilization, 411
 - feeding jejunostomy, 418
 - intussusception (*see* Intussusception)
 - layers, wall, 406
 - length, 405
 - Meckel's diverticulum (*see* Meckel's diverticulum)
 - mesentery, 405
 - small bowel resection, tumor
 - ligation, vessels, 412, 413
 - orientation, GIA stapler, 414
 - position, noncrushing
 - clamps, 412
 - transection and stapling, 412, 413
 - vascular system (*see* Vascular system, small intestine)
- Witzel Jejunostomy, 416–418
- Sphincteroplasty
 - duodenal Kocherization, 590, 592
 - duodenorrhaphy, 593, 595
 - duodenotomy, electrocautery, 590, 592
 - septotomy site, 593, 594
 - sphincterotomy and mucosa, 593, 594
 - stay sutures placement, 590, 593
- Spigelian (lateral ventral) hernia
 - anterior abdominal wall
 - hernias, 170
 - closure, defect, 171, 173
 - entities, 170–171
 - transversus abdominis broken, 171–172
- Spleen
 - accessory spleens, 614–615
 - chief ligaments
 - and minor, 605, 609
 - pedicle, 606, 610
 - peritoneal attachments, 605, 608
 - location, 605, 606
 - lymphatic drainage, 611, 613
 - minor ligaments
 - pancreaticosplenic, 606, 608
 - splenic flexure, colon, 606, 611
 - peritoneum, 605, 607
 - segmental anatomy, 613
 - splenectomy (*see* Splenectomy)
 - splenic
 - artery, 609, 610
 - borders, 605, 607
 - vein, 611–613
- Splenectomy
 - autotransplantation, 622, 624
 - hematoma, 621–622
 - hemorrhage secondary, trauma, 616
 - hypersplenism, 616
 - intrasplenic dissection, 622, 623

- laparoscopic
 - cannula sites, 628
 - excised spleen, 631, 632
 - gastric vessels, 629
 - lateral approach, 626
 - left lateral decubitus, 627
 - retrieval sac, 631, 633
 - splenic hilum, 630
 - splenorenal ligament, 630–631
- splenic
 - mesh wrap, 622–623
 - pedicle (*see* Splenic pedicle)
- trauma, 621
- Splenic artery
 - description, 609, 610
 - temporary occlusion, 624
- Splenic pedicle
 - gastric arteries and vein, 616, 617
 - incision, 616, 617
 - ligation, splenic vein, 619
 - peritoneal cavity, 618
 - posterior approach, 619, 620
 - splenic artery and vein, 620–621
- Splenic porta, 647
- Splenic vein
 - anatomy, 611, 613
 - and splenic artery, 611–612
- Splenicocolic ligament, 641, 654, 657
- Splenomegaly, 615, 625
- Splenorenal ligament, 365, 605, 606, 618, 625, 630, 641, 654, 657
- Splenorrhaphy
 - omental fixation, 621, 622
 - partial splenectomy, 621–624
- Stamm gastrostomy
 - placement, catheter, 306, 307
 - purse-string sutures, anterior wall, 306
- Stomach
 - gastrectomies (*see* Gastrectomy)
 - gastric units (*see* Gastric units)
 - gastrojejunostomy, 307–311
 - gastrostomy, 306–307
 - ligaments
 - gastrocolic, 299
 - gastrophrenic, 299
 - gastrosplenic, 299
 - hepatoduodenal, 298
 - hepatogastric, 298
 - parasympathetic nerves (*see* Parasympathetic nerves)
 - perforated ulcers (*see* Perforated ulcers)
 - pyloric stenosis, 314
 - pyloroplasty (*see* Pyloroplasty)
 - sympathetic nerves, 305
 - vagotomies (*see* Vagotomy)
 - vascular system (*see* Vascular system)
 - wall, gastric, 298
- Stoppa procedure, 198–199
- Subclavian vein catheter insertion, 723–724
- Submammary, 94
- Submaxillary gland, resection
 - blunt dissection, 60, 61
 - exposure, 60
 - facial artery, vein and nerve, 59
 - sternocleidomastoid muscle (SCM), 57
 - superficial fascia, incision, 58
 - surgical field, 58
- Subscapular
 - identification and protection, 106
 - posterior wall, 93
 - scapular nodes, 100
 - thoracodorsal nerve, 101
 - triangular bed formation, 100
- Superficial fascia, 25
- Sural nerve biopsy, 725
- Surgery
 - benign lesion, excision, 11–12
 - malignant lesion, excision, 12

Surgery (*cont.*)

- temporal artery, biopsy
 - anatomical landmarks, 12, 13
 - arterial segment removal, 12, 14
 - incision, 12, 13

Sympathetic nerves, 305

T

Thenar muscles, 704, 710

Thoracic duct, 28–31

Thoracic esophagus

- anatomic weak areas, 259
- contents disposition, 257, 258
- surgical considerations, 259

Thoracoabdominal approach, 651

Thyroglossal duct

- cystectomy
 - closure, defect, 74–75
 - cyst dissection, 71–72
 - locations, 71–72
 - resection, 73–74
 - surgical field preparation, 73–74
- tract, diagrammatic
 - presentation, 71, 73
- persistent remnants, 41

Thyroidectomy

- breaking, attachments, 64
- deep fascia opening, 62–63
- flaps elevation, 62
- gland, exposure and mobilization, 65
- incision, superficial fascia, 61–62
- location, incision, 61
- separation and division, 65
- sternohyoid muscles, 64
- strap muscles elevation, 63–65
- total lobectomy
 - exposure, 66
 - ligation, 67
 - retraction, 67
 - subtotal, 68

Thyroid gland

- arterial supply and parathyroid glands, 34–36
- capsule, 33–34
- recurrent laryngeal nerves
 - branching, 40
 - exposure, 37–38
 - internal and external branches, relation, 41
 - postoperative hoarseness, 39
 - sympathetic ganglion, 39–40
 - vulnerability, 39
- thyroglossal duct, persistent remnants, 41
- venous drainage, 36
- vestiges, 33

Thyroid reoperation, 69–70

Total abdominal laparoscopic

- colectomy
 - description, 492
 - synopsis, 492–493

Trachea

- anatomic landmarks, 43
- nervous system, 43
- vascular system, 42

Tracheostomy

- incising trachea, 88
- incision, 87
- position, 86
- skin preparation, 86
- thyroid isthmus, 87
- tracheal opening, 88–89

Transduodenal-pancreatic biopsy, 395, 396

Traumatic diaphragmatic hernia, 243

Triple stable procedure, 473

Trisegmentectomy, 538, 540, 544, 563

U

Ulna

- artery and nerve, 706
- palmar, 708

- Umbilical hernia
 herniorrhaphy, 167–168
 insertion, patch, 168–169
 large, 168–169
 straps, 168–169
 suturing, 168–169
- Uncinate process, 364
- Uterus, tubes and ovaries
 hysterectomy and BSO, 691–699
 ovarian cystectomy, 699–701
 relations and positions, 689
 vascular system
 arterial supply, 690
 lymphatic drainage, 690
 venous supply, 690
- V**
- Vagotomy
 extended proximal, 342–343
 parietal cell, 341, 344
 selective, 340
 truncal, 340, 343–344
- Vagus nerve. *See* Parasympathetic nerves
- Vascular repair procedure
 assessment, patency, 718–719
 dissection/preparation, 717
 end-to-end arterial and venous
 back wall, sutured vessel,
 718, 719
 intermediate suture placement,
 718, 719
 interrupted suture
 technique, 718
 vascular segment, 717
- Vascular system
 abdominal aortic aneurysm repair,
 665–666
 arteries
 blood supply, 348–349
 pancreaticoduodenal arcades,
 348, 350
- AVF, 685–686
 brachio-axillary arterial venous
 graft, 687
 branches, splenic artery, 370
 carotid endarterectomy, 665,
 669–674
 caudal pancreatic artery, 370
 dorsal pancreatic arcade, 370
 elective infrarenal abdominal
 aortic aneurysm repair,
 675–682
 extrahepatic biliary tract
 arterial supply, 573–574
 lymphatic drainage,
 574, 575
 venous drainage, 574, 575
 femoropopliteal bypass (*see*
 Femoropopliteal bypass)
- liver
 blood, sources, 523
 hepatic artery, 523–526
 lower extremity bypass,
 666–668
 lymphatic drainage, 351, 352,
 371, 421
 nerve supply, duodenum, 351
 pancreatic arcades, 370
 small intestine
 arterial supply, 407, 408
 lymphatic drainage, 409
 venous drainage, 407
- stomach
 arterial supply, 299–300
 lymphatic drainage, 300–301
 venous drainage, 300
 supply, arterial, 420
 transverse pancreatic artery, 370
 venous
 drainage, 350, 351,
 370–371
 supply, 420
- Venous thrombosis, 685
- Volar, 711–713

W

Whipple procedure

- division, parenchyma, 387, 388
- duodenojejunostomy, 389, 391
- harvest, specimen, 387, 388
- placement, sutures, 389, 390
- position, 385
- preparation
 - common hepatic ducts, 387
 - surgery, 385

protection, head

- of pancreas, 386

specimen, 385

tacking, jejunum, 389, 391

uncinate process, 387–388

Witzel Jejunostomy

catheter, 416, 417

selection, loop, 416

seromuscular tunnel, 416, 418

wall, incision, 416, 417