

Index

A

Acid–base disorder, 301, 306, 307, 309, 311
Acid-base physiology, 289, 290, 292, 293, 295, 297–299
 buffers, 290–292
 collecting duct, 295
 distal tubule, 294
 filtered HCO_3^- , reabsorption of, 293
 HCO_3^- reabsorption, regulation of, 295
 kidneys, 292
 lungs, 292
 proximal tubule, 293
Acidosis
 due to chronic kidney disease, 363
Acute Decompensated Heart Failure (ADHF)
 edema management, 62, 63
Acute hypernatremia
 treatment of, 142
Acute hyperphosphatemia, 257
Acute hypocalcemia, 208
Acute kidney injury (AKI), 13, 219, 253, 320
 differential diagnosis, 18
 FENa, 14
Acute respiratory acidosis, 410, 413
 physiology, 407, 409
Acute respiratory alkalosis, 422
 causes of, 422
Acute severe symptomatic hypophosphatemia, 246, 247
Acute symptomatic hyponatremia
 treatment of, 113, 114
Acute tubular necrosis (ATN), 14
Addison's disease, 179
Adenosine triphosphate (ATP), 233
Adrenal hyperplasia, 180
Adult respiratory distress syndrome (ARDS), 41
Albumin, 36

Aluminum hydroxide, 255
Ambulatory patients in SIADH
 asymptomatic chronic hyponatremia,
 treatment of, 115, 116
Angiotensin-converting enzyme-inhibitors
 (ACE-Is), 63
Angiotensin receptor blockers (ARBs), 63
Anion gap (AG), 301, 304
Antidiuretic hormone (ADH), 45, 101
 actions, 94
 mechanism, 94
 release control, 92
 structure and synthesis, 92
Apparent mineralocorticoid excess syndrome
 (AME), 164
Aquaporin-1 (AQP-1), 28
Aquaporins distribution
 in kidney, 93
Asymptomatic hyponatremia in hospitalized
 patients
 treatment of, 114, 115
Atomic weight, 1
Autosomal dominant hypophosphatemic
 rickets (ADHR), 241
Autosomal dominant proximal RTA, 351
Autosomal recessive hypophosphatemic
 rickets (ARHR), 241
Autosomal recessive proximal RTA, 351

B

Balanced electrolyte solutions, 36
Bartter syndrome, 166
Beer potomania, 109
Biliary and pancreatic fistulas, 377
Body fluid compartments, 6
Buffers, 292

C

Ca²⁺-Sensing Receptor (CaSR), 194
 calcitonin, 196
 calcitriol, 195
 PTH, 195
 Ca acetate, 255
 Calcitriol, 221
 Calcium (Ca²⁺)
 clinical manifestation, 222
 Calcium (Ca²⁺), 193
 channel (TRPV5), factors, 198
 collecting duct, 198
 distal and connecting tubule, 197
 homeostasis, 193, 194, 196
 plasma, 196
 proximal tubule, 196
 renal handling of, 196, 197, 198
 thick ascending limb, 197
 transport, factors, 198
 Carbonic anhydrase (CA) deficiency, 352
 Cardiogenic shock, 41
 Cardiorenal syndrome (CRS), 63
 Cellular metabolism, 265
 Central diabetes insipidus
 (CDI), 136, 143
 Cerebral edema, 110
 Cerebral salt wasting (CSW), 106
 Cholestyramine, 379
 Chronic hypernatremia
 treatment of, 143
 Chronic hyperphosphatemia, 258
 Chronic hypocalcemia, 209
 Chronic hypophosphatemia, 247
 Chronic kidney disease (CKD5), 179
 Chronic kidney injury (CKD), 253
 Chronic respiratory acidosis, 413, 415
 Chronic respiratory alkalosis, 424
 causes of, 422
 Chronic symptomatic hyponatremia
 treatment of, 114
 Clinical manifestations
 of hypermagnesemia, 285
 of metabolic acidosis, 319, 320
 Colloid IV fluids, 33
 Colloids
 albumin, 36
 Complete blood count (CBC), 60, 81
 Congestive heart failure (CHF), 59
 African-American patients, 63
 clinical evaluation, 59
 effective medical therapy, 61
 Na⁺-reabsorption, 59
 Connecting tubule (CNT), 25
 Cortical collecting duct (CCD), 26

Crystalloid IV fluids, 33
 Cytokines, 221

D

Dehydration, 87, 88
 Diabetic ketoacidosis (DKA), 327
 diagnosis of, 335
 Diarrhea
 acid-base disorders, 376
 treatment of, 376, 377
 types of, 375
 water and electrolyte loss, 374
 Dilutional acidosis, 362
 Disorders of extracellular fluid, 85, 87
 Disorders of water balance, 101, 105,
 108–110, 112–116
 Distal Convoluted Tubule (DCT), 25, 268
 renal handling of Mg²⁺, factors, 268
 Distal nephron
 water reabsorption, 28
 Distal tubule, 25, 26, 295
 collecting duct, 26, 27
 Diuresis
 solute, 45
 water, 45
 Diuretics, 45
 classification, 45
 clinical uses, 48
 complications, 49
 physiological effects, 45
 D-Lactic acidosis, 326, 327, 338

E

Ecstasy, 108
 Edema, 79, 81
 plasma volume leaks, 79
 Edema formation, 53, 56, 57, 80
 Edema management, 61
 ADHF patient, 62, 63
 ambulatory patient, 61, 62
 Edema treatment, 71
 ascites formation, 71, 72
 ascites treatment, 72
 diuretics, 72, 73
 salt restriction, 72
 Effective arterial blood volume (EABV)
 concept of, 55, 56
 Electrolyte composition, 2
 Electrolyte-free water clearance (TeH₂O), 16
 calculation, 98
 Electrolyte therapy, 39
 Endogenous acids, 290
 Endogenous bases, 290

- Epithelial Na⁺ channel (ENaC), 79
- Exercise-induced hyponatremia (EIH), 108
- Extracellular fluid (ECF), 5, 6, 21, 33
 - osmolarity, 7
 - water movement, 7
- Extracellular fluid volume
 - depletion of, 53
 - maintenance of, 21
- Extracellular fluid volume disorders, 69, 71
- F**
- Familial hypocalciuric hypercalcemia (FHH), 218
- Familial tumor calcinosis (FTC), 256
- Fanconi syndrome, 352
 - causes, 352
 - defined, 352
 - laboratory and clinical manifestations, 352
- FGF-23, 236
- Fluid administration
 - selection and route of, 142
- Fluid management in the elderly, 39
- Fluid therapy
 - goals of, 37
 - septic shock, 40
 - special conditions, 39
 - volume contraction, 39, 40
- Fractional Excretion of Na⁺ (FENa)
 - diuretics patients, 14
- Fractional Excretion of Na(FENa), 13
 - AKI patients, 14
- Fractional excretion of Urea Nitrogen (FEUrea), 13, 14
- G**
- Gastrointestinal bleeding
 - hemorrhagic shock, 40
- Gastrointestinal (GI) tract
 - intestinal electrolyte transport, 371, 373, 374
 - water handling, 371
- Gestational diabetes insipidus (GDI), 136, 138
- Gitelman syndrome, 166
- Glomerular filtration rate (GFR), 45, 88
- Granulomatous diseases, 221
- H**
- HATPase, 293
- Hemorrhagic shock
 - gastrointestinal bleeding, 40
 - trauma, 40, 41
- Henderson equation, 301–303, 308, 311
- Henle's loop, 166, 294
- Hepatorenal syndrome (HRS), 74
 - diagnosis of exclusion, 74
 - other treatment modalities, 75
 - pathogenesis of, 74
 - renal impairment, 74
 - treatment, 74, 75
 - vasoconstrictor therapy, 75
- Hereditary hypophosphatemic rickets with hypercalciuria (HHRH)
 - due to type IIa mutation, 242
 - due to type IIc mutation, 242
- Hypercalcemia, 194, 196, 198, 215, 220, 221
 - causes of, 217, 219, 220, 222
 - Causes of, 215
 - diagnosis, 222, 223
 - treatment, 223, 224
- Hyperchloremic metabolic acidosis, 347, 363
 - non-renal cause, 374
- Hyperchloremic metabolic acidosis (HCMA), 371, 376
- Hyperkalemia, 177
 - clinical manifestations, 182
 - treatment, 183, 184
- Hyperkalemic distal RTA, 358, 359
 - causes, 359
 - diagnosis of, 361
 - treatment of, 361, 362
- Hyperkalemic periodic paralysis (HyperPP), 177
- Hyperlipidemia, 79
- Hypermagnesemia, 285, 287
 - clinical manifestations of, 285
 - treatment of, 286, 287
- Hypernatremia, 133
 - brain adaptation, 135
 - diagnosis of, 135
 - mechanisms of, 133, 134
 - patients at risk for, 133, 134
 - patient with, 134, 135
 - signs and symptoms of, 136
 - specific causes of, 136, 137, 139
 - treatment of, 140
- Hyperosmolality, 133, 139
- Hyperphosphatemia, 256
 - causes of, 253, 256, 257
 - clinical manifestations of, 257
 - diagnosis of, 257
 - treatment, 257
- Hypervolemic hyponatremia, 143
- Hypoalbuminemia, 79
- Hypocalcemia, 196, 201
 - causes of, 201, 203, 204
 - clinical manifestations, 207–209
 - diagnosis, 204, 206

Hypokalemia, 161, 166
 causes of, 163, 165
 Causes Of, 161
 clinical manifestations of, 168
 treatment of, 168, 169

Hypokalemic distal, 354
 backleak of H⁺, 355
 causes, 356
 characteristics, 354
 defective H⁺ secretion, 354
 hypokalemia, 355
 nephrocalcinosis and nephrolithiasis, 355, 356
 pathophysiology, 354
 toluene ingestion, 356

Hypokalemic distal RTA
 diagnosis of, 357
 treatment of, 358

Hypokalemic-hypertensive disorders, 163

Hypokalemic periodic paralysis (HypoPP), 161, 163

Hyponatremia, 13, 14, 101
 causes of, 106, 108, 109
 consequences of, 110–112
 development of, 101
 diagnosis of, 13, 110
 pathophysiology of, 105
 patient with, 101
 signs and symptoms of, 110

hyponatremia, treatment of, 112, 114, 115

Hypoparathyroidism, 201, 203

Hypophosphatemia
 causes of, 239, 242, 243
 clinical manifestations of, 243
 diagnosis, 243, 245
 in critical care units, 243
 treatment, 245, 247

Hyporeninemic Hypoaldosteronism (SHH)
 syndrome of, 180

Hypovolemic hyponatremia, 143

I

Inner medullary collecting duct (IMCD), 26

Intracellular fluid (ICF), 6, 33
 osmolarity, 7
 water movement, 7

Intravenous fluids (IVF), 33

Isolated proximal RTA
 causes of, 351

J

Jansen's disease, 218

K

Kidneys, 292
 KLOTHO, 237

L

Lanthanum carbonate, 255

Large volume paracentesis (LVP), 73

Laxative abuse, 378

Liddle syndrome, 164

Lipiduria, 79

Liver cirrhosis, 69
 complications, 71
 stages of, 71

L-Lactic acidosis, 321, 326

Loop of Henle
 water reabsorption, 28

Lungs, 292

M

Magnesium (Mg²⁺), 265
 homeostasis, 265
 proximal tubule, 267
 renal handling of, 266, 267

Magnesium (Mg) carbonate, 256

Maintenance fluid therapy, 38

Malignancy, 220

Malignant hypertension, 163

Medullary center, 409

Metabolic acidbase disorder, 292

Metabolic acidosis, 306, 307, 309–311, 430, 432, 433, 436

Metabolic alkalosis, 307, 310, 311, 430, 432, 434, 436, 437
 diagnosis, 393

Milk (calcium)-alkali syndrome, 219

Mineralocorticoid receptor (MR), 164
 activating mutations of, 165

Mixed acid-base disorders
 analysis of, 434, 436
 treatment of, 436, 437

Mixed Acid-Base Disorders
 Analysis Of, 430

Multiple endocrine neoplasia (MEN) type 1
 and type 2a, 217

N

NaCl handling in the kidneys, 22–24

Na⁺ reabsorption, 21, 22

Natriuresis, 45

Neonatal severe hyperparathyroidism, 218

Nephrogenic diabetes insipidus (NDI), 136, 137, 138, 144

- Nephrogenic syndrome of inappropriate antidiuresis (NSIAD), 106
- Nephrotic syndrome, 79
 clinical evaluation, 80
 edema formation, 79, 80
 Na⁺ renal retention, 79
 pertinent electrolyte abnormalities, 81
- Net acid excretion (NAE), 347
- Nonsteroidal anti-inflammatory drugs (NSAIDs), 59, 80
- Nonvolatile (fixed) acids, 290
- Normal pH
 maintenance of, 290–292, 294, 295, 297, 298
- Normovolemic (euvolemic) hypernatremia, 143
- O**
- Oral sodium phosphate (OSP), 256
- Osmolal gap, 329
- Osmolarity vs Osmolality, 4
- Osmosis, 4, 5
- Osmotic demyelination syndrome (OSD), 111
 clinical manifestations, 111
 diagnostic test, 112
 falls, 112
 fractures and osteoporosis, 112
 management and prognosis, 112
 precipitating factors, 112
- Osmotic force, 4, 5
- Outer medullary collecting duct (OMCD), 26
- P**
- Phosphate, 233
 homeostasis, 235
 Homeostasis, 234
 proximal tubule, 235
 renal handling of, 235, 236
 renal handling, regulation of, 236, 237
- Phosphate binders, 255
- Phosphate binders in, 255
- Phosphorus, 233
- Physiologic saline, 36
- Plasma osmolality, 91, 92, 99
- polyuria
 diagnosis of, 139, 140
- Poor oral intake, 109
- Post-operative hyponatremia, 109
- Primary aldosteronism, 164
- Primary hypercapnia\t See Respiratory acidosis, 409
- Primary hyperparathyroidism (PHPT), 215, 217
- Primary hypocapnia, 421
- Primary hypodipsia, 139
- Production of endogenous acids, 289
 and bases, 289, 290
- Proressophysin, 92
- Proximal RTA, 349
 causes, 350
 characteristics, 349
 clinical manifestations, 351
 diagnosis of, 353
 hypokalemia, 350
 pathophysiology, 349
 treatment of, 353, 354
- Proximal tubule, 21, 293
 water reabsorption, 28
- Pseudohyperkalemia, 177
- Pseudohyperparathyroidism, 218
- Pseudohypoaldosteronism type II (PHA II), 180
- Pseudohypoaldosteronism type I (PHA I), 180
- Pseudohypoparathyroidism (PsHPT), 203, 204
- PTH, 236
- PTHrP, 220
- R**
- Refeeding syndrome (RFS), 242, 243
- Refractory ascites, 73
- Renal artery stenosis, 163
- Renal blood flow (RBF), 45
- Renal disease, 79
 progression prevention, 81
- Renal failure, 218
- Renal salt wasting syndrome\t see Cerebral salt wasting (CSW), 106
- Renal tubular acidoses (RTAs), 347
- Renal tubular acidosis (RTA), 165, 362
- Reset osmostat, 107
- Respiratory acidbase disorder, 292
- Respiratory acidosis, 307, 310, 409, 433, 434, 436, 437
 hypercapnia, secondary physiologic response to, 409
- respiratory alkalosis
 secondary physiologic response, 421
- Respiratory alkalosis, 309–311, 432–434, 436, 437
 clinical manifestations, 422, 424
 diagnosis of, 424, 425
 treatment of, 426
- S**
- Secondary hyperparathyroidism, 218
- Secondary physiologic response (compensation), 301

Selective serotonin reuptake inhibitors (SSRIs), 108
 Sevelamer HCl (Renegel), 255
 Sodium phosphate
 use, 256
 Solute diuresis, 136, 138
 Sporadic form, 351
 Starvation ketoacidosis, 328
 Syndrome of inappropriate antidiuretic hormone secretion (SIADH), 106
 Syndrome of inappropriate antidiuretic hormone (SIADH), 14
 Système International (SI), 2

T

Tertiary hyperparathyroidism, 219
 Thiazide diuretics, 107
 Thick ascending limb of Henle's loop (TALH), 267
 renal handling of Mg^{2+} , factors, 268
 Thick ascending limb of the Henle's loop (TALH), 24
 Thin ascending limb (TAL), 24
 Thin descending limb (TDL), 24
 Thirst control, 91, 92
 Titratable acid excretion
 generation of new HCO_3^- , 296
 Titratable acidity, 297
 Total body water, 6, 7
 Total body water (TBW), 101
 Transtubular K⁺ gradient (TTKG), 15
 assumptions, 15
 Transtubular K⁺ gradient (TTKG), 15
 Trauma
 hemorrhagic shock, 40, 41
 Triple acid-base disorders, 436
 Tumor-induced osteomalacia (TIO), 242
 Type III RTA, 358
 TYPE I RTA, 354, 356

U

Urinary acidification, 298, 299
 Urinary concentration, 95, 96
 measurements, 96–98

Urinary dilution, 95, 96
 measurements, 96–98
 Urinary-intestinal diversions, 378
 Urine
 pH, 347
 Urine anion gap (UAG), 15, 348
 Urine osmolal gap (UOG), 348
 Urine osmolality, 101, 110
 Urine specific gravity, 17
 measurement of, 18

V

Villous adenoma, 378
 Vitamin D deficiency, 204
 Vitamin D intoxication, 221, 222
 Volatile acid, 290
 Volume contraction, 39, 40, 85
 ECF diagnosis, 87
 hypertonic, 87
 hypotonic, 87
 isotonic, 87
 Volume depletion, 88
 Volume expansion
 conditions of, 55
 Volume recognition
 mechanisms, 53, 54, 55

W

Water balance disorders, 99, 101, 105,
 108–110, 112–116, 133–135, 138–140,
 143, 144
 Water deficit
 calculation of, 141, 142
 Water loss
 dehydration, 85
 high serum hypertonicity, 85
 hypertonic contraction, 87
 hypertonic volume contraction, 87

X

X-linked hypophosphatemia, 239