
Index

A

AC induction motors, 234
Across variable, 123, 124, 126, 127, 130, 132, 135, 136, 147, 174, 181, 182
 difference, 125, 126
Active power, 653
Address, 495
Adjoint of a matrix, 421
Alias, 68
Alternating current (AC), 635
Analysis, 26, 31
Angular frequency, 49, 69, 88
Angular velocity, 222
Antilog, 596
Apparent power, 652
Area-moment of inertia, 224
Attenuation, 599
Automatic control theory, 3, 4
Automotive lead-acid storage battery, 47

B

Back-EMF, 352, 354
Base conversion, 496
Beat, 586
Belt drive, 339, 395
 multiport, 367, 384
Bending, 200
Bevel gear, 344
Binary, 495
Binary place values, 496
Bingham fluid, 483
Bit, 495
Block diagram, 527
 algebra, 529
 differential equation, 535
 state equations, 542
Bode plot
 critically damped phase-angle, 603
 first-order log-magnitude, 598
 first-order phase-angle, 603
 phase angle, 602, 620
 second-order log-magnitude, 598
 underdamped phase-angle, 603
Bode plot asymptotic approximation, 607
 first-order factors, 608
 gain, 614
 integrator and differentiator, 613
 sketching, 615
 transfer function form, 607
 underdamped second-order factor, 610

Bond graphs, 123
Boolean control, 3, 4
Boolean variables, 499
Branches, 19, 20, 24, 25, 35
Branch point, 529
Brushes, 351
Brushless DC motor, 649
Byte, 495

C

Cam and follower, 362
Cantilevered beam, 201
Capacitor start, 655
Cartesian coordinates, 65
Cartesian form, 63, 66
Cascaded blocks, 528
Cause and effect, 148
Cavitation, 347
Chain drive, 339
Characteristic equation, 54, 55, 57, 70, 71, 79, 545
Characteristic function, 55, 57, 100, 159, 163, 164, 521, 524
Characteristic value *see* Eigenvalue, 60
Check valve, 483
Circular pitch, 342
Closed-loop feedback control, 3, 4
Closed-loop negative feedback control, 531
Closed-loop system, 533
Closed-loop transfer function, 532
Cluster gear, 346
Coast-down test, 244
Coefficient matrix, 522
Coenergy, 12, 13, 14, 22
Cogging, 351
Column matrix, 412
Commutator, 351
Compatibility, 23, 28, 41, 125, 130
Compatibility equations, 20, 21, 23–26, 29, 31, 36, 37, 123
Complex exponential, 60, 64, 67, 73, 83, 158
 counter-rotating, 71
 form, 65–68, 80
 imaginary component, 70
 real component, 70
 rotating, 70
 unit vector, 64
Complex impedance, 639
Complex number, 56, 60, 61, 64, 65, 68
 addition and subtraction, 61
 argument, 63
 cartesian form, 60
 complex conjugate, 60

- magnitude, 61, 63, 65, 83
 - modulus, 61, 63, 83
 - multiplication and division, 62
 - polar form, 63
 - principal angle, 64
 - Complex variable, 54
 - Compliance, 199
 - Compound gear, 346, 388
 - Computational model, 47
 - Continuity, 21, 28, 32, 37, 125, 130
 - Continuity equations, 24–26, 29, 31, 36, 43, 123, 126, 134, 174, 182
 - Corner frequency, 600
 - first-order, 598
 - second-order, 600
 - Controlled variable, 531
 - Coulomb friction, 211
 - torque on shaft, 243
 - Crank and slider, 362
 - Creep, 235
 - Critically damped, 88
- D**
- D'Alembert's force, 122
 - Damped frequency, 585
 - Damped natural frequency, 549
 - Damping coefficient, 120, 122, 157
 - Damping ratio, 103, 550
 - Dashpot, 217
 - DC generator, 354
 - DC motor, 350, 353, 354
 - DC servomotor, 242
 - Decade, 597
 - Decay, 549
 - envelope, 88
 - exponential, 143, 147
 - rate, 70
 - Decaying sinusoid, 98
 - Decibel, 596
 - Decision block, 500
 - Decomposition, 252
 - Delta connection, 649
 - Design practice, 27
 - Determinant, 418
 - Diagonal matrix, 420, 444
 - Differential elemental equation, 140
 - Differential equations, 45, 46, 57, 59, 75, 127
 - first order, 142
 - Differential system equation, 3, 16, 23, 37, 38, 42, 53, 93, 120, 121, 125, 127, 132, 135, 137, 139, 149, 182
 - Diode, 483
 - Direct pass-through matrix, 427
 - Disassemble, 26
 - Discrete time, 469
 - Disturbed system, 54
 - Drag cup, 232
 - Driving point impedance, 642
 - Driving potential, 20, 21, 23, 30, 35, 36
 - Dynamical systems, 1, 2
 - electric circuits, 3, 4
 - Dynamic calculation, 70
 - Dynamic equilibrium, 29
 - Dynamic range, 86, 144
 - Dynamic system, 2, 3, 4, 8, 31, 45, 46, 52, 135, 142
 - mathematics of, 3, 5
 - Dynamic tests, 235
- E**
- Eddy currents, 351
 - Effective mass, 205
 - cantilevered beam, 206
 - spring, 206
 - Eigen equation, 57
 - Euler's sine and cosine formula, 68, 71, 73
 - Eigenvalue, 57, 60, 69, 70, 75, 84, 155, 158, 179, 545
 - complex conjugate, 60, 71, 79, 83, 88, 101, 159, 163
 - real, 84
 - real component, 89
 - underdamped systems, 247
 - Eigenvector, 444
 - Elastic beam theory, 200
 - Elastic-perfectly plastic, 5, 9
 - Electrical
 - capacitance, 30
 - schematics, 35
 - transformers, 644
 - Element
 - damping, 122
 - energetic, 4, 20, 36, 118
 - energy storage, 11, 30, 36, 127
 - equation, 36
 - equations, 126
 - ideal, 27
 - linear, 49
 - mass, 118
 - mechanical, 4, 7
 - Elemental models, 32
 - Energetic
 - attribute, 118, 135, 137, 174, 182
 - models, 137
 - network, 136
 - property, 1, 8, 9, 20, 36
 - schematic, 133, 154
 - systems, 39
 - Energy, 1, 8, 13–15, 39, 157
 - density, 14, 24
 - dissipation, 118, 157, 168
 - elastic strain, 10, 11, 32, 129
 - equations, 37, 127
 - gravitational potential, 15, 27
 - kinetic, 15, 27, 121, 141
 - mechanical, 39
 - potential, 11, 16, 20
 - storage, 30, 45, 46, 56, 135, 139
 - storage equations, 127
 - strain, 141
 - Engineering
 - analysis, 5, 27, 39
 - computations, 5, 8
 - design, 26, 39
 - mathematics, 3, 4
 - models, 5, 39
 - Entangled loops, 534
 - Equations
 - energetic, 130
 - Equilibrium
 - dynamic, 123
 - Equivalent element, 255, 374
 - dampers in parallel, 256
 - dampers in series, 256
 - masses in parallel, 258
 - springs in parallel, 257
 - springs in series, 257

- Error, 531
- Euler method, 468, 469, 481
 - second-order system, 471
- Euler's equations, 64
 - Euler's cosine formula, 64
 - Euler's sine formula, 65, 99
- Euler's equations EulersEqs, 65
- Euler's number, 143
- Euler's sine formula, 158
- Executable block, 500
- Expansion by minors, 419
- Exponential, 54
 - decay, 55, 89
 - properties of, 66
 - real, 84
- Exponentiation, 596
- F**
- Feedback, 531
- Feedforward loop, 530
- Feedforward transfer function, 531
- Feed-through matrix, 522
- Final value theorem, 93
- Finite difference, 467
- First order ordinary differential equation, 74
- First order step response, 87
- First-order step response, 149
- Floating, 368
 - mechanical sources, 368
 - transducer or transformer, 373
- Floating point variable, 499
- Flow chart, 499
- Fluid coupling, 233
- Flux, 644
- Flux linkage, 636, 644
- Force
 - source of, 133
- Force-source-mass-damper system, 145
- Force-source-spring-damper system, 140, 151, 162
 - linear graph of, 130, 132
- Forcing function, 57, 58, 79, 80
- Forward stepping, 468
- Fourier series, 46
- Fourier transformation, 49
- Fourth-order Runge–Kutta
 - two state equations, 479
- Frequency response
 - equation, 590
 - relationship, 638
- Fundamental frequency, 586, 593
- G**
- Gain, 599
- Gaussian elimination, 96
- Gear ratio, 346
- Gear set, 334, 341, 384
 - multiport, 365
- Gear set, 334, 341, 348
 - multiport, 365
- Gear train *see* Gear set, 344
- General solution, 59, 76, 78, 82, 155, 157
- Geometric compatibility, 6, 32
- Gibbs phenomenon, 594
- Graphical integration, 17, 31
- Graphical representation, 27
- Ground voltage, 36
- H**
- Harmonics, 586, 593
- Heaviside step
 - function, 142
 - input transitions, 182
- Heaviside unit step function, 46, 47, 49, 74, 76, 78, 91, 92, 136–138, 150
 - superposition of, 148
 - time shifted, 148
- Helical gear, 343
- Hexadecimal, 495, 496
- Homogeneous
 - equation, 51, 54, 55, 59, 71, 75, 77, 79, 155
 - solution, 55, 60, 75, 77, 79, 81, 82, 142, 144, 155, 157
- Homogenous
 - response, 51, 56
 - solution, 58
- Hooke's law, 29
- Hybrid system
 - electrical, rotational, and translational, 391
 - rotational translational, 377
- Hydraulic
 - actuator, 356
 - motor, 356
 - piston/cylinder, 356
- Hydrodynamic bearings, 233
- I**
- Ideal viscous friction, 208
- Identity matrix, 97, 102, 523
- Idler, 384
- Idler gear, 346
- Imaginary number, 60, 62, 84
- Impulse function, 76
- Impulse-momentum theorem, 582
- Impulse response
 - overdamped, 247
 - underdamped, 249
- Incrementally linear, 210, 521
- Independent energy storage element, 56
- Inductance, 636
- Induction motors, 648
- Initial conditions, 59, 76, 78, 80, 138, 140, 142, 155
 - energized systems, 161
- Initial value, 146
 - method, 165
 - theorem, 93
- Input
 - function, 46, 52, 152, 153
 - impulse, 138
 - pulse, 148
 - pulse function, 148
 - unit pulse, 148
- Input matrix, 522
- Input pulse function, 151
- Integral causality, 594
- Integrator, 536
- Invariant, 24, 42
- Inverse mathematical operations, 144
- Inverse of a matrix, 523
- Inverse tangent, 83
 - algorithm, 63
 - function, 65
- Inverted, 529
- Inverter, 529

J

Jenkins-Traub algorithm, 57

K

Kinetic energy, 144, 198

Kirkhoff's circuit laws, 123

L

Lag, 584, 587

Lagrange's and Hamilton's energy methods, 4, 7

Laplace-domain, 90, 519, 521, 522, 526

response function, 95

Laplace transform

pair, 97, 103, 163

tables, 95

Laplace transformation, 3, 31, 38, 56, 71, 75, 90, 92, 93, 94, 99, 100, 155, 157, 163, 178, 521

initial condition terms, 56

inverse Laplace transformation, 92, 94, 95, 98, 100

inverse transformation, 164

transform integral, 90

transform pairs, 95, 101

Laplace variable, 54, 55, 90, 94, 95, 96, 521

Lead, 587

Leading, 584

Lenz's law, 352

Lever, 335, 338

multiport, 363, 379

Linear algebra, 96, 98, 101

Linear differential system equation, 521

Linear elemental equations, 183

Linear equations, 149

Linear graph, 121, 124, 135, 154, 181

drawing, 218

nodes, 217

Linear graph method, 16, 30, 122, 129

Linear graph symbol

transformer, 335, 337

Linearization, 208

Linearize, 53

Linear mathematical operators, 50

Linear operator, 53, 519, 527

Linear systems, 3, 5

Line to line, 651

Logarithmic

scale, 597

spiral, 70

Logarithms

common, 595

properties, 595

Log-decrement formula, 249

Logical variables, 499

Loop, 22, 39

equation, 23, 41, 126

M

Magnetic flux, 352

Magnetic hysteresis, 351

Magnetic reluctance, 352

Magnetic vector, 647

Magnitude, 588

Magnitude ratio, 581

Mapping, 57

Mass, 9, 14, 25, 197

conservation, 15, 26

flow rate, 20, 37

Mass-damper system, 139, 161

Mass-moment of inertia, 222

cylinder, 223

parallel-axis theorem, 224

superposition, 224

Mathcad, 106

assignment statement, 106

Heaviside unit step function, 190

plot, 106, 190

superposition, 190

Mathcad's Heaviside step function, 138

Mathematically independent, algebraic equations, 21, 38

MATLAB

absolute value function abs, 633

angle function, 633

arithmetic operators, 505

array, 504

array and matrix operators, 507

array variables, 110

assignment statement, 110, 508

Bode plots, 632

colon operator, 513

comments, 510

control tool box, 515

editor, 110

elseif statement, 509

else statement, 509

environment, 109, 503

flow chart, 112, 193

for-end loop, 110

for loop, 509

formatting plots, 511

function imag, 634

function real, 634

if statement, 190, 508

logical operators, 507

nested loops, 191

Nyquist plots, 634

plot, 111

plot statement, 510

plotting and figures, 511

reading and writing to a text file, 513

reading and writing to Excel worksheet, 513

reading and writing to files, 512

relational operators, 191, 507

script, 111, 112

semilogx, 632

square root function sqrt., 633

time shift, 191

user written functions, 475

while loop, 509

workspace, 111

MATLAB code, 470, 472, 474–476, 478, 479, 481, 483

Matrix

addition, 412

cofactors, 418, 420

differentiation, 414

inversion, 416

multiplication, 413

subtraction, 412

Mechanical power, 211

Mechanical system

rotational, 20

translational, 20

Mechanical transformers, 334

Method of undetermined coefficients, 46, 51, 74

Miter gears, 344

- Model, 27
 - abstract, 5, 118
 - elastic-perfectly plastic, 9, 50
 - element, 29
 - energetic, 8, 13, 118
 - engineering, 2, 4, 7, 26, 27, 31, 32
 - graphical, 28
 - input, 137
 - linear, 50, 53, 120
 - linear element, 50
 - linear material, 9, 15
 - lumped parameter, 28
 - material, 6, 10
 - mathematical, 6, 7, 28, 84
 - network, 20, 36
 - Newtonian, 8, 13
 - nonlinear, 7, 11
 - nonlinear stress-strain, 7, 11
 - physical, 31
- Modulus, 590
- Motor action, 350
- Multiplicative operator, 93, 522

- N**
- Natural fractions, 498
- Natural frequency, 249
 - undamped, 103
- Natural response, 2, 3
- NEMA, 649
- Nested loops, 533
- Network, 19, 35
- Network topology, 24, 42
- Newtonian fluid, 119
- Newtonian formulation, 121, 122
- Newtonian mechanics, 14, 26
- Newton's second law, 15, 26
- Node, 10, 19, 20, 21, 25, 35, 38, 121, 124, 125, 132, 147
 - equation, 125, 136
 - ground, 132
 - subscript, 125
 - subscripts, 22, 39, 122
 - velocity, 122
- Non-causal, 151
- Non-inverted, 529
- Non-linear damping, 209, 473
- Nonlinear differential equation, 53
- Non-linearity
 - backlash, 482
 - clipping, 482
 - directional dependency, 483
 - inflection point, 482
 - saturation, 482
 - threshold, 483
- Nonlinear physical relationship, 51
- Non-oscillatory *see* Overdamped, 154
- Normalization, 144
- Numerical differentiation, 538
- Numerical instability, 90
- Numerical methods, 47
- Nyquist polar plot, 623

- O**
- Observable canonical state-space form, 539
- Octal, 459
- Open-ended design problems, 4, 6
- Open-loop, 532
- Operating
 - condition, 119
 - point, 209
 - range, 10, 16, 47, 209
- Operator, 527
- Ordinary differential equation, 53, 77
 - second order, 79
- Orienting, 25, 44
- Orthogonality, 419
- Oscillations, 1, 16, 28, 56, 71
 - decaying of, 69
 - period, 88
- Oscillatory
 - second order step response, 88
 - second order system, 99
- Output matrix, 522
- Overdamped, 86, 154
- Overshoot, 70

- P**
- Parallelogram rule, 61
- Partial fraction expansion, 92, 95, 560
- Particular solution, 51, 57, 78, 80, 142
- Passive elements, 124, 125
- Path, 19, 35, 125
 - equation, 23, 41, 126, 136
 - equations, 126
- Period, 581, 583, 593
- Phase angle, 69, 82, 84, 635
- Phase shift, 69, 81, 103
- Phase voltage, 651
- Phasor operator, 643
- Phasors, 642
- Physical systems, 58
- Piece-wise continuous function, 89
- Pitch circle, 342
- Plant, 532
- Polar form, 588
- Pole, 547
- Pole-zero form, 588
- Pole-zero plot, 551
- Polyphase, 637
- Positive feedback, 532
- Post-multiplication, 97
- Potential, 20, 36
- Power, 8, 12, 15, 16, 20, 130, 147
 - flow, 15, 26, 124
 - ideal source, 47
 - mechanical, 12, 17, 21, 122
 - source, 16, 25, 29, 46
 - variable, 46
 - variables, 1, 15, 16, 26, 143
- Power law viscosity, 474
- Power screw, 361
- Power sources, 212
 - rotational systems, 234
- Power variables, 127
- Practical pulse-width-modulated amplifiers, 148
- Pre-multiplication, 97
- Pressure, 20, 21, 36
- Proportional controller, 533
- Proportional damping, 208
- Pulse response, 148
 - function, 153
- Pulse train, 148
- Pulse-width-modulation, 148
- Pump, 354, 396

- axial flow, 356
- gear, 355
- positive displacement, 354
- reciprocating piston, 355
- turbopump, 356
- Pythagorean theorem, 61, 62, 63, 81, 83
- Q**
- Quadratic equation, 77
- R**
- Rack and pinion, 360
- Radix, 496
- Reactance, 643
- Reactive power, 653
- Real numbers, 60
- Recursive calculation, 468
- Reference signal, 531
- Relaxation, 235
- Relaxation time, 53
- Relevant physical truths, 28
- Resistive energy loss, 636
- Resonance, 584
- Resonant, 586
- Resonant frequency, 585
- Resonant peak, 585
 - effect of damping ratio, 601
- Response
 - steady-state, 143
- Response function, 89, 146, 172, 173
 - pulse, 153
- Reversible systems, 16, 28
- Rigid, 12, 20
- Rolling-contact bearings, 232
- Root-mean-square (RMS), 637
- Rotating magnetic field, 648
- Rotational damper, 233
- Rotational hydraulic motor
 - gear, 359
 - gerotor, 358
 - piston, 359
 - rotor, 358
 - vane, 358
- Rotational mechanical systems, 221
- Row matrix, 412
- Runge-Kutta algorithms, 89
- Runge-Kutta method, 45
 - three state equations, 480
- S**
- Saint-Venant's principle, 9, 15
- Schematic, 124
- Second order
 - spring-mass-damper system, 156
 - underdamped unit step response, 165
- Second order step responses, 86
 - non-oscillatory, 86
 - overdamped, 251
- Second-order step responses
 - superposition of, 154
- Self-locking, 362
- Series wound, 655
- Serpentine belt, 384
- Shear modulus, 230
- Shear strain, 231
 - rate, 119
- Shock absorber, 210
- Signal, 527
- Sign convention, 16, 28
 - fluid transducers, 355
 - linear graph, 215
 - mechanical systems, 214
 - motors, 352
 - transducers and transformers, 346
- Significant, 28
- Signs, 145
- Simply supported beam, 201
- Singular matrix, 420
- Sink, 214
- Sinusoid, 58
- Sinusoidal inputs, 49
- Sinusoidal output, 588
- Sinusoidal response
 - transient, 579
- Slip, 648
- Slug, 198
- Snubbers, 209
- Solenoid, 352
- Source
 - force, 122
 - power, 122
- Spectrum, 598
- Spring
 - translational, 129
- Spring back, 14, 25
- Spring constant, 13, 23, 129, 199
- Spring rate *see* Spring constant, 13, 23
- Spur gear, 342
- Square wave, 594
- Stability, 547
- Stable, 84
 - exponential growth, 76, 86
- Standard form, 53, 74, 77
- State equations, 522
 - standard vector-matrix form, 522
 - vector-matrix form, 426
- State-space, 423, 437
 - higher-order system equation, 438, 440
- State-space representation, 149
- State variables, 139, 146, 147, 153
 - energy storage variables, 544
 - without physical meaning, 544
- State vector, 522
- Steady-state, 54, 58, 85, 147, 152, 161
 - response, 59, 89, 142
 - value, 146
- Step function
 - Heaviside's definition of, 138
- Step response, 85
 - function, 49
 - unit, 151
- Strain energy, 199
- Summation junction, 529
- Superposition, 46, 49, 51, 52
- Synchronous motor, 648
- Synthesis, 26
- System, 19, 35
 - boundaries, 45
 - energetic, 20, 36
 - fluid, 21, 38
 - identification, 84
 - mass-damper, 128
 - mechanical, 12, 20

- nonlinear, 151
 - physical, 30
 - spring-damper, 130
 - System dynamics, 4, 6
 - System equation, 121, 134
- T**
- Thermal systems, 30
 - Thermodynamics, 16, 28
 - Three phase, 637
 - Time constant, 51, 53, 84, 85, 86, 89, 121, 142, 144, 146, 151, 152, 153
 - form, 121
 - Time-domain block diagram, 536
 - Time-domain expression, 98
 - Time shift, 18, 32, 147, 150, 153
 - Time step, 89
 - Torque, 222
 - Torque constant, 352
 - Torque curve, 234
 - Torsion spring, 230
 - Transducer, 336, 350
 - Transfer function, 67, 93, 94, 99, 162, 521, 524, 527
 - Transformation matrix, 443
 - Transformed state vector, 523
 - Transformer, 333
 - block model, 336
 - Transformers and transducers
 - multiport, 362
 - Transient period, 51, 54, 161
 - Transient response
 - first-order system, sinusoidal input, 582
 - Translational mechanical system, 129
 - Translational spring, 199
 - Translational velocity, 129
 - Transpose of a matrix, 415
 - Trapezoidal approximation, 148
 - Trapezoidal integration, 484
 - Trigonometric identities, 71
 - Trivial equations, 33
- U**
- Underdamped, 154
 - Underdamped pulse response
 - second order, 165
 - Underdamped system, 79
 - Unit exponential decay, 85
 - Unit impulse function, 46, 48
 - Unit ramp function, 46, 48
 - Units, 53, 128
 - Unit stable exponential growth, 85
 - Unit step response, 152
 - first order, 153
 - function, 46, 153, 178
 - Unstable, 548
 - exponential growth, 69
 - system, 69
 - U.S. customary units, 198
 - mass moment of inertia, 226
- V**
- Variable frequency motor, 649
 - Vector algebra, 411
 - Vector-matrix algebra, 411
 - Vector of inputs, 427
 - Vector of output variables, 427
 - Vector of transfer functions, 526
 - Velocity
 - source, 129, 132, 212
 - Velocity source-damper-mass-spring system, 174
 - Viscoelasticity, 220
 - Viscoelastic model
 - Kelvin–Voight, 220
 - Maxwell, 220
 - Zener, 220
 - Viscosity, 119
- W**
- Weight, 197
 - Word, 495
 - Work, 8, 11, 12, 13
 - Worm drive, 344
 - Wye connection, 649
- Y**
- Young's modulus, 9, 15
- Z**
- Zero, 551