

# Subject Index

- alarm pheromone 366–372, 398–402
- allogrooming 406–408
- allomones 187–188, 320–321, 350–352, 364–408
- alpha conditioning 72–73, 76
- anemotaxis (attraction) 23–5, 31–32, 71, 112–120, 166–174, 191, 297–299, 372–375, 378
- appeasement chemicals 389–393
- associative learning 49–55, 68–69, 70–73, 79–81, 90
- attraction (amenotaxis) 23–5, 31–32, 71, 112–120, 166–174, 191, 297–299, 372–375, 378
- aversion learning 52–55
  
- beta conditioning 72–73, 76
- biosynthesis 184–187, 334–336, 378, 382, 384, 389, 408
- Brindley's glands 320
  
- camouflage (olfactory) 375–393
- chemotaxis 105, 120–122, 171, 191, 247, 371
- circadian (diel) rhythm 24, 26, 28, 31, 32, 124–125, 375
- coevolution 163–164, 188–191
- commensalism 351
- conditioning 72–73, 76
  
- defensive behaviors 262–263, 318–321, 364–410
- diel (circadian) rhythm 24, 26, 28, 31, 32, 124–125, 375
- dorsal gland 319–321, 328, 334, 336, 339, 342
- Dufour's gland 243–244, 247–250, 252, 254, 256, 294, 296, 299–301, 310, 399–401
- egg load 91–92
- experience 22, 66, 70–71, 74, 76–78, 81, 407
  
- feeding 27–29, 47–61, 155–157, 176–178, 216–218, 224–225, 388
- frontal gland 367
  
- glands
  - Brindley's glands 320
  - dorsal gland 319–321, 328, 334, 336, 339, 342
  - Dufour's gland 243–244, 247–250, 252, 254, 256, 294, 296, 299–301, 310, 399–401
  - frontal gland 367
  - metaplural gland 243
  - metathoracic gland 318–323, 344, 338–340, 342, 344
  - Pavan's gland 248
  - poison gland 243, 248, 250–252, 254, 400
  - postpharyngeal gland 406
  - pygidial gland 243–244, 249, 260, 400
  - sternal gland 243–244, 249–250, 257, 262–263, 321–323, 336
  - venom gland 248
- genetics (heritability) 128–138, 163–165, 296
  
- habituation 47–48, 68, 80, 106
- heritability (genetics) 128–138, 163–165, 296
- host finding 29–35, 165–176, 396–398
- host races 164–165

- induction 55–58
- instrumental learning 68, 81
- kairomone 75, 80, 82, 88–91, 344–352, 371
- kleptoparasitism 351
- klinotaxis 247–248
- landing 7, 18, 23–25, 30, 122–123, 161, 167, 170
- learning 49–61, 66–93, 268–269, 291, 294, 296–297, 302, 407
  - alpha conditioning 72–73, 76
  - associative 49–55, 68–69, 70–73, 79–81, 90
  - aversion 52–55
  - beta conditioning 72–73, 76
  - experience 22, 66, 70–71, 74, 76–78, 81, 407
  - habituation 47–48, 68, 80, 106
  - induction 55–58
  - instrumental 68, 81
  - sensitization 48–49, 68, 79
- leks 344
- metaplural gland 243
- metathoracic gland 318–323, 344, 338–340, 342, 344
- mimicry 375–393, 405–408
- olfactory reception 136, 160–163, 216
- oviposition 18, 218–224, 388
- parasitoids 34–35, 65–93, 344–352
- Pavan's gland 248
- perching 106–197
- pheromone
  - alarm 366–372, 398–402
  - queen 306, 400
  - sex 24, 82, 84–85, 87, 92, 106–140, 154–193, 251, 318, 323–352, 372, 374–375, 377
  - territorial 242–274
  - trail 242–274, 397–398
- physiological state 18, 73, 90–91
- poison gland 243, 248, 250–252, 254, 400
- polarized light 9–10
- postpharyngeal gland 406
- pygidial gland 243–244, 249, 260, 400
- queen pheromone 306, 400
- ranging 107–108
- recruitment 246–274, 368–369
- sensitization 48–49, 68, 79
- sex pheromone 24, 82, 84–85, 87, 92, 106–140, 154–193, 251, 318, 323–352, 372, 374–375, 377
- slavery 393–408
- sternal gland 243–244, 249–250, 257, 262–263, 321–323, 336
- synomone 70, 79, 190
- tandem running 257, 259–260
- territorial pheromone 242–274
- territory 176
- trail pheromone 242–274, 397–398
- trophic levels 67, 87–88
- trophallaxis 386–387, 395
- tropotaxis 248
- venom gland 248
- visual responses 9–10, 18, 30–32, 50–51, 82, 84, 109–110, 109–110, 158–159, 219–224, 255, 344, 370, 396

# Taxonomic Index

## *Arthropods*

- Acanthaspis petax* 376  
*Acromyrmex* 252  
*Acrosternum* 332, 348  
*Acrosternum aeadum* 332  
*Acrosternum hilare* 332  
*Acrosternum marginatum* 332  
*Acrosternum pennsylvanicum* 332, 348  
*Adranes taylori* 386–387  
*Aedes aegyptii* 30–32, 118  
*Aelia acuminata* 321  
*Agrotis segetum* 11, 134  
*Alcaeorrhynchus* 323  
*Aleochara curtula* 377  
*Amblypelta lutescens* 338  
*Amblyseius potentillae* 109  
*Amblyopone australis* 259  
*Amitermes* 251  
*Amitermes unidentatus* 251–252  
*Amorbia cuneana* 134  
*Anacyptus testaceus* 381–382  
*Anax imperator* 125  
*Aneuretus* 260  
*Aneuretus simoni* 259  
*Anisandrus dispar* 175  
*Aphaenogaster* 252, 261  
*Aphantochilus rogersi* 377  
*Apis* 292, 310, 369  
*Apis mellifera* 11, 287–288, 290, 304, 306–309, 371  
*Argyrotaenia velutinana* 127, 131–132  
*Arilus critatus* 323  
*Arma* 323  
*Artogeia* 215  
*Atemeles* 389, 392  
*Atemeles pubicollis* 389–390  
*Atta* 251–252, 256, 260  
*Atta cephalotes* 252, 255  
*Atta laevigata* 256  
*Atta texana* 252  
*Azteca* 262  
*Azteca chartifex* 257  
*Azteca trigona* 256–257  
*Biprorulus bibax* 321, 323, 328, 334, 341–342  
*Blaberus craniifer* 108  
*Blastophagus* 155  
*Blatella germanica* 110, 124  
*Boisea* 339  
*Bombus* 292, 394, 397  
*Bombus affinis* 397  
*Bombus bimaculatus* 397  
*Bombus lapidarius* 397  
*Bombus occidentalis* 256  
*Bombus terricola* 397  
*Bombyx mori* 119, 251  
*Bothriomyrmex* 395, 403  
*Bothriomyrmex syrius* 402  
*Brachymeria intermedia* 79, 81, 87  
*Bracon mellitor* 76  
*Cadra cautella* 119  
*Callosamia promethea* 55  
*Camponotus sonorensis* 35–36  
*Camponotus* 260, 262, 383, 406  
*Camponotus beebi* 257  
*Camponotus femoratus* 257  
*Camponotus ligniperda* 368

- Camponotus modoc* 383, 386–387  
*Camponotus pennsylvanicus* 249, 255  
*Camponotus planatus* 368  
*Camponotus socius* 246  
*Camponotus vagus* 406  
*Campyloma verbasci* 342  
*Cataglyphis* 258, 259  
*Celaenia* 372  
*Cermatulus* 330  
*Christoneura fumierana* 110, 125–128  
*Christoneura occidentalis* 110  
*Chrysopa slossonae* 375–376  
*Cidaria albulata* 111  
*Cladomelea* 374  
*Coleophora laricella* 122  
*Colias* 217, 228  
*Colias eurytheme* 138, 216  
*Colias philodice* 138, 216  
*Coptotermes formosanus* 251  
*Cotesia rubecula* 22, 78  
*Cotinus nitida* 110  
*Crematogaster* 257  
*Cyclocephala lurida* 137  
  
*Daceton armigerum* 249–250, 252  
*Dacnusa sibirica* 35, 37  
*Dacus* 21  
*Dacus dorsalis* 3  
*Delia antiqua* 32–34  
*Delia brassicae* 118  
*Dendroctonus* 154, 157, 162–163, 170–171, 180, 183, 187, 189, 191  
*Dendroctonus brevicomis* 155–156, 158, 162, 166–167, 175, 179–182, 186–191  
*Dendroctonus frontalis* 154, 162–164, 175, 178–179, 181–183, 190  
*Dendroctonus jeffreyi* 180  
*Dendroctonus micans* 8, 169  
*Dendroctonus ponderosae* 154, 159, 162, 164, 166, 168, 175, 177–178, 180–182, 189  
*Dendroctonus pseudotsugae* 155, 162, 165–166, 175, 179, 181, 190  
*Dendroctonus rufipennis* 162  
*Dendroctonus simplex* 162  
*Dendroctonus terebrans* 164  
*Dermestes ater* 113  
*Dermestes maculatus* 111  
*Diacrisia virginica* 54  
*Dialictus* 294  
*Dinorhynchus* 330  
*Dipetalogaster maximus* 320  
*Diplorhoptrum* 368  
  
*Diplorhoptrum fugax* 368  
*Distantiella theobroma* 342–343  
*Dolichovespula* 292  
*Dolichovespula adulterina* 386–387, 394–395  
*Dolichovespula alpicola* 394  
*Dolichovespula arctica* 395  
*Dolichovespula arenaria* 394  
*Dolichovespula norwegica* 394  
*Drosophila* 57, 75–76, 85, 89, 108, 118, 378  
*Drosophila melanogaster* 26–27, 85  
*Drosophila simulans* 85  
*Dryocoetes* 162, 169  
*Dysdercus* 340  
*Dysdercus bimaculatus* 340  
*Dysdercus cingulatus* 340  
*Dysdercus intermedius* 340  
*Dysdercus intermedius* 341  
*Dysdercus koenigii* 340  
  
*Eciton* 262, 268–269  
*Eciton burchelli* 264, 268–269  
*Eciton hamatum* 264, 268  
*Eciton hamatus* 386–387  
*Eciton rapax* 264, 268  
*Ectatomma ruidum* 250  
*Elasmotethus cruciatus* 347  
*Enoclerus lecontei* 190  
*Epiphyas postvittana* 23, 122  
*Estigmene acrea* 375  
*Estigmene congrua* 54  
*Eucera palestinae* 256  
*Euclytia flava* 334, 345–346, 350  
*Euphydryas editha* 21  
*Eurygaster intergriceps* 336  
*Euschistus* 334, 340, 347  
*Euschistus conspersus* 332  
*Euschistus heros* 332, 333  
*Euschistus ictericus* 332  
*Euschistus politus* 332  
*Euschistus servus* 332  
*Euschistus tristigma* 321–332, 347  
*Euthyrhynchus* 330  
*Euxenister* 393  
*Evylaeus* 294  
  
*Fannia canicularis* 81  
*Forcipomyia crinita* 334, 348  
*Forelius* 368  
*Formica* 260, 383, 389, 395–397, 400, 404–405, 407  
*Formica fusca* 246, 368, 401, 404  
*Formica gnava* 400

- Formica japonica* 407  
*Formica obscuripes* 384–385  
*Formica pergandei* 404  
*Formica peripilosa* 368  
*Formica podzolica* 386–387, 408  
*Formica pratensis* 397  
*Formica rufibarbis* 401, 404, 408  
*Formica sanguinea* 404  
*Formica schaufussi* 244  
*Formica selysi* 405  
*Formica strumosa* 390  
*Formica subintegra* 404  
*Formica subsericea* 404–405  
*Formicoxenus* 395  
*Formicoxenus nitidulus* 397  
*Formicoxenus provancheri* 397–398  
*Fustiger elegans* 386–388
- Geotrupes* 108  
*Glossina* 29–32, 119  
*Gnathotrichus* 155  
*Gnathotrichus retusus* 162  
*Gnathotrichus sulcatus* 162  
*Grapholita molesta* 25, 114–115, 121, 127, 130
- Hadrobonus* 366  
*Harpagoxenus americanus* 399  
*Harpagoxenus canadensis* 398  
*Harpagoxenus sublaevis* 398–399, 401–402, 408  
*Harpocera thoracica* 344  
*Helicoverpa zea* 75, 79–80  
*Heliothis virescens* 36  
*Helopeltis clavifer* 342  
*Hemyda aurata* 334, 345–346, 350  
*Hesperotettix viridis* 54  
*Hetaerius tristriatus* 386–387  
*Hodotermes* 243  
*Hodotermes mossambicus* 244, 247, 251, 255  
*Holomelina lamae* 81  
*Hotea gambiae* 336  
*Hyalophora cecropia* 106  
*Hylastes* 155  
*Hylemya antiqua* 118  
*Hylurgops* 171  
*Hylurgops palliatus* 174, 175  
*Hymenolepis diminuta* 125  
*Hyphantria cunea* 375  
*Hypothenemus* 155
- Ips* 155, 157–158, 163, 170, 183–184, 187, 189, 191–192  
*Ips amitinus* 162, 184  
*Ips avulsus* 162–163, 175  
*Ips calligraphus* 162–164  
*Ips cembrae* 162  
*Ips confusus* 155  
*Ips duplicatus* 162, 187–188  
*Ips grandicollis* 155, 162–163, 168, 175  
*Ips paraconfusus* 120, 155, 158, 162, 166–167, 170–171, 175–176, 178–179, 181, 184–190, 192  
*Ips pini* 134, 137, 155, 160–162, 165, 175, 188  
*Ips sexdentatus* 165, 169  
*Ips typographus* 155–159, 162, 166, 168–169, 175, 184, 187–188, 190  
*Iridomyrmex* 368–369  
*Iridomyrmex humilis* 248
- Jadera* 340  
*Jadera haematoloma* 340
- Kaira* 372
- Labauchena daguerrei* 407  
*Lasioglossum* 292, 294, 310  
*Lasioglossum malachurum* 256, 298, 300–301  
*Lasioglossum zephyrum* 287–288, 290, 293, 295, 299, 310  
*Lasius* 260  
*Lasius flavus* 217, 368  
*Lasius fuliginosus* 246, 249, 391–392  
*Lasius neoniger* 244, 249–250, 254, 256, 260–261, 271  
*Lasius niger* 395  
*Lasius spathepus* 392  
*Lasius umbratus* 395  
*Laspeyresia pomonella* 122  
*Leiobunum* 366  
*Leiophron* 351  
*Leistotrophus* 378  
*Leptinotarsa decemlineata* 329  
*Leptocoris* 339  
*Leptogenys* 259–260  
*Leptogenys chinensis* 249  
*Leptogenys diminuta* 249  
*Leptoglossus* 338  
*Leptoglossus australis* 338  
*Leptoglossus phyllopus* 338  
*Leptopilina boulandi* 89  
*Leptopilina fimbriata* 89  
*Leptopilina heterotoma* 75–78, 85, 89  
*Leptothorax* 401–402

- Leptothorax acervorum* 398–399, 401–402, 408  
*Leptothorax affinis* 255  
*Leptothorax kutteri* 398–399, 402  
*Leptothorax muscorum* 408  
*Leptothorax nylanderi*  
*Leptothorax unifasciatus* 255  
*Lestrimellita* 370–371  
*Lestrimellita limao* 370–371  
*Ligurotettix coquilletti* 54  
*Ligyrocoris* 341  
*Linepithema humile* 248, 271  
*Liometopum apiculatum* 265, 271  
*Liriomyza bryoniae* 37  
*Locusta migratoria* 29–30, 48  
*Lomechusa* 389, 391–392  
*Lomechusa strumosa* 390–391  
*Lygus* 342  
*Lygus elisus* 344  
*Lygus hesperus* 344  
*Lygus lineolaris* 344  
*Lymantria dispar* 81, 87, 110, 114, 116–118, 122–125, 126–127  
  
*Macrotermes* 376  
*Macrotermes michaelsoni* 254  
*Mamestra brassicae* 48  
*Manduca sexta* 11, 54–56  
*Manica* 251  
*Manica rubida* 405  
*Martinezia dutertrei* 384  
*Mastophora* 372, 374–375  
*Mastophora bisaccata* 375  
*Mastophora cornigera* 374–376  
*Mastophora hutchinsoni* 372–373, 375  
*Mastophora phrynosoma* 375  
*Mastotermes* 243–251  
*Mayetiola destructor* 7, 19–20, 106  
*Medetera aldrichii* 190  
*Medetera bistrata* 190  
*Megaponera foetens* 259  
*Melanoplus sanguinipes* 50–51  
*Melipona* 369  
*Meranoplus* 368  
*Messor* 251  
*Messor pergandei* 268  
*Microdon* 383–384, 389  
*Microdon albicomatus* 383  
*Microdon cothurnatus* 384–385  
*Microdon piperi* 383–385  
*Microplitis croceipes* 74–76, 79–80, 89–91  
*Mineus* 321  
  
*Mirperus scutellaris* 323, 325, 339  
*Monacis debilis* 257  
*Moniliformis moniliformis* 125  
*Monomorium* 368  
*Monomorium minimum* 261–262  
*Monomorium pharaonis* 249  
*Monomorium rothsteini* 369  
*Monomorium viridum* 265–266, 271  
*Musca domestica* 81  
*Muscidifurax zaraptor* 81  
*Myrmecaphodius excavaticollis* 384  
*Myrmecosaurus* 386, 388  
*Myrmecosaurus ferrugineus* 386  
*Myrmica* 248, 251, 389, 395  
*Myrmica incompleta* 383, 397  
*Myrmica ruba* 250, 368  
*Myrmica sabuleti* 244, 271  
*Myrmica scabrinodis* 250  
  
*Nasutitermes* 244, 262, 376  
*Nasutitermes costalis* 249–250, 262–263  
*Nasutitermes exitiosus* 250–251  
*Nasutitermes gravelosus* 251  
*Nasutitermes kempai* 252  
*Nasutitermes walkeri* 251  
*Neivamyrmex* 262  
*Neoponera apicalis* 259  
*Neostruma* 259  
*Nephila clavipes* 351  
*Nezara* 332, 348, 352  
*Nezara antennata* 332  
*Nezara viridula* 321, 330–334, 347–348, 351  
*Niesthrea louisianica* 339  
*Novomessor* 252, 261  
  
*Ocymyrmex* 259  
*Odontotermes* 251, 254  
*Oechalia* 323  
*Oecophylla longinoda* 256  
*Oecophylla smaragdina* 256  
*Olcella* 349  
*Oncopeltus* 341  
*Oncopeltus fasciatus* 323, 341  
*Onychomyrmex* 259  
*Oplomus* 321  
*Orasema* 386, 388  
*Ordgarius* 374  
*Orectognathus versicolor* 259  
*Ostrinia nubilalis* 135–136  
*Oxycarenus hyalinipennis* 341  
  
*Pachycondyla apicalis* 259  
*Pachycondyla laevigata* 244, 259–260

- Pachycondyla obscuricornis* 259–260  
*Pachycondyla tesserinoda* 255  
*Paltothyreus tarsatus* 259  
*Papilio* 230  
*Papilio polyxenes* 217  
*Paraponera clavata* 255, 259  
*Pectinophora gossypiella* 127, 130, 132–133, 138–139  
*Pella* 386, 389, 391–393  
*Pella comes* 392  
*Pella japonicus* 392  
*Perillus* 321  
*Perillus bioculatus* 322  
*Perillus bioculatus* 329  
*Periplaneta americana* 107, 111, 115, 119–121, 124–125  
*Peristenus* 351  
*Peristenus pseudopallipes* 351  
*Peristenus stygicus* 351  
*Pheidole* 251, 253, 260  
*Pheidole dentata* 262  
*Pheidole hyatti* 265, 271  
*Pheidole pallidula* 248, 271  
*Philoterme howardi* 372–373, 382  
*Phormia regina* 107  
*Phoroncidia studo* 372  
*Phyllomyza securicornis* 349  
*Picromerus* 330  
*Pieris* 214, 216, 218–220, 225, 227, 230–231  
*Pieris brassicae* 55, 87, 214–219, 221–225, 227–230  
*Pieris napi* 215, 217, 222, 224–225, 227–229  
*Pieris rapae* 19, 50, 109, 214, 216–225, 227–230  
*Pieris virginiensis* 227, 229  
*Pilophorus perplexus* 344  
*Pimpla instigator* 87  
*Pityogenes* 155, 157–158, 170, 187  
*Pityokteines curvidens* 162  
*Pityophthorus* 155, 162  
*Pityophthorus chalcographus* 158, 162, 166, 172, 175  
*Plodia interpunctella* 114  
*Podisus* 323, 329–330, 334, 338, 345, 347–350  
*Podisus connexivus* 328  
*Podisus flava* 334  
*Podisus fretus* 328, 334–345, 348–349  
*Podisus maculiventris* 324, 326–328, 334, 344–347, 349–350  
*Podisus macronatus* 329  
*Podisus neglectus* 328  
*Podisus nigrispinus* 328  
*Podisus placidus* 329  
*Pogonomyrmex* 249, 252, 254, 256, 260  
*Pogonomyrmex babius* 250, 254–255  
*Pogonomyrmex barbatus* 250, 259  
*Pogonomyrmex maricopa* 259  
*Pogonomyrmex occidentalis* 400  
*Pogonomyrmex rugosus* 250, 254, 259  
*Polistes* 288, 292, 301–302, 308, 395  
*Polistes atrimandibularis* 395  
*Polistes biglumis* 395  
*Polistes dominulus* 243  
*Polistes exclamans* 302  
*Polistes metricus* 256, 302  
*Polistes semenowi* 395  
*Polistes sulcifer* 395  
*Polybia sericea* 243  
*Polyergus* 396–397  
*Polyergus breviceps* 400–401, 408  
*Polyergus rufescens* 401, 408  
*Polyergus samurai* 407  
*Prionopelta amabilis* 259  
*Pristhesancus papuensis* 342  
*Pristhesancus plagipennis* 323, 342  
*Pristomyrmex pugnans* 249  
*Prociphilus tessellatus* 376  
*Pseudacanthotermes* 251  
*Pseudaletia unipuncta* 48, 127  
*Pseudomyrmex* 243  
*Psithyrus* 394, 396  
*Psithyrus ashtoni* 397  
*Psithyrus citrinus* 397  
*Psithyrus rupestris* 397  
*Pyrrhocoris apterus* 340  
*Redivius personatus* 372–373  
*Reticulitermes* 244, 251–252, 380–381  
*Reticulitermes flavipes* 250, 367, 381–382  
*Reticulitermes lucifugus* 252  
*Reticulitermes speratus* 251  
*Reticulitermes virginicus* 251, 372–373, 381–382  
*Rhagoletis pomonella* 50  
*Rhizophagus grandis* 8  
*Riptortus* 339  
*Riptortus clavatus* 339  
*Riptortus serripes* 323, 325, 339  
*Salyavata variegata* 376  
*Schedorhinotermes* 251  
*Schedorhinotermes lamanianus* 247, 251–252, 262

- Schistocerca americana* 52–54, 59  
*Schistocerca gregaria* 28–29, 48, 51, 59  
*Scolytus* 155, 158, 171  
*Scolytus multistriatus* 155, 162, 166, 177  
*Scolytus quadrispinosus* 167, 169  
*Scolytus rugulosus* 177  
*Scolytus ventralis* 168, 180, 182  
*Smithistruma* 259  
*Solenopsis* 244, 248, 266, 367, 384, 386, 388  
*Solenopsis daguerrei* 407  
*Solenopsis fugax* 368  
*Solenopsis germinata* 243  
*Solenopsis invicta* 252, 367, 386, 406  
*Solenopsis richteri* 388, 407  
*Sphaerocoris annulus* 323, 324, 336  
*Spilostethus rivularis* 341  
*Spodoptera littoralis* 56  
*Stiretrus*  
*Stiretrus anchorago* 329  
*Strophius nigricans* 377  
*Strumigenys* 259  
*Sulcopolistes* 395  
*Supella longipalpa* 124–125  
*Supputius* 323  
*Supputius cincticeps* 328
- Taczanowskia* 372  
*Taeniopoda eques* 59  
*Tapinoma* 395, 403  
*Tatochila distincta* 215  
*Tectocoris diophthalmus* 321, 336  
*Teleutomymex schneideri* 396  
*Telonomus clavus* 349  
*Telonomus podisi* 349  
*Temnochila virescens* 190–191  
*Tenebrio molitor* 125  
*Termitopone laevigata* 259  
*Tetradonia* 393  
*Tetradonia marginalis* 386–387  
*Tetramorium* 251  
*Tetramorium caespitum* 248, 252, 265, 271, 396  
*Tetramorium guineense* 252  
*Tetramorium impurum* 249, 252  
*Thanasimus formicarius* 190–191  
*Tinacantha* 323  
*Tomicus* 155, 170–171, 183, 187  
*Tomicus minor* 157, 162  
*Tomicus piniperda* 155–159, 163, 166, 168–175, 179, 190  
*Trachymymex* 252  
*Trachymymex septentrionalis* 252
- Tribolium castaneum* 134  
*Trichogramma minutum* 34  
*Trichogramma* spp. 70, 84  
*Trichoplusia ni* 56, 122, 134, 136  
*Trichopoda* 347  
*Trichopoda giacomellii* 348  
*Trichopoda pennipes* 348  
*Trichopsenius depressus* 372–373, 381–382  
*Trichopsenius frosti* 381–382  
*Trigona* 243, 369–370  
*Trigona angustula* 370–371  
*Trigona mellicolor* 370  
*Trinervitermes* 250–251  
*Trinervitermes bettonianus* 250–252, 254  
*Trinervitermes germinatus* 252  
*Trinervitermes graciosus* 251–252  
*Trinervitermes occidentalis* 252  
*Trinervitermes togoensis* 252  
*Trissolcus basalis* 349, 351–352  
*Trissolcus euschistii* 349  
*Trogoderma granarium* 137  
*Trogoderma variabile* 110–111, 115, 120  
*Trypodendron* 171, 191  
*Trypodendron domesticum* 175–176  
*Trypodendron lineatim* 162, 165–166, 172
- Vespula acadica* 394  
*Vespula austriaca* 386–387, 394  
*Vespula vulgaris* 329
- Xenistusa hexagonalis* 372–373, 381–382  
*Xenodusa reflexa* 386–387  
*Xyleborus* 155  
*Xylocopa* 256  
*Xylocopa pubescens* 256
- Yponomeuta padellus* 129  
*Yponomeuta rorellus* 130
- Zacryptocerus maculatus* 257  
*Zicrona* 323  
*Zootermopsis* 244, 246  
*Zygaena filipendulae* 123
- Plants, Fungi, Bacteria*
- Abies concolor* 176  
*Abies grandis* 182  
*Abies magnifica* 176  
*Acer rubrum* 326  
*Acer saccharinum* 326  
*Aesculus octandra* 177



Alliaria petiolata 227, 229  
Alyssum saxatile 224  
Astragalus 215

Bacillus cereus 175, 187  
Barbarea vulgaris 220, 229  
Bellis perennis 29  
Betula 175  
Betula pendula 174  
Brassica 55, 230, 231  
Brassica juncea 219  
Brassica oleracea 217  
Brassica juncea 224  
Bunias orientalis 214

Caparis spinosa 230  
Capsella bursa-pastoris 220  
Carica papaya 220  
Carya ovata 167, 177  
Ceratocystis 156, 182  
Ceratocystis ips 182  
Ceratocystis minor 182–183  
Ceratocystis pilifera 182  
Ceratocystis schrenkiana 182  
Cheiranthus allionii 220, 223  
Cleome spinosa 224  
Conringia orientalis 224  
Crataegus phaenopyrum 326

Daucus carota 326

Erysimum asperum 225, 227  
Erysimum cheiranthoides 220–226

Fagus sylvatica 175  
Fomes annosus 182

Gleophyllum trabeum 251

Iberis amara 220–226  
Isatis tinctoria 220–221, 224, 230, 231

Larix occidentalis 179  
Ligustrum amurense 326  
Lunaria annua 224

Magnolia X soulangiana 326  
Moricandia arvensis 230

Ophiostoma 156

Pedicularis 215  
Phomopsis oblonga 177  
Picea abies 165  
Pimpinella anisum 306  
Pinus contorta 168, 177, 181  
Pinus echinata 179  
Pinus elliotii 179  
Pinus jeffreyi 180  
Pinus lambertiana 176  
Pinus palustris 179  
Pinus ponderosa 180  
Pinus sabiniana 182, 185–186  
Pinus sylvestris 168, 172, 179  
Pinus taeda 177, 179, 181–183  
Populus deltoides 177  
Populus tremula 174  
Pseudotsuga menziesii 176, 181

Quercus 175  
Quercus alba 167

Salix discolor 326  
Sambucus canadensis 326  
Senecio vulgaris 30  
Sinapis arvensis 217

Trichosporium 156  
Tropaeolum 55  
Tropaeolum majus 219, 221, 224

Ulmus americana 177