



## PARTICIPANTS

Andrey V. Akimov  
Kamil L. Aminov  
Bartłomiej Andrzejewski  
Samvel Badalian  
Frank Bagehorn  
Romuald Brazis  
Paul N. Butcher  
Lawrence J. Challis  
Stanisław Ciechanowicz  
John Cooper  
Andrzej Czachor  
Jerzy Czerwonko  
Borysław Czyżak  
Werner Dietsche  
Tadeusz Domański  
Krzysztof Durczewski  
Matvey V. Entin  
Arthur G. Every  
Ruth H. Eyles  
Richard J. Gaitskill  
Zygmunt Galasiewicz  
Wojciech Gańcza  
Rosalind George  
Jolanta Góra  
Marek Gorzelańczyk  
Ratii N. Gurzhi  
Tomasz Gwizdała  
Grzegorz Harań  
George K. Horton  
Sergei N. Ivanov  
Lucjan Jacak  
Czesław Jasiukiewicz  
Grzegorz Jastrzębski  
Moisei I. Kaganov  
Alexander N. Kalinenko  
Vytautas Karpus  
Dmitrii V. Kazakovtsev  
Zbigniew Klusek  
Alexander I. Kopeliovich  
Arnold M. Kosevich  
Tadeusz Kosztołowicz  
Miroslaw Kozłowski  
Hans Kraus  
Stanisław Kryszewski  
Andrzej Kusy  
Dietmar Lehmann  
Grzegorz Litak  
Jan Lorenc  
Tadeusz Łozowski  
Jerzy Lukierski  
Vadim G. Manzhelii  
Miranda Marciniak  
Alexei A. Maznev  
Michael Meissner  
Leonid P. Mezhov-Deglin  
Evgenii S. Moskalenko  
Jan Mucha  
Władysława Nawrocka  
Czesław Oleksy  
Mariusz Olko  
Tadeusz Paszkiewicz  
Zygmunt Petru  
Aleksandra Podolska-Strycharska  
Il'ya Ya Polishchuk  
Jacek Polit  
Kosmas Prassides  
Jerzy Przystawa  
Krzysztof Rapcewicz  
Włodzimierz Salejda  
Sergei I. Shevchenko  
Alex Shik  
Przemysław Siemion

Roman Sikora  
Wiesława Sikora  
Eugeniusz Soczkiewicz  
Alexander Soldatov  
Piotr Stachowiak  
Jan Stankowski  
Małgorzata Sternik  
Peter Strehlow  
Zbigniew Strycharski  
Barbara Sujak-Cyrul  
Jerzy Szczepański  
Eugeniusz Szeregij  
Andrei V. Taranov  
Il'ya I. Tartakovskii

Armin Thellung  
Nadezhda A. Tulina  
Lukasz A. Turski  
Alexander N. Vasilev  
Michael Warnatz  
Ulrich Wenschuh  
Marek W. Wilczyński  
Michael Willumat  
Marek Wolf  
Karol Wysokiński  
Miroslaw Załuźny  
Elżbieta Zipper  
Ryszard Zossel  
Franciszka Zossel

## INDEX

- Acoustic mismatch theory, 119, 202, 264  
Amorphous semiconductor films, 121  
Anharmonic perturbation theory, 1  
  self-consistent phonon, 3, 7  
    first-order, 3, 5, 7  
    improved, 4-6  
    second-order, 4  
Bloch diffusion, 205  
Conical refraction,  
  external, 63  
  internal, 63  
Compound superlattice, 51  
  anisotropic continuous medium approx., 52  
  Bragg-type modes in, 53  
  interface of, 52  
  interface modes of, 51-53  
  reststrahlen bands in, 52-53  
  slab-guided modes in, 53  
Detector  
  for  $\beta$ -decay, 298  
  bolometric, 55, 141  
    superconducting, 56, 89, 140  
  calorimetric, 266, 269, 292  
  CdS, 57, 166  
  cryogenic, 263, 297  
  of dark matter, 297  
  for heavy ion physics, 264  
  magnetic bolometer, 292  
  with phase transition thermometer, 267  
  phonon, 139  
  exciton-cloud, 116, 124-125, 182-183  
    superconducting tunnel-junction, 56-57,  
      69, 89, 266, 277, 286  
  x-ray, 264  
    micro calorimeter, 267  
    superconducting tunnel-junction, 265  
  sensor, 280  
    superconducting tunnel-junction as, 280,  
      300-304, 306-316  
  sensitivity of, 283, 302  
  with superconducting absorber, 315  
Elastodynamical Green's function, 56, 73-74  
Elastodynamical Green's function (*cont'd*), 80  
Electromagnetic-acoustic transformation, 399,  
  403-404  
  deformation interaction mechanism of, 399,  
    404  
  inductive mechanism of, 399, 403-404  
  linear, 399  
  nonlinear, 399  
  thermoelastic mechanism of, 399, 403-404  
Electron capture, 251, 255-256, 261  
  acoustic, 259  
  bottleneck of, 251  
  cascade, 254, 257-259, 261  
  coefficient of, 252-260  
  inelastic, 252  
  rate of, 251-252, 255, 260  
    oscillations, 252  
  3-D  $\rightarrow$  2-D, 251-253, 256, 259-260  
  time of, 252, 254-255, 257, 259-260  
  2-D  $\rightarrow$  2-D, 251-253, 256-257, 260-261  
Electron-phonon interaction, 44, 114, 122, 124,  
  146, 205-206, 209, 213, 235, 243,  
  247-249, 254-255, 260  
  acoustic, 256-257, 259  
  deformation potential, 163, 190, 194, 213,  
    235, 237, 244-245, 248, 258, 399,  
    403-404  
    suppression of, 244-245  
  in alkali fullerenes, 346-350  
  linear, 246  
  nonlinear, 247 255-256  
  piezoelectric coupling, 163, 190, 213, 215,  
    235-237, 246  
    suppression of, 244, 246  
  quasielastic, 234  
  in strongly correlated electron systems, 407-  
    408  
  suppression of, 243, 248-249  
  via fluctuations  
    of the crystal field, 411  
    of the electron-electron interaction, 411  
  via hopping term, 410  
Electron redistribution  
  3-D  $\leftrightarrow$  2-D, 251-255, 257-261

- Electron transitions
  - isoenergetic, 251, 259
  - 3-D  $\leftrightarrow$  2-D, 251, 257
  - 3-D  $\rightarrow$  2-D, 251, 253, 256, 259-261
- Energy model of superconductivity, 409
- Energy distribution function, 34-35, 38, 44, 49, 78
- Frequency distribution function *see* energy distribution function
  - of squared frequencies, 34-36
  - 3-D van Hove singularity of, 40, 78
  - partial, 33-44
- Epitaxial layer, 415
  - magnetophonon resonance in, 415-416
  - transverse magnetoresistance, 415
- Excitons, 113-117, 121
  - bound, 113-114, 117-122, 125
  - free, 116-122
  - phonon-induced drag, 113-114, 117-119
  - surface recombination of, 116, 119
- Fountain effect, 190, 199
- Fullerenes
  - Landau-theory of, 353, 356-362
  - molecular dynamics simulations of, 353-354,
  - molecular field theory of, 356-357
  - $\mu$ SR studies of, 334-337, 339, 343-345
  - neutron scattering studies of, 334-335, 337-338, 340-343, 345-350
  - orientational ordering transition in, 333-334, 338, 341, 353, 360
  - rotational dynamics of, 333-334, 337-345
  - and superconductivity, 333-334, 346-350
- GaAs/AlGaAs heterostructure, 159, 164, 179, 198, 201, 203, 205, 207, 209, 211, 215, 219, 223, 225-226, 237,
  - interfaces in, 53, 198
  - resonant-tunneling diodes, 226
- Glass, 105-106, 109, 111, 365-370, 371
  - local orientational order in, 367, 372
  - local strain in, 370
  - orientational degree of freedom in, 370-371, 373, 377
  - rheological stress of, 373
  - shear viscosity of, 366
  - thermalisation of, 109, 111
  - transition to, 365-371, 375, 377
  - tunnelling model for, 106, 111
  - as two-level systems, 111
  - visco-elasticity of, 366, 372, 374-375, 377
- Heat pulse, 89-90, 105, 107, 109, 111, 116-122, 167
  - ballistic, 55, 105, 111, 114, 116, 117, 120-121
- Hot electrons, 233, 243
- Hot spot, 70, 114-116, 122, 124, 135-137
  - degradation of, 136
  - formation of, 137
- HTS materials, 33, 43-45
- Hydrodynamics, 16-17
- Hydrodynamics (*cont'd*),
  - phonons in, 15
- Kapitza effect, 119, 313
- Lagrangian phonons, 15-16, 19-20
- Landau level, 160, 162, 174, 190, 198, 237
  - line shape, 224
  - subbands, 236, 248-249,
- Light impurity vibration, 40-41
  - local frequency, 41
  - local, 40-41, 44-45
  - quasilocal, 43-44
- Luminescence, 113-115
  - band-band, 113
  - band-impurity, 113
  - exciton, 113-115
  - phonon-induced, 113, 117-119
- Metal
  - conduction electrons, 400
  - electroconductivity, 400
  - electromagnetic wave in, 399-401
  - slab conductivity of, 381-383, 391-396
  - specularity coefficient of, 383, 385, 392, 395
  - surface impedance, 381-383, 387, 389-390, 392, 395-396, 402
  - thermal expansion coefficient, 403
  - thermal wave in, 400
  - thermoelastic stress, 399
  - ultrasound in, 400, 404
- Metal boundary, 385
  - adiabatic, 402, 404
  - diffusive, 382-383, 389, 395-396
  - free, 403-404
  - isothermal, 402-404
  - mechanically fixed, 404
  - mechanically free, 404
  - nonisothermal, 403
  - specular, 382-383, 389, 396
- Molecular crystals, 321
  - librons in, 323
  - orientational ordering transitions in, 353
  - thermal conductivity of, 325, 327
    - inverse temperature law of, 321-323, 325, 329
  - isobaric, 322, 325, 328-329
  - isochoric, 321-323, 325, 327, 329-331
  - orientationally ordered, 330
- Momentum
  - ordinary, 15, 20, 23, 25, 27
    - conservation, 15, 28
  - quasi, 15-16, 20-29, 87, 89-91, 93-94,
    - conservation, 15-16, 22-24, 26, 28
    - density of, 90
    - focussing of, 87, 91, 93
    - relaxation of, 233
- Monte-Carlo method, 1, 4, 5, 7
  - applied to ferroelectric, 7
  - classical, 1-2
  - effective potential, 1-8, 10, 13

- Monte-Carlo method (*cont'd*),
  - low-coupling approximation, 4, 10, 12
  - of phonon propagation, 56, 58, 61-62, 66-67, 87, 91, 93-94, 129
  - path integrals in, 2
  - quantum, 2, 4-7, 12-13
- Multilayer crystal, 33, 42-45
- Neutrino, 263
  - coherent elastic scattering of, 263
- 1-D electron gas, 160, 212-213, 215, 234, 236, 237
  - electron temperature
    - measurement, 233, 237
  - energy relaxation, 233, 237
  - phonon drag in, 211, 214-215
  - phonon emission by, 234-235
  - screening in, 236
- Orthogonalized Atomic Orbital Method, 407
- Phonon absorption, 66
- Phonon diffusion coefficient, 49, 109
- Phonon emission, 66
  - optical, 115, 126
- Phonon energy density, 90-91, 94
- Phonon focusing, 55, 59, 61-62, 64, 73, 80, 83, 87-89, 91, 93-94, 170, 194, 198, 205, 215, 304-306
  - enhancement factor of, *see* focusing factor, 61, 89, 102
  - energy, 87
  - focusing factor of, 88-89
  - in piezoelectric solids, 64
  - quasimomentum, 56
  - stationary phase approx., 76, 78
- Phonon imaging, 57-58, 61, 63-64, 66, 68-70, 80, 83, 87, 90, 169-170, 192, 199
  - anticaustics, 63
  - catastrophes in, 62-63
  - caustics in, 56, 62-64, 66, 84
  - cuspidal edge 85
  - of defect structures, 77
  - by dispersive phonons, 69
  - of energy, 87
  - of quasimomentum, 87, 91
  - reflection, 68
  - of superlattices, 69
  - thermal, 55, 73, 80
  - 3-D tomographic, 70
    - diffraction effects in, 56, 76
  - transmission, 68
  - at ultrasonic frequencies, 74
- Phonon localisation, 47
- Phonon mode conversion, 67, 121-122
  - critical cone for, 67-68
- Phonon pulse, 129-130, 213
  - ballistic, 89-90, 202, 299
- Phonon-phonon interaction,
  - decay, 130-131, 135, 143, 277
  - scattering, 70, 277
- Phonon propagation, 139-140, 143, 149, 189-190, 192-195, 277
  - acoustic wave, 69
  - ballistic, 90, 99, 105, 107, 111, 136-137, 139-140, 143-144, 168, 189, 282, 304, 306
  - diffusive, 105, 109, 111, 143, 146, 282
  - head wave, 79, 85
  - Monte-Carlo simulation of, 56, 58, 61-62, 66-67, 91, 93-94, 129
  - in quartz, 139
  - quasiballistic, 145
  - quasidiffusive, 135, 148-149, 279
  - time-of-flight measurements of, 88, 129-130, 139, 166, 207
- Phonon reflection, 66, 114, 119-120, 121
  - diffusive, 105, 107
  - specular, 105, 107
  - at surfaces, 57, 68, 107
- Phonon scattering, 70, 105
  - by defects, 116, 149-150
  - anharmonic, 116, 129, 311-312
  - by dislocations, 70
  - by impurities, 325
  - by isotopes, 70, 114, 121, 129, 279
  - by paramagnetic centres, 143
    - nonresonant, 143-144, 149
    - resonant, 143-144, 146-148, 150
    - resonant combinational, 143, 150
  - by rotational degrees of freedom, 327-328, 331
  - at surfaces, 107
- Phonon source, 56, 139
- Phonon transmission, 66-67, 119, 121
  - in superlattices, 69
  - at surfaces, 59, 68
- Polarisation vectors
  - field of, 59, 67
  - sigularities of, 59
- Quantum dot, *see* 0-D electron gas
- Quantum Hall regime, 162, 166, 170, 177-178, 189, 194, 196-198, 223, 237
  - breakdown of, 162, 173
  - fractional, 162, 168, 182, 201, 228
  - Hall angle, 198
  - Hall resistance, 162, 178
  - Hall voltage, 191, 198
    - phonon-induced, 193, 195, 196
  - integer, 161, 168, 171
    - magnetoroton excitation, 201
    - phonon absorption studies, 201
- Quantum point contact
  - thermopower of, 220
- Quantum well, 120-124, 251-253, 261, 419, 421
  - depolarisation effect in, 421, 424
  - infrared bleaching technique, 419-420, 424
- Quantum wire *see* 1-D electron gas
- Self-consistent localisation theory, 49
- Si MOSFET, 167, 170, 177, 182, 222-223

- Si MOSFET (*cont'd*),
  - phonons absorbed by, 169
  - phonons emitted from, 167
- Site representation
  - electrons, 408-409
- Skin effect, 381, 388, 399, 404
  - anomalous, 381-382, 389, 396, 400
  - electromagnetic depth, 400, 403-404
  - normal, 381, 383, 386, 389, 391, 400
  - plasma depth in, 400
  - thermal depth in, 400
- Specific heat,
  - logarithmic dependence of, 105, 107
  - measurements of, 106, 111
  - time-dependent, 105, 107, 109, 111
- Spectral density, 36, 38-41
  - Peresada's, 35-36
- Superconducting films, 301
- Superconductivity
  - Cooper-Pair breaking rate in, 301
  - in High  $T_c$  oxides, 407, 409, 411
- Superdiffusion, 209-210
- Surface
  - conical points of, 59, 63-64
  - constant energy 88-89
  - constant frequency *see* constant energy, 59, 61, 69
  - isoenergetic *see* constant energy, 88, 156, 206
  - isofrequency, 34, 40
    - self-intersection points of, 156
    - topological singularities of, 156
    - topology of, 40
  - ray, 56, 64-66, 79
  - roughness of, 107
  - slowness, 56, 59, 61, 63-65, 68, 76, 78-79, 88-90, 93
    - Gaussian curvature of, 61-63, 76, 88-91, 93
    - parabolic lines of, 62, 89, 156
    - principal curvature of, 61, 88-89
  - tangential degeneracies of, 60
- Surface waves, 68
  - acoustic, 99-100
    - group velocity of, 101
    - slowness curve, 101-102
    - wavefront, 102
  - pseudo-, 68
- Thermal conductivity
  - due to impurity scattering, 155
  - due to Umklapp-processes, 156
  - in bulk, 156
  - local, 136
  - nonlinear, 137
  - of thin dielectric slabs, 153-157
    - in relaxation time approx., 153-154
- Thermal heat sink, 312-314
- Thermalisation of phonons, 105, 107, 109, 111
  - time of, 107
- 3-D electron gas, 234-236, 251-254, 258, 260
  - 3-D electron gas (*cont'd*),
    - phonon absorption by, 234
    - phonon emission by, 234, 251
  - 2-D electron gas, 114, 122-125, 159, 161-164, 166-168, 170-171, 174, 177, 182, 189-190, 194, 198-199, 205, 207, 219-220, 227, 229, 234-236, 238, 251, 253-254, 260
  - Corbino geometry, 198
  - diffusion thermopower of, 219
  - dissipationless state, 161, 170
  - drag current, 206-208
  - edge states, 177
  - electrical conductivity, 191-192, 221, 237
  - electron temperature
    - measurement, 233, 237
  - energy relaxation, 233, 235, 237, 251, 253, 259
  - FIR, 175, 237
  - magnetothermopower, 219
  - momentum relaxation, 209, 233
  - momentum transfer rate, 191
  - Nernst-Etinghaus effect, 193-194
  - Peltier coefficient, 220
  - phonon absorption by, 66, 122-125, 164, 169, 190, 206
  - phonon drag in, 193-196, 205-206, 209, 211
    - image of, 192, 196
  - phonon drag magnetothermopower of, 223
  - phonon emission by, 66, 122-125, 164-165, 174, 176, 189-190, 198, 210, 233, 235
    - optical, 233, 237
    - cyclotron, 164-166, 174, 177
    - primary, 207, 210
    - secondary, 207-210
  - phonon transmission by, 164
  - phonon interaction with
    - acoustic, 159, 163
    - optical, 166
  - screening in, 237
  - Seebeck coefficient, 220
  - Shubnikov oscillations, 237
  - thermal conductivity, 221-222
  - thermoelectric tensor, 192
  - thermopower, 219, 221-222, 230
  - Wigner crystal in, 162-163, 182
- 2-D hole gas, 159, 163, 166, 168, 180-181, 219, 227, 229
  - heat transport tensor, 226
  - phonon drag magnetothermopower of, 226, 228
  - phonon emission by, 179
- Ultrasound
  - laser generated, 80
- Weakly interacting massive particles, 264, 297
- 0-D electron gas, 160