

## INDEX

- Abdominal pain, in children, 184
- Addictive behavior, characteristics, 203
- Adherence, medical, in children, 114-135, *see also*  
Children, adherence to medication
- Adolescent(s)
- adherence to medication, 124
  - alcohol abuse, 47, 198, 199, 200, 201
  - hypertension in, 33
  - motorcycle injuries, 43
  - obesity in, 37-41
  - pregnancy, 146, 209
  - smoking, 3, 24, 25, 34, 105, 198, 199
  - substance abuse, 197-217
    - peer influence and, 205, 213
    - signs of possible, 207-208
    - treatment, 215-217
  - suicide, 208
- Alcohol
- adolescent abuse of, 47, 198, 199, 200, 201
  - barbiturates and, 211
  - marijuana and, 209-210
  - methaqualone and, 211
  - pregnancy and, 7
  - toxic effects, 210
- Alcoholism
- in adolescents, 47
  - behavior therapy in, 86
  - prevention of, 45-47
  - treatment of 20
- Alpern-Boll Developmental Profile, 102
- Amphetamines
- adolescent abuse of, 198, 199, 201
  - toxic effects, 210
- Anemia, sickle cell, pain associated with, 170
- Anger
- coronary heart disease and, 261
  - hypertension and, 261
- Antidepressants, adolescent abuse of, 198
- Anxiety, pain in children and, 178
- Arteriosclerosis, 2
- Arthritis, rheumatoid, 88
- in children, 170
- Assertive behavior, teaching, 15
- Asthma
- behavior therapy in, 85, 86, 106-107
  - biofeedback in, 83
- Barbiturates
- adolescent abuse of, 198, 200
  - alcohol and, 211
  - toxic effects, 211
- Bayley test, 102
- Beer, adolescent use, 201
- Behavior
- aggressive, patterns of, predicting, 32
  - assertive, teaching, 15
  - avoidance, stress and, 17
- Behavioral medicine, *see also*  
Behavioral therapy
- definitions of, 72-76, 83-84, 104
  - development of, 77-78

- Behavioral medicine (continued)  
 disadvantages of, 89-90  
 vs health psychology, 104  
 vs holistic medicine, 76  
 vs psychosomatic medicine,  
 73, 75  
 subareas of, 72
- Behavioral therapy, *see also*  
 Behavioral medicine;  
 Biofeedback  
 in alcoholism, 86  
 in asthma, 85, 86, 106-107  
 in hypertension, 85, 86, 87,  
 106, 239-240, 257, 258  
 development of, 257  
 nuisance variables and, 258  
 patient-therapist relationship  
 in, 255  
 vs pharmacotherapy, for  
 hypertension, 263
- Benzodiazepines, adolescent  
 abuse of, 198
- Bilirubin, prematurity and  
 metabolism of, 149
- Binet test, 102
- Biobehaviorist, 84
- Biofeedback, 71, 88  
 in hypertension, 239, 241,  
 246, 250, 255  
 hypnosis and, 247  
 merits of, 83  
 in migraine headache, 83  
 vs pharmacotherapy, 248  
 vs relaxation therapy, 240,  
 250, 251
- Blood pressure  
 church attendance and, 90-91  
 elevated, *see* Hypertension
- Bone marrow aspiration  
 for children, 187  
 pain of, 187
- Bulimia, behavior therapy in, 87
- Bypass, *see* Cardiac bypass  
 surgery
- Cancer  
 behavior therapy in, 87  
 in children, 170, 187  
 lung, death from, 2, 4  
 patient compliance in treat-  
 ment of, 233
- Cancer Attitude Survey Scale,  
 223-224
- Cardiac bypass surgery, 5
- Cattel 16PF Inventory, 247
- Cerebral palsy, behavior  
 therapy in, 86
- Children  
 abdominal pain in, 184  
 adherence to medication, 114-135  
 assessment of, 114-119  
 biochemical measures of, 117  
 disease process and, 119  
 family stability and, 126-127  
 mother's attitude toward  
 health and, 127-129  
 in otitis media, 120  
 parent-child interaction and,  
 126  
 parental knowledge and,  
 129-131  
 in renal disease, 124  
 in rheumatic fever, 120  
 role of fear in, 129  
 role of health care setting  
 in, 122-124  
 self-monitoring as an aid to,  
 131-132  
 setting levels of, 118  
 therapeutic outcome as  
 assessment of, 116  
 use of reminders, 131  
 assertive behavior in, 15  
 bone marrow aspirations, 187  
 cancer in, 187  
 death in, 105  
 disruptive behavior, 103-104  
 distress in, 103  
 divorce and, 103  
 hospitalization of, 184-185  
 injections and, 186  
 lumbar punctures for, 187  
 migraine headaches in, 171, 184  
 obesity in, 105  
 pain in, 107, 167-190  
 acute vs chronic, 168-169  
 anxiety and, 178  
 disease and, 169-170, 181-182  
 hypnosis for, 183, 187  
 parental behavior and, 178  
 physical trauma and, 172,  
 182-183

- Children (continued)  
 pain in (continued)  
   physiological responses to, 176-177  
 prematurity, *see* Prematurity  
 preparation for dental procedures, 188-189  
 stress and, 14
- Church attendance, blood pressure and, 90-91
- Cigarette smoking, *see* Smoking, cigarette
- Cirrhosis, liver  
 morality from, 4  
 risk factor, 2
- Clinical psychology vs health psychology, 101-102
- Cocaine  
 adolescent abuse of, 198, 199, 200, 201  
 toxic effects, 210-211
- Codeine, adolescent abuse of, 198
- Compliance, patient, 221-222  
 cancer treatment and, 233  
 role of fear in, 227
- Coronary heart disease  
 anger and, 261  
 heredity and, 30  
 hostility and, 261  
 hypertension as a risk factor for, 237
- Cystic fibrosis, 120
- Death, major causes of, 1, 2, 105  
 in children, 3, 105  
 in black teenagers, 105
- Dental procedures  
 preparing children for, 188-189  
 use of music during, 189
- Denver Developmental Screening Test, 102
- Diabetes mellitus  
 behavior therapy in, 87  
 prematurity and, 146
- Disease, pain associated with, 169-170  
 in children, 181-182
- Divorce, children and, 103
- Drug(s)  
 addiction, 20, *see also* Substance abuse
- Drug(s) (continued)  
 assays, 117  
 therapy, vs behavior therapy, 248, 263
- Dyslexia, 109
- Dysmenorrhea, behavior therapy in, 86, 87
- Education, stress and, 92
- Electromyography, relaxation therapy and, 252
- Epilepsy, biofeedback in, 83
- Fetal alcohol syndrome, 46
- Fetus, smoking and the development of the, 35
- Fishbein medical model of motivation, 225
- Food consumption, mass media and, 22
- Generalized resistance resources, defined, 11
- Habit, *see also* Health habits  
 definition of, 19
- Hashish, adolescent abuse of, 198
- Headache  
 behavior therapy in, 85  
 migraine,  
   biofeedback in, 83  
   in children, 171, 184
- Health  
 cognitive aspects of, 221-234  
 expenditures, 5, 28  
 habits,  
   mass media and, 23  
   social learning and, 22  
 lifestyle behaviors that affect, 9
- Health care setting, adherence to medication and, 122-124
- Health psychology, 101-104  
 vs behavioral medicine, 104  
 vs clinical psychology, 101-102  
 goals of, 6-7
- Heart disease, *see also* Coronary heart disease  
 mortality from, 4, 34, 237  
 risk factor, 2  
 as a sociological problem, 67

- Hemophilia, 169
- Heredity  
   coronary heart disease and, 30  
   obesity and, 37
- Heroin, adolescent abuse of, 198
- Holistic medicine, 75  
   vs behavioral medicine
- Hospitalization, of children,  
   184-185
- Hostility  
   coronary heart disease and, 261  
   hypertension and, 261
- Hypertension  
   in adolescents, 33  
   behavior therapy in, 85, 86,  
     87, 106  
   differential risks, 92  
   early treatment of, 29  
   essential,  
     anger and, 261  
     behavioral therapy in, 239,  
       240-246, 257, 258  
     biofeedback in, 250, 255  
     as a degenerative disease,  
       238  
     etiology, 238-239  
     hostility and, 261  
     hypnosis and, 247  
     multivariate model of, 262  
     personality traits and, 259,  
       260, 261  
     relaxation therapy in, 250,  
       253, 254  
     treatment, 237, 239, 240-246,  
       250, 255, 257, 258, 263  
   in females, white, 93  
   heredity and, 31  
   hypnosis in, 247  
   in males, black, 92  
   patient compliance in the  
     treatment of, 249  
   in pregnancy, 146-147  
   renal, prematurity and, 146
- Hypnosis  
   biofeedback and, 247  
   children and, 183, 187  
   in hypertension, 247
- Illness, *see also* Disease  
   medical models of, 225
- Illness (continued)  
   physician's model vs patient's  
     model, 231
- Injections, preparing children  
   for, 186
- Insomnia, 86
- Jenkin's Activity Survey Scale,  
   249
- John Henryism, 92
- Learning disability, neurological  
   aspects of, 274
- Leukemia, 170, *see also* Cancer;  
   Malignancy
- Lumbar punctures, in children, 187
- Lupus erythematosus, 146
- LSD  
   adolescent abuse, 200  
   toxic effects, 211
- McCarthy test, 102
- Malignancy  
   in children, 3  
   risk factor, 2
- Marijuana  
   adolescent abuse, 198, 199  
   alcohol and, 209-210  
   fetal development and, 209  
   pregnancy and, 7  
   toxic effects, 208-210
- Mass media  
   food consumption and, 22  
   health habits and, 23
- Medicaid, 6
- Medicare, 6
- Medication, *see also* Pharmaco-  
   therapy  
   adherence to, 114-135
- Medicine, relationship to  
   psychology, 271
- Meditation, 239
- Methadone, adolescent abuse, 198
- Methaqualone  
   adolescent abuse of, 198, 199,  
     200  
   alcohol and, 211  
   toxic effects, 211
- Motor vehicle accidents  
   childhood injury from, 41  
   prevention of, 27, 41-45

- Motorcycle  
 adolescent injury and, 43  
 helmet law, 44
- Music, use during dental  
 procedures, 189
- Myopia, 86
- National Commission on Marijuana  
 and Drug Abuse, 201
- Nausea, 87
- Neurology, interface with  
 psychology, 273  
 advantages of, 276-277
- Obesity  
 adolescent, 37-41  
 behavior therapy in, 86  
 in children, 105  
 heredity and, 37  
 smoking and, 37
- Operant conditioning, 88
- Otitis media, 120
- Pain  
 behavior therapy in, 86, 87  
 of bone marrow aspirations, 187  
 in children, 107, 167-190
- Palmar Sweat Index, 177
- Parent-child interaction  
 adherence to medication and,  
 126  
 in neonatal period, 157-158  
 in prematurity, 152
- Patient compliance, 249
- PCP, *see* Phencyclidine
- Pediatric psychology, 100-101  
 definition, 100
- Peer influences, 205, 213
- Personality, hardiness  
 characteristics of, 12  
 definition, 91  
 salutogenesis and, 12
- Pharmacotherapy, *see also*  
 Medication  
 vs behavior therapy, 263  
 vs biofeedback, 248  
 vs relaxation therapy, 248,  
 254
- Phencyclidine  
 adolescent use, 200  
 toxic effects, 211-212
- Phenothiazines, adolescent  
 abuse, 198
- Placebos, 231
- Pneumonia, 3, 4
- Pregnancy  
 adolescent, 146  
 alcohol and, 7  
 complications of, 146  
 hypertension during, 146-147  
 nutrition and, 7  
 smoking and, 35  
 teenage, 209
- Prematurity, 145-161  
 adolescent pregnancy and, 146  
 bilirubin metabolism and, 149  
 complications of, 150  
 diabetes mellitus and, 146  
 idiopathic thrombocytopenia  
 purpura and, 146  
 lung maturity and, 148  
 lupus erythematosus and, 146  
 parent-infant interaction, 152  
 parental response to, 150-157  
 renal hypertension and, 146  
 uterine abnormalities and, 146
- Procedure Behavior Rating Scale,  
 174
- Psychology  
 health, 101-104, *see also* Health  
 psychology  
 interface with neurology, 273  
 advantages of, 276-277  
 pediatric, 100-101  
 relationship to medicine, 271
- Psychosomatic medicine, 66  
 vs behavioral medicine, 73, 75  
 history of, 68
- Psychotherapy, 64
- Purpura, thrombocytopenic, 146
- Raynaud's disease  
 behavior therapy in, 86  
 biofeedback in, 83
- Relaxation therapy, 88  
 biofeedback and, 250  
 vs biofeedback, 240, 251  
 electromyography, 252  
 in hypertension, 239, 241, 250,  
 253, 254  
 objective measures of, 252

- Relaxation therapy (continued)  
 patient involvement in, 250  
 vs pharmacotherapy, 248, 254
- Renal disease, 124
- Respiratory distress syndrome,  
 6, 149
- Rheumatic fever, 120
- Salutogenesis, 10  
 personality and, 12
- Smoking, cigarette  
 adolescent, 3, 25, 105, 198,  
 199  
 parent smoking and, 24, 34  
 age at which children begin,  
 35  
 behavior therapy in, 86, 87  
 obesity and, 37  
 pregnancy and, 7  
 prevention, 7, 34-37  
 junior high school programs,  
 36  
 in teenagers, 105  
 teenage, 3, 10, 105, 198, 199  
 treatment of, 20
- Stress  
 avoidance behavior and, .17  
 coping with, 17  
 personality hardiness and,  
 13, 14  
 techniques for, 14  
 educational levels and, 92
- Stroke  
 mortality from, 4  
 risk factor, 2
- Substance abuse, *see also* Alco-  
 holism; Drug addiction  
 vs addiction, 202-204  
 in adolescents, 197-217  
 risk factors, 204-206  
 treatment of, 215-217  
 definition of, 214  
 patterns of, 201, 202
- Suicide  
 adolescent, 208  
 risk factor, 2
- Television, social learning via,  
 22
- Tension, biofeedback in, 83
- Therapeutic regime, defined, 121
- Transcendental meditation, 88
- Uncooperative Behavioral Scale,  
 173
- Vineland Social Maturity Scale,  
 102
- Vomiting, behavior therapy in,  
 87
- Wechsler test, 102
- Weidemann-Beckwith syndrome, 147
- Wine, adolescent use, 201