

# Subject Index

- Acinetobacter sp.*, halophenol metabolism, 17
- Activated sludge, in pesticide metabolism, 29
- Aeromonas liquefaciens*, pesticide metabolism, 11
- Aflatoxins, analytical methods, 124 ff.
- Alachlor, bound residues, 57
- Alachlor, microbial metabolism 19, 49
- Alcaligenes denitrificans*, pesticide metabolism, 55
- Alcaligenes eutrophus*, pesticide metabolism, 61
- Alcaligenes sp.*, DDT metabolism, 6
- Alcaligenes sp.*, halo-aromatics metabolism, 7
- Aldicarb, microbial metabolism, 33
- Aldrin, health effects, 90
- Algorithms, predicting pesticide residues, 96
- Alkali flame ionization, organophosphate analysis, 118
- Ametryn, microbial metabolism, 12, 36
- Amides, microbial metabolism 19, 49 ff.
- Anabaena cylindrica*, pesticide metabolism, 19
- Anacystis nidulans*, pesticide metabolism, 10
- Anaerobic biodegradation, organic chemicals, 4
- Anaerobic metabolism, pesticides, 1 ff.
- Analytical methods, pesticides, history of, 109 ff.
- Aniline pesticides, microbial metabolism, 18
- Anilines, microbial metabolism, 47
- Anodic stripping voltammetry, metal residue analysis, 122
- Anthracene, microbial metabolism, 7
- AOAC Official Methods, history, 109 ff.
- AOAC, see Association of Official Analytical Chemists
- Aromatic solvents, microbial metabolism, 25
- Arthrobacter sp.*, pesticide metabolism, 8
- Aspergillus conicus*, DDT metabolism, 6
- Aspergillus flavus*, source of aflatoxin, 124
- Aspergillus niger*, DDT metabolism, 6
- Aspergillus versicolor*, pesticide metabolism, 11
- Associate Referee, AOAC analytical methods, 111
- Association of Official Agricultural Chemists, see AOAC
- Association of Official Analytical Chemists, history, 109 ff.
- Atomic absorption spectrophotometry, metal residue analysis, 121
- Atrazine, microbial metabolism, 12, 35, 59
- Aufwuchs bacteria, pesticide metabolism, 8, 28
- Azospirillum lipoferum*, pesticide metabolism, 10
- Bacillus cereus*, pesticide metabolism, 11
- Bacillus sphaericus*, mirex metabolism, 6
- Bacillus spp.*, dieldrin metabolism, 6

- Bacillus subtilis*, pesticide metabolism, 11
- Bacteria, in pesticide metabolism, 6 ff.
- Batch enrichment culture, pesticide metabolism, 2
- Benzazimide, microbial metabolism, 20, 52
- BHC, microbial metabolism, 23
- Biodegradation, bound pesticide residues, 57
- Bis(tributyltin)oxide, microbial metabolism, 20, 51
- Botanical pesticides, microbial metabolism, 21
- Botrytis cinerea*, pesticide metabolism, 21
- Bound pesticide residues, microbial metabolism, 55
- Bound residues, high-temperature distillation, 56
- Brevibacterium spp.*, pesticide metabolism, 60
- Bromoxynil, microbial metabolism, 21, 53
- Cadmium, in ceramic glazes, 123
- Candida humicola*, pesticide metabolism, 20
- Candida sp.*, pesticide metabolism, 54
- Carbamate pesticides, microbial metabolism, 9, 31
- Carbaryl, bound residues, 57
- Carbaryl, microbial metabolism, 9, 31
- Carbofuran, bound residues, 57
- Carbofuran, microbial metabolism, 10, 32
- Carbophenothion, microbial metabolism, 52
- Carboxylic acid pesticides, microbial metabolism, 22
- Cellulmonas flavigenum*, pesticide metabolism, 21
- Chaetomium globosum*, pesticide metabolism, 20
- Chemical names of pesticides, 63 ff., 104
- Chlamydomonas reinhardtii*, pesticide metabolism, 19
- Chlamydomonas sp.*, pesticide metabolism, 22
- Chlorbromuron, microbial metabolism, 19
- Chlordane, metabolites, 5
- Chlordane, microbial metabolism, 5
- Chlordene chlorohydrin, chlordane metabolite, 5
- Chlordimeform, microbial metabolism, 21, 53
- Chlorella vulgaris*, pesticide metabolism, 19
- Chlorfenvinfos, microbial metabolism, 7
- Chlorinated phenols, microbial metabolism, 45
- Chlorocatechols, microbial metabolism, 60
- Chlorophenols, microbial metabolism, 45
- Chlorpyrifos, bound residues, 57
- Chlorpyrifos, microbial metabolism, 7, 26
- Chromated copper arsenate, microbial metabolism, 51
- CICP, microbial metabolism, 10, 34
- Cladosporium cucumerinum*, pesticide metabolism, 21
- Clostridium rectum*, BHC metabolism, 6
- Clostridium spp.*, dieldrin metabolism, 6
- Collaborative study system, AOAC analytical methods, 111, 115
- Cometabolism of pesticides, 3
- Cometabolizing microorganisms, 39
- Coniophor puteana*, pesticide metabolism, 20
- Continuous culture, pesticide metabolism, 3
- Copper arsenate, microbial metabolism, 20, 51
- Coriolus versicolor*, pesticide metabolism, 21

- Corynebacterium spp.*, pesticide metabolism, 60
- Cottonseed, source of aflatoxins, 127
- Coumaphos, microbial metabolism, 7, 26
- Cresol, microbial metabolism, 16, 43
- Crop losses, to pests, 89
- Cunninghamella elegans*, methylnaphthalenes metabolism, 7
- Cycloate, microbial metabolism, 12, 33
- Cyclone fermenter, in pesticide biodegradation, 4
- Cypermethrin, microbial metabolism, 20, 52
- 2,4-D butoxy ethyl ester, microbial metabolism, 14
- 2,4-D ethyl sulfate, microbial metabolism, 14
- 2,4-D, microbial metabolism, 13, 37
- DDE, in human adipose tissue, 92
- DDE, microbial metabolism of DDT, 23
- DDT, bound residues, 57
- DDT, dietary levels, 92
- DDT, health effects, 90
- DDT, in human adipose tissue, 91 ff.
- DDT, metabolism by white rot fungus, 23
- DDT, microbial metabolism, 6, 23
- Decamethrin, microbial metabolism, 20, 52
- Deoxynivalenol, analytical method, 129
- Desmedipham, microbial metabolism, 11, 33
- Diallate, microbial metabolism, 12, 34
- Diazinon, microbial metabolism, 7, 26
- Dichlorobenil, microbial metabolism, 21
- Dichloro-chlordene, chlordane metabolite, 5
- Dichloroaniline, bound residues, 57
- Dichlorobenzene, microbial metabolism, 25
- Dichlorobenzonitrile, bound residues, 57
- Dichlorvos, microbial metabolism, 7
- Dieldrin, microbial metabolism, 6
- Diflubenzuron, bound residues, 57
- Diflubenzuron, microbial metabolism, 19, 51
- Dihydrorotenone, microbial metabolism, 21
- Dimethoate, predicted residues, 102
- Dithiocarbamates, health effect, 90
- Diuron, microbial metabolism, 19, 51
- EDB, microbial metabolism, 55
- Electrolytic conductivity detector, pesticide analysis, 119
- Endothal, microbial metabolism, 22, 54
- Enrichment culture, pesticide metabolism, 2
- Enterobacter aerogenes*, pesticide metabolism, 11
- EPTC, microbial metabolism, 12, 35
- Escherichia coli*, pesticide metabolism, 18
- Ethyl parathion, bound residues, 58
- Ethyl parathion, microbial metabolism, 8, 28
- Ethylene dibromide, microbial metabolism, 55
- Fenac, microbial metabolism, 22, 54
- Fenitrooxon, microbial metabolism, 7, 27
- Fenitrothion, bound residues, 57
- Fenitrothion, microbial metabolism, 8, 27
- Fenpropanate, microbial metabolism, 20, 52
- Fensulfothion, microbial metabolism, 8, 27
- Fenthion ethyl, microbial metabolism, 8
- Fenvalerate, microbial metabolism, 20, 52
- Flame ionization detector, organophosphate analysis, 118

- Flame photometric detector, in pesticide analysis, 119
- Flameless atomic absorption spectrophotometry, 121
- Flavobacterium sp.*, pesticide metabolism, 7
- Fluorodensitometric measurement, aflatoxin analysis, 125
- Fluorometric detection, post-column, pesticide analysis, 120
- Fluvalinate, microbial metabolism, 20, 52
- Fonofos, bound residues, 57
- Fonofos, microbial metabolism, 9
- Food poisoning, lead in ceramic glazes, 123
- Formamidines, microbial metabolism, 21
- Fungi, in pesticide metabolism, 6 ff.
- Fungicides, world use, 90
- Fusarium culmorum*, pesticide metabolism, 21
- Gel permeation chromatography, pesticide cleanup method, 118
- General Referee, AOAC analytical methods, 111
- Gloeocapsa alpicola*, pesticide metabolism, 19
- Glyphosate, microbial metabolism, 9, 30
- Hafnia sp.*, pesticide metabolism, 8
- Halo-aromatics, microbial metabolism, 7
- Haloanilines, microbial metabolism, 19
- Halobenzoic acids, microbial metabolism, 22
- Halocatechols, microbial metabolism, 17
- Halogenated aromatics, microbial metabolism, 24
- Halogenated hydrocarbons, microbial metabolism, 5
- Halophenols, microbial metabolism, 17
- Harvest intervals, pesticides, in the USSR, 102
- HCH, microbial metabolism, 23
- Health effects, pesticides, 90
- Heptachlor-endo-epoxide, chlordane metabolite, 5
- Heptachlor, health effects, 90
- Herbicides, world use, 89
- Hexachlorocyclohexane, microbial metabolism, 6, 23
- High-temperature distillation, soil residues, 56
- Horwitz, William, AOAC chief executive officer, 114
- Humic acid, in soil pesticide metabolism, 55
- Hydrocarbons, microbial metabolism, 25
- Imide pesticides, microbial metabolism, 20
- Insecticides, world use, 89
- International Union of Pure and Applied Chemistry, 116
- IPC, microbial metabolism, 10
- Iprodione, microbial metabolism, 55
- Isofenphos, microbial metabolism, 9
- IUPAC, see International Union of Pure and Applied Chemistry
- Kepone, algal removal from water, 61
- Ketone pesticides, microbial metabolism, 21
- Kelebsiella pneumoniae*, methoxychlor metabolism, 7
- Lagooning, in pesticide degradation, 44
- Lead, in ceramic glazes, 123
- Lindane, bound residues, 57
- Lindane, microbial metabolism, 23
- Linuron, microbial metabolism, 19, 51
- Lipomyces starkeyi*, pesticide metabolism, 21
- Losses of crops, to pests, 89

- Malathion, microbial metabolism, 9  
 Mancozeb, microbial metabolism, 20  
 Maneb, health effects, 90  
 MCPA, microbial metabolism, 14, 37  
 MCPB, microbial metabolism, 15  
 Mecoprop, microbial metabolism, 14  
 Mercury, in fish and shellfish, analytical methods, 124  
 Metabolism, pesticides by microorganisms, 1 ff.  
 Metallo pesticides, microbial metabolism, 20, 51  
 Metalloorganic pesticides, microbial metabolism, 20, 51  
 Metamitron, microbial metabolism, 12, 36  
 Methomyl, microbial metabolism, 10  
 Methoxychlor, health effects, 90  
 Methoxychlor, microbial metabolism, 7  
 Methyl parathion, bound residues, 58  
 Methyl parathion, microbial metabolism, 8, 28  
 Methylnaphthalenes, microbial metabolism, 7  
 Metolachlor, microbial metabolism, 22  
 MGHA, method of group handling of arguments, 94  
*Microbacterium flavum*, pesticide metabolism, 21  
 Microbial metabolism, halogenated hydrocarbons, 5  
 Microbial metabolism, pesticides, 1 ff.  
*Micrococcus spp.*, dieldrin metabolism, 6  
 Microorganisms, pesticide degraders, listed, 7  
 Mineralization, measure of pesticide metabolism, 4  
 Mirex, microbial metabolism, 6, 24  
 Modeling, pesticide residues, 93  
 Monuron, microbial metabolism, 51  
*Moraxella sp.*, pesticide metabolism, 18  
*Mucor racemosus*, pesticide metabolism, 22  
 Multiresidue methods, pesticide residues, AOAC, 117  
 Mycotoxins, analytical methods, 124 ff.  
 Naphthalene, microbial metabolism, 7  
 Nitrate, reduction to nitrite, microbial, 47  
 Nitrile pesticides, microbial metabolism, 21  
 Nitro-pesticides, microbial metabolism, 21  
 Nitroaniline, microbial metabolism, 19  
 Nitrobenzene, microbial metabolism, 21  
 Nitrophenol, ortho & para, microbial metabolism, 43  
 Nitrophenols, microbial metabolism, 17  
*Nocardia spp.*, pesticide metabolism, 60  
*Nocardioopsis sp.*, chlordane metabolism, 5, 7  
 Ochratoxins, analytical method, 128  
 Official Methods Board, AOAC analytical methods, 111  
 Official Methods of Analysis of the AOAC, 111  
 Organochlorines, microbial metabolism, 5, 6  
 Organophosphate pesticides, microbial metabolism, 30  
 Organophosphates, microbial metabolism, 7  
*Oscillatoria sp.*, pesticide metabolism, 21, 53  
 Oxychlordene, chlordane metabolite, 5  
 Paraquat, microbial metabolism, 21, 53  
 Parathion, bound residues, 58  
 Parathion, microbial metabolism, 8, 28  
 Patulin, analytical method, 129  
 PCB, bound residues, 58  
 PCNB, microbial metabolism, 21, 53

- PCP, microbial metabolism, 16, 41
- Peanuts, source of aflatoxins, 127
- Penicillium brefeldianum*, DDT metabolism, 6
- Penicillium sp.*, DDT metabolism, 6
- Pentachloronitrobenzene, microbial metabolism, 21, 53
- Pentachlorophenol, bound residues, 58
- Pentachlorophenol, microbial metabolism, 16, 41
- Permethrin, microbial metabolism, 20, 52
- Pesticide biodegradation studies, 3 ff.
- Pesticide metabolism, anaerobic, 1 ff.
- Pesticide metabolism, batch enrichment culture, 2
- Pesticide metabolism, microbial, 1 ff.
- Pesticide residue methods, history, 109 ff.
- Pesticide residues, algorithms for prediction, 96
- Pesticide residues, bound, microbial metabolism, 55
- Pesticide residues, factors affecting, 92
- Pesticide residues, modeling techniques, 93
- Pesticide residues, predicting, 1 ff., 89 ff.
- Pesticides, anaerobic metabolism, 1 ff.
- Pesticides, chemical names, 63 ff., 104
- Pesticides, health effects, 90
- Pesticides, history of analytical methods, 109 ff.
- Pesticides, microbial metabolism, 1 ff.
- Pesticides, microbial removal from soil, 60
- Pesticides, microbial removal from water, 60
- Pesticides, physical/chemical properties, 97
- Pesticides, predicting adverse effects, 91 ff.
- Pesticides, reducing adverse effects, 91 ff.
- Pesticides, world sales, 89
- Phanerochaete chrysosporium*, DDT metabolism, 6, 23
- Phellinus weirii*, DDT metabolism, 6, 23
- Phenmedipham, microbial metabolism, 11, 33
- Phenol, microbial metabolism, 15, 42
- Phenolic pesticides, microbial metabolism, 15
- Phenols, microbial metabolism, 41 ff.
- Phenoxy pesticides, microbial metabolism, 13, 36
- Phorate, bound residues, 58
- Phorate, microbial metabolism, 9
- Phosalone, predicted residues, 102
- Phosphate pesticides, microbial metabolism, 7
- Phosphoramidate pesticides, microbial metabolism, 9
- Phosphoramidothioate pesticides, microbial metabolism, 9
- Phosphorodithioate pesticides, microbial metabolism, 9
- Phosphorothioate pesticides, microbial metabolism, 7
- Plasmid-assisted molecular breeding, 3
- Pleurotus ostreatus*, DDT metabolism, 6, 23
- Poisoning, from lead in ceramic glazes, 123
- Polyporus versicolor*, DDT metabolism, 23
- Profluralin, microbial metabolism, 21, 53
- Promecarb, microbial metabolism, 11, 33
- Prometryn, bound residues, 56, 58
- Prometryn, microbial metabolism, 12, 36
- Propachlor, microbial metabolism, 19, 49
- Propamocarb, microbial metabolism, 33
- Propanil, microbial metabolism, 19, 50
- Proteus vulgaris*, pesticide metabolism, 11
- Prototheca zopfii*, pesticide removal from water, 61

- Pseudomonas acidovorans*, pesticide metabolism, 45
- Pseudomonas aeruginosa*, DDT metabolism, 6
- Pseudomonas cepacia*, 2,4,5-T metabolism, 3
- Pseudomonas cepacia*, halo-aromatics metabolism, 7
- Pseudomonas putida*, pesticide metabolism, 11
- Pseudomonas sp.*, DDT metabolism, 6
- Pyrethroids, microbial metabolism, 20, 51
- Pyridiliums, microbial metabolism, 21
- Referee System**, AOAC analytical methods, 111
- Residues, multiple factors affecting, 92
- Rhizoctonia praticola*, pesticide metabolism, 18, 59
- Rhodococcus sp.*, pesticide metabolism, 9
- Rhodopseudomonas sphaeroides*, pesticide metabolism, 61
- Rhodospordium sp.*, halo-aromatics metabolism, 7
- Rotenone, microbial metabolism, 53
- Sewage microbes, in pesticide metabolism, 17
- Sewage sludge, in pesticide metabolism, 29, 54
- Sludge, in pesticide degradation, 29, 43, 46, 54
- Soil, pesticide removal by microorganisms, 60
- Staphylococcus saprophyticus*, pesticide metabolism, 8
- Sterigmatocystin, analytical method, 128
- Storherr tube, in pesticide cleanup, 118
- Streptomyces albus*, mirex metabolism, 6
- Streptomyces griseus*, pesticide metabolism, 21
- Substituted aniline pesticides, microbial metabolism, 18
- Substituted phenolic pesticides, microbial metabolism, 16, 42
- Sweep co-distillation, pesticide cleanup, 118
- Synthetic pyrethroids, microbial metabolism, 52
- 2,4,5-T, microbial metabolism, 3, 14, 37
- 2,4,5-trichlorophenol, metabolite of 2,4,5-T, 37
- TDE, microbial metabolism of DDT, 23
- Techlofthalam, microbial metabolism, 55
- Terbufos, microbial metabolism, 9
- Tetrahymena thermophila*, pesticide metabolism, 21
- Thermionic detector, in pesticide analysis, 118
- Thiocarbamate pesticides, microbial metabolism, 12, 34
- Thiram, health effects, 90
- Thiram, microbial metabolism, 21
- TMTD, health effects, 90
- TMTD, microbial metabolism, 21, 53
- Toluidic pesticides, microbial metabolism, 22
- Tolypothrix tenuis*, pesticide metabolism, 19
- Torula rosea*, pesticide metabolism, 11
- Trametes versicolor*, pesticide metabolism, 18
- Triadimefon, microbial metabolism, 21, 52
- Triadimenol, microbial metabolism, 52
- Triallate, microbial metabolism, 12, 34
- Triazine herbicides, microbial metabolism, 12, 35
- Triazoline pesticides, microbial metabolism, 21
- Tributyltin oxide, microbial metabolism, 20, 51
- Trichlorfon, predicted residues, 102

- Trichlorophenols, metabolites of 2,4,5-T, 37
- Trichoderma viride*, fenitrooxon metabolism, 7
- Trifluralin, microbial metabolism, 21, 54
- Urea pesticides, microbial metabolism, 19, 51
- USSR, predicting pesticide residues, 1 ff.
- Vinclozolin, microbial metabolism, 55
- Waiting intervals, pesticides, USSR, 102
- Warfarin, microbial metabolism, 21, 52
- Water, pesticide removal by microorganisms, 60
- Wiley, Harvey A., Father of Pure Food Law, 112
- Yeast, in pesticide metabolism, 6 ff.
- Zearalenone, analytical method, 129
- Zineb, health effects, 90
- Zineb, predicted residues, 102
- Ziram, health effects, 90



---

## INFORMATION FOR AUTHORS

# Reviews of Environmental Contamination and Toxicology

Edited by

*George W. Ware*

Published by

Springer-Verlag New York • Berlin • Heidelberg • Tokyo

---

*The original copy and one good photocopy of the manuscript, complete with figures and tables, are required.* Manuscripts will be published in the order in which they are received, reviewed, and accepted. They should be sent to the editor:

Dr. George W. Ware  
College of Agriculture  
University of Arizona  
Tucson, Arizona 85721  
Telephone: (602) 621-3859 (office)  
(602) 299-3735 (home)

### 1. Manuscript

The manuscript, in English, should be typewritten, double-spaced throughout (including reference section), on one side of 8½ × 11-inch blank white paper, with at least one-inch margins. The first page of the manuscript should start with the title of the manuscript, name(s) of author(s), with author affiliation(s) as first-page starred footnotes, and "Contents" section. Pages should be numbered consecutively in arabic numerals, including those bearing figures and tables only. In titles, in-text outline headings and subheadings, figure legends, and table headings only the initial word, proper names, and universally capitalized words should be capitalized.

*Footnotes* should be inserted in text and numbered consecutively in the text using arabic numerals.

*Tables* should be typed on separate sheets and numbered consecutively within the text in *roman numerals*; they should bear a descriptive heading, in lower case, which is underscored with one line and which starts after the word "Table" and the appropriate roman numeral; *footnotes in tables* should be designated consecutively within a table by the lower-case alphabet. *Figures* (including photos, graphs, and line drawings) should be numbered consecutively within the text in

---

arabic numerals; each figure should be affixed to a separate page bearing a legend (below the figure) in lower case starting with the term “Fig.” and a number.

## 2. Summary

A concise but informative summary (double-spaced) must conclude the text of each manuscript; it should summarize the significant content and major conclusions presented. It must not be longer than two 8½ × 11-inch pages of double-spaced typing. As a summary, it should be more informative than the usual abstract.

## 3. References

All papers, books, and other works cited in the text must be included in a “References” section (*also double-spaced*) at the end of the manuscript. If comprehensive papers on the same subject have been published, they should be cited when the bibliographic citations extend farther back than to these papers.

All papers cited in the text should be given in parentheses and alphabetically when more than one reference is cited at a time, e.g. (Coats and Smith 1979, Holcombe et al. 1982, Stratton 1986), except when the author is mentioned, as for example, “and the study of Roberts and Stoydin (1985).” References to unpublished works should be kept to a minimum and mentioned only in the text itself in parentheses. References to published works are given at the end of the text in alphabetical order under the first author’s name, citing all authors (surnames followed by initials throughout; do not use “and”) according to the following examples:

*Periodicals:* Name(s), initials, year of publication in parentheses, full article title, journal title as abbreviated in “The ACS Style Guide: A Manual for Authors and Editors” of the American Chemical Society, volume number, colon, first and last page numbers. Example:

Leistra MT (1970) Distribution of 1,3-dichloropropene over the phases in soil. *J Agric Food Chem* 18:1124–1126.

*Books:* Name(s), initials, year of publication in parentheses, full title, edition, volume number, name of publisher, place of publication, first and last page numbers. Example:

Gosselin R, Hodge H, Smith R, Gleason M (1976) *Clinical Toxicology of Commercial Products*, 4th Ed. Wilkins-Williams, Baltimore, MD, pp 119–121.

*Work in an edited collection:* Name(s), initials, year of publication in parentheses, full title. In: name(s) and initial(s) of editor(s), the abbreviation ed(s) in parentheses, name of publisher, place of publication, first and last page numbers. Example:

Metcalfe RL (1978) Fumigants. In: White-Stevens J (ed) *Pesticides in the environment*. Marcel Dekker, New York. pp 120–130.

---

References by the same author(s) are arranged chronologically. If more than one reference by the same author(s) published in the same year is cited, use a, b, c after year of publication in both text and reference list.

#### 4. Illustrations

Illustrations may be included only when indispensable for the comprehension of text. They should not be used in place of concise explanations in text. Schematic line drawings must be drawn carefully. For other illustrations, clearly defined black-and-white glossy photos are required. Should darts (arrows) or letters be required on a photo or other type of illustration, they should be marked neatly with a soft pencil on a duplicate copy or on an overlay, with the end of each dart indicated by a fine pinprick; darts and lettering will be transferred to the illustrations by the publisher.

Photos should not be less than five × seven inches in size. Alterations of photos in page proof stage are not permitted. *Each photograph or other illustration should be marked on the back, distinctly but lightly, with soft pencil, with first author's name, figure number, manuscript page number, and the side which is the top.*

If illustrations from published books or periodicals are used, the exact source of each should be included in the figure legend: if these "borrowed" illustrations are copyrighted by others, permission of the copyright holder to reproduce the illustration must be secured by the author.

#### 5. Chemical Nomenclature

All pesticides and other subject-matter chemicals should be identified according to *Chemical Abstracts*, with the full chemical name in text in parentheses or brackets the first time a common or trade name is used. *If many such names are used, a table of the names, their precise chemical designations, and their Chemical Abstract Numbers (CAS) should be included as the last table in the manuscript, with a numbered footnote reference to this fact on the first text page of the manuscript.*

#### 6. Miscellaneous

*Abbreviations:* Common units of measurement and other commonly abbreviated terms and designations should be abbreviated as listed below; if any others are used often in a manuscript, they should be written out the first time used, followed by the normal and acceptable abbreviation in parentheses [e.g., Acceptable Daily Intake (ADI), Angstrom (Å), picogram (pg)]. Except for inch (in.) and number (no., when followed by a numeral), abbreviations are used without periods. Temperatures should be reported as "°C" or "°F" (e.g., mp 41° to 43°C). Because the metric system is the international standard, when pounds (lb) and gallons (gal) are used the metric equivalent should follow in parentheses.

## Abbreviations

A	acre	sec	second(s)
bp	boiling point	μg	microgram(s)
cal	calorie	μL	microliter(s)
cm	centimeter(s)	μm	micrometer(s)
cu	cubic (as in "cu m")	mg	milligram(s)
d	day	mL	milliliter(s)
ft	foot (feet)	mm	millimeter(s)
gal	gallon(s)	mM	millimolar
g	gram(s)	min	minute(s)
ha	hectare	<u>M</u>	molar
hr	hour(s)	mon	month(s)
in.	inch(es)	ng	nanogram(s)
id	inside diameter	nm	nanometer(s) (millimicron)
kg	kilogram(s)	<u>N</u>	normal
L	liter(s)	no.	number(s)
mp	melting point	od	outside diameter
m	meter(s)	oz	ounce(s)
ppb	parts per billion	sp gr	specific gravity
ppm	parts per million	sq	square (as in "sq m")
ppt	parts per trillion	vs	versus
pg	picogram	wk	week(s)
lb	pound(s)	wt	weight
psi	pounds per square inch	yr	year(s)
rpm	revolutions per minute		

**Numbers:** All numbers used with abbreviations and fractions or decimals are arabic numerals. Table numbers are roman numerals. Otherwise, numbers below ten are to be written out. Numerals should be used for a series (e.g., "0.5, 1, 5, 10, and 20 days"), for pH values, and for temperatures. When a sentence begins with a number, write it out.

**Symbols:** Special symbols (e.g., Greek letters) must be identified in the margin, e.g.

$$A = \beta / 2\lambda$$

Percent should be % in text, figures, and tables.

**Style and format:** The following examples illustrate the style and format to be followed (except for abandonment of periods with abbreviation):

Sklarew DS, Girvin DC (1986) Attenuation of polychlorinated biphenyls in soils. *Reviews Environ Contam Toxicol* 98:1-41.

Yang RHS (1986) The toxicology of methyl ethyl ketone. *Residue Reviews* 97:19-35.

---

## 7. Proofreading scheme

The senior author must return the Master set of page proof to the Editor within one week of receipt. Author corrections should be clearly indicated on proof with ink, and in conformity with the standard "Proofreader's Marks" accompanying each set of proofs. In correcting proof, new or changed words or phrases should be carefully and legibly handprinted (not handwritten) in the margins.

## 8. Offprints

Senior authors receive 30 complimentary offprints of a published article. Additional offprints may be ordered from the publisher at the time the principal author receives the proof. Order forms for additional offprints will be sent to the senior author along with the page proofs.

## 9. Page charges

There are no page charges, regardless of length of manuscript. However, the cost of alteration (other than corrections of typesetting errors) attributable to authors' changes in the page proof, in excess of 10% of the original composition cost, will be charged to the authors.

If there are further questions, see any volume of *Reviews of Environmental Contamination and Toxicology* (formerly *Residue Reviews*) or telephone the Editor (see first page for telephone numbers). Volume 98 is especially helpful for style and format.