

Index

- Adjoint 47, 53, 55–58, 87–88, 90, 95, 96, 104, 115, 136, 139–141, 143, 149–151, 154, 160–162, 166, 231, 235, 246, 249–251, 253, 273
- Algebraic multiplicity (*see* Riesz index)
- Almost periodic 164 (*see* Quasi-periodic)
- Amann, H. 11
- Amplitude 13, 87, 104, 125, 143, 167, 205, 218, 227, 233, 238, 256, 275
- Amplitude equation 124–126, 141
- Amplitude power series solution 38–39, 69, 81, 82, 87, 104, 113, 116, 119, 125, 134, 144, 150, 168, 185, 205, 207, 216, 221, 229, 230, 236, 257, 275–276
- Antman, S. 11
- Arnold, V.I. 11, 183, 242
- Asymptotically quasi-periodic solutions 186–218, 203, 224, 226–242, 276–278
- Asymptotic approximation 191, 202–203
- Asymptotic stability 9, 83
- Autonomous equations 6–7, 86–156, 198, 226–230, 243–279
- Averaging 190, 274
- Banach space, 93, 157
- Bauer, L. 85
- Bazley, N. 11
- Benjamin, T.B. 25, 26
- Bifurcation
- at a double eigenvalue of index two (*see* Double eigenvalue)
 - at a semi-simple eigenvalue (*see* Semi-simple)
 - at a simple eigenvalue (*see* Simple eigenvalue)
 - cuspid point (*see* Cusp-point)
 - group action and quasi-periodic bifurcation 278
 - history 11, 23, 241
 - Hopf bifurcation (*see* Hopf bifurcation)
 - in one dimension 15–19 (*see* Simple eigenvalue)
 - interactions of 155–156
 - in two dimensions 62–69 (*see* Semi-simple eigenvalue; Double-eigenvalue of index two)
 - linear theory of stability 9
 - one-sided (*see* Supercritical-subcritical)
 - partial differential equations 114–122, 148–150, 278

- Bifurcation [*cont.*]
 periodic (*see* Hopf bifurcation; Subharmonic bifurcation)
 quasi-periodic 223, 278 (*see* Asymptotically quasi-periodic solutions)
 references 11, 12, 15, 23, 44, 67, 70, 85, 142, 145, 147, 155, 156, 175, 217, 241, 242, 278, 279
 repeated (*see* Secondary)
 secondary 83–85, 114, 138, 245
 singular point 14–15
 steady 13–31, 62–122
 subharmonic
 in autonomous case 272–273, 243–279
 in forced case 184, 157–185
 sufficient condition for (*see* Strict crossing)
 supercritical-subcritical 26, 67, 75, 126, 135, 172, 177–183, 186, 217, 273 (*see also* examples)
 time-periodic (*see* Hopf bifurcation and Subharmonic)
 tori (*see* Torus, bifurcating)
 transcritical (*see* Two-sided)
 triple point 19, 28–29
 two-sided 26, 126, 170, 171, 173
 Bilinear operator (*see* Operators)
 Biorthogonal decomposition 91–92, 105, 124, 140–141, 167–168, 181–188, 232, 235, 274–275
 Biorthogonality 51, 55–58, 124, 140, 161, 250
 Center 85
 Change of variables 190–192
 Checiner, A. 241
 Coddington, E. 22, 47, 132
 Conditional stability theorem 19–22, 96, 128
 Conjugate point 16, 42
 Conservative system 11, 85
 Courant, R. 15
 Criticality 53, 69, 97, 125, 163–164, 247–248
 Cusp point 15–16, 28
 Davis, S. 43
 Diffusion equation 5
 Dissipative 11
 Double eigenvalue
 of index one (*see* Semi-simple)
 of index two 50, 69, 96, 138
 at turning points of periodic solutions 148
 bifurcation at 67–69, 103–106
 bifurcation of periodic orbits 85
 Fredholm alternative 104
 stability 69–70, 253–255
 strict crossing 54, 253–255
 subharmonic bifurcation 253–255, 266–268
 Double point 15–17, 23–28, 33–34, 101–103, 250
 Eigenvalues
 double (*see* Double eigenvalue)
 Floquet exponent (*see* Floquet exponent)
 infinite dimensional problems 94–95 (*see* Partial differential equation; Functional differential equation)
 in one dimension 19–29
 multiple (*see* Riesz index)
 of a 2×2 matrix 48–51
 of adjoint problem (*see* Adjoint)
 of spectral problem (*see* Spectral problems)
 stability of periodic solution (*see* Floquet)
 Eigenvectors
 generalized (*see* Generalized eigenvectors)
 of a 2×2 matrix 48–51
 of adjoint problem (*see* Adjoint)
 of spectral problem (*see* Spectral problem)
 Equilibrium solutions 2–5
 Ergodic 201
 Evolution problems 4–8, 86–87, 139, 158–159
 Examples
 bifurcation at a semi-simple eigenvalue 82–83, 117–119
 bifurcation for index 2 85
 bifurcation from infinity 43
 biorthogonality 187–188
 functional-differential equations 150–153
 generalized eigenvectors and projections 57–61
 group action and quasi-periodic bifurcation 278
 Hopf bifurcation in \mathbb{R}^2 134–138, 153–155
 imperfection for PDE 119–122

- imperfection—periodic 185
- integro-differential
 - equations 111–114
- isolas perturbing conjugate points 42
- isolated solutions which break
 - bifurcation (imperfections) 36–37, 119–122
- partial differential equation
 - (PDE) 114–119, 148–150
- periodic bifurcation in index 2 case 85
- secondary bifurcation in semi-simple case 83–85
- Exceptional conditions 186, 219
- Exceptional set 196–197
 - mean set 197
 - resonant set 197
- Exponent (*see* Floquet exponent)
- Factorization theorem 22, 90–91, 133, 138, 147, 172
- Floquet exponent 126–132, 159–160, 187, 248
- Floquet multipliers 126–132, 187
 - “typical” values 132, 185
- Foci 52–53
- Forced periodic solution 6–7, 157–242
- Fredholm alternative 88, 100, 104–105, 145, 162, 166, 193, 195, 229, 231, 235
- Frequency 124–126, 143–146, 152, 164, 186
 - locking 218–226, 278
 - ratio 164, 222–226, 256
 - second 208–217, 226–241
- Functional derivative 11 (*see* Operator, bilinear, linear, trilinear)
- Functional differential
 - equation 150–151
- Generalized eigenvectors 50–51, 55–61, 106, 148, 253
- Generic 27
- Geometric multiplicity (*see* Riesz index; Double eigenvalue of index two)
- Global stability 29–31
- Gollub, J. 241
- Golubitsky, M. 44, 82
- Group action and bifurcation 156, 278
- Gurel, O. 11
- Haken, H. 11
- Hale, J.K. 150
- Herman, M. 225
- Hilbert space 94, 101, 110, 114, 148
- Holmes, P. 156
- Hopf, E. 23
- Hopf bifurcation 23, 80
 - in general problems 139–155
 - interactions with other modes 155–156
 - in two dimensions 123–138
 - of a periodic solution (*see* Asymptotically quasi-periodic; Torus, bifurcating)
 - stability 133, 138, 147
 - wave-like solutions 156
- Hopf condition 23 (*see* Strict crossing)
- Hutchinson–Wright equation 150
- Imperfection theory 32–41, 84, 119–122, 184–185
- Implicit function theorem 13–14, 34, 65, 74, 80–81, 178
- Integro-differential equation 11, 93, 111–114
- Invariance
 - to periodic translates 172, 174, 178–179, 201, 223
 - to phase shifts (*see* Time translates)
 - to rotations 156, 278
 - to time translates 125, 130, 132, 233, 244–245, 256–257
- Invariant tori 201, 221–226
- Iooss, G. 11, 142, 155, 156, 158, 175, 183, 203, 217, 222, 242, 268
- Irrational points 164, 200–203
- Isolas 42
- Isolated solutions (*see* Global stability; Imperfection theory)
- Iudovich, V.I. 145
- Jacobi, C. 11
- Jacobian 63, 64, 66, 68, 71, 73, 74, 108
- Jordan chain (*see* Generalized eigenvector)
- Joseph, D.D. 11, 15, 134, 145, 147, 158, 175, 230, 242
- Kato, T. 106, 110
- Keener, J. 156
- Keller, H.B. 11, 85
- Kernel (*see* Null space)
- Kielhöfer, H. 155, 156
- Kirchgässner, K. 11
- Koiter, W.T. 43
- Krasnoselski, M.A. 11

- Landman, K.A. 67
 Lanford, O., III 217
 Langford, W.F. 156
 Laplace transform 97–100
 Levinson, N. 22, 47, 132
 Linear operator (*see* Operator)
 Linear theory of stability (*see* Stability)
 Local form 7–8, 129, 158
 Lorenz, E. 3
 Lyapunov–Schmidt 3, 12
 Lyapunov's theorem (*see* Stability, conditional)
- Marsden, J. 11, 23
 Matkowsky, B.J. 43, 119
 Matrix
 monodromy 130–131, 137, 163, 165
 2×2 48–51
 McCracken, M. 11, 23
 McLeod, J.B. 70, 78
 Method of averaging (*see* Averaging)
 Multiple eigenvalue (*see* Riesz index)
- Navier–Stokes 6, 142, 145, 157, 230, 278
 Neimark, J. 241, 242
 Nield, D.A. 147
 Nodes 52
 Nonlinear operator (*see* Operator)
 Normal form 192–198, 273–276
 Normalization and uniqueness 89, 100 (*see also* Amplitude)
 Notation 157–158, 245 (*see also* List of symbols)
 Null space 100, 107, 165, 231, 269
- Operator**
 adjoint (*see* Adjoint)
 bilinear 10, 114–122, 154, 158
 integral 11, 98, 111
 linear 10, 45–61, 98, 111–122, 149, 150, 157, 158, 165, 187, 247, 269 (*see also* Spectral problem; Floquet; Fredholm alternative; Adjoint)
 matrix of 55, 100, 130–131
 monodromy (*see* Monodromy)
 nonlinear 10, 149, 150, 187
 projection (*see* Projection)
 resolvent 98
 trilinear 10, 111–122, 149, 158
 Orbital stability 132
- Partial differential equation** 5, 6, 86, 114, 121, 148–150, 278
- Phase shifts (*see* Invariance to time translates)
 Pimbley, G.H. 12, 111
 Poincaré map 223, 224, 241, 278
 Polar coordinates for torus 199–200
 Projection 2, 59–61, 67, 86–123, 141 (*see also* Biorthogonal decomposition)
- Quasi-periodic bifurcating solutions** 2, 164, 201, 223, 226, 278 (*see also* Asymptotically quasi-periodic solutions)
- Rabinowitz, P. 12
 Rand, D. 278
 Rational points 163–165, 201, 204–206, 226, 248 (*see also* Subharmonic bifurcation)
 Regular point of plane curve 14
 Regular turning point 14, 22
 Reiss, E. 43, 44, 85, 119
 Renardy, M. 278
 Resolvent 98
 Resonance (*see* Weak resonance; Strong resonance)
 Riesz index of an eigenvalue 46
 index one (*see* Semi-simple)
 index two (*see* Double eigenvalue)
 of a 2×2 matrix 48–51
 of an $n \times n$ matrix 55
 Rosenblat, S. 43, 67
 Rossler, O. 11
 Rotational invariance 156, 278
 Rotation number 201, 223–226, 278
 Ruelle, D. 217, 241, 242
- Sacker, R.J. 241–242
 Saddle point 52, 85
 Saddle surface for imperfections 34–35
 Sattinger, D. 12, 70, 78, 145
 Scalar product 114, 116, 118, 151, 161, 227, 231 (*see also* List of symbols)
 Schaeffer, D.A. 44, 82
 Secondary bifurcation 83–85, 114, 138, 245
 Secular terms 203, 209, 277
 Semi-group 100
 Semi-simple eigenvalue (Riesz index 1) 49, 96, 140, 143
 and subharmonic bifurcation 165, 252, 262–266
 bifurcation at a 70–75, 106–110

- examples of bifurcation and stability 75–85, 117–119
 - Fredholm alternative in $\mathbb{P}_{2\pi}^2$ 145
 - stability 75–80, 252
 - strict crossing at a 54
- Series solution
 - powers of amplitude (*see* Amplitude power series solution)
 - power of μ 39, 73, 82, 185
- Shearer, M. 85
- Simple eigenvalue 46, 49, 96, 140
 - and bifurcation to a torus 187
 - and subharmonic bifurcation 163
 - bifurcation at a 66, 86–90, 169
 - example of bifurcation and stability 111–117
 - imperfection theory 101–103, 119–122
 - stability 67, 90–91, 250–251
 - strict crossing at a 23, 53–54, 87, 142, 149, 155–156, 162, 169, 251
- Singular point 14
- Small divisors 196, 231, 241, 277, 278
- Solvability (*see* Fredholm alternative)
- Spectral problem
 - at a double eigenvalue 105–106, 109–110, 148, 166
 - for forced periodic solutions 158–161
 - for imperfections 101
 - for projections into \mathbb{R}^2 87, 90–91
 - for \mathbb{R}^1 19–20, 128
 - for \mathbb{R}^2 64
 - for steady solutions 90–91, 95–97, 123–124, 139
 - for subharmonic solutions 169, 245–248
 - for time period solutions (*see also* Floquet theory) 128, 133–134, 146–147
 - in \mathbb{R}^n 55
 - Laplace transform for 97–100
- Spectrum 94, 98, 140, 151, 165, 226
- Stability
 - asymptotic 9, 63
 - at an index-two eigenvalue 73–75, 253
 - at a semi-simple eigenvalue 75–80, 173, 183, 265, 268–272
 - at a simple eigenvalue (*see* Factorization)
 - conditional 19–22, 128–129
 - global 29–31
 - linear theory 9 (*see also* Spectral problem)
 - of isolated solutions breaking bifurcation 40–41
 - of periodic solutions (*see* Hopf bifurcation, stability)
 - of subharmonic solutions
 - in the autonomous case 268–272
 - in the forced case 169–183
 - on a torus 221–222
 - orbital stability 132
 - spectral problems (*see* Spectral problem)
 - strict loss of (*see* Strict crossing)
- Stakgold, I. 12
- Strict crossing 23, 53–54, 87, 105, 142, 149, 151, 152, 154–156, 162, 169, 251–255
- Strong resonance 186, 275 (*see also* Subharmonic solutions, in the autonomous case, in the forced case)
- Subharmonic solutions in the autonomous case 243–279
 - s -periodic 265–268
 - $2s$ -periodic 259–262
 - $3s$ -periodic 262–265
 - $4s$ -periodic 262–265
 - stability 268–272
- Subharmonic solutions in the forced case 157–185
 - bifurcation (*see* Bifurcation)
 - excluded solutions and weak resonance 183
 - $T, 2T$ -periodic 169–173
 - $3T$ -periodic 173–176
 - $4T$ -periodic 176–183
- Subharmonic solutions on a torus 218–272
- Successive approximations 39, 103
- Supercritical–subcritical (*see* Bifurcation)
- Swinney, H. 241
- Takens, F. 217, 241, 242
- Thom, R. 44
- Time-periodic bifurcating solutions (*see* Hopf bifurcation, Subharmonic)
- Torus, bifurcating 2–3, 201–203, 217, 241, 273–276
 - trajectories in irrational case 200–203, 215–217, 230–233, 266, 276–278
 - trajectories in rational case 204–215, 226–230, 234–241, 266

- Torus, bifurcating
 autonomous equation for 198–200
 mean radius 205
 stability of 217–218
 subharmonic solutions on 218–221
- Trajectory 52–53 (*see* Torus,
 bifurcating)
- Transcritical (*see* Bifurcation, two-sided)
- Trenogin, V.A. 12
- Trilinear operator (*see* Operator)
- Triple point 19, 28–29
- Truncation number 202, 275
- Turning point 14, 22, 135, 148, 172
- Two-sided (*see* Bifurcation, two-sided)
- Two times 230–241
- Uniqueness (*see* Implicit function theorem;
 Normalization)
- Vainberg, M.M. 12
- Wan, Y.H. 242
- Waves and group action 156–278
- Weak resonance 183, 186, 218–221 (*see*
 also Subharmonic solutions on a
 torus)
- Zochner, J. 43