

Index

- Absorbing state
 - in Markov decision process, 330
- Absorption, 466
- Accelerating convergence, 273
- Acceleration, 268, 270
- Action space, 326
- Adjoint, 215, 230
- Agarwal, 289, 298
- Aggregate station, 437
- Aggregation, 57
- Aggregation matrix, 102
- Aggregation step, 103
- Aliased sequence, 277
- Aliasing, 266
 - See also* Error, aliasing
- Alternating series, 268
- Analytic, 206, 208, 210, 216, 235, 238
- Analyticity condition, 294
- And gate, 462
- Approximation, 375, 377–378, 380–381, 388, 392–393, 396
 - of transition matrix, 180, 357
- Arbitrary-epoch tail probabilities, 381
- Arbitrary service time, 381
- Argument principle, 207, 239
- Arnoldi's method, 53, 83, 97
- Arrival-first, 366
- Asmussen, 293, 299, 301
- Assembly line, 415
- Asymptotic behavior, 243
- Asymptotic formulas, 282
- Asymptotic parameter, 294
- Asymptotics, 303
- Automata: *see* Stochastic automata
- Availability, 46, 465
 - instantaneous, 447
 - interval, 447
 - limiting interval, 448
 - point availability, 69
 - steady-state, 448
- Average-cost criterion, 326, 360
- Back-substitution, 182–183
- Bailey's bulk queue, 209, 247–248
- Balance equations, 412
 - global, 130, 411–412, 414
 - job-class, 423
 - local, 130, 422
 - partial, 411–414, 418, 422
 - station, 411, 413–414, 418, 422
 - and blocking, 427
 - failure of, 425
 - restored, 427, 429, 435
- Barthez, 272
- BASTA, 373
- Beneš, 282, 284, 287
- Bernoulli arrivals, 373
- Bernoulli process, 387
- Bertozzi, 304
- Binomial average, 270
- Binomial distribution, 270
- Block elimination, 175, 179, 183
 - and paradigms of Neuts, 187–189
- Block iterative methods, 93
- Block Jacobi, 94
- Block SOR, 94
- Block-splitting, 93
- Blocking, 158, 425–427
- Blocking probability, 410
 - Erlang, 283
 - time dependent, 280, 282
- Borovkov, 281
- Boundary probabilities, 206, 210, 218
- Bounding methodology, 428–429
- Bounds, 351, 429, 432, 434–435, 437
 - and optimal design, 436
 - for waiting time, 396
 - intuitively obvious, 430
 - on loss probability, 429, 432, 434
 - on minimal costs, 436
 - on throughput, 429, 432, 439

- on utilization, 429
- Branch point, 238
- Breakdown, 426, 434–437, 439
- Bremmer, 260
- Bromwich inversion integral, 263
- Buffer, 411, 437–438
- Busy cycle, 291, 367
- Busy period, 261, 367, 387
 - in M/G/1 queue, 280
- Call center, 194, 433
 - bilingual, 199
- Capacity constraint, 411, 427
- Cauchy contour integral, 276
- Censored chain, 214, 221, 230
- Censoring, 173, 175, 177, 180, 182, 189–190
- Central limit theorem, 259
- Characteristic function, 258
- Chaudhry, 289, 298
 - QPACK software package, 381, 397
 - QROOT software package, 376, 381, 390
- Chebyshev-Subspace iteration, 97
- Closed queueing network: *see* Queueing network
- Coefficient of variation, 457
- Cohen, 257, 290, 301
- Combinatorial explosion, 424
- Communication systems, 365
- Compact storage schemes, 82, 85
- Companion matrix, 222
- Complementary cdf, 262
- Complementation
 - of transition matrix, 180
- Complex-conjugate, 377, 392
- Complex Fourier series, 266
- Complex-valued functions, 262
- Complex variables, 263
- Computation time, 114
- Computational complexity, 7, 139, 309
- Computer networking, 410
- Computer systems, 365
- Conditional decomposition, 309
- Congestion, 432
- Conservation of probability, 206, 209–210, 212, 218, 226, 228, 231, 249
- Continuous, 210, 216, 238, 243
- Continuous-time control, 359
- Continuous-time Markov chain, 154, 219, 232, 412, 453
- Continuous-time Markov decision chain, 358–359
- Contour integral, 263, 289
- Contour, 276
- Contraction mapping, 342, 349, 358
- Control
 - continuous-time, 359
- Convergence
 - pointwise, 358
 - rate of, 89, 358
- Convex, 243–244
- Convolution algorithm, 304, 423, 428
- Convolution, 206, 259, 285, 315
 - smoothing, 272
 - n -fold, 261
- Conway, 304
- Costs, 325, 328
 - terminal, 329
 - time-homogeneous, 335
 - uniformly bounded, 357
- Coupling matrix, 102
- Covariance function, 281, 287
- Cramér-Lundberg approximation, 294
- Crout method, 184, 191
- CTMC, 154, 412
 - See also* Continuous-time Markov chain
- Cumulants, 299
- Cumulative distribution function, 262
- Cumulative reward, 45, 48, 60–61
 - cumulative impulse reward, 46
 - cumulative operational time, 46, 69
 - cumulative rate reward, 45, 64, 71
- Curse of dimensionality, 7, 410
- Cutset, 141
- DA (Delayed Access), 367
- Damped sequence, 277
- Damping, 266
- Darling, 286
- Davies, 272
- Davis, 263, 265
- Decision, 325
- Decision rule, 326
 - greedy, 353
- Decomposable, 157, 174
- Decomposition
 - for dimension reduction, 309–311
 - of a network, 439
- Decompositional methods, 97
- Decreasing failure rate, 27
- Delay, 410
 - average, 197–198
- Delayed access, 367
- Departure-first, 366
- Dependability, 65, 445–446, 469–473
- Depth-first search, 105
- DES: *see* Discrete event system
- Descriptor, 123
- Determinant, 216–218, 238, 240, 282
- Deterministic arrivals, 397
- Deterministic service time, 381, 422
- Diagonally dominant, 240
 - irreducibly, 240
 - strictly, 240
- Difference equations, 225
- Difference operator, 264
- Diffusion process, 281

- Dimension reduction
 - by decomposition, 309–311
- Directed graph, 105
- Direct methods: *see* Solution method
- Disaggregation step, 103
- Discount factor, 330
- Discounted-cost problem, 330
- Discrete event
 - simulation, 3
 - system, 3, 14
- Discrete-time Markov chain, 12, 14, 154–155, 207
- Discretization error, 265–266, 268
- Distribution
 - binomial, 270
 - gamma, 260, 297–298
 - geometric, 397
 - infinitely divisible, 247
 - marginal, 420–421, 424
 - normal, 281
 - phase-type, 5, 27
 - stationary, 81, 206, 214, 219, 229
 - steady-state, 281
- Divide and conquer, 99
- Doetsch, 260, 262
- Drift, 212, 219
- DTMC, 12
 - See also* Discrete-time Markov chain
- Dubner, 272
- Duffield, 280
- Durbin, 272
- Dynamic programming, 332, 336
- EAS (early arrival system), 367–368, 397
- Eigenvalues, 51, 207, 217, 222, 234, 238, 243, 282
 - distinct, 239
 - multiplicity of, 239
- Eigenvectors, 207, 217, 243, 282
- Elimination of non-optimal actions, 355
- Emptiness
 - probability of, 29
- Entropy, 412
- Erlang, 365
- Erlang blocking probability, 281, 283
- Erlang loss model, 279
- Error, 265
 - absolute, 293
 - aliasing, 266–267, 269–272, 277–279, 303, 311–312
 - bound, 265, 272, 275
 - discretization, 265–268, 276, 312
 - balancing with roundoff error, 271
 - estimate, 270
 - in Euler summation, 272, 274
 - relative, 293
 - roundoff, 265, 268, 271–272, 278–279, 312
 - control of, 268, 279
 - truncation, 265, 270, 274
- Euler summation, 268, 270, 273, 278, 314–315
- Euler's constant, 301
- Event, 3, 16
 - immediate, 15, 29–33
 - schedule of, 3, 14
- Exchangeability, 60, 64
- Expected level, 193
- Exponential damping, 300
- Exponential polynomial, 457
- Exponential service time, 412
- Fault tree, 451, 462–463
 - with repeated events, 451
- Feldmann, 301
- Feller, 259, 268
- Fill-in, 82, 85, 92
- Finite differences, 264
- Finite-horizon problem, 329, 332, 334
- Finite-state approximations, 357
- First passage time, 47, 284, 387
- Fixed point, 341, 349
 - iteration, 91, 471
- Flannery, 296
- Flow equations, 412
- Fluid flow models, 71
- Fork and join queue, 427
- Fourier
 - coefficients, 266
 - series, 265–266
 - method, 266
 - transform, 168, 258
 - discrete, 277
- FT, 451
 - See also* Fault tree
- FTRE, 451
 - See also* Fault tree with repeating events
- Functional dependency cycle, 140
- Functional rates, 135
- Functional transitions, 118, 123
- G matrix, 221
- Gamma distribution, 260, 297–298
- GASTA, 373
- Gaussian elimination, 86–87, 340
- Gauss-Seidel, 91
 - backward, 82, 89
 - forward, 82, 89
 - ordering of states, 90
- Gaver, 258, 272, 301
- Gaver-Stehfest procedure, 264
- Generalized eigenvector, 222
- Generalized Erlang, 292
- Generalized tensor product, 135, 137–139
- Generating function, 206, 208, 275, 303, 307
- Generator, 219, 232

- and synchronizing events, 119
- Geometric arrivals, 373
- Geometric, 160, 366, 377–378, 381, 392, 394
- Geometric distribution, 397
- Georganas, 304
- Giffin, 260
- GI/G/1 paradigm, 156, 191–193
- GI/G/1 queue: *see* Queue, GI/G/1
- GI/G/1 type process, 156–158
- GI/M/1 paradigm, 168, 187–189
- GI/M/1 type process, 155–157, 159, 164
- GI/M/1 queue: *see* Queue, GI/M/1
- Global balance, 130, 411–412, 418, 422
- Global generator, 118
- G/M/1 type process, 206, 223, 228–229, 232–233
 - See also* GI/M/1 type process
- G/M/1 queue: *see* Queue, GI/M/1
- GMRES, 98, 115
- Graph, 310
- GSPN (Generalized Stochastic Petri Net)
 - 17–22
 - colored 22
- GTH advantage, 86, 182
- GTP: *see* Generalized tensor product
- Harmonic, 217, 249
- Heavy-traffic, 281
 - approximation, 293
- Hessenberg matrix, 98
 - lower, 155
 - upper, 156
- High-level formalism, 14
- History, 326
- Homogeneous in time, 455–456
- Horners's method, 169
- Hosono, 272
- Hyperexponential, 291
- Hypoexponential, 291
- IA (Immediate Access), 367
- Ideal decomposition, 309
- Idle time, 291
- Ill-conditioned, 87–88
- ILU: *see* Incomplete LU factorization
- ILU preconditioning, 90
- ILU(0), 92
- ILUK, 93
- ILUTH, 92
- Imbedded Markov chain, 159, 173, 180, 365
- Immediate access, 367
- Incomplete LU factorization, 92
- Increasing failure rate, 27
- Indicator function, 6
- Infinite state space, 58
- Infinite-horizon discounted problem, 325
- Infinite-server center, 306
- Infinitely divisible distribution, 247
- Infinitesimal generator, 81
- Initial approximation, 83
- Initial value theorem, 269
- Insensitivity, 422
 - of bounds, 430, 435
- Instantaneous state, 31
 - preservation, 31
- Interarrival time
 - rational transform, 290
- Interdependence graph, 310
- Inverse of a matrix, 174–175, 185
- Inversion dimension, 310
- Inversion of generating functions, 375
- Irreducible, 207, 210, 217, 226
- Iterative aggregation/disaggregation, 103
- Iterative methods, 82
- Jacobs, 301
- Jackson, 421
- Jackson networks, 24, 417
- Jagerman, 264, 272, 281–282, 284
- Jagerman-Stehfest procedure, 263
- Jensen's method, 54, 233
 - See also* Randomization, Uniformization
- Job, 305, 422–423
 - class, 305
 - job-class balance, 423
 - job-local balance, 422
 - priority, 427
 - type, 423
- Johnsonbaugh, 273
- Jordan chain, 217, 222, 234, 246
- Jordan form, 222, 234
- Jump chain, 220, 232
- Kao, 259
- Keilson, 283, 286
- Kendall functional equation, 261
- Kernel of the MRS, 459
- Kingman, 299
- Kleinrock, 260
- Knessl, 282
- Kobayashi, 259, 304
- Kolmogorov's equations, 44, 48, 52, 56
- Krylov subspace, 98
- Krylov subspace method, 53, 55
- Kwok, 272
- Laguerre
 - coefficients, 264
 - functions, 264
 - generating functions, 264
 - polynomials, 264
 - series, 264
 - series algorithm, 272, 279
 - series inversion formula, 264
 - series representation, 272
- Lam, 310–311, 315
- Laplace curtain, 258

- Laplace transform, 52, 55, 66, 262, 289
Laplace-Stieltjes transform, 262
Largeness avoidance, 470
LAS (Late Arrival System), 367
LAS-DA, 367, 372–374, 397
LAS-IA, 367–368
Last-come first-served
 preemptive-resume, 306
 preemptive, 422
Late arrival system, 367
Latouche, 169–170, 178
Lavenberg, 304, 308
LCFSPR, 306
 See also Last-come first-served
 preemptive-resume
Least squares, 98
Leontief substitution system, 346
Leung, 303, 308
Level, 155, 214, 218–219, 221, 229, 233
Levy-Desplanques theorem, 240
Lien, 310–311, 315
Lifetime, 47
Linear independence, 248
Linear programming, 345
 dual problem, 346
 in Markov decision process, 345
Little's theorem, 369, 374–375, 420
Load dependent service speeds, 421
Local balance: *see* balance equations
Local transition, 118–119, 121, 141
Long-run dynamics, 100
Long-tail service-time, 299
Loss of significance, 86
Loss probability
 bound on, 434
LU decomposition, 83–84
Lucantoni, 262, 272, 279–280
Lumping of automata, 114
Manufacturing, 410
Marginal distribution, 420–421, 424
Marking, 18
 tangible, 19
 vanishing, 19
Markov chain
 continuous-time, 154, 219, 232, 412, 453
 discrete-time, 12, 14, 154–155, 207
Markov decision
 chain, 326
 model, 325
 process, 325
Markov policy, 327
Markov property, 455
Markov regenerative
 epoch, 458
 process, 449, 457, 460, 468
 kernel of, 468
Markov renewal
 equation, 467
 moments, 458
 sequence, 457–458
 theory, 457
Markov reward models, 60–61, 454
Martin, 272
Master/slave, 118
Matrix analytic methods, 154, 206, 213, 221, 229
Matrix equation, 166
Matrix exponential, 50, 55
Matrix geometric, 161, 168, 179, 195, 197, 229, 233
 methods, 258
 solution, 161
Maximal connected subsets, 310
McKenna, 304
MDC, 326
 See also Markov decision chain
Mean time to absorption, 466
Mean time to failure, 447, 462, 466
Mean-value analysis, 411
Memory requirement, 114
Meromorphic, 242
Method of phases, 5
M/G/1 paradigm, 164, 170, 190–191
M/G/1 queue: *see* Queue, M/G/1
M/G/1 type process, 155–157, 206–207, 213, 218, 221
Mitra, 282
M/M/1 bulk service, 246
Modeling power of a formalism, 25
Moment generating function, 294
Moments, 309
Monotone convergence theorem, 169
MRGP, 457
 See also Markov regenerative process
MRM, 454
 See also Markov reward models
MRS, 457–458
 See also Markov renewal sequence
MTTA, 466
 See also Mean time to absorption
MTTF, 462
 See also Mean time to failure
Multi-dimensional generating functions, 304
Multi-dimensional transforms, 262, 303
Multichain closed queueing networks, 305–316
Multiplicity
 of factors in denominator, 307
 of roots, 246
 of zeros, 210, 216, 225, 231
NCD, 82, 100
 See also
 Nearly-completely-decomposable
 Nearly alternating, 269

- Nearly alternating series, 265
- Nearly-completely-decomposable, 82, 100–101
- Nearly decomposable system, 89
- Nearly separable, 100
- Nearly uncoupled, 100
- Nerman, 301
- Network: *see* Queueing network, Stochastic automata network, GSPN
- Neuts, 155–156, 159–160, 258, 298
- Newton-Raphson root finding procedure, 293–294, 313–314
- Non-decomposable matrix, 418
- Non-homogeneous Markov chain, 55, 59, 62
- Non-Markovian models, 71
- Non-product-form networks, 430
- Non-skip-free, 209, 213, 222, 224, 229, 234
- Nonlinear equations, 313
- Nonsingular, 240
- Norm, 348
- Normal distribution, 281
- Normal form, 218, 232, 242
- Normalization constant, 303, 416, 419, 423, 431
- Normalizing constant, 132, 160
- Norming constant, 193
- Null recurrent, 212, 218, 228, 232, 237
- Null vector, 207, 217, 222
- Numerical computations, 381
- Numerical differentiation, 276
- Numerical example, 395
- Numerical integration, 263, 265, 296
- Numerical inversion algorithms, 261
- Numerical performance, 377
- Numerical transform inversion, 257
- O’Cinneide, 273, 275
- ODE, 48, 55, 59, 70
 - Euler’s method, 48
 - multi-step method, 49
 - Runge-Kutta methods, 50
 - single step method, 49
 - trapezoid method, 49
- Ollson, 301
- One-stage problem, 336
- Optimal
 - ϵ -optimal, 329, 342
- Optimal admission policy, 357
- Optimal control of queues, 326
- Optimal decision rule, 336
- Optimal policy, 329, 336
- Optimal stopping problem, 330, 332
- Optimal value function, 325, 329, 332, 334–336
- Optimality equation, 325, 332, 334, 336–342, 345, 355, 359–361
- Or gate, 462
- Ordinary differential equation, 282
 - See also* ODE
- Ordinary tensor product, 135
- Ornstein-Uhlenbeck process, 281
 - reflected, 281
- Orthogonal projection process, 96
- OTP, 135
 - See also* Ordinary tensor product
- OU process, 281
 - See also* Ornstein-Uhlenbeck process
- Overflow, 425–426, 433–434
- Overrelaxation: *see* SOR
- Pareto mixture of exponentials, 301
- Partial balance, 411
- Partial fractions expansion, 245
- Partial fractions, 291
- Partial generating function, 305, 308
- Partition function, 304, 307
- Performability, 45, 62, 69, 449
 - point performability, 60
- Performance analysis tool
 - Q^2 , 273
- Performance analysis, 435
- Performance measures, 410
- Periodic function, 265
- Periodic sequence, 277
- Perron root, 101
- Perturbation, 239
- Petri net, 17, 114–115
 - See also* GSPN
- Phase, 155, 214, 219, 229
- Phase-type distribution, 5, 27
- Phase-type expansion, 449, 456
- Pivoting, 85
- Poisson arrivals, 412
- Poisson-Charlier polynomials, 282
- Poisson summation formula, 266–267, 277
- Pole, 243, 245
- Policy, 326
 - deterministic, 327
 - improvement, 344
 - iteration, 340, 343
 - modified, 349–350
 - Markov, 327
 - optimal, 329, 336
 - stationary, 327
- Pollaczek Contour Integral, 294
- Pollaczek, 289, 294
- Pollaczek-Khintchine formula, 290, 301
- Polling, 72, 280
- Polynomial, 225, 245
- Positive recurrent, 207, 209, 212, 218, 224, 228, 232
- Post-Widder formula
 - discrete analog of, 264
- Post-Widder inversion formula, 264
- Poularikas, 260
- Power method, 82, 86–87

- Power series coefficients, 211, 214, 235, 243
Precision, 271, 279
Preconditioned power iterations, 82, 88–89
Preconditioning, 91, 99
 matrix, 91
Prefactor, 268–269, 279
Present value, 330
Press, 296
Priority
 job class, 427
 shortest-job first, 427
Probability density function, 262
Probability generating function, 165, 210
Probability of emptiness, 291
Processor sharing, 306, 422
Product form, 115, 129–134, 409, 411, 415, 417, 421
 as approximation, 428
 generalized view, 421
 restored, 429
Production, 410
Project completion time, 259
Projection, 206
 method, 53, 147
 process, 95–96, 99
 techniques, 82
Prolog, 22
Puterman, 325, 349
QBD process: *see* quasi birth and death process
Quadrature, 263
Quasi birth and death process, 155–157, 170–171, 177, 189, 194
Queue
 BMAP/G/1, 280
 $D^X/D^m/1$, 397
 $E_k/E_k/1$, 298
 $\Gamma_\alpha/\Gamma_\beta/1$, 297
 Geom/G/1, 366, 394
 Geom(n)/G(n)/1/N, 382
 Geom^X/G/1, 396
 Geom/G^B/1, 397
 GI/G/1, 156, 158, 366, 392
 discrete-time, 388
 moment generating function, 294
 GI/Geom/1, 382, 394
 GI/Geom/1/N, 382
 GI/Geom/c/c, 397
 GI/M/1, 159
 H₂/G/1, 293
 K₂/G/1, 292
 K_m/G/1, 290
 M/D/c, 365
 M/G/1, 164, 280
 M/M/∞, 287
 MMBP/G/1/N, 387
 M/M^X/1, 158
 M_t/G_t/1, 280
 M^X/M/1, 158
 M^X/M^Y/1, 158
Queueing network, 113, 409–441
 closed, 303–309, 311–316, 415–417
 multichain, 305–316
 single server, 419
 Jackson, 24, 417
 non-product form, 430
 open, 415–417
 with blocking, 124
Queueing time, 374, 388
R matrix, 233
 See also Rate matrix
Rabinowitz, 263, 265
Radius of convergence, 236, 243–244, 276
Ramaswami, 170
Ramaswami method, 221
Random variable, 262
Randomization method, 54, 233
 See also Jensen's method, Uniformization
Randomly changing environment, 158, 160
Rank, 216
Rate equations, 412
Rate matrix, 161, 179
Rational generating function, 245
Rational transforms, 390–392
RBD, 450, 461
 See also Reliability block diagram
Reachable state space
 reduction of, 145
Real analytic, 243
Recurrent, 157
 See also Positive recurrent
Recursive relation, 283
Reducible, 218, 232, 242
Reference function, 358
Regular, 249
Regular function, 217
Regular splitting, 348
Reif, 304
Reiser, 304
Relative traffic intensities, 306
Relative-cost function, 361
Reliability, 47, 69, 435, 447
Reliability block diagram, 461, 450
Reliability graph, 452
Reliability models
 composition, 471
 decomposition, 471
 non-Markovian, 466
 non-state space, 448
 state space, 448
Remaining service time, 369
Removal
 of functional terms, 144

- of synchronizing events, 144
- Rendez-vous, 118
 - networks, 427
- Renewal function, 261
- Renewal process, 261, 457
- Repeating rows
 - method of, 213, 229
- Residual vector, 96
- Resource sharing, 124
- Response time, 410
- Reversible process, 283
- Reward, 6, 328
 - impulse reward, 26, 46, 63
 - instantaneous reward, 60
 - rate and impulse based, 66
 - rate functions, 454
 - rate reward, 26, 45, 63
 - unbounded, 357
- RG, 452
 - See also* Reliability graph
- Riemann-Lebesgue lemma, 268
- Riordan, 282
- Romberg integration, 296
- Root vector, 206, 215, 223, 225
- Roots, 160, 205, 229, 289, 366, 375–377, 379–382, 388–392, 394–396, 398
 - distinct, 375
 - multiple, 246
 - of unity, 237, 242
 - repeated, 375
- Ross, 286
- ROU process, 281
 - See also* Ornstein-Uhlenbeck process, reflected
- Rouché's theorem, 207, 235, 238, 375, 379, 389
- roundoff error: *see* Error, roundoff
- Routing
 - matrix, 306
 - random, 417
 - state dependent, 425
- Sample path, 183
- SAN, 113, 117
 - See also* Stochastic automata network
- SAVE, 23
- Scalar elimination, 181
- Scaled generating function, 312
- Scaling, 269, 279, 281, 284
 - in closed queueing networks, 311–314
- Scheduled maintenance, 72
- Schur vector, 96
- Search algorithm, 296
- Semi-Markov decision chain, 358–359
- Semi-Markov decision process, 326
- Semi-Markov process, 280, 449, 457, 459, 467
- Sensitivity analysis, 70
- Series
 - alternating, 268
 - Fourier, 265–266
 - See also* Fourier, series
 - complex Fourier series, 266
 - Laguerre
 - series, 264
 - See also* Laguerre series
 - nearly alternating, 265
 - power series coefficients, 211, 214, 235, 243
- Service centers, 305
- Service-time distribution
 - arbitrary, 381
 - deterministic, 381
 - exponential, 412
 - geometric, 381
- SHARPE package, 471
- Short-run dynamics, 100
- Siebert, 286
- Sigma function, 284
- Significance
 - loss of, 86
- Similarity transformation, 51
- Simulation, 11, 15, 114
 - discrete event, 3
 - Monte Carlo, 3
- Singularity, 207, 263, 295
 - critical, 292
 - dominant, 292
- Skip-free
 - to the left, 208–209, 213
 - to the right, 223–224, 229
- Slot, 365–366, 369
 - boundaries, 369, 372
- Smoothness, 268
- SMP: *see* Semi-Markov process
- Sojourn time, 410
- Sojourn
 - above n , 161–163, 178
 - in E' , 174
- Solution method
 - Arnoldi, 83
 - combined direct-iterative, 90
 - decompositional, 82, 97
 - direct, 82–83
 - iterative, 82
- SOR (Successive OverRelaxation), 82
- Spans, 351
- Sparse matrix format, 34
- Sparseness, 310
 - of routing chain, 310
- Sparsity, 139
- Spectral expansion, 282
- Spectral radius, 89, 218, 241, 243
- Splitting, 348
- Squared coefficient of variation, 291
- Srikant, 281

- SSOR (Symmetric SOR), 90
- Stable algorithm, 87
- Stages, 326, 330
 - method of, 456
- State reduction, 181–184
- State space, 16, 326
 - explosion, 114, 143
 - generation of, 12, 33
 - potential, 16
 - storage, 33
- State truncation, 470
- State variables, 3
- State-action frequencies, 347
- States
 - recurrent, 157
 - tangible, 19
 - transient, 157
 - vanishing, 19
- Station balance, 411, 413–414, 418, 422
 - and blocking, 427
 - and failure of, 425
 - restored, 427, 429, 435
- Stationary
 - distribution, 81, 206, 214, 219, 229
 - See also* Stationary, probability vector
 - policy, 327
 - probability vector, 207, 220, 224, 81
 - See also* Stationary, distribution
- Stationary-excess cdf, 290
- Steady-state
 - detection, 57
 - analysis, 465
 - distribution, 281
 - probability, 81, 412
 - solutions, 5
 - See also* Solution method
- Stehfest, 272
- Step-by-step nested inversion, 305
- Stiff models, 56, 67, 69, 471
- Stiffness, 472
- Stochastic activity network, 20
- Stochastic automata, 114, 119
 - grouping of, 143
 - ordering of, 143
 - superposition, 115
 - synchronization, 114, 123, 126
- Stochastic automata network, 113, 118–123
 - interacting, 118–119
 - non-interacting, 117–118
- Stochastic complement, 213, 221
- Stochastic confusion, 30
- Stochastic loss network, 303
- Stochastic matrix, 81
- Stochastic Petri net, 114–115
 - See also* GSPN
- Stochastic process algebra, 114
- Stochastic reward net, 20
- Stochastic system, 1
- Stochastically smaller, 300
- Stopping criterion, 341
- Stroot, 272
- Sturm sequence, 247
- Subdominant eigenvalue, 89–90
- Sub-level, 155, 158, 160
- Subnetwork, 437, 439
- Subspace iteration, 96–97, 147
- Substochastic, 179–180
 - matrix, 105, 174
- Successive approximation
 - in policy space, 340
 - in function space, 340
- Successive substitution, 169
- Summable, 224–225, 230, 234
- Superharmonic, 250
- Superposition of automata, 115
- Superregular, 250
- Supplementary variables, 4, 449
- Supremum norm, 358
- Symbolic mathematical software, 276
- Symmetric Gauss Seidel, 90
- Synchronization of automata, 114, 123, 126
- Synchronized transitions, 118–119, 121, 123
 - functional, 119
 - constant, 119
- Synchronizing event, 118–123, 126–127, 141–142
 - owner of, 142
- System dependencies, 453
- Tail probabilities, 377, 380–381, 388, 392
 - arbitrary epoch, 381
- Takács, 257
- Takács theorem, 241
- Tandem queue, 414–415, 425, 430–431
- Tangible state, 19
- TANGRAM, 22–23
- Telecommunication, 410, 433
- Telephone operator, 194
 - bilingual, 194
- Telephony, 365
- Telescoping property, 308
- Templeton, 289, 298
- Tensor, 115
 - addition, 116
 - algebra, 115, 117
 - product, 116–119, 121
 - sum, 116–117, 123
- Terminal cost, 329
- Teukolsky, 296
- Throughput, 307, 410, 420, 424, 429, 432, 439
- Time to achieve a reward level, 46, 71
- Time-dependent
 - blocking probability, 280
 - mean, 280

- Toeplitz matrix, 168, 206–208, 215
- Tolerance criterion, 83
- Traffic equation, 417–418
- Traffic rate equation, 306
- Transform method, 206–207, 213, 248
- Transient, 212, 218, 228, 232
 - analysis
 - cumulative, 464
 - instantaneous, 464
 - state, 157
- Transient solutions, 5, 43–72, 280 of
 - Erlang loss model, 279–288
- Transition
 - enabled, 18
 - immediate, 18
 - priority, 19
 - timed, 18
- Transition function, 44
- Transition matrix, 5
 - approximation, 357
 - storage, 34
- Translate, 266
- Trapezoidal rule, 265, 276
- Tree algorithm, 311, 315
- Truncation
 - error, 265, 270, 274
 - of state space, 131
 - of transition matrix, 180
- Types of jobs, 423
- UDL factorization, 186–187
- UL factorization, 193
- Uniform convergence, 358
- Uniformization, 54–55, 58, 66, 70, 221, 233
 - See also* Jensen's method, Randomization
 - adaptive uniformization, 57
 - Jensen's method, 54
 - randomization technique, 54
 - regenerative randomization, 58
 - uniformization power method, 56, 68
- Uniformly bounded costs, 357
- Upper-bound extrapolation, 354
- Utilization, 410, 420, 429
- Value determination, 344
- Value function, 328
- Value iteration, 340
- Vandermonde matrix, 248–249
- Van Der Pol, 260
- Vanishing state, 19
- Vector subspaces, 95
- Vector-descriptor multiplication, 134
- Vetterling, 296
- Visit ratio, 306
- Volterra integral equation, 468
- Waiting time, 158, 369, 374, 388, 410
 - in GI/G/1 queue, 288
- Weakly coupled, 309
- Weeks, 264
- Weeks' algorithm, 264
- Weighted supremum norms, 358
- Weiss, 272, 282
- Well-defined model, 30
- Wiener-Hopf, 206, 223
- Wimp, 268, 273
- Winding number, 239
- Zero, 205, 238, 242, 291
 - See also* Roots
 - multiple, 246
 - multiplicity of, 210, 216, 225, 231
 - of generating function, 375