

INDEX

A

acetylcholine, 21, 49
activity, 7, 23, 60, 61, 66, 107, 167,
174, 235, 236, 241
addiction, 19, 25, 150, 166
Adrenocorticotrophic hormone, 35,
49, 69, 132, 147, 279
AMPA receptors, 30, 265
amphetamine, 20, 104, 105, 144,
167, 169, 198, 200, 202, 203, 210,
234, 236, 241, 243, 262, 264
amygdala, 6, 21, 29-32, 35, 37, 42,
49, 66, 114, 127-129, 131-134,
136, 172, 174, 187, 200, 205, 208,
209, 215, 296, 298, 299, 301, 309
anhedonia, 47, 51, 167, 284, 285
anticonvulsant drugs, 167, 172
antidepressant drugs, 47, 50, 146,
148, 149, 165, 166, 169
antipsychotic drugs, 69, 87, 93, 96,
104-109, 198, 201, 202, 209-211,
213, 218-220, 233, 253, 256, 259,
262, 263, 265, 267, 277, 301
anxiety, 31-33, 35, 36, 41, 42, 45, 48-
51, 55, 56, 60, 61, 64-71, 114,
120, 127, 136, 187, 278, 295-297,
299, 301, 304-307
anxiogenic drugs, 61
anxiolytic drugs, 48, 60, 61, 63-65,
120, 130, 154, 298
apomorphine, 104, 106, 107, 198,
232, 233, 262, 264
attention, 37, 41, 198
attention deficit hyperactivity
disorder, 11-13, 41, 299
aversive memories, 114, 127
avoidance, 32, 33, 35, 36, 41, 114,
132, 235-239, 284, 295

B

bed nucleus of stria terminalis, 187,
190
bipolar affective disorder, 165-174,
296, 301

brain asymmetry, 143, 144, 146, 151,
155, 157, 286
brain derived neurotrophic factor, 86,
87, 92-94, 266

C

CANTAB battery, 247
caudate, 6, 9, 10, 24, 25, 252
central nucleus of the amygdala, 187,
190
cerebellum, 58, 66, 88, 89, 189, 280
circadian rhythms, 50
cocaine, 6, 7, 11, 19, 20, 23-25, 69,
131, 150-153, 171, 173, 174, 297,
309
conditioned emotional response, 115,
235, 237
conditioned inhibition, 114, 116-120,
131-136
conditioned place preference, 20, 70,
169
conditioned response, 23, 114-119,
121, 126, 128, 136
conditioned stimulus, 22, 114, 121,
122, 129, 130, 232
conditioned taste aversion, 233, 235,
237
conditioning, 33, 59, 114-119, 121-
126, 128, 130-132, 135, 169, 197-
204, 206-211, 213, 214, 218, 219,
232, 233, 235
context, 21, 23-25, 64, 65, 67, 68, 80,
86, 87, 96, 115-117, 119, 123,
126, 128-130, 136, 185, 200, 204,
206-209, 216, 219, 233, 249, 260,
263, 264, 295, 297, 305, 309
corticosterone, 35, 47, 49-51, 173,
212
corticotropin releasing hormone, 45,
47-49, 51, 186, 187
cytokines, 35, 86, 87, 92, 93, 213,
309

D

delayed alternation, 36, 260, 263

dementia, 9, 198, 220, 251, 253, 254, 299

depression, 3, 6, 9, 31, 41, 45-50, 143, 145, 146, 148, 149, 156, 157, 165-169, 171, 232, 276, 295, 296, 299, 302, 308

dopamine, 1-13, 20, 21, 24, 25, 57, 66, 69, 93, 96, 104-106, 124, 131, 132, 144-157, 169, 171, 173, 184, 191, 197, 198, 200-206, 208-211, 213-217, 219, 220, 232, 233, 240, 242, 243, 248, 252, 253, 259-268, 277, 283, 284, 299, 303

agonists, 69, 104, 131, 132, 170, 173

antagonists, 104, 105, 132, 148, 149, 169, 253

receptors, 1, 6, 20, 25, 66, 69, 104, 105, 131, 132, 148, 149, 154, 169, 173, 219, 253, 259, 265, 267, 277, 299

transporter (DAT), 1, 2, 4-13, 69, 268, 299, 309

dynorphin, 25, 267

E

embryogeny, 184, 188, 190, 282, 288, 300

embryotoxicity, 184, 285

entorhinal cortex, 200, 204, 207-209, 212, 215, 216

environment, 5, 10, 13, 20-25, 29, 33, 36, 37, 41, 45, 46, 48, 49, 57, 60, 63, 70, 80-82, 84, 86, 108, 114, 167, 173, 181, 183, 185, 188, 190, 202, 207, 212, 220, 231-237, 239, 241-243, 262, 275-279, 280, 282, 284, 287, 296, 298-300, 302, 303, 305

epilepsy, 30-32, 36, 81, 89, 95, 182, 275, 279, 284, 296, 307

epinephrine, 2

ethanol, 7, 70, 143, 150, 154-157, 280, 281

exploration, 48, 60, 61, 63-68, 79, 167, 279, 287, 304

extinction, 114-116, 117, 119-132, 135, 136, 188, 302

reinstatement, 115-117, 120, 125, 126, 136

spontaneous recovery, 115, 117, 120, 125, 136

extra-dimensional shift, 247, 249-256

F

fear, 32-34, 36, 42, 48, 113, 114, 116, 117, 119-136, 181, 183, 186-188, 190, 191, 276, 294, 295, 301, 302, 305, 307, 310

fear conditioning, 114, 121-127, 130, 131, 135

forced swim test, 47, 50, 166

fos, 24, 25, 125, 134-136, 213, 265, 266

freezing, 32, 33, 113, 121-125, 127, 128, 130, 188, 295

frontal cortex, 66, 84, 86, 123, 125, 127, 135, 145, 152, 200, 247, 248, 251, 253, 254

G

GABA, 30, 64, 85, 86, 91-96, 130, 131, 135, 136, 154, 220, 265, 298

gender, 41, 42, 46, 47, 50, 56, 66, 106, 146, 151, 152, 184, 185, 189, 212, 215, 232, 236-240, 285, 304, 310

genes, 1, 2, 6, 12, 24, 29, 31, 55-57, 59, 63-71, 81, 83, 86, 106, 171, 172, 262, 265, 276, 278, 279, 283, 287, 297-300, 302, 303, 309, 310

genetic, 4, 5, 7, 9, 10, 12, 13, 20, 29, 32, 45, 50, 56, 63, 65, 67, 68, 70, 81, 83, 86, 105, 106, 165, 181, 257, 260, 262, 265, 275, 277, 278-280, 286, 287, 299, 300, 306, 309, 310

genotype, 8, 56, 57, 60, 61, 260, 278, 303

globus pallidus, 25, 208

glucocorticoid receptors, 49, 50, 298

glutamate, 64, 92, 96, 135, 145, 213, 220, 243, 260, 263, 265-268

H

habituation, 32-34, 36, 70, 106, 183, 185, 190, 235
 handling, 23, 32, 34, 58, 61, 212, 232, 234, 240
 heroin, 3
 hippocampus, 69, 81, 84, 126, 204, 207, 213, 281, 301, 304
 histamine, 2, 285
 6-hydroxydopamine, 3, 5, 25, 125, 144, 203, 206
 hyperactivity, 4, 11-13, 20, 60, 70, 150, 154, 167-170, 173, 188, 204, 262, 264, 267, 277
 hypothalamic pituitary adrenal axis (HPA), 35, 42, 45, 48-51, 67, 266, 298
 hypothalamus, 6, 152

I

immune system, 7, 49, 51, 82-84, 86, 87, 212, 242, 278, 286, 309
 impulsivity, 32, 37, 41, 42, 295, 296, 306
 individual differences, 20, 95, 146, 147, 150-152, 155, 156
 inferior colliculus, 134, 136
 inositol, 166
 intra-dimensional shift, 247, 250, 251, 253-256
 irradiation, 182-184, 188, 280, 283-287

K

kindling, 29-32, 35, 37, 42, 172, 174, 296
 fast-kindled rats, 29, 30, 32-42, 299
 slow-kindled rats, 29, 30, 32-42

L

latent inhibition, 69, 118, 126, 128, 130, 197-207, 209-220, 232-236, 238, 240-243, 254, 260, 296, 297, 301-303
 L-DOPA, 3, 144

learned helplessness, 46, 47, 51, 146, 147, 149, 156, 295, 302, 305
 learning, 30, 32, 35-39, 41, 42, 56, 57, 59, 69, 119, 123, 127, 128, 130, 135, 172, 181, 197, 201, 232, 236, 247, 249, 251-253, 255, 285, 293, 309
 lithium, 167, 168, 173, 174, 308
 lymphocytic choriomeningitis virus, 87

M

mania, 166-171, 173
 memory, 30, 31, 36, 37-40, 56, 57, 59, 81, 113, 114, 116, 117, 119, 120, 136, 172, 247, 251, 254, 255, 260, 263, 275, 279, 293, 296, 302, 310
 methamphetamine, 7, 11, 70
 methylphenidate, 42, 253
 microdialysis, 20, 24, 35, 152, 203, 264, 267
 morphine, 23, 70, 150-153, 170, 173
 motor skills, 58
 MPTP (1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine), 2-8, 304
 mutant mice, 1, 6-8, 12, 29, 55-57, 59, 61, 63-70, 105, 106, 298, 299, 309

N

neuroadaptation, 20, 21-23
 neurodevelopment, 81, 82, 84-88, 90, 92, 97, 108, 181, 183, 190, 211, 212, 231, 232, 261, 268, 276, 285, 298, 310
 neurodevelopmental hypothesis of schizophrenia, 82, 212, 231
 neuroprotection, 5
 neurotoxicity, 4, 5, 8, 190
 nigrostriatal system, 5-7, 9, 144, 145, 151, 152, 202
 NMDA, 30, 106-108, 125, 127-129, 136, 206, 232, 233, 260, 263, 265, 301
 NMDA antagonists, 106-108, 125, 127-129, 232, 233, 260, 263, 301
 NMDA receptors, 127, 136, 265

noradrenaline, 1, 2, 5, 6, 10, 21, 30, 35, 49, 50, 66, 129, 147, 166, 309
 nucleus accumbens, 6, 20, 21, 24, 25, 132, 135, 136, 148-150, 153, 154, 157, 168, 173, 200, 202-207, 209, 210, 213-215, 217, 219, 242, 243, 261, 267, 268
 core, 2, 13, 24, 205-209, 215, 217, 219, 220, 248, 249, 299, 301
 shell, 24, 113, 205-209, 215, 219

O

open-field, 32-36, 65, 305

P

pandysmaturation, 184, 281
 parkinsonism, 3
 Parkinson's disease, 1, 3, 5, 6, 9, 10, 144, 252, 253, 299, 303
 perinatal manipulations
 early handling, 23, 32, 34, 58, 61, 212, 232, 234-236, 239-241
 early nonhandling, 212, 233-236, 239, 241
 hippocampal lesion, 231, 261, 304
 irradiation, 182-184, 188, 279, 280, 283-287
 maternal separation, 233-236, 238-242
 social isolation, 233-236, 238-243, 281, 288
 stress, 34, 35, 45-51, 58, 135, 147, 149, 155, 182, 190, 265, 266, 278, 281, 283, 297
 viral infection, 79-85, 87, 88, 92-94, 97, 212, 261, 300
 PET, 9, 251, 253
 phenotype, 7, 29, 31, 55-59, 61, 63-71, 81, 86, 88, 260, 299, 300, 306
 phobia, 68, 120
 plus-maze, 32, 48, 61, 63-68
 post traumatic stress disorder, 114, 117, 120, 181, 183, 185, 187-190, 298, 300
 prefrontal cortex, 20, 25, 69, 86, 121-125, 128, 131, 132, 135, 136, 146-150, 152-157, 205, 215, 247, 251-253, 256, 261-268, 303

prenatal development, 181
 prepulse inhibition, 56, 69, 70, 103-108, 185, 191, 232-236, 239-243, 259, 260, 262, 296, 301-303
 dopamine, 1-13, 20, 21, 24, 25, 57, 66, 69, 93, 96, 104-106, 124, 131, 132, 144, 145, 150, 157, 169, 173, 184, 198, 232, 243, 252, 253, 259-268, 277, 284, 299, 303
 isolation rearing, 108
 phencyclidine, 297
 serotonin, 1, 2, 8, 13, 21, 57, 70, 107, 146, 173, 210, 242, 264, 265, 285
 psychosis, 11, 25, 95, 171, 215, 231, 234, 247, 248, 254, 256, 259, 296
 psychostimulants, 7, 11, 12, 24, 60, 69, 150-152, 168, 172, 264-266, 268, 297, 299, 305
 pups, 7, 63, 65, 183-185, 188-190, 232, 262, 283, 285
 putamen, 6, 9, 10, 256

R

reserpine, 3, 5, 7, 11, 165
 restraint, 34, 35, 46, 47, 135, 147, 149, 155, 265, 266
 reward, 20, 21, 58, 70, 150, 151, 154, 157, 168, 169, 293
 rotational behavior, 20, 23, 144-149, 151, 152, 155-157, 191, 285, 297, 303, 307

S

schizophrenia, 11, 12, 55, 69, 70, 71, 79, 81-90, 92, 93, 95-97, 103-106, 108, 145, 181, 185, 190, 197, 198, 200, 209, 211-220, 231-233, 242, 247, 248, 252-254, 256, 259-268, 275-288, 295-299, 301-304, 308
 selective breeding, 6, 29, 31, 56, 166, 288, 293, 299
 self-administration, 20, 69, 150, 152, 153, 168, 309
 sensitization, 7, 19-25, 69, 116, 152, 153, 171, 173, 174, 201, 203, 266-268, 297, 299, 305

context-independent, 22, 305
 context-specific, 21, 22
 expression, 21, 22, 24
 induction, 21-25
 sensorimotor gating, 56, 103, 104,
 106, 108, 233, 243, 260, 302
 sensory cortex, 121, 127, 136
 septum, 49, 66, 135, 136, 187
 serotonin, 1, 2, 5, 6, 8, 10, 13, 21, 57,
 64-70, 105-107, 146, 166, 170,
 173, 210, 211, 213, 218-220, 242,
 243, 264, 265, 267, 285
 sleep deprivation, 169
 social behavior, 46, 51, 58, 69, 263,
 281, 304
 SPECT, 9
 startle, 33, 35, 57, 58, 63, 65, 68, 70,
 103-106, 108, 114, 119, 121-123,
 125, 127-129, 131, 133, 135, 183,
 185-188, 190, 233, 235, 236, 239,
 240, 259, 262, 295, 301, 302, 305,
 307
 stereotypy, 20, 66, 69, 232, 259, 260,
 262, 284, 303, 305
 strain differences, 5, 297
 stress, 31, 33-35, 45-51, 60, 61, 67,
 68, 132, 143, 146-150, 152, 154-
 157, 165, 171, 181, 182, 185, 188-
 191, 248, 260-262, 264-267, 280,
 282-285, 287, 295, 297, 298, 300,
 303-307, 309
 striatum, 1, 10, 24, 144, 148, 153,
 173, 214, 248, 252, 266, 267
 substantia nigra, 3, 25, 169
 subthalamic nucleus, 25

T

temporal cortex, 30, 31, 81, 84, 89,
 95, 214, 247, 248, 256, 284, 299
 teratogenesis, 182, 275, 279, 280,
 300
 tetrabenazine, 3
 thought disorder, 103, 253
 tolerance, 19, 172, 266
 Tourette's Syndrome, 11, 12
 toxicity, 2, 4, 5, 7, 8, 10, 11, 85, 168,
 261

U

ultrasonic vocalizations, 63, 65, 295

V

vasopressin, 132
 ventral tegmental area, 148, 169,
 208, 265, 268
 vesicular monoamine transporter
 (VMAT2), 1-11, 299
 viral hypothesis of schizophrenia, 81
 virus induced disinhibition and
 excitotoxicity (VIDE), 92-96
 vulnerability, 1, 5, 7, 8, 11, 36, 82,
 84, 143, 149, 157, 172, 181-183,
 188-191, 212, 280, 282, 285, 295,
 298, 304, 307

W

water maze, 40
 Wisconsin Card Sorting Test, 217,
 247
 withdrawal, 12, 21, 183, 188, 260,
 275, 281, 296, 304