Acute toxicity, ADNT fish/invertebrates, 76	ADNT, toxicity sediment-associated organisms, 77
Acute toxicity, DNA fish/invertebrates,	<del>-</del>
69	ADNT, transport/transformation, 75
	ADNT, water quality criteria/screening
Acute toxicity, DNB fish/invertebrates,	benchmarks, 77
56, 57	Algal bloom, global monitoring programs,
Acute toxicity, HMX fish/invertebrates,	174
108	Algal blooms, cultural eutrophication, 162
Acute toxicity, RDX fish/invertebrates, 88	Amino-4,6-dinitrotoluene, 2-(see 2-ADNT
Acute toxicity, TNB fish/invertebrates, 42	or ADNT), 73
Acute toxicity, TNT fish/invertebrates, 19	Amino-4,6-dinitrotoluene, 2-, concentra-
2-ADNT, see ADNT, 73	tion ranges military bases, 3
ADNT, abiotic transformation, 75	Amnesic shellfish poisoning, 158, 160,
ADNT, acute toxicity fish/invertebrates,	164, 171
76	Amnesic shellfish poisoning, analytical
ADNT, algae/plant toxicity, 76	methods, 168
ADNT, aquatic criteria/screening bench-	Amnesic shellfish poisons, regulations
marks, 76	summary, 184
ADNT, aquatic toxicology, 76	Analytical methods, amnesic shellfish poi-
ADNT, biotransformation via microbes,	soning, 168
75	Analytical methods, ciguatera fish poison-
ADNT, environmental fate, 73	ing, 168
ADNT, formed during TNT production,	Analytical methods, cyanobacterial poi-
73	soning, 169
ADNT, K <sub>ow</sub> s, 76	Analytical methods, diarrheic shellfish
ADNT, mammalian metabolism/bioaccu-	poisoning, 166
mulation, 78	Analytical methods, marine biotoxins,
ADNT, mammalian NOAELs, 132	162, 166
ADNT, physical/chemical properties, 74	Analytical methods, neurotoxic shellfish
ADNT, plant metabolism/bioaccumula-	poisoning, 167
tion, 78	Analytical methods, paralytic shellfish poi-
ADNT, see 2-Amino-4,6-dinitrotoluene,	soning, 166
73	Analytical methods, pufferfish poisoning,
ADNT, soil heterotrophic processes, 78,	169
79	Aquatic acute/chronic ratios, DNA, 72
ADNT, soils fate, 74	Aquatic acute/chronic ratios, DNB, 61
ADNT, sources/occurrences, 73	Aquatic acute/chronic ratios, HMX, 113
ADNT, summary aquatic/terrestrial crite-	Aquatic acute/chronic ratios, RDX, 95
ria/screening benchmarks, 132	Aquatic acute/chronic ratios, TNB, 46
ADNT, surface/groundwater fate, 74	Aquatic acute/chronic ratios, TNT, 28
ADNT, terrestrial criteria/screening bench-	Aquatic biotoxins cyanobacteria, risks as-
marks, 79	sociated, 182
ADNT, terrestrial toxicology, 78	Aquatic biotoxins finfish, risks associated,
ADNT, toxicity aquatic organisms, 76	182
,	

- Aquatic biotoxins, global monitoring programs, 174
- Aquatic biotoxins, organisms implicated (table), 163
- Aquatic biotoxins, seafood safety monitoring, 157 ff.
- Aquatic biotoxins shellfish, risks associated, 181
- Aquatic biotoxins, summary information diseases, 170
- Aquatic biotoxins, vectors (table), 160 Aquatic biotoxins, worldwide locations (table), 160
- Aquatic data deficiencies, nitroaromatic munition screening, 11
- Bioconcentration factors, RDX aquatic species, 93
- Bioconcentration factors, TNT, 25, 26, 37 Biodegradation pathways, TNT (illus.), 17
- Biotoxins (marine), principal toxins identified, 164
- Biotoxins, analytical methods, 162, 166 Biotoxins, seafood safety monitoring, 157 ff.
- Bivalves, principal vectors of aquatic intoxication for humans, 159
- Chronic toxicity, DNA fish/invertebrates, 70, 71
- Chronic toxicity, DNB fish/invertebrates, 56, 58
- Chronic toxicity, HMX fish/invertebrates, 109
- Chronic toxicity, RDX fish/invertebrates, 89, 90
- Chronic toxicity, TNB fish/invertebrates, 43, 44
- Chronic toxicity, TNT fish/invertebrates, 20, 21
- Ciguatera fish poisoning, 158, 160, 164, 171
- Ciguatera fish poisoning, analytical meth-
- Ciguatera, global monitoring programs, 175
- Ciguatoxins, principal marine biotoxins, 164

- Cyanobacteria biotoxins, risks associated, 182
- Cyanobacterial poisoning, 160, 164, 171 Cyanobacterial poisoning, analytical methods, 169
- Cyclonite, see RDX, 80
- Cyclotrimethylenetrinitramine, see RDX, 80
- Data deficiencies, nitroaromatic munition screening, 11
- Diarrheic shellfish poisoning, 158, 160, 164, 170
- Diarrheic shellfish poisoning, analytical methods, 166
- Diarrheic shellfish poisons, regulations summary, 184
- Dinitroaniline, 3,5-, concentration ranges military bases, 3
- Dinitroaniline, 3,5-, (DNA), physical/chemical properties, 67
- Dinitrobenzene 1,3-(DNB), physical/ chemical properties, 54
- Dinitrobenzene, 1,3-, concentration ranges military bases, 3
- Dinoflagellate blooms, seafood poisoning, 162
- Dinoflagellates (marine), biotoxin producers, 159
- Dinoflagellates, environmental growth requirements, 161
- DNA (3,5-dinitroaniline), physical/chmical properties, 67
- DNA, abiotic transformation, 68
- DNA, acute toxicity fish/invertebrates, 69
- DNA, aquatic acute/chronic ratios, 72
- DNA, aquatic criteria/screening benchmarks, 70
- DNA, aquatic toxicology, 69
- DNA, biotransformation via microbes, 69
- DNA, chronic toxicity fish/invertebrates, 70, 71
- DNA, environmental fate, 68
- DNA, mammalian metabolism/bioconcentration, 73
- DNA, mammalian NOAELs, 132
- DNA, metabolite of TNB, 68
- DNA, see 3,5-dinitroaniline, 66
- DNA, soils fate, 68

DNA, sources/occurrences, 68 Domoic acid, principal marine biotoxins, DNA, summary aquatic/terrestrial criteria/ 164 screening benchmarks, 132 DNA, terrestrial toxicology, 72 EqP (equilibrium partitioning), 7, 11 DNA, toxicity aquatic organisms, 70 Equilibrium partitioning (EqP), 7, 11 DNA, toxicity sediment-associated organ-Explosives, environmental effects, 1 ff. isms, 72 Explosives, summary criteria screening/ benchmarks, 132 DNA, transport/transformation, 68 DNA, water quality criteria/screening benchmarks, 72 Finfish biotoxins, global monitoring, 179 DNB (1,3-dinitrobenzene), physical/chem-Finfish biotoxins, risks associated, 182 ical properties, 54 Fish, TNT toxicology, 18 DNB, abiotic transformation, 55 Food/water intake per day, wildlife, 9 DNB, acute toxicity fish/invertebrates, 56, Global aquatic biotoxin monitoring pro-DNB, algae/plant toxicity, 57, 59 grams, guidelines, 175 DNB, aquatic acute/chronic ratios, 61 DNB, aquatic criteria/screening bench-HABs, see harmful algal blooms, 158, marks, 60 165 DNB, aquatic toxicology 56 Harmful algal blooms (HABs), red tide, DNB, bioconcentration fish, 60 158, 165 DNB, biotransformation via microbes, Hepatotoxins, principal marine biotoxins, 55 DNB, chronic toxicity fish/invertebrates, Hexahydro-1,3,5-trinitro-1,3,5-triazine, 56, 58 see RDX, 80 DNB, environmental fate, 54 Hexogen, see RDX, 80 DNB, human oral Reference Dose, 64 Hexolite, see RDX, 80 HMX (high-melting explosive), 104 DNB, mammalian criteria/screening benchmarks, 64 HMX (Octahydro-1,3,5-tetranitro-1,3,5,7-DNB, mammalian NOAELs, 132 tetrazocine), 2, 104 DNB, mammalian toxicity, 62, 66 HMX, abiotic transformation, 106 DNB, plant metabolism/bioaccumulation. HMX, acute toxicity fish/invertebrates, 64 DNB, see 1,3-dinitrobenzene, 53 HMX, air concentrations, 104 DNB, soils fate, 55 HMX, algae/plant toxicity, 111, 112 DNB, sources/occurrences, 54 HMX, aquatic acute/chronic ratios, 113 DNB, summary aquatic/terrestrial criteria/ HMX, aquatic criteria/screening benchscreening benchmarks, 132 marks, 111 DNB, surface/groundwater fate, 54 HMX, aquatic toxicology, 108 DNB, terrestrial criteria/screening bench-HMX, biotransformation, 108 marks, 64 HMX, chronic toxicity fish/invertebrates, DNB, terrestrial toxicology, 62 DNB, toxicity aquatic organisms, 60 HMX, concentration ranges military DNB, toxicity sediment-associated organbases, 3 isms, 62 HMX, environmental fate, 104 DNB, transport/transformation, 55 HMX, formed during RDX manufacture, DNB, water quality criteria/screening benchmarks, 61 HMX, mammalian criteria/screening

benchmarks, 118

DNB, wildlife screening benchmarks, 65

HMX, mammalian metabolism/bioaccumulation, 118 HMX, mammalian NOAELs, 132 HMX, mammalian toxicity, 115 HMX, nitroaromatic compound environmental effects, 2 ff. HMX, nuclear devices usage, 104 HMX, photolysis primary water degradation, 106 HMX, photolytic half-lives, 106 HMX, physical/chemical properties, 105 HMX, soil invertebrates, 117 HMX, soil invertebrates screening benchmarks, 120 HMX, soils fate, 106 HMX, sources/occurrences, 104 HMX, summary aquatic/terrestrial criteria/screening benchmarks, 132 HMX, surface/groundwater fate, 104 HMX, terrestrial criteria/screening benchmarks, 118 HMX, terrestrial toxicology, 115 HMX, toxicity aquatic organisms, 111 HMX, toxicity sediment-associated organisms, 115 HMX, transport/transformation, 106 HMX, water quality criteria/screening benchmarks, 114 HMX, wildlife screening benchmarks, Human Oral Reference Dose (RfD), 35 Intergovernmental Oceanographic Commission, marine biotoxins, 165 IUPAC, Aquatic Biotoxins Working Group, 174 IUPAC, see International Union for Pure & Applied Chemistry, 174  $\mathbf{K}_{ow}$ , ADNT, 76

K<sub>ow</sub>, ADNT, 76 K<sub>ow</sub>, TNB, 51 K<sub>ow</sub>, TNT, 25 K<sub>p</sub> value, RDX sorption soils, 85 K<sub>p</sub> value, tetryl sorption soils, 124

Mammalian wildlife, food/water intake per day, 9

Marine biotoxins, analytical methods

Marine biotoxins, analytical methods, 162, 166

Marine biotoxins, bacteria as source, 163 Marine biotoxins, blue-green algae as source, 163

Marine biotoxins, diatoms as source, 163

Marine biotoxins, dinoflagellate sources, 159, 163

Marine biotoxins finfish, risks associated, 182

Marine biotoxins, organisms implicated (table), 163

Marine biotoxins, principal toxins identified, 164

Marine biotoxins shellfish, risks associated, 181

Marine biotoxins, summary information diseases, 170

Marine biotoxins, vectors (table), 160 Marine dinoflagellates, biotoxin producers, 159

Marine phycotoxin global monitoring, 176

*N*-methyl-*N*-2,4,6-tetranitroaniline), see Tetryl, 121

N-methyl-N-2,4,6-tetranitroaniline (see Nitramine), physical/chemical properties, 121

Microbial degradation, DNB, 56

Microbial degradation, TNB, 42

Microbial degradation, TNT, 16

Munitions, aquatic criteria, 4

Munitions, aquatic screening benchmarks, 4

Munitions, environmental effects, 1 ff.

Munitions, screening values, 1 ff.

Munitions, summary water/sediment quality criteria/screening benchmarks,

Munitions, summary criteria/screening benchmarks, 132

Munitions, Tier I water quality criteria, 4 Munitions, Tier II water quality criteria, 6

Neurotoxic shellfish poisoning, 158, 160, 164, 170

Neurotoxic shellfish poisoning, analytical methods, 167

Neurotoxic shellfish poisons, regulations summary, 184

- Nitramine (*N*-methyl-*N*-2,4,6-tetranitroaniline or tetryl), 120
- Nitramine, K<sub>p</sub> sorption values soil, 124
- Nitramine, physical/chemical properties, 121
- Nitramine, see Tetryl, 120
- Nitroaromatic explosives, environmental effects, 1 ff.
- Nitroaromatic munitions, aquatic criteria,
- Nitroaromatic munitions, aquatic screening benchmarks, 4
- Nitroaromatic munitions, environmental effects, ff.
- Nitroaromatic munitions, lowest aquatic chronic values, 7
- Nitroaromatic munitions, mammal screening, 8
- Nitroaromatic munitions, plant phytotoxicity, 10
- Nitroaromatic munitions, screening data deficiencies, 11
- Nitroaromatic munitions, screening values, 1 ff.
- Nitroaromatic munitions, sediment quality screening, 7
- Nitroaromatic munitions, soil invertebrates screening, 10
- Nitroaromatic munitions, summary criteria/screening benchmarks, 132
- Nitroaromatic munitions, summary water quality criteria, 132
- Nitroaromatic munitions, wildlife screening, 8
- Octahydro-1,3,5-tetranitro-1,3,5,7-tetrazocine, see HMX, 104
- Okadaic acid, principal marine biotoxins, 164
- Paralytic shellfish poisoning, 158, 160, 164, 170
- Paralytic shellfish poisoning, analytical methods, 166
- Paralytic shellfish poisons, regulations summary, 184
- PBX (AF) 108, see RDX, 80
- Photolysis half-life, RDX, 85

Photolysis, HMX primary water degradation, 106

- Photolysis, RDX primary water transformation, 84
- Photolysis, tetryl primary transformation, 123
- Photolysis, TNT primary water transformation, 15
- Phycotoxins, seafood-borne biotoxins, 176
- Physical/chemical properties, TNT, 12
- Phytoplankton global monitoring programs, 178
- Pink water compounds, HMX related, 107
- Pink water, RDX associated, 85, 87
- Pink water, TNT photolytic product, 15,
- Plant phytotoxicity, nitroaromatic munitions screening, 10
- Plants, TNT toxicity, 24
- Pufferfish poisoning, 160, 164, 171
- Pufferfish poisoning, analytical methods, 169
- RDX (Cyclonite), Hexahydro-1,3,5-trinitro-1,2,5-triazine), 80
- RDX (Hexahydro-1,3,5-trinitro-1,3,5-triazine), described, 2
- RDX, abiotic transformation, 84
- RDX, acute toxicity fish/invertebrates, 88
- RDX, algae/plant toxicity, 91, 92
- RDX, anaerobic biodegradation, 86, 87
- RDX, aquatic acute/chronic ratios, 95
- RDX, aquatic criteria/screening benchmarks, 94
- RDX, aquatic toxicology, 88
- RDX, bioconcentration factors aquatic species, 93
- RDX, chronic toxicity fish/invertebrates, 89
- RDX, concentration ranges military bases,
- RDX, environmental fate, 80
- RDX, human oral Reference Dose, 102
- RDX, K<sub>p</sub> sorption values soil, 85
- RDX, mammalian criteria/screening benchmarks, 102
- RDX, mammalian metabolism/bioaccumulation, 100

RDX, mammalian NOAELs, 132 RDX, mammalian toxicity, 96, 98 RDX, metabolism/bioconcentration aquatic organisms, 91 RDX, nitroaromatic compound environmental effects, 2 ff RDX, photolysis half-life, 85 RDX, photolysis primary water transformation, 84 RDX, physical/chemical properties, 81 RDX, pink water, 85, 87 RDX, plant metabolism/bioaccumulation, 100 RDX, plant screening benchmarks, 103 RDX, plant toxicity, 100 RDX, soil invertebrates screening benchmarks, 103 RDX, soil migration, 85 RDX, soils fate, 73 RDX, sources/occurrences, 80 RDX, summary aquatic/terrestrial criteria/ screening benchmarks, 132 RDX, surface/groundwater/sediment fate, RDX, terrestrial criteria/screening benchmarks, 102 RDX, terrestrial toxicology, 96 RDX, toxicity aquatic organisms, 94 RDX, transport/transformation, 84 RDX, water quality criteria/screening benchmarks, 95 RDX, wildlife screening benchmarks, 103 Red tide, suspected seafood biotoxins, 158 RfD, see Human Oral Reference Dose, 35 Saxitoxin, principal marine biotoxins, 164 Seafood biotoxins, global monitoring programs, 174 Seafood poisoning, bacteria as source, 163 Seafood poisoning, blue-green algae as source, 163 Seafood poisoning, diatoms as source, Seafood poisoning, dinoflagellates as source, 163 Seafood poisoning, global distribution (map), 161

Seafood poisoning, human, 158, 160 Seafood poisoning, principal toxins identified, 164 Seafood poisoning, summary information aquatic biotoxins, 170 Seafood safety global monitoring programs, 174 Seafood safety monitoring, aquatic biotoxins, 157 ff. Shellfish biotoxin global monitoring, 176 Shellfish biotoxins, risks associated, 181 Shellfish poisoning, 158, 160, 164, 170 Soil heterotrophic processes, nitroaromatic munitions, 10, 38 Soil invertebrates, nitroaromatic munitions screening, 10 T4, see RDX, 80 Tetrodotoxin, principal marine biotoxins, Tetryl (*N*-methyl-*N*-2,4,6-tetranitroaniline), concentration ranges military bases, 3 Tetryl, abiotic transformation, 123 Tetryl, aquatic criteria/screening benchmarks, 126 Tetryl, aquatic toxicology, 126 Tetryl, as propellant or detonator charge, 120 Tetryl, biotransformation via microbes, 125 Tetryl, environmental fate, 120 Tetryl, K<sub>ow</sub> estimates bioconcentration factor, 126 Tetryl, mammalian criteria/screening benchmarks, 130 Tetryl, mammalian metabolism/bioaccumulation, 128 Tetryl, mammalian NOAELs, 132 Tetryl, mammalian toxicity, 127 Tetryl, nitroaromatic compound environmental effects, 2 ff. Tetryl, photolysis primary transformation, 123

Tetryl, physical/chemical properties, 121

129

Tetryl, plant toxicity, 128

Tetryl, see Nitramine, 120

Tetryl, plant metabolism/bioaccumulation,

Tetryl, soil invertebrates screening benchmarks, 131 Tetryl, soil metabolites, 124 Tetryl, soils fate, 122 Tetryl, sources/occurrences, 120 Tetryl, summary aquatic/terrestiral criteria/screening benchmarks, 132 Tetryl, surface/groundwater fate, 122 Tetryl, terrestrial criteria/screening benchmarks, 130 Tetryl, terrestrial toxicology, 126 Tetryl, transport/transformation, 123 Tetryl, wildlife screening benchmarks, Tier I water quality criteria, nitroaromatic munitions, 4 Tier II water quality criteria, nitroaromatic munitions, 6 TNB (1,3,5-trinitrobenzene), concentration ranges military bases, 3 TNB (1,3,5-trinitrobenzene), physical/ chemical properties, 39 TNB, abiotic transformation, 41 TNB, acute toxicity fish/invertebrates, 42 TNB, air concentrations, 40 TNB, algae/plant toxicity, 43 TNB, aquatic acute/chronic ratios, 46 TNB, aquatic criteria/screening benchmarks, 45 TNB, aquatic toxicology, 42 TNB, biotransformation via microbes, 42 TNB, chronic toxicity fish/invertebrates, 43 TNB, environmental fate, 40 TNB, human oral Reference Dose, 49 TNB,  $K_{ow}s$ , 51 TNB, mammalian criteria/screening benchmarks, 49 TNB, mammalian metabolism/bioaccumulation, 49 TNB, mammalian NOAELs, 132 TNB, mammalian toxicity, 47, 50 TNB, metabolized to DNA, 68 TNB, see 1,3,5-trinitrobenzene, 39 TNB, soil heterotrophic processes, 48 TNB, soils fate, 41 TNB, sources/occurrences, 40 TNB, summary aquatic/terrestrial criteria/ screening benchmarks, 132

TNB, surface/groundwater fate, 40 TNB, terrestrial criteria/screening benchmarks, 49 TNB, terrestrial toxicology, 47 TNB, TNT manufacture by-product, 39 TNB, TNT photolysis product, 39 TNB, toxicity aquatic organisms, 45 TNB, toxicity sediment-associated organisms, 46 TNB, transport/transformation, 41 TNB, water quality criteria/screening benchmarks, 46 TNB, wildlife screening benchmarks, 52 TNT (2,4,6-trinitrotoluene), described, 2 TNT, abiotic transformation, 14 TNT, acute toxicity fish/invertebrates, 19 TNT, air concentrations, 13 TNT, algae/plant toxicity, 23, 24 TNT, aquatic acute/chronic ratios, 28 TNT, aquatic criteria/screening benchmarks, 26, 28 TNT, aquatic toxicology, 18 TNT, bioconcentration factors, 25, 26, 37 TNT, biodegradation pathways (illus.), 17 TNT, biotransformation via microbes, 16 TNT, chronic toxicity fish/invertebrates, 20, 21 TNT, concentration ranges military bases, TNT, environmental fate, 13 TNT, half-life surface water, 16 TNT, human oral Reference Dose, 35 TNT,  $K_{ow}s$ , 25 TNT, mammalian criteria/screening benchmarks, 35 TNT, mammalian metabolism/bioaccumulation, 34 TNT, mammalian NOAELs, 132 TNT, mammalian toxicity, 29 TNT, nitroaromatic compound environmental effects, 2 ff. TNT, photolysis primary water transformation, 15 TNT, physical/chemical properties, 12

TNT, plant metabolism/bioconcentration,

TNT, soil heterotrophic processes, 38

25, 34

TNT, soils fate, 14

TNT, plant toxicity, 32

TNT, soil invertebrate toxicity, 33

- TNT, soil invertebrates screening benchmarks, 38
- TNT, sources/occurrences, 13
- TNT, summary aquatic/terrestrial criteria/ screening benchmarks, 132
- TNT, surface/groundwater fate, 13
- TNT, terrestrial criteria/screening benchmarks, 35
- TNT, toxicity sediment-associated organisms, 28
- TNT, transport/transformation, 14
- TNT, water quality criteria/screening benchmarks, 28
- TNT, wildlife screening benchmarks, 37 Toxic algal bloom, global monitoring programs, 174
- Transvectors, intermediate accumulators of biotoxins, 159
- Trimethylene-trinitramine, see RDX, 80 Trinitrobenzene, 1,3,5-(TNB), concentration ranges military bases, 3
- Trinitrobenzene, 1,3,5-(TNB), physical/chemical properties, 39
- Trinitrocyclotrimethylene, see RDX, 80

- Trinitrotoluene (TNT), physical/chemical properties, 12
- Trinitrotoluene 2,4,6-, see TNT, 12
- Water quality criteria/screening benchmarks, ADNT, 77
- Water quality criteria/screening benchmarks, DNA, 72
- Water quality criteria/screening benchmarks, DNB, 61
- Water quality criteria/screening benchmarks, HMX, 114
- Water quality criteria/screening benchmarks, RDX, 95
- Water quality criteria/screening benchmarks, TNB, 46
- Water quality criteria/screening benchmarks, TNT, 28
- Wildlife data deficiencies, nitroaromatic munitions screening, 11
- Wildlife, food/water intake per day, 9
- Wildlife screening benchmarks, TNB, 52
- Wildlife screening benchmarks, TNT, 37
- Wildlife screening, nitroaromatic munitions, 8