

INDEX

- Abscisic acid, 148, 254, 309-310, 315
Acalypha, 284-286, 299, 304
Advancement index, 19
Aerenchyma, 11, 15, 17, 260
Aging, 73, 249, 283, 293-295
Agrobacterium rhizogenes, 7, 67, 115, 145, 148-149, 163, 167-168, 181, 183, 335
Agrobacterium tumefaciens, 46, 181, 183
Agrobacterium-mediated transformation, 117
Agronomic crops, 25-26, 54, 72
Agronomy, 25, 181
Air roots, 12, 15-17, 19
Alaskan yellow-cedar, 40
Alfalfa, 62, 91-92
Alleles, 62, 69, 75
Allometry, 192
Allorhizy, 2-3
Amino acid sequences, 156-157
Anaerobic metabolism, 259-260
Anatomical diversity, 11
Anatomy, 11, 14, 139, 247, 264, 280, 288, 295-296, 321
Anisoclady, 8
Anisophylly, 8
Anoxia, 32-33, 289
Anthocyanin, 100, 103, 106-108, 114, 296, 315
Antibody technology, 116
Antigen, 84, 116, 148
Antisense engineering, 67-68
Apple cultures, 91
Arabidopsis, 80-82, 84-85, 115, 156-157, 164-165, 167, 173-174
Arginine decarboxylase, 112
Artificial intelligence, 225
Artificial languages, 228
Assimilates, 33, 233, 247, 251, 262, 265
Aux genes, 145, 150, 169
Auxin, 15, 58, 88, 90, 97, 102, 105, 113, 116, 130-131, 139, 143, 145-147, 149, 155-157, 159, 176, 287, 301-302, 306, 312, 316, 333
binding, 116, 149, 155-157, 159
binding proteins, 155-156
catabolism, 146
conjugation, 145
Auxin (cont'd)
genes, 145, 150, 169
metabolism, 112-113, 143, 145, 150
receptors, 149, 303, 335
transport, 148-149, 293, 301
Avena, 27, 284, 299-301, 304
Bacon, F., 239, 275, 317
Balanced formative stuffs, 312-315
Barley, 27, 30, 304
Bauplan, 5
Bermudagrass, 25, 28
Binary vector, 169
Bindweed, 91, 93
Bioassays, 144, 285-287, 310, 334
Biochemical markers, 111-113, 116
Biological risks, 48
Biomass accumulation, 204-205, 213, 245, 258, 260
Biomass distribution, 256-259
Biometrical plant breeding, 69
Biotechnology, 37, 46, 58-59, 163
Black spruce, 40, 42, 50
Blanching, 100-102, 124, 127, 130, 137
Boron, 258, 297
Bottom-up models, 204
Bouillenne, R., 304, 307
Bound auxins, 145
Boyce Thompson Institute, 302, 311
Brazil, 46-47
Breeding, 40, 44, 49, 61-64, 68-70, 72-75, 79, 167
Brian, P.W., 312
Bulking, 39-42, 44, 50
Buttresses, 15
C:N ratios, 253, 257, 297
Calines, 305
Callus, 83, 90-96, 104, 127, 143, 145, 149, 158, 207-208, 250, 284, 310
Cambium, 15, 127, 145, 208
CaMV35S promoter 171-173
Carbohydrate, 6-8, 57, 64, 87, 97, 129-130, 139, 203, 206, 212-215, 231-235, 246, 248-254, 256-258, 260-261, 263-265, 281, 296-298, 314-315

- Carbon, 5-7, 12-13, 17-18, 147, 204, 212, 219-220, 230-235, 245, 247-248, 256, 262, 285, 296-297, 302, 312, 315
- Carbon allocation, 219, 230-235, 245, 247-248, 256
- Caudex, 13
- Caulocaline, 305
- cdc2* gene, 115
- cDNA, 5, 115, 117, 171-173
- cDNA libraries, 5, 117
- Cell lines, 83-85
- Cell wall, 83-84, 102, 105, 112, 115-116, 147, 172, 296
- Cellular competence, 80, 82, 87, 111
- Cellulose, 6, 18, 102
- Centrifugation, 308
- Cereal grains, 25-27
- Chalcone synthase, 107
- China, 37, 42-43, 50
- Chinese fir, 37, 42-44, 50
- Chlorogenic acid, 308
- Chunk, 221-222, 224, 230
- Clasping roots, 13-14
- Clonal mixtures, 48
- Clonal testing, 48-49
- Cloning, 39, 42, 44, 49-50
- Cluster designation, 80, 84
- CO₂, 15, 124, 205, 296, 298
- Cofactors, 102, 111-113, 249, 300, 308, 312, 315
- Collenchyma, 94, 106
- Columbus, C., 321
- Commercial importance, 25-33, 37-50, 53-59, 167
- Competence, 79-84, 87-96, 99-108, 111, 115-118, 286, 321, 334-335
- Computers, 222, 227, 229, 240, 263
- Conditional inductive tree, 317
- Conifers, 37, 42, 46, 48, 50, 58, 203, 264
- Conjugated IAA, 144
- Constructive stuffs, 297-298
- Contractile roots, 18
- Control strength, 149
- Controlled crosses, 38
- Converter subsystem, 17
- Convolvulus arvensis*, 90, 93
- Cooper, W.C., 303, 305
- Correlated effects, 74-75, 284
- Costs, 49-50, 53, 57, 59, 206, 211, 223, 239, 246, 260, 262, 265, 282
- Cotinus coggygria*, 144, 146-147
- Crop growth, 26, 29
- Crown gall disease, 149
- Cuttings, 8, 18, 25, 33, 37, 40-49, 53-59, 62, 64, 69, 72-73, 90-92, 95-96, 100-102, 104, 113-114, 116, 123-139, 144-147, 150, 155, 167, 186-187, 206-207, 220, 246, 248-255, 258-261, 263-265, 275, 280, 283-288, 290, 293-301, 303, 305-315, 333
- centrifugation of, 308-309
- conifer, 37, 40-46
- Cuttings (*cont'd*)
- hardwood, 131-135, 206-207, 248-252
- horticultural crops, 53-59
- leafy, 127-131
- microcuttings, 90-91
- Cyanidin glycoside, 114
- Cytokinin, 15, 88, 90, 92, 114, 124, 147, 151, 164-166, 183-184, 254, 286, 300, 310-311, 315
- Dark treatment, 100-102
- Dark-preconditioning, 124, 127, 129-131, 137-139
- Debladed petioles, 91-92, 96
- Determination, 79, 81-82, 85, 87-96, 144, 311
- Dichotomous test scheme, 317-318, 321
- Difluoromethyl arginine, 112
- Difluoromethyl ornithine, 112
- Dihydroflavonol reductase, 107, 114, 296
- Dimorphism, 14
- Distributor subsystem, 12, 15, 17
- DNA, 6, 79, 82, 105-107, 115, 117-118, 145, 149-150, 157, 163, 171, 173-174, 181, 183, 185, 310
- Early land plants, 5-6, 12
- Ecology, 8, 203, 215, 246, 264, 321
- ECOPHYS model, 204, 263
- Ecosystem, 9, 204-205, 227, 246, 262, 276
- Electrophysiology, 159, 291
- Embryonic roots, 26
- Endogenous stimuli, 334
- English ivy, 91, 100, 103
- Environment, 4-5, 12-16, 18-19, 26, 28-29, 32-33, 42, 48-49, 57-58, 62-63, 70, 72-73, 82-84, 114, 118, 125, 135-137, 181, 193, 203-205, 207, 211-213, 215, 225, 230, 232, 234, 236, 239, 246, 248, 250, 252-253, 255, 260-262, 264-265, 285-286, 302
- anoxia, 32-33, 289
- biological risks, 48
- light, 234, 260-261
- models, 203-205, 238-239
- nutrient, 235, 255
- oxygen, 259-260
- stock plant, 123-139
- temperature, 33, 235-236, 261
- water, 235, 258-259
- Environmental stress, 32-33, 57, 82, 230, 232, 234, 255
- Enzymes, 64, 66-69, 74, 80, 107, 114, 116-117, 169, 185, 235, 253-254, 265, 282, 297, 315
- Ephemeral roots, 18
- Epiphytes, 8
- Er-located auxin binding proteins, 156
- Erabp* gene expression, 158
- Erabp* gene family, 155, 157
- Erabp* physiology, 158

- Ethylene, 155, 302, 311, 315
- Etiolation, 57, 100-102, 104, 108, 124, 130, 296
- Eucalyptus*, 46-48, 50, 114, 151, 168, 174, 299-300
- Evolutionary origin, 5
- Excised petioles, 104
- Experimental systems, 87-88, 116, 136, 264, 334
- Expert systems, 220-222, 224-227, 229-230, 236, 240
- Explanation system, 225
- Extensin gene, 173
- Extruder subsystem, 12-13, 18
- Field performance, 47, 248, 251, 254-255, 265
- Fine roots, 204-206, 209-211, 213, 215, 252, 262
- Fitting, H., 318-320
- Flavonoid compounds, 106-107, 113-114, 170
- Flavonols, 107-108
- Flooding, 12, 17, 32, 259
- Forage grasses, 28
- Forage persistence, 32
- Forages, 28
- Forest tree seed, 38
- Forestry, 37-39, 41-42, 44-48, 50, 54, 59, 61, 72, 96, 167, 203, 207, 219, 245, 251, 264, 266, 275, 294
- Forests, 8, 19, 38, 44, 47, 210-211, 257
- Fossil plants, 7
- Fruit and nut crops, 54-56
- Functional equilibrium, 252-254
- Future research, 20, 33, 118, 136-139, 147, 246, 264-265, 333-335
- G inhibitors, 300
- Gas chromatography-mass spectrometry, 148
- Gene expression, 80-81, 84, 103, 108, 111, 117-118, 123, 136, 158, 163, 169-170, 184, 309, 320
- General systems theory, 11
- Genes, 5-6, 14, 46, 61, 63-64, 67-69, 73, 99-100, 102-108, 115, 117-118, 145, 149-150, 157-159, 163-164, 166-174, 181, 183-185, 187, 209, 314, 335
- aux*, 145, 150, 169
- cdc2*, 115
- Erabp* family, 155, 157, 158
- extensin, 173
- GUS, 171-173
- nitrate reductase, 173
- reporter, 171
- rol*, 115, 167-168, 174, 183, 335
- rooting-related, 61, 100, 103
- T₁ DNA *aux*, 145
- Genetic assimilation, 72-74
- Genetic diversity, 5
- Genetic engineering, 33, 37, 46, 61-63, Genetic engineering (*cont'd*) 66-69, 73-75, 123, 149-150, 155-159, 163-174, 181-187
- Genomic manipulation, 61, 155-159, 163-174, 181-187
- Germany, 44, 48, 316
- Gibberellin, 15, 124, 310, 312, 315
- Gibberellin biosynthesis inhibitors, 312
- Girdling, 124-125, 139, 289
- Goebel, K., 2, 276-277, 279, 281, 288-289, 291-293, 295, 299
- Grafts, 38, 92
- Grain yield, 29, 31
- Gramineae, 10-11, 19, 25, 27-28, 31, 33
- Grapevine, 144, 147
- Grass, 1, 10-11, 13, 25, 28, 33, 156
- Gravitropism, 194
- Gravity, 7-8, 280-281, 289
- Growth patterns, 163-164, 253, 264-265
- Growth regulators, 15, 83, 116, 124, 144, 148, 184, 203, 206, 209, 230, 283, 286, 303
- GUS gene, 171-173
- Hairy root disease, 149
- Hardwood cuttings, 40, 101-102, 125-126, 131-135, 137-139, 206, 220, 250-252, 254-255, 263
- Hartsema, A., 295
- Hedera helix*, 90-92, 95-96, 100, 114, 286, 293, 296, 299, 307-308, 310
- Hedging, 20, 124, 131-132, 135-136
- Heredity, 315
- Heritability, 69-71
- Hess, C., 286
- Hetero-auxin, 301
- Heuristics, 221, 240
- Hibiscus, 102, 305-306, 308
- Histology, 100, 102-104
- Historical evaluation, 275
- History, 44, 53, 59, 82, 210, 240, 275-276, 287, 300, 309, 316-317, 319, 321
- History of science, 240, 319
- Homocauly, 2-3
- Homogeneous cell lines, 79, 81, 83-85
- Homorhizy, 2-3
- Hormone imprinting, 139
- Hormones, 8, 47, 78, 93, 164, 167-168, 184, 230, 248-249, 253-254, 297-298, 301, 303-304, 306-307, 309-314, 318-319
- abscisic acid, 148, 254, 309-310, 315
- auxin, 15, 58, 88, 90, 97, 102, 105, 113, 116, 130-131, 139, 143, 145-147, 149, 155-157, 159, 176, 287, 301-302, 306, 312, 316, 333
- cytokinin, 15, 88, 90, 92, 114, 124, 147, 151, 164-166, 183-184, 254, 286, 300, 310-311, 315
- ethylene, 155, 302, 311, 315
- gibberellin, 15, 124, 310, 312, 315

- Hormones (*cont' d*)
 polyamines, 112, 184-185, 187, 315
- Horticultural crops, 53-54, 57-59, 68, 72
- Horticulture, 53-54, 57-59, 96, 111, 123, 181, 251, 264, 294
- Hydroxyproline-rich glycoprotein, 172
- Hyperdocument, 221, 223-224, 230, 236, 241
- Hypermedia, 221
- Hypertext systems, 219-223, 229
- Hypothesis of formative stuffs, 282, 288
- Hypothetico-deductive reasoning, 316, 320
- Hypoxia, 259-260
- IAA, 93, 143, 145-151, 158, 284, 298, 301-303, 307, 312
- IAA esters, 146
- IAA oxidase, 112, 114, 116
- IBA, 91, 93-94, 127, 130, 133, 146, 302-303
- Ideotypic model, 78-80, 85
- Image analysis, 262
- Immunoassay, 116, 148
- Immunocytolocalization, 116, 148
- In vitro propagation, 37
- In vitro root cultures, 2
- Indole-3-acetic acid 112, 143, 156, 284
- Indole-3-acetylaspartate 146
- Indole-3-acetylglucose 146
- Indolebutyric acid, 91
- Inductive signals, 335
- Inference engine, 225
- Internal roots, 12-13, 15
- Internode, 7-8, 26-28, 91, 124, 186, 232, 283, 285
- Iron, 33, 85
- Irradiance, 130, 234, 257-258, 260, 289, 291
- Irrigation, 209, 259
- Isoenzymes, 112-113, 116
- Isotopes, 262
- Jack pine, 73, 264
- Japan, 37, 44, 191, 193, 199, 312
- Juvenile-phase, 99, 103-106, 114, 125, 131, 286, 296, 307
- Juvenility, 47-48, 50, 99-107, 125, 136, 138, 255, 265, 293-294
- Kawase, M., 307-308
- Kinetin, 92-94, 114, 310-311
- KMnO₄, 285, 297
- Knowledge management, 219-222, 239-241
- Kupfer, E., 279, 290
- Leaf explants, 82, 91-95
- Learning system, 225
- Lenticels, 15-16, 260
- Light, 5, 17, 25, 37, 85, 91, 100-103, 107-108, 114, 124, 127, 130, 135, 137, 148, 166, 234, 238, 253, 260, 264, 281, 306
 exclusion, 100-103, 124, 137
- Light (*cont' d*)
 quality, 124, 260-261
 stress, 234
- Lignification, 102, 113, 130-131
- Lignin, 114, 130, 296
- Link, 221-222
- Lodging, 29, 31
- Lupin, 147, 170
- Lycopersicon*, 82
- Maize, 20, 25-33, 62, 82, 115, 156-159, 194
- Mannopine synthase, 171
- Mathematical modeling, 191
- Maturation, 99-103, 106, 114, 249, 283, 293-295, 321
- Mature-phase, 91-92, 95, 99-100, 102-108, 112, 114, 296, 299, 307
- Membrane, 18, 84, 117, 156, 158-159, 259
- Mendelian threshold, 67-68
- Meristem, 3, 5-6, 26, 77-81, 83-85, 87, 92, 94-95, 99, 101-102, 104-106, 108, 111, 115, 127, 144, 163, 166, 171-174, 185, 232, 255, 277, 293-294, 296, 306
- Messenger RNA, 105, 107, 115, 117-118, 169, 172-173
- Metabolic control, 63-65, 67-68, 73-75, 252-253
- Metabolic control theory, 63, 65, 67-68, 73-75
- Microautoradiography, 148
- Microcuttings, 90-91
- Microorganisms, 6, 181
- Microphylls, 6
- Microprojectile bombardment, 117
- Micropropagation, 42, 124, 135, 137, 285
- Minerals, 13, 18, 203, 212, 236, 315
- Minirhizotron, 193, 205, 210, 262-263
- Mitosis, 11, 115
- Mobilization, 213-214, 264
- Model species, 79, 81, 84-85
- Model systems, 59, 77-81, 83, 85
- Modeling, 191, 194, 200, 203-204, 206, 209-212, 215, 219, 231, 263, 265-266
- Molecular genetics, 61-75, 149-150, 155-159, 163-174, 181-187, 315-316
- Molecular markers, 80-82, 84, 111-112, 115
- Monoclonal antibodies, 116
- Morgan, T.H., 278
- Morphology, 7-11, 209-212, 279-280
- Motor subsystem, 18
- Multiple hypotheses, 74, 317, 321
- Mung bean, 81, 112, 286, 307, 309-310
- Mutants, 67, 79-82, 85, 265, 284, 334
- Mutation, 6-7, 11, 18, 63, 65, 67, 75, 80-82, 123, 171
- Mycorrhizal fungi, 209, 211-212, 262
- Myo-inositol, 146, 251
- NAA, 91-92, 156, 302
- Naphthalene derivatives, 302
- Naphthaleneacetic acid, 156, 302

Natural language text, 228-229
 Net primary production, 259, 262
 Nitrate reductase, 173, 253
 Nitrate reductase gene, 173
 Nitrogen, 30, 112, 203-204, 212, 235-237, 249, 253, 256-257, 297-298, 301, 306, 315
 Nitrogenous compounds, 203, 249, 253, 256, 297, 306
 Nodal roots, 10-11, 26-31, 33
 Node, 7-8, 14-15, 26-28, 30-31, 91, 126-127, 132, 221, 249, 290
 Non-auxin plant hormones, 309
 Non-auxin rooting stimulus, 302, 304-309
 Nonstructural carbohydrate, 214-215, 233
 Norway spruce, 40, 44
 Nucleic acid, 115
 Nucleic acid markers, 115
 Nursery, 41-42, 44, 49, 54, 59, 132, 207, 309
 Nutrients, 9, 15, 30, 33, 83-84, 169, 181, 200, 206, 208-209, 211-213, 234-235, 246, 254-256, 258-259, 264, 282, 297-298, 309
 absorption, 29-31, 211, 255
 stress, 235, 258
 Oats, 27
 Octopine synthase, 171
 Open reading frames, 183
 Orchard seed, 40, 44
 Orchid, 4, 17, 318-319
 Organogenesis, 77-78, 87-88, 90, 92-94, 106, 150, 280, 286, 290
 Ornamental horticulture, 54, 251
 Ornithine decarboxylase, 112, 185
 Oxidation, 112-113, 146-147
 Oxygen, 15, 17, 112, 259, 281, 305, 315
 Parenchyma, 17-18, 92-94, 103-108, 115, 130, 147, 149, 231, 296
 Partitioning, 33, 194, 215, 234-235, 245, 247-248, 250-251, 253-254, 256-259, 262-263, 265
 Pathway flux, 64-68, 74
 Pea test, 284-285
 Peroxidase, 112-113, 146-147
Phaseolus aureus, 144, 146-147, 151
 Phenolic compounds, 113, 131
 Phenophase, 231-233, 236-237, 239
 Phenotypic plasticity, 5
 Phenylalanine ammonia lyase, 114
 Phenylpropanoid pathway, 114
 Phenylpropanoids, 114, 296
 Phosphorus, 30, 237, 256, 298
 Photoaffinity labelling, 148, 155
 Photosynthate, 6, 128, 132, 230, 232-235, 246, 250-252, 254
 Photosynthesis, 5-6, 129, 234, 248, 251, 258, 261, 264, 289
 Photosynthetic roots, 17
 Phylogeny, 10, 19
 Physicochemical assays, 148
 Phytohormone, 88-89, 93, 155-156, 163, 165, 252-254
 Pigmentation, 106-108
 Pinyon pine, 58
Pisum sativum, 150, 283, 285, 287, 312
 Plant propagation, 69, 155, 285, 307, 319
 Plantations, 43-46, 48, 50, 168, 207, 209, 220, 255
 Plasma membrane, 18, 84, 156, 158-159
 Plasmid, 7, 149-150
 Platt, J.R., 317
 Pneumatorhizae, 12, 15
 Polarity, 249, 280-282, 289-293, 295, 298, 321
 Pole-borne root, 1, 3, 5-6, 10, 13, 17-18, 20
 Pollen, 38, 171, 319
 Polyamine metabolism, 112, 181, 185, 187
 Polyamines, 112, 184-185, 187, 315
 Polymerase chain reaction, 117
 Polyphenol oxidase, 113
 Poplars, 37, 45-46, 48, 50, 203, 205-207, 209-215, 220, 233
Populus, 14-15, 37, 45, 113, 144, 203, 206-208, 213-215, 247-252, 254, 264, 281, 297-299, 313
 Potassium, 30, 237, 256, 297
 Preconditioning, 114, 124-125, 128
 Predisposition, 80, 207, 277, 283, 286, 294-295, 297, 319, 321
 Predisposition to root, 297, 319, 321
 Preformed root primordia, 143, 207, 249, 284-285, 289, 295
 Primordia, 7, 14, 26, 32, 88, 93, 104-105, 111, 115, 143-145, 147, 164-166, 193, 207, 231, 249, 277-278, 280, 284-285, 287-289, 295, 297-298, 303
 Proline-rich protein, 104-105, 115
 Promoters, 95, 158, 167, 169, 171-172, 174, 183, 187, 300
 Propagation technology, 123
 Protein, 62, 84, 104-106, 115-117, 155-159, 171-172, 183-184, 215, 281, 316
 Provenance trials, 38
Prunus insititia, 132-139
Pseudotsuga, 40, 255-257, 259
 Putrescine, 112, 185, 187
 Quantitative genetic theory, 63
 Quantitative genetics, 62, 65, 81, 315-316
 Quercetin, 114
 Radiata pine, 38, 41-42, 48, 50
 Radiotracers, 250-251
 Reaction rates, 65
 Reasoning engine, 224-225
 Recalcitrant species, 55, 57-59, 62
 Receptors, 90, 139, 149, 155, 303, 335
 Reforestation, 38, 41, 43, 48-49

Regeneration, 2, 46, 53, 55, 62, 77, 82, 92, 126, 165, 183, 186, 276-282, 288-293, 295, 298, 308, 315
 Regulatory sequences, 117, 173
 Rejuvenation, 116, 124-125, 131-132, 135-136, 138, 296
 Relative growth coefficient, 192
 Repair, 277-278, 280
 Reporter genes, 171
 Republic of Congo, 46
 Research infrastructure, 78, 85
 Respiration, 6, 15, 112, 129-130, 204-205, 209, 211, 213, 245, 248, 253, 259, 265, 281, 285, 289, 291
 Restitution, 277, 280-281
 Retinoic acid, 78
 Rhizocaline, 284-285, 287, 298-299, 304-308
 Rhizoids, 5-6
 Ri plasmids, 149
 Ri ψ -DNA, 183-185, 187
 Rice, 25-27, 32, 173-174, 187, 191-195, 199-200, 284, 312
 Ringing, 124, 133, 138-139
 RNA, 104-107, 115, 118, 173, 183, 316
rol genes, 115, 167-168, 174, 183, 335
 rolb gene, 150-151, 166, 172-173
 rolc gene, 166
 rold gene, 171
 Root growth, 9, 25-26, 30-31, 33, 81, 112, 164, 166-167, 187, 191, 204, 206, 209-211, 213-214, 231-236, 248, 250-252, 257-260, 264, 286, 306
 Root initiation, 8, 54, 64, 91, 95-96, 104, 106, 113, 115, 126, 131, 138, 143-151, 165, 167-168, 209, 248-250, 252, 254, 263, 286-288, 300, 303, 306, 311, 314, 333-335
 Root length density, 193-194, 196-200, 261, 263
 Root metabolism, 163, 169
 Root reserves, 213, 215
 Root system architecture, 181, 183-184, 187
 Root system classification, 2-4
 Root system dynamics, 263
 Root turnover, 18, 193, 205, 215, 262
 Root-inducing factor, 88-90, 95
 Root-inducing medium, 88-90, 92
 Root-shoot interactions, 2, 219-220, 223, 237, 239, 241, 246, 252-254
 Root-specific gene expression, 163
 Rooted cuttings, 40-42, 44-46, 49, 57, 73, 246, 248-249, 251-252, 255, 293
 Rooting bioassay, 283-287
 Rooting cofactors, 102, 113, 308, 312
 Rooting inhibitors, 299-300, 307
 Rooting potential, 91, 95, 100-102, 115, 123-127, 131-133, 135-139, 167, 293-296
 Rooting stimulus, 129, 299, 302, 304-309
 Rooting types, 2, 11-18, 284
 Rooting-related genes, 61, 100, 103
 Ruling theories, 319
 Rye, 25, 27
 Sachs, J., 281, 300
 Salients, 127
 Salinity, 33
 Scientific method, 63, 316
 Sclerenchyma, 14, 127, 130
 Sclerification, 103
 Secondary metabolism, 169
 Secondary metabolite biosynthesis, 169
 Sectioning, 288
 Seed based production systems, 38
 Selective breeding, 61-64, 69, 72-75
 Seminal roots, 26-27, 29-31, 33
 Sensitivity, 58, 68, 83, 116-117, 148-151, 166, 184, 264, 303, 316
 Setts, 26-27
 Severe pruning, 124, 131
 Shading, 101, 234
 Shoot morphology, 132-133, 135, 137, 139, 165, 255
 Shoot thickness, 133-135, 137-139
 Shoot-borne roots, 1-2, 4-9, 11-13, 15, 17-20
 Shootless orchids, 17
 Shrubs, 8-9, 55
 Silvicultural practices, 215
 Simulation models, 223, 225, 229, 253-254, 263-266
 Simulation program, 198
 Sinks, 214-215, 230-233, 246-248, 263
 Sitka spruce, 38, 40
 Soil temperatures, 33, 235
 Somaclonal variation, 82, 135
 Source-sink relations, 249, 251, 258, 262, 264, 282
 Special stuffs, 298, 319
 Spermidine, 112
 Spruces, 44, 48, 278
 Staining, 173, 288
 Starch, 57, 213-215, 234, 250-251, 253-254, 264, 296-298
 Stock plants, 40-41, 49, 57, 63, 123-127, 131-132, 135, 255, 257-261, 284, 294, 296-297, 299-300, 320
 Stolons, 20, 26, 28-29, 32
 Stoolbeds, 127, 131-132
 Storage roots, 17-18
 Storage subsystem, 12, 17
 Strategic rules, 236, 238
 Strictosidine synthase, 169, 172
 Strong inference, 74, 297, 318-320, 322
 Stuff-hypothesis, 282, 288-291, 293, 295, 297, 309, 312-313, 316, 319
 Stuffs, 281-282, 288, 290, 292, 297-298, 304, 312-313, 315, 319-321
 Sucrose, 107, 114, 253, 258, 306
 Sucrose phosphate synthetase, 253
 Sugar, 25-27, 33, 144-146, 206, 211, 213-215, 233, 249-250, 254, 259, 264, 297-298, 305

Sugarcane, 25-27, 33
 Sugi, 37, 44, 50
 Supporter subsystem, 12, 14
 Systems technology, 220

 Tabular roots, 15
 Tactical rules, 237, 239
 Taproot, 26, 28-29, 32, 62, 208
 Temperature stress, 235
 Terminology, 1-3, 88-90, 143, 203-204, 220-221,
 276-278, 288, 309, 316, 322
 Thallus, 17, 280, 289
 Thin cell-layer explants, 88, 90-91, 94-95
 Threshold character, 63, 70
 Tobacco, 62, 82, 88, 90-95, 115, 148, 151,
 159, 166, 172-173, 183-186, 310
 Tomato, 67, 75, 81-82, 84-85, 145, 147, 297
 Top-down models, 204
 Totipotency, 279
 T_r DNA *aux* genes, 145
 Transcription, 102, 105, 107, 158, 174,
 254, 296
 Transcripts, 115, 117, 173
 Transformed roots, 163-165, 168-170, 183,
 185
 Translation, 115, 322
 Translocation, 26, 31, 64, 95, 132, 139,
 159, 214, 231, 233-234, 254, 258,
 261-262
 Trees, 8-9, 12-13, 15-16, 18-20, 37-38,
 40-43, 46-48, 50, 55-57, 131-132, 139,
 167, 169, 203-205, 208-211, 213-215,
 231-233, 235, 238-239, 251, 257, 261,
 263
 TREGRO model, 204
 Tropical hardwoods, 47
 Tubers, 12, 17, 56-57, 281

 Vascular connections, 127, 230, 247-249,
 263
 Vascular system, 14, 132, 172-174, 249,
 253, 280, 290
 Vascularization, 249, 278, 296-297
 Vegetable crops, 56-57
 Vertebrates, 77
 Vines, 9, 55-56
 Vöchting, H., 280

 Water stress, 235, 237
 Water uptake, 30, 163, 167, 246
 Waterlogging, 17, 32-33
 Went, F.W., 283, 286, 288, 291, 299-304
 Weyerhaeuser, 37, 41-42, 50
 Wheat, 25-27, 29-31, 33
 Willows, 37, 45, 50
 Wind, 14-15, 38, 49
 Wing development, 77-78
 Woody perennials, 99, 106
 Working memory, 225
 Wounding, 1, 20, 111, 113-115, 126-127,
 138, 289, 291-292, 335

 Yield, 25, 29-31, 38, 41, 43-45, 47-49,
 55, 91-93, 96, 105, 107, 191, 199, 204,
 215, 223, 240, 264-265, 286, 298, 312

 Zeatin, 114, 148, 310
 Zone of polarizing activity, 77