
Index

A

- ADT plugin, 5
- ADT project, 429
- AmortizationViewController
 - amortizationview_fragment.xml, 472
 - ListFragment, 475
 - monthlyterm_listitem.xml, 475
 - onListItemClick(), 477
 - schedules, 478
- Android application resources
 - animation resources, 324
 - application android
 - principles, 327
 - theme, 326
 - application resources type, 315
 - bitmap file, 318
 - color state list resource, 323–324
 - configuration qualifiers (see Configuration qualifiers)
 - custom button style, 327
 - drawable resource, 318–319
 - frame animation resource, 325
 - getStringArray, 317
 - layout and menu resources, 319
 - plurals string resource, 317
 - resource type folders, 328
 - rules, 316
 - state list, 318
 - string-array, 317
 - string resources, 316
 - style resource, 325–326
 - styles.xml, 326
 - value resource types
 - bool and integer resources, 320
 - color resource, 321
 - dimension resource, 322–323
 - integer array resource, 323
- Android developers site
 - rules, and definitions, 491
 - XML attributes
 - broadcast receivers, 492
 - configuration qualifiers, 495
 - content providers, 493
 - description, 494
 - types, 494
- Android Developer Tools (ADT), 47
 - bundle, 4
 - Eclipse workbench (see Eclipse workbench)
 - integrated development environment (IDE), 3
 - plugin
 - app packages (APKs), 5
 - installing Cheat Sheet, 5
 - Java classes, 5
 - user interface (UI), 5
 - retina display, 10
 - touch command, 10
- Android framework, 27
 - alternative resource, 46
 - android virtual device (AVD), 52
 - application resources, 46
 - components
 - activity, 44
 - broadcast receiver, 45
 - content provider, 45
 - service, 45
 - fundamentals, 42
 - Android package file, 43
 - Java virtual machine (JVM), 43
 - SDK tools, 43
 - intents and intent filters, 46
 - overview, 43
 - project creation
 - ADT project, 47

Android framework (*cont.*)

- AndroidManifest.xml, 51
- debugging, 52
- features, 56
- IOS analogy, 57

Android package file, 43

Android virtual device (AVD), 52

Application components

- broadcast receivers, 287, 301
 - android.permission, 302
 - Declare Broadcast Receiver, 302
 - HelloBroadcastReceiver component, 302
 - Intent object, 304
 - LocalBroadcastManager, 306
 - normal broadcasts, 302
 - onReceive() method, 303
 - ordered broadcasts, 302
 - sendBroadcast() method, 304
 - useHelloService() button, 305
 - content providers, 287
 - android.authorities, 308
 - android.name, 308
 - ContentResolver, 311
 - custom content provider class, 310
 - HelloBroadcastReceiver, 313
 - HelloContentProvider, 308
 - insert and retrieve data, 311
 - SQLite database, 309
 - useHelloService() action, 311
 - Intent objects
 - AndroidManifest.xml file, 288
 - AppComponents, 288, 291
 - explicit intents, 291
 - implicit intents, 294
 - screenone_fragment.java, 290
 - screenone_fragment.xml, 289
 - strings.xml, 289
 - services, 287
 - IntentService, 297
 - IntentService (see IntentService)
 - PendingIntent, 300
- Application launcher (see Application components)

B

Broadcast receivers, 301

- android.permission, 302
- Declare Broadcast Receiver, 302

HelloBroadcastReceiver component, 302

Intent object, 304

LocalBroadcastManager, 306

normal broadcasts, 302

onReceive() method, 303–304

ordered broadcasts, 302

sendBroadcast() method, 304

useHelloService() button, 305

C, D

Configuration qualifiers

- alternative resources, 329
 - internationalization, 329
 - ADT project, 330
 - chinese texts, 332
 - french texts, 332
 - I18N app, 334
 - language configuration qualifiers, 331
 - launch icons, 333
 - spanish texts, 331
 - naming rules, 329
- Content providers, 307

E, F

Eclipse workbench, 10

- ADT Welcome! Screen, 12
 - Android Application section, 14
 - Android robot icon, 16
 - Android Virtual Device (AVD), 20
 - creation, 23
 - emulator, 24
 - error dialog, 22
 - LessonOne App, 21, 25
 - manager tool, 21–22
 - buid action, 19
 - hidden gems, 13
 - Java class, 17
 - LessonOne Project, 18
 - Package Explorer view, 18
 - project configuration, 15
 - templates, 17
 - Workbench window, 12
 - workspace, 11
 - Xcode project, 13
- EditTextViewController
- findViewById() method, 443
 - keyboardAppeared() method, 444
- Event tracking code, 423

G, H

- Google location services API, 378
 - googlemap
 - API, 398
 - callback methods, 397
 - circleoptions, 400
 - circle mark, 402
 - GoogleMap Object Reference, 398
 - markeroptions, 400
 - options menu handler, 401
 - setLocation Using CameraUpdate, 399
 - google maps android API
 - ADT preferences SHA1 fingerprint, 384
 - android API v2, 387
 - androidmanifest.xml, 390
 - API key, 383, 389
 - app strings, 391
 - create android key, 388–389
 - create project button, 386–387
 - export android app and create new keystore, 385
 - googlemapapp options menu layout, 392
 - keytool, 384–385
 - layout file, 391
 - mapdemo app, 390
 - screenonefragment.java, 392
 - working, 390
 - google play services, 378
 - android code, 380
 - google play services in extras folder, 379
 - import google play services library and samples projects, 381
 - import library projects, 382
 - procedure, 379
 - root directory, 381
 - location services, 402
 - addGeofences, 411–412
 - check system settings, 403–404
 - connect to locationclient, 403
 - create geofence objects, 411
 - create locationupdate object, 409
 - declare service component in the manifest file, 414
 - geocoding, 407
 - geofence notification, 415
 - getlastlocation, 406
 - locationclient, 404–405

- monitorgeofenceservice, 413
 - perform geocoding, 408
 - requestlocationupdates, 409
 - requestLocationUpdates, 410
 - start and stop geofence, 414–415
- mapfragment
 - add android apps, 394
 - googlemapapp androidmanifest.xml, 395
 - mapfragment widget, 396
 - mapType, 396
 - MapView lifecycle, 393
 - 3D google map, 397
 - useViewLifecycle, 396
 - zOrderOnTop, 396

I

- injectJsCode() method, 350
- Integrated development environment (IDE), 38
- Intent objects
 - AndroidManifest.xml file, 288
 - AppComponents, 288
 - explicit intents, 291
 - RestClient AndroidManifest.xml, 292
 - try-catch block, 293
 - useExplicitIntent() method, 292
 - implicit intents
 - attributes, 294
 - RestClient AndroidManifest.xml, 295
 - useImplicitIntent() method, 296
 - ScreenOneFragment.java, 290
 - ScreenOneFragment.xml, 288
 - strings.xml, 289
- IntentService, 297
 - ADT LogCat view, 300
 - AndroidManifest.xml, 298
 - handling method, 298
 - intent.putExtra(), 299
 - onHandleIntent() method, 298
 - useHelloService() method, 299

J, K

- Java
 - description, 28
 - integrated development environment (IDE), 38
 - Nutshell, 28

Java (*cont.*)

- project creation, 29
 - classes, 31
 - debugging, 38
 - implementation, 37
 - interface, 35
 - programmer class, 38

Java virtual machine (JVM), 43

L

LibGoogleAnalyticsServices.jar, 421

Lifecycle callback methods, 73

M

Mobile analytics

- activity start and stop, 422
- Add libGoogleAnalyticsServices.jar library, 421
- EasyTracker code, 421
- easytracker configuration file, 424
- GA account created, 418
- get tracking id button, 417
- google analytics app overview, 425
- java build path, 422
- landscape orientation event, 425
- mobile app toggle, 419
- new property, 419
- signing up for google analytics, 416
- track events, 423
- tracking ID, 420
- track screen views, 423
- uses-permission in Manifest File, 422
- using the google analytics SDK, 421
- XML attributes, 424

Mobile search framework

- iOS SearchDisplayController, 364
- masterlistfragment.java, 365
- mobilesearch app strings, 365
- options menu layout, 366
- recent search suggestions
 - action item to delete search history, 377
 - clear search history, 377
 - configuration file, 376
 - content provider, 375
 - mobilesearch app, 378
 - myprovider content provider, 376
 - save user query strings, 377
 - searchrecentsuggestionsprovider, 376

searchview

- clear search result, 369
- dialog method, 367
- inflate options menu and
 - getactionview, 367
- live search, 370
- look-and-feel options, 369
- mobilesearch app, 371
- onQueryTextChange(query), 368
- widget in options menu, 367

voice search, 371, 375

- activity.onnewintent(), 374
- declare activity to receive search results
 - intent, 373
- google play store voice search, 372
- searchable.xml, 372
- searchview.setsearchableinfo(), 374

Mobile use cases

hybrid apps

- embedded browsers, 337
- features, 337
- hybrid app action items, 340
- Hybrid App Strings, 339
- inflate options menu, 341
- INTERNET uses-permission, 342
- iOS HybridApp, 338
- MvcTemplate project, 339
- screenonefragment.java, 340
- screenone layout file, 339

mobile analytics (see Mobile analytics)

mobile search framework (see Mobile search framework)

system apps (see System apps)

webview (see Webview)

Model-view-controller (MVC), 61

- activity lifecycle, 73
- ADT graphical layout editor, 63
 - flag values, 70
 - HelloAndroid content view, 72
 - labeled elements, 64
 - layout manager, 65
 - layout views, 66
 - new android string creation, 68–69
 - new dimension button, 70
 - new string button, 71
 - pallet view, 65
 - rename resource, 67
 - XML tag/attributes definitions, 63

- content view, 63
- content view controller, 62
 - ActionBar, 86
 - add unimplemented methods, 83
 - ADT and Eclipse logging, 90
 - android library project, 87
 - android SDK manager, 85
 - android support library, 83, 85
 - autocompletion type, 82
 - DDMS perspective, 90
 - event listener, 79
 - fragment, 76
 - Fragment.onCreateView()
 - method, 77
 - FrameLayout, 89
 - interact with widgets in
 - content view, 78
 - Java inner class, 76
 - libraries support, 84
 - LogCat view, 91–92
 - MainActivity Manages Child
 - Fragment, 89
 - onClickListener implementations, 80
 - onCreateView() method, 77
 - override/implement methods, 82
 - pair with content view, 77
 - set onClickListener, 80
 - UIViewController, 89
 - use v7 support android project, 88
 - view problems, 81
 - view widgets, 79
- fragment lifecycle, 73
 - onCreate() method, 74
 - onCreateView() method, 75
 - onPause() method, 75
 - onResume() method, 75
 - onStop() method, 75
- screen navigation patterns (see Screen navigation patterns)
- MonitorGeofences() method, 411, 414

N, O

- Network operations
 - ADT RestClient prep work, 266
 - AsyncTask
 - anonymous class, 269
 - implementation, 271

- HTTP API, Android
 - AndroidHttpClient, 282
 - HTTP headers, 283
 - HTTP method, 282
 - URLConnection, 282
- HTTP GET method, 265, 273
- HTTP POST method, 265, 278
- MvcTemplate project, 265
- Options Menu, 267
- RESTful services, 281
- screen one Fragment, 268
- screenone_fragment.xml, 266
- String Resources, 267

P, Q

- PendingIntent, 300

R

- RentalPropertyViewController
 - BaseAdapter.getCount(), 453
 - BaseAdapter.getItem(pos), 454
 - BaseAdapter.getView(), 455
 - ListFragment, 450
 - ListView, 451
 - RentalPropertyViewFragment.java, 449
 - rightdetail_listitem.xml, 452
 - scene view, 447
- RentalROI, 427
 - AmortizationViewController, 472
 - amortizationview_fragment.xml, 431
 - Class Porting Steps, 437
 - data saving, 463
 - doAmortization() method, 462
 - EditTextViewController, 442
 - iOS app screens, 428
 - menu layout, 431
 - MonthlyTermViewController
 - dimens.xml, 478
 - monthlytermview_fragment.xml, 479
 - monthlytermview_fragment.xml, 432
 - MyCustomViewFragment, 429
 - navigation patterns
 - edittextviewfragment.java, 433
 - edittextview_fragment.xml, 433
 - RentalPropertyViewFragment.java, 434
 - UINavigationController, 432
 - UITableViewController, 432

RentalROI (*cont.*)

- project structures, 428, 436
- RentalProperty
 - find/replace dialog, 439
 - stub method, 440
 - symbols/syntax, 438
- RentalPropertyViewController
 - BaseAdapter.getCount(), 453
 - BaseAdapter.getItem(pos), 454
 - BaseAdapter.getView(), 455
 - ListFragment, 450
 - ListView, 451
 - RentalPropertyViewFragment.java, 449
 - rightdetail_listitem.xml, 452
 - scene view, 447
- RentalPropertyView_fragment.xml, 432
- RESTful service, 468
- strings.xml Text, 430
- REpresentational State Transfer (REST), 281
- RESTful service, 468
 - Activity.setContentView(), 471
 - doAmortization() method, 472
 - HttpGet utility Method, 468
 - RentalPropertyViewFragment.
 - doAmortization() method, 469
- Right-to-left (RTL) languages, 152

S, T

- Saving data, 246
 - app_name.xml, 248
 - file storage, 247, 252
 - NSDictionary/NSArray, 257
 - NSFileManager, 254
 - NSJSONSerialization, 257
 - object serialization, 253
 - NSUserDefaults, 250
 - ScreenOneFragment.java, 249
 - screenone_fragment.xml, 248
 - SharedPreferences storage, 247, 250
 - Fragment.onCreateView(), 251
 - Fragment.onStop(), 250
 - ScreenOneFragment.java, 250
 - SQLite database, 247, 260
- Screen navigation patterns
 - actionbar
 - ActionBar.newTab() method, 133
 - Android TabbedApp, 140
 - components, 132
 - MvcTemplate app, 136
 - navigation tabs, 133–134
 - onTabUnselected()/onTabReselected()
 - methods, 135
 - String Resources for TabbedApp, 136
 - TabbedApp ScreenOneFragment.java, 138
 - TabbedApp screenone_fragment.xml, 137
 - TabbedApp ScreenTwoFragment.java, 139
 - TabbedApp screentwo_fragment.xml, 137
 - tabs navigation, 134
 - Blank Activity template, 94
 - content view controller, 95
 - android resources, 108
 - app_name String Resource in
 - strings.xml, 107
 - Callback Orientation, 106
 - Call pushViewController(), 103
 - configChanges, 106
 - Create Java Class wizard, 98
 - device orientation, 106
 - dimension resources, 107
 - FragmentManager, 101
 - FragmentManager.popView
 - Controller(), 103
 - Handle Button.onClick action, 104
 - Layout File, 99
 - MainActivity.java, 105
 - NavigationStack app, 105
 - NavigationStack final touch, 108
 - New Android XML File, 96
 - onConfigurationChanged() method, 106
 - pair layout file, 98
 - PlaceholderFragment layout, 101
 - Push Navigation Stack, 102
 - screenone_fragment.xml, 97
 - ScreenThreeFragment.on
 - CreateView(), 101
 - screenthree_fragment.xml, 100
 - ScreenTwoFragment.onCreateView(), 100
 - string resource creation, 99
 - TextView attributes, 96
 - UINavigationController, 101
 - dialogs
 - action buttons, 161
 - Add Simple Button, 167
 - AlertDialog, 156, 161–162

- anatomy, 157
- Android DialogFragment, 169
- application, 158
- app_name in strings.xml, 159
- Button OnClickListener
 - implementations, 167
- com.pdchoice.dialogs, 158
- content area, 160
- Custom DialogFragment Class, 165
- DialogFragment, 162
- DialogFragment Layout File, 164
- Implement Popup List
 - OnClickListener, 166
- iOS UIAlertView, 158
- iPad popover, 163
- ListAdapter for Popup List, 165
- LogCat view, 166
- onClick() method, 168
- onCreateDialog() method, 165
- onCreateView() method, 164
- overview AlertDialog, 160
- popups, 163
- ScreenOneFragment.java, 160
- screenone_fragment.xml, 159
- showAlert() method, 167
- showPopup() method, 168
- toasts, 170
- UIPopoverController, 163
- drawerlayout
 - App Icon As Up Button, 155
 - barapp icon, 155
 - coding, 152
 - Drawer View coding, 153
 - layout_gravity attribute, 152
 - MainActivity container, 152
 - onClick() method, 154
 - sliding menu, 155–156
- drilldown
 - abstract methods, 126–127
 - adapter, 123
 - Adapter.getView, 127
 - Android GridView, 123
 - app_name in res/values/srings.xml, 120
 - app_name String Resource, 112
 - ArrayAdapterclass, 123
 - BaseAdapter, 125
 - date_grid_cell.xml, 124
 - detail_fragment.xml, 112
 - Fix Errors, 129
 - GridView, 119
 - GridView custom Adapter, 130
 - GridView itemClicked Action
 - Delegate, 122
 - gridview.setAdapter, 121
 - Inflate Layout, 117
 - java class wizard creation, 124
 - ListAdapter interface, 113, 114
 - ListFragment, 113
 - Manifest Package, 119
 - MasterGridAdapter
 - Constructor, 126, 128–129
 - MasterGridFragment.onCreate, 121
 - mastergrid_fragment.xml, 120
 - Master List and Detail views, 118
 - MasterListFragment class, 113, 120
 - Menu Layout, 115
 - MvcTemplate project, 111
 - new project namedMasterGridDetail, 119
 - onCreateOptionsMenu, 115
 - onListItemClick() Callback, 116
 - onOptionsItemSelected, 116
 - Options Menu, 115
 - Push MasterListFragment
 - Back Stack, 117
 - Update Activity Title, 118
 - UX navigation patterns, 110
 - view problems, 129
- MVC project template
 - MVCdesign pattern, 109
 - strings.xml, 109
- navigation stack, 93
- navigation tabs
 - app_name, 132
 - iOS tabbed app, 131
 - tabbed application, 132
 - Xcode Tabbed Application, 130
- sliding menu
 - app_name, 151
 - MvcTemplate project, 151
 - navigation drawer, 151
- swipe views
 - app_name String Resource, 142
 - iOS swipe views, 141
 - MonthFragment, 143
 - PageByPage application, 142
 - Xcode Page-Based Application, 141

Screen navigation patterns (*cont.*)

- top-down approach, 92
- viewpager
 - abstract methods, 145
 - add constructor, 145
 - ADT Tabs + Swipe template, 150
 - Android swipe views, 149
 - colors.xml color resource, 148
 - Java packagecontext menu, 144
 - month_fragment.xml, 147
 - MvcTemplate project, 147
 - overview, 143
 - PagerAdapter, 144
 - PagerAdapter implementations, 146
 - Render MonthFragment View, 148
 - res/layout/activity_main.xml file, 143
 - Set ViewPager Adapter, 146
 - Tabs + Swipe app, 150
- XML syntax rules, 92
- System apps
 - action, 354
 - data, 354
 - e-mail
 - e-mail intent, 360
 - nexus 4 Gmail app, 361
 - extra, 354
 - media player
 - media player intent, 362
 - nexus 4 device, 362
 - MvcTemplate project, 354
 - phone dialer
 - declare CALL_PHONE
 - uses-permission, 358
 - intent, 357
 - nexus 4 phone dialer, 358
 - screen one layout file, 355
 - SMS messaging
 - nexus 4 messaging app, 360
 - SMS messaging intent, 359
 - useSms() method, 359
 - type, 354
 - usesystemapps inflate
 - options menu, 356
 - usesystemapps options menu layout, 355
 - usesystemapps prep, 357
 - usesystemapps text, 355

U

- UI widgets
 - ADT project, 186
 - android system
 - Android app, 233, 235
 - android:background, 233
 - Background Colors, 235
 - Border Paddings, 234
 - Color Resource, 232
 - graphical layout editor, 230
 - Measurement Resource, 234
 - RatingBar, 232
 - android:visibility attribute, 185
 - button
 - vs. ImageButton, 196
 - image icons, 196
 - layout file, 195
 - OnClick events, 197
 - EditText, 192
 - OnEditorActionListener, 194
 - TextView Get and Set Text, 193
 - ImageView
 - android:scaleType, 210
 - attributes, 209, 211
 - menu button
 - components, 213
 - context menu, 218
 - options menu, 213
 - popup menu, 221
 - MPMoviePlayerController, 228
 - ProgressBar
 - attributes, 204
 - setProgress(), 204
 - stylesr, 203
 - RadioGroup, 199
 - android:orientation, 198
 - CompoundButton, 198
 - LinearLayout, 200
 - onCheckedChangeListener, 200
 - ScreenOneFragment Class, 188
 - screenone_fragment Layout File, 188
 - SeekBar, 200
 - android:progress attribute, 201
 - android:thumb, 202
 - OnSeekBarChangeListener, 202

- setVisibility(), 185
 - Spinner widget, 224
 - Adapter pattern, 225–226
 - attributes, 226
 - OnItemSelectedListener, 227
 - setDropDownViewResource(), 227
 - String Resources, 187
 - Switch element
 - attributes, 207
 - CompoundButton, 205
 - OnCheckedChangeListener, 208
 - ToggleButton, 206
 - TextView, 189
 - attributes, 190–191
 - TextView.setText/getText, 190
 - UIActionSheet, 221
 - UIActivityIndicatorView/
 - UIProgressView, 203
 - UIBarButtonItem, 212, 215
 - UIButton, 195
 - UIImageView, 210
 - UILabel, 189
 - UINavigationController, 212
 - UIPickerView, 224
 - UISegmentedControl, 198
 - UISwitch, 206
 - UITextField, 191
 - UITextView, 191
 - VideoView widget
 - AndroidManifest.xml file, 231
 - MediaController object, 228
 - OnPreparedListener
 - interface, 229–230
 - useEmail() method, 360
 - useMediaPlayer() method, 362
 - UsePhone() method, 357
 - User interface (UI), 173
 - Android widgets, 232
 - fragment animations
 - slide_left_enter.xml, 244
 - slide_left_exit.xml, 245
 - slide_right_enter.xml, 245
 - slide_right_exit.xml, 245
 - transaction.replace(), 246
 - transaction.setCustom
 - Animations(), 246
 - frameworks, 174
 - geometry parameters, 178
 - graphical layout editor, 174
 - ID attribute
 - layout parameters, 176, 178
 - fill_parent, 179
 - FrameLayout, 183
 - LinearLayout, 181
 - RelativeLayout, 180
 - ScrollView, 184
 - ViewGroup.MarginLayoutParams, 180
 - wrap_content, 179
 - Layout XML Syntax, 175
 - property animation, 240
 - AnimatorInflater.loadAnimator(), 242
 - minSdkVersion, 242
 - onCreateView() method, 243
 - Resource File, 241
 - ViewPropertyAnimator, 243
 - root ViewGroup element, 176
 - screen animations, 235
 - animation duration, 236
 - drawing attributes, 236
 - interpolator, 234, 236
 - view animations, 236
 - Activity.applyViewAnimation, 239
 - AnimationUtils.load
 - Animation(), 238
 - applyViewAnimation() method, 239
 - app_name, 237
 - attributes, 236
 - MvcTemplate project, 236
 - resource file, 238
 - View.getBackground() methods, 176
 - ViewGroup container model, 174–175
 - widgets (see UI widgets)
- V**
- ViewGroup, 174
- W, X, Y, Z**
- Webview
 - activity progress indicator
 - Activity.setProgress(), 346
 - requestWindowFeature, 346

Webview (*cont.*)

Android WebView, 345

interface with javascript, 349

javascript injection

add javascriptinterface callback
object, 351

android hybridapp, 353

calling a java method, 351

disable action bar app icon, 352

inject javascript from java, 350

javascript interface, 350

javascript showpage(), 349

loadUrl, 343

objective-C library, 349

WebChromeClient, 344

websettings, 343

WebViewClient, 344

webview page

navigation, 347–348

webview widget, 342