

Index

■ A

ActionResults. *See* Controllers
Actions. *See* Controllers
Application model, 987
 action constraints, 1001
Areas. *See* Routing
Arrowfunctions. *See* Lambda expressions
ASP.NET
 middleware, 389
ASP.NET CoreMVC. *See* MVC
ASP.NETIdentity. *See* Identity
Asynchronous methods, 94
async keyword, 96
AttributeRouting. *See* Routing
Authentication. *See* Identity
Authorization. *See* Identity
Authorizeattribute. *See* Identity
await keyword, 96

■ B

Bower, 130, 346
 bower.json file, 374
Browser Link, 409
Bundling files, 154

■ C

C# features
 anonymous types, 91
 asynchronous methods, 94
 extension methods, 80
 getting member names, 97
 initializers, 77
 lambda expressions, 85
 null conditional operator, 70
 properties, automatically implemented, 73
 string interpolation, 76
 type inference, 91

Client-sidevalidation. *See* Model validation

Configuration
 SportsStore, 213
Configuration. *See* Projects
Connection strings, 212
Controllers, 503
 action method parameters, 517
 action results, 520
 context data, 512
 Controller base class, 511
 Controllers folder, 61
 naming conventions, 62
 POCO controllers, 508
 purpose in the MVC pattern, 54
 responses, 519
 errors, 542
 files, 540
 HTML, 522
 HTTP codes, 542
 JSON, 538
 redirections, 531
 View method, 522
RESTful controllers, 628
 content formatting, 641
 content negotiation, 643
 defining routes, 633
 dependencies, 633
 HTTP method attributes, 634
 JSON, 636
 route attribute, 633
 XML, 644
 temp data, 537
 unit testing, 521
 View method, 522
Convention over configuration, 62
Conventions, 62
 controller conventions, 62
 layouts, 63
 view conventions, 63

■ **D**

- DataModel. *See* Model
- Datavalidation. *See* Model validation
- Dependency injection, 547
 - action injection, 577
 - closely coupled components, 554
 - concrete types, 568
 - dependency chains, 565
 - lifecycles, 570
 - scoped, 574
 - singleton, 576
 - transient, 570
 - loosely coupled components, 554
 - manually accessing services, 578
 - property injection, 577
 - service provider, 561
 - SportsStore, 201, 269
- Deployment, 330
 - connection strings, 332
 - preparing Azure, 331
- Domaindata. *See* Model

■ **E**

- Entity Framework Core
 - Add-Migration command, 215, 282, 292, 323
 - connection string, 885
 - creating Identity database, 320
 - deleting data from database, 315
 - migrations, 215
 - resetting databases, 282
 - schema changes, 282
 - SportsStore, 209
 - update-database command, 216, 282, 292, 324, 337
 - updating database, 303
- Exception handling, 407
- Extension methods, 80, 85

■ **F**

- Filters, 581
 - action filters, 593
 - authorization filters, 590
 - context data, 589
 - dependency injection, 607
 - exception filters, 604
 - filter types and interfaces, 589
 - global filters, 614
 - hybrid action/result filters, 602
 - order of execution, 617
 - RequireHttps attribute, 587
 - result filters, 598

- Font Awesome, 274
- Form data, 31

■ **G**

- Git, 345

■ **H**

- Hosting environment, 400
- HTMLHelpers. *See* Tag helpers

■ **I, J, K**

- Identity, 877
 - authentication, 920
 - third-parties, using, 976
 - authorization, 929
 - Authorize attribute, 920
 - claims, 956
 - connection strings, 321
 - creating users, 892
 - custom properties, 951
 - database, 885
 - NuGet packages, 882
 - password validation, 896
 - policies, 956, 964
 - resources, 970
 - roles, 929
 - seed data, 323
 - services, configuring, 887
 - SportsStore, 319
 - third-party authentication, 976
 - user account validation, 904
 - user class, creating, 883
 - UserManager class, 889
- Initializers for objects and collections, 77

■ **L**

- Lambda expressions, 85
- Languagefeatures. *See* C# features
- Layouts. *See* Razor, layouts
- Linux. *See* Visual Studio Code
- Logging, 402
- Loosely coupled components. *See* Dependency Injection

■ **M**

- macOS. *See* Visual Studio Code
- Middleware, 389
- Minifying files, 154

Model, 26
 role in the MVC pattern, 54

Model binding, 33, 805
 arrays and collections, 827
 complex types, 816
 data sources, 834
 request bodies, 839
 request headers, 836
 default values, 813
 simple types, 815

Model conventions, 992

Model validation, 843
 asp-validation-summary attribute, 855
 client-side validation, 870
 SportsStore, 311
 custom validation messages, 857
 explicit validation, 850
 input-validation-error attribute, 853
 metadata, 864
 compare attribute, 865
 custom attributes, defining, 868
 Range attribute, 865
 RegularExpression attribute, 865
 required attribute, 865
 StringLength attribute, 865
 ModelState property, 851, 861
 remote validation, 872
 SportsStore, 288, 308
 validation errors, showing, 852

Model validation
 checking model state, 39
 highlighting validation errors, 42
 SportsStore, 305
 using nullable types, 39

Moq. *See* Unit testing

MVC
 action method, 17
 architectural overview, 6
 compared to ASP.NET Web Forms, 3
 controller, 17
 compared to Web Forms, 34
 editing default controller class, 18
 creating new project, 13
 extensibility, 6
 history of, 3
 original MVC framework, 5
 model (*see* Model)
 open-source, 8
 pattern
 ASP.NET implementation, 55
 controllers, 54
 models, 54
 other patterns, 55
 separation of concerns, 53
 views, 55

projects (*see* Projects)
 routing system, 7
 view, 20
 creating a view, 21
 view engine, 22

■ N

.NET Core, 5
 Node.js, 343
 Node Package Manager (NPM), 346. *See also*
 Visual Studio Code
 NuGetpackages. *See* Visual Studio
 Null conditional operator, 70
 Null values, 70

■ O

OSX. *See* Visual Studio Code

■ P, Q

Partial views
 SportsStore, 232

Post/Redirect/Get Pattern, 536

Projects
 appsettings.json file, 212, 412
 Areas folder, 61
 bower.json file, 374 (*see also* Bower)
 Browser Link, 409
 Components folder, 61
 Controllers folder, 61
 creating a new project, 59
 data folder, 61
 dependencies folder, 61
 empty template, 59
 exception handling, 407
 global.json file, 377
 hosting environment, 400
 JSON configuration files, 376
 logging, 402
 migrations folder, 61
 models folder, 61
 Program.cs file, 62, 382
 project.json file, 62, 379
 Startup.cs file, 62, 383
 static content, 410
 _ViewImports.cshtml file, 107
 Views folder, 61
 Web Application template, 59
 wwwroot folder, 62

Properties, automatically
 implemented, 73

R

- Razor, 22
 - conditional statements, 118
 - configuration, 680
 - expressions, 105
 - in context, 101
 - layouts, 22, 109
 - Layout property, 109
 - @model expression, 35, 105, 115
 - model keyword, 35
 - @model vs. @Model, 105
 - @RenderBody expression, 109
 - strongly typed views, 106
 - @using expression, 109
 - view imports, 107
 - _ViewImports.cshtml file, 107
 - view location expanders, 681
 - Views/Shared folder, 114
 - _ViewStart.cshtml file, 112
 - view start file, 112
 - Visual Studio IntelliSense, 107
- Razor. *See* Views
- Razor ViewEngine. *See* Razor
- Receiving form data, 31
- RESTfulControllers. *See* Controllers
- Routing, 7, 425
 - areas, 493
 - area attribute, 496
 - attribute routing, 460
 - Route attribute, 461
 - best practices, 499
 - catchall segments, 448
 - constraints, 451
 - combining, 456
 - custom, 457
 - regular expressions, 454
 - types, 455
 - values, 455
 - creating links, 468
 - customization, 480
 - default values, 434
 - MapRoute method, 433
 - optional segments, 446
 - ordering routes, 439
 - outgoing URLs, 468
 - segment variable reuse, 475
 - segment variables, 442
 - SportsStore, 207
 - static segments, 437
 - URL segments, 431

S

- Separation of concerns. *See* MVC pattern
- Services. *See* Dependency Injection
- Session data, 260
 - temp data, 307
- SportsStore
 - administration features, 291
 - Bootstrap CSS framework, 229
 - checkout process, 278
 - configuration, 213
 - connection string, 212
 - controllers, 204
 - creating the database, 208
 - creating the model, 200
 - creating the project, 192
 - creating the unit test project, 197
 - database context class, 210
 - database migration, 282
 - dependency injection, 269
 - deployment, 330
 - navigation, 235
 - pagination, 216
 - partial view, 232
 - routing, 207
 - session data, 260
 - shopping cart, 253
 - tag helper, 219
 - validation, 288
 - views, 205
- SQLite, 359
- Static content, 62
- String interpolation, 76

T

- Tag helpers, 29, 719
 - anchor elements, 794
 - application relative URLs, 801
 - asp-action attribute, 29, 31, 757, 794
 - asp-antiforgery attribute, 757
 - asp-append-version attribute, 782
 - asp-area attribute, 757, 794
 - asp-controller attribute, 757, 794
 - asp-fallback-* attributes, 782, 791
 - asp-for attribute, 31, 760, 766, 768, 775
 - asp-format attribute, 760
 - asp-fragment attribute, 794
 - asp-host attribute, 794
 - asp-href-exclude attribute, 791
 - asp-href-include attribute, 791

- asp-items attribute, 768
- asp-route attribute, 757, 794
- asp-src-exclude attribute, 782
- asp-src-include attribute, 782
- asp-validation-for attribute, 859
- asp-validation-summary attribute, 41, 855, 863
- cache busting, 788
- caching, 796
- content delivery networks, 789
- context data, 727
- cross-site request forgery, 758
- CSS files, 791
- form elements, 753
- hosting environment, 781
- image elements, 795
- input elements, 760
- Javascript files, 782
- label elements, 766
- output, producing, 728
- registration, 729
- scope, 732
- select and option elements, 768
- shorthand elements, creating, 736
- SportsStore, 219
- TagHelper base class, 726
- textarea elements, 775

Temp data, 307

■ U

Unit testing, 163

- controllers, 521
- fact attribute, 168
- filters, 592
- isolating components, 171
- mocking framework, 185
- project configuration, 165
- project structure, 164
- running tests, 169
- SportsStore, 197
- tag helpers, 731
- test-driven development, 178
- view components, 710
- Visual Studio Code, 366

URLRouting. *See* Routing

■ V

Validation. *See* Model validation

View bag, 529

View Bag data, 24

View components, 687

- asynchronous view components, 711
- context data, 705
- controllers, combined with, 714
- HTML results, 703
- partial views, 700
- POCO view components, 696
- results, 699
- SportsStore, 243
- ViewComponent base class, 698

ViewResult class, 23

Views, 653

- creating an HTML form, 30
- JSON data, 678
- layout sections, 669
- @model expression, 28
- naming conventions, 63
- optional sections, 673
- partial views, 675
- purpose in MVC pattern, 55
- Razor, 663
- search locations, 523
- selecting specific views, 683
- specifying a model type, 28
- strongly typed, 27
- view engines, 656
- view imports file, 61
- views folder, 61
- view start file, 61

Visual Studio

- Bower, 130
 - bower.json file, 130
 - dependency on Git, 130
 - package version numbers, 132
- Browser Link, 144
- bundling and minification, 154
- client-side packages, 130
- configuring authentication, 14
- configuring web tools, 12
- debugging, 139
 - breakpoints, 140
 - data values, 143
- developer exception pages, 138
- disabling Application Insights, 14
- IIS Express, 19
- installing, 11
- interactive development, 134
- NuGet packages, 128
- project templates, 59
 - file and folder structure, 16
 - Web Application, 14

■ INDEX

Visual Studio (*cont.*)
 scaffolding, 203
 selecting a browser, 17
 starting an application, 16
 Test Explorer window, 169
 upgrading Git, 11
Visual Studio2015. *See* Visual Studio
Visual Studio Code, 343
 Bower, 346
 C# Extension, 349
 creating a new project, 350
 Git, 345
 Gulp, 346
 installing, 348
 .NET Core, 346
 Node.js, 343

Node Package Manager (NPM), 346
SQLite, 359
unit testing, 366
Yeoman, 346

■ **W**

WebAPI. *See* Controllers

■ **X**

xUnit. *See* Unit testing

■ **Y, Z**

Yeoman, 346