

# Index

## ■ A

### Accordion

- accordion() method, 138
- creation, 137
- customization, 139
- .slideUp() and .slideDown() methods, 139
- UI web site, 138
- windows explore, 136

after() method, 87

### Ajax

- definition, 195
- functions, 200
- HTML/CSS combination, 196
- JavaScript, 196–197
- JSON (*see* JavaScript Object Notation (JSON))
- mother method—ajax(), 199
- Netscape, 196
- technologies, 195
- web-based application, 196

angular.module() function, 251

### Animations

- animate() method, 154
  - callback methods, 156
  - fast, 155
  - getCurrentPosition() method, 157
  - key:value format, 154
  - linear easing, 155
  - slow, 155
  - speed attribute, 155
  - swing, 155
- engineering aspects, 154
- fadeIn() method, 157, 160
- fadeOut() method, 157–158
- fadeToggle() method, 166
- fadeTo() method, 164
- fx object, 184
- getElement() method, 183
- hide() method, 177

### image slider

- checkAndSetLast() method, 192
- code reviewers, 193
- getDistance() method, 191
- getElement() method, 192
- go() method, 192
- HTML code, 186
- jQuery code, 189
- prepareRandomMovement() method, 192
- replaceClass() method, 191
- requirements, 185

interval property, 184

JavaScript code, 152

light box creation, 179

CSS code, 181

HTML code, 180

jQuery code, 182

setInterval method, 151–152

setTimeout method, 151

show() method, 177

slideDown() method, 171

slideToggle() method, 175

slideUp() method, 168–171

toggle() method, 177

callback action, 179

div element, 178

HTML code, 178

speed arguments, 178

swing/linear method, 179

turning off, 185

tweening algorithm, 184

### Anonymous function

JavaScript, 34

preloading images, 35

.appendChild() function, 85

### Attribute selector

CSS selectors, 40

jQuery selectors, 46

attr() method, 81

**B**

Beautification and uglification, 241  
 .before() method, 87

**C**

Caching selectors  
     code cleansing, 63  
     HTML, 61  
     jQuery code, 61  
     meaning, 60  
     output results, 62  
 Callback method, 125  
 Chainability, 217  
 Chaining, 18, 63  
 children() method, 56  
 Class selector  
     CSS selectors, 41  
     jQuery selectors, 47  
 clone() method, 91  
 closest() method, 55  
 Code clean, 234  
 Code cleansing, 63  
 Compression *vs.* minification, 238  
 Content delivery network (CDN), 77, 142  
 Contents  
     .html() method, 83  
     .position() method, 84  
     .text() method, 82  
 CSS methods  
     .css() function, 75  
     multiple functions, 79  
     obtain properties, 76  
     setting properties, 76  
     tabular representation, 79  
 CSS selectors  
     attribute selector, 40  
     class selector, 41  
     elements, 39  
     ID selector, 42  
     jQuery selectors, 47  
     pseudo class selector, 43  
     relationship-based selectors, 44  
     type selector, 40  
     universal selector, 40  
 Curtain raiser, 49  
 Customization, 235

**D**

.detach() method, 92  
 Dilemma—in, 233–234  
 Dimensions  
     height() method, 96  
     innerWidth() and innerHeight() methods, 96

    methods, 95  
     .outerWidth() and .outerHeight() methods, 97  
     width() method, 96  
 Distribution. *See* Minification  
 document.createElement() function, 85  
 Document object model (DOM), 19, 129, 279.  
     *See also* Traversal methods  
     caching selector, 60  
     chaining, 63  
     CSS selectors, 39  
     jQuery Filtering (*see* Filtering)  
     jQuery selectors, 45  
     overview, 39  
 Document ready event, 24  
 DOM elements  
     .append() *vs.* .appendTo(), 86  
     .before() and .after(), 87  
     creating and inserting elements, 85  
     HTML code, 87  
     insert elements, 87  
     removing and cloning, 91  
 DOM manipulation, 75. *See also* CSS methods  
     contents, 82  
     dimensions, 95  
     editing attributes, 80  
     element (*see* DOM elements)

**E**

each() method, 36  
 .empty() method, 92  
 .eq() method, 65  
 eval() method, 205  
 Event() method  
     building events, 117  
     currentTarget and  
         relatedTarget, 116  
     event bubbling, 115  
     event.which property, 115  
     jQuery shorthand methods, 114  
     methods and properties, 114  
     mouseover and mouseout, 116  
     nodeName property, 116  
     types, 113  
     unbuilding events, 121  
     W3C model, 115  
 Event bubbling model, 115, 123  
 Event capturing model, 123  
 Event handler, 100  
 Event listeners and event handlers, 104  
     change event, 112  
     click event, 107  
     createElement method, 106  
     keypress and keyup events, 109  
     mousemove method, 108  
     mouseover event, 106

- removeEventListener() method, 105
- window load event, 110
- Event propagation and bubbling, 133–134
- Events. *See also* Real world events
  - and user interactions, 99
  - browsers, 101
    - click event, 102
    - input element change event, 103
    - keypress event, 103
    - mousemove event, 102
    - mouseout event, 102
    - mouseover event, 102
    - ready state, 104
    - window load event, 103
  - callback method, 125
  - capturing and bubbling, 123
  - DOM elements, 100
  - event handler, 100
  - event listeners and event handlers, 104
  - jQuery library, 100
  - prevent default, 101
  - propagation, 122
  - W3C event model, 123
  - web page interaction, 99
- event.stopPropagation() method, 133

## ■ F

- fadeIn() method, 160
- fadeTo() method, 164
- fadeToggle() method, 166
- filter() method, 66, 234
- Filtering
  - .eq() method, 65
  - .first() method, 69
  - .has() method, 70
  - .is() method, 71
  - .filter() method, 66
  - .last() method, 69
  - methods, 64
  - .not() method, 72
- find() method, 57
  - .first() method, 69
- Form validation
  - HTML data, 141
  - jQuery customization, 144
  - plug-in, 142

## ■ G

- get() method, 201
- GitHub repository, 23, 231
- Google Code-hosting service, 232

- Gotchas, event handling
  - dynamic elements, 129
  - jQuery animation buildup, 131
  - library methods, 131
- gt() selector, 48

## ■ H

- .has() method, 70
- has() selector, 48
- height() method, 96
- hide() function, 24
- .html() method, 83

## ■ I

- ID selector, 29
  - CSS selectors, 42
  - jQuery selectors, 47
- Image slider
  - checkAndSetLast() method, 192
  - code reviewers, 193
  - getDistance() method, 191
  - getElement() method, 192
  - go() method, 192
  - HTML code, 186
  - jQuery code, 189
  - prepareRandomMovement() method, 192
  - replaceClass() method, 191
  - requirements, 185
- innerWidth() and
  - innerHeight() methods, 96
- Integrating plug-ins. *See also* Plug-in
  - code clean, 234
  - dilemma—in, 233
  - elements, 233
  - external script tag, 233
  - find and download, 233
  - plug-in code, 232
  - script tag, 233
  - structure, 233
- is() method, 71

## ■ J, K

- JavaScript, 197
  - AngularJS, 249–252
  - Bootstrap
    - advantages, 246
    - buttons and icons, adding, 248
    - definition, 245
    - grid system, 246–247
    - navigation bar, 248–249

JavaScript (*cont.*)

- challenges
    - document object, 10
    - global variables, 11
    - window object, 9
  - document object
    - document.createElement() method, 4
    - document.getElementById
      - ById() method, 4
    - document.getElementsByTagName
      - ByClassName() method, 5
    - document.getElementsByName
      - ByName() method, 5
    - document.getElementsByTagName
      - ByTagName() method, 5
    - document.write() method, 5
    - tree representation, 3
  - history object
    - back method, 6
    - forward method, 6
    - go method, 6
  - location object
    - assign method, 7
    - hostname attribute, 7
    - href attribute, 7
    - pathname attribute, 7
    - reload method, 7
    - replace method, 7
  - navigator object, 8
  - overview, 1
  - screen object
    - screen.availHeight property, 8
    - screen.availWidth property, 8
    - screen.height property, 8
    - screen.width property, 8
  - web browsers, 12
  - window object, 1
    - alert() method, 2
    - clearInterval() method, 2
    - clearTimeout() method, 2
    - focus() method, 2
    - innerHeight attributes, 3
    - innerWidth attribute, 3
    - outerHeight attributes, 3
    - outerWidth attribute, 3
    - setInterval() method, 2
    - setTimeout() method, 2
- JavaScript. *See* Anonymous function
- JavaScript Object Notation (JSON)
- criteria, 209
  - features, 203
  - parseJSON() method, 206
  - parsing, 204

- preventDefault() method, 209
- text-based data interchange, 202
- use of, 207

jQuery

- animate method, 16
  - anonymous function, 34
  - CDN, 23
  - color picker, 252–253
  - CSS handling, 16
  - Document Object Model, 19
  - document ready event, 24
  - each() method, 36
  - fundamentals, 23
  - GitHub, 23
  - internal queue handler, 135
  - intuitive function calls, 18
  - minimal and easy coding, 14
  - noConflict() Method, 25
  - official web site, 21
  - preloading images, 35
  - problem statement, 31
  - readable/clean code, 15
  - selectors, 27
  - slideToggle() method, 17
  - syntax, 23
  - UI accordion, 136
- jQuery Mobile
- Ajax navigation system, 261
  - pop-up boxes, 262–263
  - RWD, 259–261
- jQuery registry, 229
- jQuery selectors
- attribute selector, 46
  - class selector, 47
  - CSS selectors, 47
  - ID selector, 47
  - pseudo classes, 47
  - type selector, 46
  - universal selector, 46
- jQuery UI
- autocomplete, 256–257
  - datepicker, 258–259
  - draggable functionality, 253–255
  - drop function, 254–256
  - theming engine, 253

■ L

- last() method, 69
- Library methods, 131, 204
- .live() method, 131
- LiveScript. *See* Netscape
- load() method, 200

**M**

Method chaining. *See* Caching selectors

Minification

- beautification, 241
- code creation, 239
- vs.* compression, 238
- difference, 239
- uglified code, 241

mother method—`ajax()`, 199

Mozilla Development Network (MDN), 22

**N**

Netscape, 196

`next()` method, 58

`noConflict()` Method, 25

Node Package Manager (NPM), 230

`.not()` method, 72

**O**

Official web site, 21

`outerWidth()` and `.outerHeight()` methods, 97

**P**

`parent()` method, 50

`parents()` method, 52

`parentsUntil()` method, 54

`parse()` method, 205

`parseJSON()` method, 206

Parsing JSON

- `eval()` method, 205
- library methods, 204
- options, 204
- `parse()` method, 205

Plug-in

- accordion, 221
  - CSS code, 223
  - default values/passed parameters, 225
  - extend method, 224
  - HTML code, 222
  - in action, 227

business requirements, focus, 212

code modularity, 212

customization, 235

definition, 211

distribution, 237

ease of use, 212

form validation

- check method, 220
- code implementation, 218
- functionality, 217

HTML form, 220

JavaScript method, 217

`preventDefault` method, 221

`serialize` method, 221

`noConflict()` method, 216

parameters, 214

private variables, 213

public variable, 214

repositories, 229

validation, 235

writing guidelines

- chainability, 217
- jQuery object, 216
- modify objects, 216
- requirements, 215
- reusability, 216

`.position()` method, 84

`post()` method, 202

Preloading images, 35

`preventDefault()` method, 133, 209

`prev()` method, 58

Propagation, 122

`.prop()` method, 81

Pseudo class selector

- CSS selectors, 43
- jQuery selectors, 47

**Q**

`queue()` method, 135

QUnit

- assertion method, 272
- check method, 272
- `deepEqual` method, 276
- DOM manipulation
  - div element, 282
  - jQuery `empty()` method, 282
  - node, existing DOM, 281
  - test case, testing, 279
- `equal` assertion method, 273
- JavaScript framework, 265
- method, 272
- `notEqual` assertion method, 275
- `notOk` assertion method, 278
- overview, 268
- refactoring code, 282
  - DOM manipulation, 283
  - test case, 287
  - Validation class, 284
- `returnValue` method, 277
- `strictEqual` assertion method, 274
- styling results, 270
- syntax, 269
- three arguments, 272

QUnit (*cont.*)

- throws method, 272
- unit testing
  - carryOut methods, 267
  - check method, 267
  - check method, 266
  - do() method, 266
  - Validation class, 267
- Validation class, 270

■ R

- Readability, 15
- Real world events
  - event propagation
    - and bubbling, 133
  - gotchas, 129
  - jQuery UI accordion, 136
  - queue() method, 135
  - queues, 134
  - validating form elements, 141
- Relationship-based selectors, 44
- .remove() methods, 91
- Repositories
  - GitHub, 231
  - Google Code-hosting service, 232
  - jQuery registry, 229
  - NPM open source package, 230
  - principle, 229
- Responsive web design (RWD), 260-261

■ S

- Script tag, 233
- Selectors
  - caching, 60
  - CSS elements, 39
  - elements, 27
  - fact files, 28
  - ID attributes, 29
  - jQuery, 45
  - query fast, 29
  - repeat event, 30
  - universal selector, 30
  - use of, 28
  - \* wildcard, 27
- siblings() method, 59
- slideDown() method, 139, 171
- slideToggle() method, 175
- slideUp() method, 139, 168
- .stop() method, 132

■ T

- Tags, 230
- .text() method, 82
- toggle() method, 177
  - callback action, 179
  - div element, 178
  - HTML code, 178
  - speed arguments, 178
  - swing /linear method, 179
- Traversal methods
  - children() method, 56
  - closest() method, 55
  - curtain raiser, 49
  - find() method, 57
  - next() method, 58
  - parent() method, 50
  - parents() method, 52
  - parentsUntil() method, 54
  - preceding code, 51
  - prev() method, 58
  - siblings() method, 59
  - structure and hierarchy, 49
  - tree traversal, 48
- Tree traversal, 48
- Type selector
  - CSS selectors, 40
  - jQuery selectors, 46

■ U

- Uglification and beautification, 241
- Unit testing
  - carryout methods, 267
  - check method, 267
  - do() method, 266
  - Validation class, 267
- Universal selector, 30
  - CSS selectors, 40
  - jQuery selectors, 46

■ V

- Validation plug-in, 235

■ W, X, Y, Z

- W3C event model, 123
- Web-based application, 196
- width() method, 96
- Window load event, 110