

Index

■ A

- Access control, 213, 384, 458
- ActionScript, 108
- Address book, 229–232
- Adverts
 - app set up, 328
 - banner ad view, 328
 - DBannerViewDelegate protocol, 329
 - iAds test settings, 333–335
 - interstitial ads, 330–333
 - rectAdView, 329
- App Store submission process
 - adding icon set, 493
 - app configuration, 493
 - App ID register, 485–486
 - archive, 494
 - distribution certificate, 487–489
 - distribution provisioning profile, 490–492
 - iTunes Connect platform
 - adding app information, 496
 - application information page, 497
 - iTunes Connect dashboard, 495
 - record creation, 495
 - screenshot gallery, 498
 - uploading, 499–500
 - stages, 483–484
 - uploading
 - review process monitor, 502
 - submission for review, 501
- Array, 413–414
- Attributes inspector, 112, 114, 154
- Automatic code signing, 493
- Automatic reference counting (ARC), 376, 453

■ B

- Booleans, 400
- BoolForKey, 157

■ C

- Call stack, 206–207
- Call tree and CPU usage, 62–63
- Camera and images
 - action sheet, 261–262
 - editing
 - alert controller, 271
 - applyFilter function, 268–269
 - CGSizeApplyAffineTransform, 267
 - CIColorControls filter, 266
 - filter, 266
 - image saving handler, 270
 - saveToGallery, 270
 - openCameraVC and openGalleryVC
 - function, 261
 - picking image, gallery, 263–264
 - showing image on screen, 263
 - taking photos, 265
 - UIGraphicsBeginImageContextWithOptions, 267
 - UIGraphicsEndImageContext, 267
 - UIImagePickerController, 260
 - UIImagePickerControllerDelegate, 260
 - user interface design, 257–259
- Certificate signing request (CSR), 341
- Characters, 401–402
- Classes
 - access and visibility, 442
 - accessing properties, 447
 - adding methods, 448
 - computed properties, 443–444
 - deinitializer and initializer methods, 448
 - extending functionality, 456
 - initializer, 449–451
 - lazy properties, 444
 - memory management, 452
 - overload method, 448
 - properties, 442

Classes (*cont.*)

- property observers, 445–446
- reference types, 452–453
- self properties, 447
- stored properties, 443
- subscripts addition, 452
- syntax, 442

Closures

- ActionScript, 474
- implicit return, 476
- inline, 475
- literal translation, 475
- operator function, 477
- shorthand name, 476
- Swift, 474
- trailing, 477

Cloud

- CloudKit (*see* CloudKit)
- error messages, 287–288
- records retrieval, 287
- saving and deleting records, 286

Cloud data manager

- addItem method, 294
- callback function, 293
- class definition, 292
- fetchCloudItems method, 294
- removeItemAtIndex method, 295

CloudKit

- asset, 285
- container, 282–283
- relationships between records, 284, 285
- shopping list app
 - account selection, 288
 - adding new items, 300–302
 - cloud data manager, 292–294, 296
 - dashboard, 290–291
 - deleting items, 302–303
 - iCloud account, 291–292
 - iCloud settings, 289
 - iCloud usage, 289
 - set up, 289
 - table view, 297–299
 - UITableViewDataSource, 297
 - UITableViewDelegate, 296–297
 - user interface, 295–296

Comments making, 379

Common base classes, 458

Compiler, 375, 394

Conditional statements

- guard, 432
- if, 430–431
- switch
 - case statements overlap, 435, 436
 - double, 436
 - multiple matches, 434
 - range matches, 434

- string, 436–437
- syntax, 432–433
- tuples, 437
- value binding, 437
- where clauses, 438

Constraints, 25–26, 481

Containers, 282, 284

Control transfer

- break, 438
- continue, 438
- fallthrough, 439
- labels, 439–440
- return, 439

CoreData, 282

CreateViewController

- array, 161
- choiceTextFields array, 162
- data model, 166–167
- declaring CreateViewController, 161
- deleting text fields, 162
- designing, 160
- elements, 160
- MARK, 163
- outlets and actions, 161
- tab bar controller, 163–164
- text fields, 161–162, 164

Creating certificates

- CSR, 342
- notification provider, 344–345
- p12 certificate, 343–344
- push notifications, 342–343

Custom operator, 396–397

Custom view controller, 109

■ D

Date Picker controller, 22–23

Debug

- breakpoint, 45–46
- change value at runtime, 47
- console, 45–46
- getDayOfWeek, 42–43
- HelloXcode App, 39
- label, 41–42
- memory view, 48–49
- print, 44–45
- updateDayOfWeek method, 47
- Value Changed event, 40–41
- variables, 46
- variables view, 45

Debug gauges, 192–194

Debugging

- breakpoints, 194, 196
- concurrent code
 - call stack, 206–208
 - deadlock situation, 203, 205

- dispatch queues, 206
- finding waiting code, 210
- semaphores, 206
- debug gauges, 192–194
- debugger controls, 198
- LLDB command, 196–197
- memory view, 200–202
- symbol types, 199
- Defining and calling functions, 379
- Deinitializer methods, 448
- Delegation design pattern, 72, 224
- dequeueReusableCellWithIdentifier
 - method, 121
- Development tools
 - application loader, 68
 - file merge, 68
 - instruments, 60–61, 65
 - internationalization, 68
 - organizer, 68
 - VCS (*see* Version control system (VCS))
- Dictionary, 415–417
- Disable App Transport Security, 307
- Distribution certificate, 487, 489

■ E

- E-mail
 - canSendMail method, 223
 - composing, 223–224
 - delegation, 224
 - sending, 225
- Enumeration/enum, 462
 - associated value, 470–471
 - autoincremented raw values, 469
 - integer raw values, 469
 - integers declaration, 468
 - making choice, 467
 - raw values, 469
 - rules, 471
- Errors handling
 - ActionScript, 384
 - catching, handling, and rethrowing, 386
 - error type, defining, 385
 - Swift, 384
 - throwing error, 385
 - try-catch statement, 384–385
- Extended detail, 63
- Extensions, 458–459

■ F

- Facebook post
 - isAvailableForServiceType(_:\:), 237
 - message posting, 238–239
 - setup, 237–238
 - viewing post on timeline, 240

- FibonacciSpaceships project, 60
- Filter, 266, 475
- findFibonacciNumber, 64
- FindPrimeNumbers app, 191–192
- Floating-point types, 400
- Forecast data model, 311–312
- Function parameters
 - in-out and variable parameters, 381–382
 - providing default values, 383
 - variadic parameter, 382
- Function types, 419

■ G

- Garbage collection (GC), 376
- General app information, 498
- Generic function
 - calling, 479
 - constraints, 481–482
 - declaring, 480
 - and polymorphism, 479–480
 - Swift, 478
 - syntax, 478
- getDayOfWeek, 42–43
- getMessageFromCode, 469–470
- Graphics processing unit (GPU), 352

■ H

- HelloXcode app, 39
- Horizontal stack view, 112

■ I

- Inheritance, 456–458
- Initializer methods, 106, 448
- Instrument templates, 61
- IntegerForKey, 157
- Integers, 400
- iOS app
 - AppDelegate.swift, 72
 - asset, 74–75
 - Assets.xcassets, 74
 - Info.plist, 74
 - LaunchScreen.storyboard, 73
 - Main.storyboard, 73
 - MVC (*see* Model-View-Controller (MVC))
 - Outlets creation, 79–80
 - project and project group, 72
 - target-action pattern, 80–81
 - ViewController.swift, 73
- iOS application project
 - creation, 15–17
 - IDE
 - editor area, 19–20
 - navigator area, 20–21

INDEX

iOS application project (*cont.*)

- toolbar area, 18–19

- utilities area, 21

iOS simulator, 29–30

Is operator, 410

iTunes Connect platform

- adding app information, 496

- application information page, 497

- iTunes Connect dashboard, 495

- record creation, 495

- screenshot gallery, 498

- uploading

 - App Archive, 499

 - application loader, 500

 - new app archive, 500

 - review process monitor, 502

 - submission for review, 501

 - validation dialog, 499

J

Jump bar, 116

K

Key Path, 114

L

Label, 23, 41–42

LaunchScreen.storyboard, 124

layer.cornerRadius, 114

LoadSettings, 157

Loop

- backward-iterating loop, 425–426

- for, 422–423

- for-in, 423

 - array, 424

 - ignoring counter, 424

- repeat-while, 428–430

- while, 427–428

M

Main.storyboard, 21–22

Making phone call, 228–229

Managing devices, 65–67

Maps and location

- adding map capabilities, 250

- location manager and delegate, 252

- permission, 253

- receiving location updates, 254

- running location app, 255

- storyboard, 251

maxChoicesChanged, 154, 156

maxOptionsLabel, 154

maxOptionsStepper, 154

Memory management, 376

Memory view, 48–49, 200–202

MessageUI framework, 223

Model-View-Controller (MVC), 120

- controller group, 83

- file group, 82–83

- layers, 82

- setting up, controller, 84–85

- view creation, 85–87

Module, 213

Motion sensors

- accelerometer, 245

- creation, 246

- gyroscope, 245

- magnetometer, 245

- manager, 248–249

- motion data representation, 246

- project storyboard, 246–247

N

Naming arguments, 380–381

Nested types, 412

Network communication logic

- downloading images, 315

- error messages, 320–321

- getForecast Method, 318–320

- JSON request, 316–318

- NSURLSession, 315

- WeatherForecastService

 - Class, 313–314

Networking

- Disable App Transport Security, 307

- forecast data model, 311–312

- forecast in table view, 321–323, 325

- user interface design, 305–306

- weather forecast web service, 307–311

NSCoder, 278–281

NSNotificationCenter, 167

NSUserDefaults class, 156

O

Object library, 152

OpenGL, 361

OpenGL Shading Language (GLSL), 369

Open Main.storyboard, 154

Open VoteViewController.swift, 131

Operator overloading

- compound assignment operator, 395

- enumeration, 394

- infix operator, 394–395
- prefix/postfix operator, 395–396
- Operators
 - arithmetic, 390–391
 - assignment, 390
 - bitwise, 392
 - comparison, 389
 - compound assignment, 390
 - custom operators, 396
 - logical, 391
 - nil coalescing, 393
 - overflow, 394
 - pattern-matching, 393
 - range, 393
 - ternary conditional, 392

- Optionals
 - assigning function, 406
 - binding, 407
 - chaining, 409
 - declaring variable
 - non-optional type, 405
 - optional type, 405
 - forced unwrapping, 407
 - implicitly unwrapping, 408
 - unwrapping, 407

Organizer window, 218

Outlet, 79–80

definition, 27

ViewController class, 27

Overloading functions, 383

P

- Persisting local data
 - app, set up, 274–275
 - Cloud (*see* CloudKit)
 - CoreData, 282
 - file paths, 275–276
 - iOS file system, 273–274
 - NSCoder, 278–281
 - NSUserDefaults, 281
 - reading text file, 277–278
 - saving text file, 276–277
 - serializing and
 - deserializing, 280
 - showMessage method, 277

Primitive types

- boolean, 400
- character, 401–402
- floating-point, 400
- integers, 400
- strings, 402–404

Printing, 379

Programming concepts, 376

- Protocol, 462
 - conformation, 463
 - defining, 462
 - extension, 464–465
- Provisioning
 - criteria, 31
 - definition, 30
 - entitlements, 31

Q

Queries, 410

R

Records, 284

References

- comparison, 455
- strong, 454
- types, 452–453
- types definition, 453–454
- unowned, 455
- weak, 455

Remote notifications, 335

- creating certificates
 - CSR, 342
 - notification provider, 344–346
 - p12 certificate, 343–344
 - push notifications, 342–343
- device token request, 338–341
- display notification, 348–349
- issues fixing, 338
- notification provider, 346–347
- participants, 335
- push notifications, 337
- registration steps, 336
- sending notification, 348

ResetVotes method, 108

resultsAsPercentSwitch, 154

ResultsController, 129, 135–136, 158–159

ResultsController class, 123

ResultsController.swift, 126, 148

Running App

- Apple ID selection, 32
- connecting iOS device, 33–35
- signing identity, 33, 36

S

Sampling, 65

Semaphores, 206

Set, 415

setInteger—another method, 156

SettingsViewController, 154–157

SettingsViewController.swift, 154
 setUpCell method, 122
 Signing identity, 11–13
 SimpleVote project, 133
 Single View Application project, 106
 Size classes, 99–100
 SMS, composing and sending, 225–227
 Social media framework

- accounts configuration, 235
 - Facebook, 236
 - Twitter, 236
- facebook post
 - isAvailableForServiceType(_,:), 237
 - message posting, 238–239
 - setup, 237–238
 - viewing post on timeline, 239–240
- SLRequest class, 244
- Twitter message
 - composing, 240–241
 - message posting, 244
 - posting, 242–243
- user interface design, 233–235

 Sorting, integer array, 374
 SpriteKit, 2D games

- GameScene class, 356
- GameScene.sks, 355
- GameScene.swift, 355
- GameViewController.swift, 355
- GPU, 352
- moving, sprite around, 356–358
- nodes, 352
- Scene-Creating Routines, 355
- scene editor, 358–360
- set up, 352–354
- SKAction class, 352
- SKPhysycsBody class, 352
- SKView, 352

 SpriteKit, 3D apps

- applying materials, 368–369
- camera, 364
- light, 365
- object selection, 366–368
- objects types, 361
- OpenGL, 361
- project creation, 362–363
- scene, 364
- spaceship model, animating, 366
- structure, 363–364

 SpriteKit scene editor, 358–360
 Storyboard

- elements, 77
- Image View, 78
- label view, 79
- scenes, 76

Strings

- creation and initialization, 402–404
- inadvertently copying, 404
- values insertion, 404

 Structures

- memory management, 460
- mutating methods, 461
- vs. classes, 459

 Subscripts

- defining, 472
- multidimensional, 473
- non-numeric indices, 474
- overloading, 472
- range, 473
- varieties, 473

 Switch statement, 374
 Symbolic breakpoint, 194–195
 Syntax, 375

■ T

tableView(_:\:cellForRowAtIndexPath\:], 121
 tableView(_:\:numberOfRowsInSection\:], 121
 Target-Action pattern, 80–81
 TestFlight, 218
 Testing

- benefits, 210–211
- code coverage, 217–218
- FindPrimeNumbersTests, 213
- functional unit test, 214–215
- performance test, 216
- project navigator, 212
- types, 211
- unit tests, 211
- user interface tests, 211–212

 Time Profiler, 61, 65
 Tuples, 417–418
 Twitter message

- composing, 240–241
- posting, 242–244

 Type aliases, 420
 Type casting, 411
 Types

- casting, 411
- nested types, 412
- primitive (*see* Primitive types)
- queries, 410
- safety and inference, 399

■ U

UIAlertActionStyle, 151
 UIAlertControllerStyle.ActionSheet., 150
 UIAlertControllerStyle.Alert, 150

- UIButton inherits, 114
- UIImagePickerController, 260
- UI layout techniques
 - auto layout
 - constraints, 90
 - image view, 91
 - label view, 92
 - preview window, 89–90
 - size inspector, 94
 - sizes and positions, 88
 - text field view, 93
 - trailing edge constraint, 97
 - width multiplier, 95
 - resolving layout issues, 101–102
 - size layout, 98–100
- UIPickerView, 118
- UISegmentedControl, 118
- UITableViewDataSource, 120–121
- UITableViewDataSource Protocol, 121, 133
- UIViewController’s viewDidLoad method, 120
- UIViewController’s viewWillAppear method, 124
- Unique identifier (UI), 39
- unwindToVoting, 132
- Update Frames, 26
- updateMaxChoicesLabel, 156
- Use Auto Layout, 24
- User Defined Runtime Attributes, 114
- User interfaces (UIs)
 - attributes inspector, 112
 - boilerplate Single View Application project, 106
 - buttons with borders, 115
 - cell, table view, 120
 - custom view controller, 108–110
 - data model, 106–108
 - data, table view, 120–121
 - design, cells, 119
 - displaying data, 132–133
 - editor area, 19–20
 - elements, 112
 - horizontal stack view, 112
 - launch screen, 124–125
 - layer.cornerRadius, 114
 - navigation view controller, 137–138, 140–141
 - navigator area, 20–21
 - placeholders, data model, 122
 - segues, 130–132, 135–136
 - sending notifications, 167–170
 - storyboard, 113
 - table
 - Helper methods, 122
 - ResultsController, 124
 - storyboard, 123
 - Text View, 123
 - Vertical Stack View, 123

- View Controller Class, 123
- Vote View Controller, 123
- table view, 118
- toolbar area, 18–19
- trigger transitions, 127–129
- UIButton’s layer member, 114
- User Defined Runtime Attributes, 114
- user preferences
 - constraints, 153
 - design, settings view, 153
 - loading, 156–159
 - maxChoicesChanged, 154
 - outlets, 154
 - SettingsViewController, 154
 - stepper control, 154
 - storing, 155–156
 - view controller, 152
- utilities area, 21
- vertical stack view, 111–112
- view controller, 116–118
- VoteLite project, 125–127
- Vote View Controller, 111
- vote view, runtime, 114
- voting, 134
- User interface (UI) design, 221–222
- Use Size Classes, 24

■ V

- Variables and constants, declaration, 378
- Version control system (VCS), 51
 - commit window, 58
 - findFibonacciNumber, 57–58
 - game project creation, 52, 54
 - GameScene properties, 56–57
 - Git and subversion, 52
 - GIT repository, 55
 - repository, 59–60
 - revisions, 58
 - types, 51
- Version Release, 498
- Vertical stack view, 111–112
- View Controller Class, 123
- ViewController.swift, 27, 73, 108
- viewWillAppear method, 147
- viewWillAppear Method, 118
- VoteData, 107
- VotePro Project
 - alerts
 - helper methods, 151
 - showAbsentVoteAlert, 150
 - style, 150–151
 - UIAlertControllerStyle.ActionSheet., 150
 - UIAlertControllerStyle.Alert, 150

■ INDEX

VotePro Project (*cont.*)

- Vote button, 152
- VoteViewController, 150
- container view controllers, 141
- project navigator, 142
- SimpleVote project, 141
- Single View Application project, 141
- tab bar
 - Results View Controller, 145
 - ResultsViewController.swift, 148–149
 - Table View, VoteViewController, 147
 - tabManager, 147
 - UITableViewController, 145
 - View controllers/Containers group, 145
 - viewWillAppear method, 147
 - vote and abstain actions, 148
 - VoteTabBarController class, 146
 - VoteTabBarController, 146–147
 - Vote View Controller, 145
- tab bar controller, 142–145
- VoteTabBarController, 155, 157, 167
- VoteTabBarController class, 146
- VoteViewController, 109, 111, 137–138
- VoteViewController class, 116
- VoteViewController.swift, 126, 136

■ **W**

- Weather forecast web service
 - OpenWeatherMap, 307
 - API key, 309
 - JSON format, 310–311
 - registration page, 308

■ **X, Y, Z**

- Xcode
 - definition, 3–4
 - download
 - official release, 5
 - Xcode beta, 5–6
 - playground set up, 377
 - running Xcode
 - documentation
 - settings, 10
 - installation folder, 8
 - iOS SDK, 8
 - location settings, 8
 - license agreement, 6–7
 - location settings, 9
 - signing identity, 11–13