

Index

■ A

- Additional modeling tools
 - boss features, 244, 246, 248
 - chamfers creation, 143, 145
 - circular pattern, 142
 - counterbore hole, 137–138
 - cut feature, 154–155
 - extruded surface, 237–238
 - fillets creation, 179–180
 - first feature creation, 128–135, 146–149, 232–236
 - grill feature, 252–254
 - iParts creation, 224–225, 227, 229–231
 - lip feature, 249, 251
 - rib feature, 156–158
 - ruled surface, 255
 - second feature, 136, 220–222
 - shell feature, 149–150, 244
 - surface panel, 238–239
 - third feature, 151–152, 154
 - threaded holes, 139, 141
 - threads, 183–184, 186–188, 190–191, 223–224
- Annotations, 381
- ANSI Unified Screw, 141
- Assembly joints, 349–351
- Autodesk Inventor (2018), 1
 - basics tutorial, 128
 - color settings, 14
 - features, 2
 - mini-toolbar, using, 12
 - parameters, 2
 - ribbon, shortcut keys, and marking menus, 12–13
 - starting, 2–3
 - user interface, 3
 - Browser window, 8
 - dialogs, 11
 - File menu, 6
 - navigation bar, 8
 - Quick Access toolbar, 7
 - ribbon, 3–6

- shortcut and marking menus, 10
- status bar, 8
- ViewCube, 9

Auto Dimension Scheme, 385

■ B

- Balloons, 124
- Base view generation, 93
- Bolt connections, 321, 323–324
- Boss features, 244, 246, 248

■ C

- Centered patterns, 362–365
- Centerlines, 98, 362–365
- Centermarks, 98
- Chamfers, 143, 145
- Circular pattern, 142
- Coil tool, 160–163
- Contour Flange, 272–275
- Corner round, 292
- Corner seam, 275–276
- Counterbore hole, 137–138
- Countersink holes, 293–296
- Curve pattern, 206–208
- Custom template creation, 114–116
- Cut feature, 154–155

■ D

- Datum feature, 374–376
- 2D Drawing
 - balloons creation, 124
 - base view generation, 120
 - centerlines, 98
 - centermarks, 98
 - configuration, 122
 - creation, 89–90
 - custom template creation, 114–116
 - detailed view creation, 96–97

2D Drawing (*cont.*)

- dimensions
 - addition, 104–105, 118–119
 - retrieval, 99, 101, 103
- editing, 91–92
- exploded view generation, 121
- file creation, 120
- generation, 116–117
 - base view, 93
 - section view, 94
- new sheet format creation, 107–108, 110–113
- parts lists creation, 123
- saving, 107, 125
- title block, 106–107

Dimensions

- adapter plate, 360–361
- applications, 366, 368–374
- centered patterns, 362–365

Display preferences, 333–334

3D PDF creation, 356, 358

3D sketch, 192, 194–196, 198–201

■ E

Emboss features, 176–178

Exploded view assembly

- mini-toolbar, 81–85
- play animation of, 86–87
- presentation file creation, 79
- Scratch Zone, 80–81
- snapshot, 87–88

Extruded features, 175–176

Extruded surface, 237–238

■ F

Face fillet, 239–240

Face option, 256–259

Feature control frame, 377–378

Fillets creation, 179–180

Flange, creation, 31, 271

- starting new part file, 32
 - adding fillet, 43
 - cut feature, 36–43
 - revolved feature, 35–36
 - saving, 44
 - sketching revolve profile, 32–35

Flat pattern, 300–301

Free-form

- box, 215–218
- feature, 209–212
- shape, 213–215

■ G

Geometric Dimensioning and Tolerancing (GD&T)

- 3D models, 384
- drawing, 383
- model dimensions extraction, 389, 391
- parallel planes, 384
- size range, 383
- tolerances addition, 386–389
- tutorials, 384–385

Grill feature, 252–254

Guide curves, 164–166, 168, 170–171

■ H, I, J

Hatch pattern, 365

Hem features, 296–297

Hole feature, 388

■ K

Key, creation, 48

- applying draft, 49–50
- extruded feature, 48–49
- saving, 51

■ L

Lip feature, 249, 251

Loft features, 174–175

■ M

Measurement tool, 334, 336–337

Mini-toolbar, 392

Mirroring

- emboss feature, 179
- features, 298–299
- fillet, 243

Model dimensions extraction, 389, 391

■ N

New part file, 219

New sheet format, 107–108, 110–114

■ O

Oldham coupling

- adding dimensions, 18–19
- base feature, creation, 19–21
- monochrome, 23

- realistic, 21
 - shaded, 22
 - sketch and technical illustration, 24
 - watercolor, 23
 - wireframe, 22–23
- extruded feature, adding, 24–31
- new part file, starting, 16
- project creation, 16
- saving the part, 31
- sketch, 17
- Oldham coupling assembly
 - add constraints, 74, 76–78
 - add disc, 74
 - add second component, 56
 - bottom-up approach, 54
 - create new file dialog, 74
 - flange subassembly, 78
 - insert base component, 55
 - insert subassembly, 74
 - interference, 72–73
 - Mate constraint, 57–59
 - origin node, 70, 72
 - save assembly, 78
 - save file, 73
 - face selection, 69–70
 - symmetry constraint, 62–66
 - tangent constraint, 60
 - top-down approach, 54

■ P, Q

- Partial chamfer, 262–264
- Patterning components, 325–328
- Plastic casing, 232
- Position creation, 354–355

■ R

- Radius fillet, 240–242
- Rectangular pattern, 286–289
- Ribbon tab, Autodesk Inventor
 - annotations, 5
 - assembling, 5
 - 3D model, 4
 - drawing environment, 5
 - inspecting, 4
 - place views, 5
 - presentations, 5
 - sheet metal, 6
 - sketch, 4
 - starting, 3
 - viewing, 4
- Rib feature, 156–158
- Rigid joint, 347, 349
- Rotational joint, 345, 347
- Ruled surface, 255

■ S

- Search tool, 329, 331
- Second feature, 136, 220–223
- Second section creation, 172–173
- Section creation, 164–166, 168, 170–171
- Section view generation, 94
- Shaft, creation, 44
 - cut feature, 46–47
 - cylindrical feature, 45–46
 - saving, 48
 - starting new part file, 45
- Sheet metal model
 - base feature creation, 270
 - bend feature, 289–291
 - contour flange creation, 272–273, 275
 - corner round, 292
 - corner seam, 275–276
 - 2D drawing, 302–306
 - flange creation, 271
 - flat pattern, 300–301
 - Hem features, 296
 - iFeature, 277–283
 - mirroring, 298–299
 - parameters, 266, 268–269
 - punched feature, 284–286
 - rectangular pattern, 286–289
- Shell, 182–183, 244
- Shell feature, 149–150
- Slider crank mechanism, 338, 340
- Slider joint, 340–344
- Surface panel, 238–239
- Surface texture, 379, 381
- Sweep feature, 202–203, 205

■ T, U, V, W, X, Y

- Threaded holes, 139, 141
- Threads, 183–184, 186–188, 190–191, 223–224
- Title block, 106–107, 381–382
- Tolerance
 - features, 391–395
 - model dimensions, 386, 388–389
- Top-down assembly
 - bolt connections, 321, 323–324
 - components creation, 308, 310–315
 - display preferences, 333–334
 - editing values, 331–333
 - measurement tool, 334, 336–337
 - patterning components, 325–326, 328
 - search tool, 329, 331
 - second component, 315–318
 - third component, 318–319, 321

■ Z

- 4-Zone Border, 109, 111