

Index

A

Accounting system, 81, 87
Ad-hoc users, 230
Admin
 calendar, 387, 389
 Cases List, 395
 clear cache, 396
 Dashboards, 402, 404
 email servers, 387
 environment, 395
 language, 391–393
 login, 401–402
 logo, 386–387
 logs, 406
 plugins, 404–406
 PM table, 398–401
 Process Categories, 389–390
 report table, 396–398
 skins, 394
 system, 404
Apache, 431
Apache, MySQL, and PHP (AMP), 8
Apache web server, 441–443
Array variable, 98

B

Bitnami Application Manager, 32
 Manage Servers screen, 33–34
 Welcome screen, 32–33

Bitnami installations, 8
Bitnami ProcessMaker Installer page, 11
 for Mac OS X users, 11, 19
 Configure SMTP Settings, 15–16
 Create Admin Account screen, 14
 Deploy ProcessMaker, 16
 Installation Folder, 13
 Installation Information, 18
 PhpMyAdmin, 13
 Ready to Install, 17
 setup wizard, 12
 Web Server Port, 14
 for Windows users, 20
 Configure SMTP Settings, 25–26
 Create Admin Account, 22
 Deploy ProcessMaker, 27
 firewall warning, 28
 Gmail configuration, 26
 Installation Folder, 22
 Installation Information, 29
 PhpMyAdmin, 21
 Ready to Install, 27
 setup wizard, 21
 User Account Control dialog, 20, 30
 Web Server Port, 23–24
 Welcome to ProcessMaker
 modal, 31
Bitnami Stack, 8
Boolean variable, 98
Bootstrap's grid system, 110

INDEX

BPMN 2.0, 39 *see also* Shapes
Toolbox, BPMN

Business process, 5

Business process management
(BPM), 5–7

Business Process Model and Notation
(BPMN) *see* BPMN 2.0

C

Camel case, 97

Case, 36

Case assignment method, 230

Case labels, 333

Case permissions and notes

creation, 350

group/user, 352

origin task, 352

participation required, 352

permission, 352

status Case, 351

target task, 351

type, 352

Cash Advance and Expense Retirement

process, 51, 80, 83, 231, 232

approve/reject report, 308–309

assignment rules, 312–313

Case Notes, 358–360

Comments, 323

computeReimburseRefund, 349–350

display mode property, 347

Edit Variable, 344

EscalateFinanceUnclaimedCase,
354–356

feedback, 331–332

HTML Editor, 315–318

imported form, 303–307

JavaScript, 348–349

mode property, 308

NotifyCashAdvanceApproval, 357

NotifyCashAdvanceRejection, 357

properties, 314

receipts, 325–326

receipt uploads, 313

Reimbursement/Refund Details, 310

Request Advance, 356–357

routing rule, 312

SetCashAdvanceInitialData, 345–346

SetCurrentUser, 322

SetExpenseReportInitialData, 346

Signoff/Approval, 323–324

task and select, 311

total amount, 324

transaction, 326, 329

UpdateCashAdvanceApprover, 319, 321

UpdateCashAdvanceDisburser, 319

UpdateCashAdvanceRequestor, 319

UpdateExpenseReportApprover, 320

UpdateExpenseReportPreparer, 320

UpdateExpenseReportProcessor, 320

Cash Advance Requisition

add, comments, 176–179

approval functionality

approval with code, 184–189

approval without code, 184

Assigned Elements, 192–197

assignment and routing, 191–192

Create/Select Variable, 169–171

export, 183–184

JavaScript, 181–182

Request Details, 168

Signoff/Approval, 174–175

tablet/mobile, 171–173

Colosa Inc., 7

Conditions, 37

Custom triggers, 262, 267–269

Cyclical assignment method, 232–235

D

Datetime Control, 347

Datetime variable, 98

Default flow, 383

DigitalOcean

account register, 419

account verification, 421

definition, 419

email confirmation, 420

PayPal option, 422

DNS

Check Availability, 451

Checkout, 452

mobile app, 463

networking, 454

ProcessMaker Bitnami, 462

record, 455

registering and verifying, 453

SSL certificate (*see* SSL)

Droplet

additional options, 424

data center, 423

hostname, 425

ProcessMaker

Mac/Linux system, 426–427

Windows, 427–428, 430

size selection, 423

snapshots, 449

SSH Keys, 424

Dynaforms, 37

Dynaform Designer, 103

container, 107

form control properties, 108–109

row control properties, 109–110

control and properties panel, 106

history to use, 107

properties, 107

web controls, 106–107

menu, 104

close, 106

export, 104

import, 105

Language option, 105

preview, 105

save, 104

to clear, 105

title, 104

Dynaforms (dynamic forms), 95, 101–102

adding input documents, 280–281

Dynaform web controls

Cash Advance and Expense Retirement
(*see* Cash Advance Requisition)

checkbox, 125–126

checkgroup, 127–128

datetime

Clear button, 134

datepicker view, 133

default date, 133

format, 131

max date, 132

min date, 131–132

selection date, 132–133

dividing, row, 137–139

dropdown, 122–124

file, 143–146

grid (*see* Grid layout)

hidden, 139–140

image, 142–143

label, 141

link, 141

multiple file uploader, 146–147

panel, 159–163

radio, 128–129

reposition rows, 135–136

subform, 163, 165

INDEX

Dynaform web controls (*cont.*)

submit and button, 147–149

suggestions, 136–137

textarea, 121–122

textbox

display modes, 119–120

Dynaform Designer, 119

properties, 114–115, 117–118

title and subtitle, 140

variables, 112–113

E

Email notifications

creating, template, 336–337

NotifyCashAdvanceApproval, 342

NotifyCashAdvanceRejection, 342

PMFSendMessage, 338–342

SMTP, 342

task notification property, 334–335

EscalateFinanceUnclaimedCase, 354–356

Exclusive (XOR) gateway, 365

F

Feedback

employees, 332

finance officers, 331

supervisors, 332

File variable, 98

Float variable, 98

G, H

generateCode function, 268

Graphical user interface (GUI), 13

Grid layout

adding and deleting rows, 153

controls, 151–153

mathematical functions, 157, 159

modifying, 155–157

page size property, 154

validation error, 157

Grid variable, 98

Group artifact, 82

I, J, K

Inclusive (OR) gateway

conditions, 380–381

Edit Process, 379

HR Officer, 379–380

import, 378–379

testing, 381–382

Input documents, 277

creating, 278–280

Document Management System,

viewing in, 286–287

to dynaforms, 280–281

as a step, 281–285

Integer variable, 98

L

Lightweight Directory Access

Protocol (LDAP), 220

M, N

MacOS (OS X) users, 11, 19

Configure SMTP Settings, 15–16

Create Admin Account screen, 14

Deploy ProcessMaker, 16

Installation Folder, 13

Installation Information, 18

PhpMyAdmin, 13

Ready to Install, 17

- setup wizard, 12
 - Web Server Port, 14
 - Manual assignment
 - method, 235–236
 - MariaDB, 431
 - Master process, 55
 - Mobile apps
 - configuration, 414–415
 - deployment, 416–417
 - installation, 407–410
 - ngrok
 - download, 411
 - Mac OS X, 411–412
 - Windows, 413–414
 - Modeling a process, 73, 86–91
 - adding tasks
 - Approve Advance task, 75
 - Disburse Advance, 76
 - dragging and dropping, 75
 - Request Advance, 75
 - connecting tasks, 76–78
 - creating new process, 74–75
 - tasks, 73
 - Multiple file variable, 98
 - MySQL 5.5.X, 433–436
- O**
- Object Management Group (OMG), 39
 - OS X, 8
 - Output documents, 287
 - creating, 287, 297–298, 300
 - description, 288
 - destination path, 289
 - enable versioning, 289
 - filename generated, 288
 - to generate, 289
 - generated file link, 290
 - grids, 294
 - HTML editor, 293
 - margin, 289
 - media, 289
 - orientation, 289
 - PDF security, 289
 - prefix, 296
 - report generator, 288
 - Submit Form button, 295
 - tags, 290
 - title, 288
 - Upload File button, 291–292
 - values, 290
- P, Q**
- Parallel (AND) gateway
 - Administration, 371
 - assign forms, 373
 - assign users/groups, 373–374
 - Employee Onboarding, 369–370
 - Employee Supervisor, 371–372
 - Human Resources, 371
 - Information Technology, 371
 - Process Map, 365–366
 - testing, 375–378
 - UpdateAdminOfficer, 372
 - UpdateHROfficer, 372
 - UpdateITOfficer, 372
 - UpdateSupervisor, 372
 - variables, 367–368
 - Pascal case, 97
 - PHP 5.6, 432–433
 - PMFSendMessage
 - CashAdvanceNotifyFinance, 338
 - CashAdvanceNotifyRejection, 338
 - NotifyCashAdvanceApproval, 340–342
 - NotifyCashAdvanceRejection, 339–340

INDEX

Predefined triggers, 262–266

Process, 36

Process Designer, 47

Process Map, 50

Process Map area, 50–51

Shapes Toolbox, 51

End events, 70–72

Events elements, 60

Exclusive (XOR) gateway, 58

Gateway element, 57

Inclusive (OR) gateway, 59

Intermediate Catching

events, 68–70

Intermediate Throwing

events, 66–68

Parallel (AND) gateway, 58–59

Start events, 60–63, 65

Sub-process element, 55–57

Task element, 51–55

Top Toolbar, 47

Close option, 50

Export Diagram option, 48

Export option, 48

Full Screen option, 48

Help option, 50

Save and Save As option, 49

Undo and Redo options, 48

Zoom option, 48

Process List

actions

Category filter and Search

box, 44

debug, 44

Delete and Delete Cases

option, 43

Edit option, 42

Export option, 42

Import option, 43

New option, 40

Status option, 42

columns

canceled cases, 46

category, 46

completed cases, 46

create date, 46

debug status, 46

draft, 46

inbox, 46

status, 46

title, 45

total cases, 46

type of process, 45

update date, 46

user owner, 46

ProcessMaker, 7–9

Apache, 431

Apache web

server, 441–443

authentication sources

importing users, 222–224

LDAP, 220

setting up, 220–222

concepts, 36–38

deletion, 215

departments

add, 211–212

assigning users, 212–213

Set Manager and No Set

Manager, 213–214

firewall enable, 437–438

groups

assigning groups, 209–210

assigning users, 208–209

creation, 206–207

deletion, 207

editing, 207

- installer, 438–440
- interface, 35–36
- list (*see* Process List)
- MariaDB, 431
- MySQL database, 446
- MySQL 5.5.X, 433–436
- mysql_secure_installation, 436
- objects, 44
- password confirmation, 446–447
- PHP 5.6, 432–433
- Pre-Installation Check, 443, 445
- roles
 - assigning users, 218, 220
 - default, 215–216
 - viewing and editing, 216, 218
- SELINUX disable, 437
- user experience, 225–227
- users
 - delete, 206
 - disable, 204–205
 - editing, 204
 - new user, 201, 203
 - summary, group and authentication, 206
- Process Map, 81, 89
- Process model *see* Modeling a process

R

- Request Advance task, 75

S

- Self-service assignment
 - method, 247–251
- SetCurrentUser, 321
- Shapes Toolbox, 79
 - artifacts, 82

- Group, 82
 - Text Annotation, 82
- data elements, 79
 - Data Object element, 80
 - Data Store element, 81
- Lasso, 83–86
- pools and lanes, 81–82
- Shapes Toolbox, BPMN, 51
 - End events, 70
 - email message, 71
 - empty, 71
 - error, 72
 - message, 72
 - signal, 72
 - terminate, 72
 - Events elements, 60
 - Exclusive (XOR) gateway, 58
 - Gateway element, 57
 - Inclusive (OR) gateway, 59
 - Intermediate Catching events, 68
 - conditional, 70
 - receive a message, 69
 - signal, 70
 - timer, 69
 - Intermediate Throwing events, 66
 - email message, 66
 - send message, 67
 - signal, 68
 - Parallel (AND) gateway, 58–59
 - Start events, 60–61, 63
 - Assigned Users list, 62
 - Assignment Rules, 61
 - Cash Advance and Expense Retirement Process, 63
 - delete, 65
 - edit label, 65
 - properties, 65
 - types, 63

INDEX

Shapes Toolbox, BPMN (*cont.*)

- Web Entry feature, 65

Sub-process element

- asynchronous process, 56

- Cancel button, 57

- context menu, 56

- IT System Request process, 56

- master process, 55

- synchronous process, 56

Task element

- assignment rules, 55

- Cash Advance process, 51

- delete, 55

- edit label, 55

- marker type, 54

- properties, 55

- quick toolbar, 52

- steps, 55

- type of task, 53

Snake case, 97

Snapshots, 448–449

SSH key, 425

SSL

- Certbot, 458, 460–461

- non-root super user, 457

- puTTY, 457

String variable, 97

T

Task, 37

Text Annotation artifact, 82

Triggers, 37, 257

- case variables

 - prefixes, 260

 - system variables, 260–261

 - variable selector, 262

- creating, 262

 - copying triggers, 269

 - custom triggers, 267–269

 - predefined triggers, 263–266

- debugging, 272

 - enabling and disabling Debug

 - mode, 273–274

 - identifying errors, 276

 - ProcessMaker Debugger

 - window, 274–276

- testing, 270–272

- timing, 258

 - before assignment, 258

 - after a step, 258

 - after routing, 259

 - before routing, 259

 - before a step, 258

U

Unique Identifier (UID), 44

Users, tasks

- Ad-hoc users, 230

- case assignment

 - method, 230

- cyclical assignment, 232–235

- cyclical, manual and value-based

 - assignment, comparing, 237–241

- and groups, 230–231

- manual assignment, 235–236

- reports, 245–247

- self-service assignment, 247–251

- self-service value-based assignment,

 - 251–255

- value-based assignment, 241–245

V

Value-based assignment, 241–245

Variables

accepted variable values, 99

creating, 100–101

database connection, 99

name, 96–97

plus (+) icon, 96

SQL, 99

to store data, 94–95

System, 94

type, 97

array, 98

Boolean, 98

Datetime, 98

file, 98

float, 98

grid, 98

integer, 98

multiple file, 98

string, 97

W, X, Y, Z

Web controls, 106–107

Windows users, 20

Configure SMTP Settings, 25–26

Create Admin Account, 22

Deploy ProcessMaker, 27

firewall warning, 28

Gmail configuration, 26

Installation Folder, 22

Installation Information, 29

PhpMyAdmin, 21

Ready to Install, 27

setup wizard, 21

User Account Control dialog, 20, 30

Web Server Port, 23–24

Welcome to ProcessMaker modal, 31

Workflow, 1

sample cash advance requisition

form, 4

sample expense retirement form, 3

steps, 2