

# Index

## A

- Alice application, 91
- Alice interface, 15
  - application menu, 17
  - classes, 20
  - data
    - firstnumber, 56
    - Grass template, 50
    - increasing duration, 63
    - math selection, 57
    - procedure method, 60
    - Run button, 64
    - secondNumber, 53
    - setup scene button, 59
    - TextString, 59
    - TextString parameter, 61
    - totalSum variable, 54–55, 58, 62
    - variable creation, 52, 53
  - download option, 11
  - editor, 22
  - edit scene control
    - camera controls, 19
    - objects and adjusting option, 20
    - scene editor, 19
    - setup screen button, 18
  - IDE running, 11
  - instance, 21
  - methods panel, 21, 23
  - Moon project
    - Biped classes, 26
    - camera controls, 26, 27
    - edit code button, 27
    - handle styles, 27
    - Hello World app, 23
    - instantiation, 25
    - method instruction, 29–30
    - parameters, 30–31
    - procedures tab, 28
    - run window, 31
    - selection, 24
    - setup scene, 24
    - steps, 23
    - view and add objects, 25
  - objects, 20
  - object tree, 21
  - opening screen, 16
  - properties, 21
  - user interface, 15
  - Xcode IDE, 12
- ASCII characters, 48
- Attributes, 301

## B

- Binary number system, 46
- Book detail view, 231
  - BookDetailsSegue, 237
  - BookDetailViewController
    - class, 238–239
  - BookTitleRow method, 233
  - details view controller, 231

## INDEX

### Book detail view (*cont.*)

- detail view, 253
  - label view
    - adding label, 240
    - changing text, 243–244
    - description, 246
    - expanding label, 241
    - labels, 242
    - remane, 245
  - Main.storyboard file, 239
  - main view, 252
  - outlets
    - available, 250
    - BookDetailViewController.h file, 246, 247, 250
    - connection, 250
    - empty outlet circles, 248
    - label creation, 249
    - prepareForSegue method, 250
  - run button, 236
  - segue identifier, 237
  - Segue menu selection, 234
  - show option, 235
  - table view/detail view, 233
  - view controller, 232
- ### Bookstore application, 201, 331
- boilerplate project, 204
  - Book.h file, 208
  - class files, 207
  - Cocoa Touch class, 205
  - initial project, 202
  - name and parent class, 206
  - product name and options, 203
  - view class, 208
- ### BookStore.xcdatamodeld
- attributes, 306, 308
    - date, 309
    - decimal, 309
    - integer 32, 309
    - string, 308

- author entity, 312
  - book entities, 310
  - Data Model Inspector, 312
  - entity, 306–307, 315
  - fetches properties, 307
  - interface creation, 317
    - addNew method, 329
    - Attributes Inspector, 320
    - Bar Button Item, 323
    - code implementation, 326
    - connection setup, 325
    - Document Outline, 324
    - final app, 330
    - hook up, 324
    - identifier, 320
    - loadBooks method, 327
    - managedObjectContext, 329
    - Navigation Controller, 321
    - Table View, 318
    - UIBarButtonItem, 322
    - UITableViewCell, 319
    - ViewController.m file, 326–328
    - viewDidLoad method, 327
  - managed objects, 314, 316
  - NSManagedObject, 314–315
  - relationships, 307, 311
- ### Boolean expression, 263
- clubMember variable, 264
  - if statement, 264
  - some\_code() method, 264
- ### Boolean logic operator, 255
- AND and OR, 76
  - NOT, 76
  - TRUE/FALSE, 76
  - XOR, NAND, and NOR, 77
- ### Bugs, 5

**C**

caseInsensitiveCompare method, 266

Code errors and warnings, 355

Code refactoring, 98

Collections, 191

- containers, 191

- enumerator, 193

- mutable, 192

- NSArray, 194

- NSDictionary, 196

- NSSet class, 192

- ordered collection, 195

- types of, 192

- unordered, 192

Comparing data, 255

- Boolean expression, 263

- clubMember variable, 264

- If statement, 264

- some\_code() method, 264

- variable, 264

- Boolean logic, 255

- combination, 270

- dates, 267

- compare function, 268

- NSComparisonResult, 269

- NSDate objects, 268

- source code, 268

- relational operators, 256, 257

- strings, 265

- enteredPassword object, 266

- NSString object, 265

- rangeOfString method, 266

- switch statement, 271

- Xcode application

- AppDelegate.m and AppDelegate.h

- file, 260, 262

- comparison, 260

- creation, 259

- debugger window, 262

- NSLog function, 261

- NSLog output, 263

- project creation, 259

**D**

Data

- Alice interface, 50

- firstNumber, 56

- Grass template, 50

- increasing duration, 63

- Math selection, 57

- procedure method, 60

- run button, 64

- secondNumber, 53

- setup scene button, 59

- NSString parameter, 59, 61

- totalSum variable, 54–55, 58, 62

- variable creation, 52–53

- Boolean data type, 50

- debugging, 71

- numbering systems, 43

- bits, 43

- bytes, 46

- hexadecimal system, 47

- unicode, 49

- Objective-C app

- console log display, 70

- main.m source file, 68

- NSLog function, 69

- product name, 67

- project creation, 66

- totalSum, 69

- types, 64, 66

- strings, 49

- types, 49

- variables, 49

## INDEX

### Data storage

- applications folder, 297

- database

  - definition, 301

  - SQLite (*see* SQLite)

- preferences file, 298

  - reading preferences, 300

  - writing preferences, 298

### Debugging, 6, 71

- breakpoints, 341

  - delete key, 343, 345

  - enable/disable, 345

  - file option, 346

  - navigator icon, 344

- build and debug buttons, 346

- code errors and warnings, 355

- console window, 347

- controls, 348

- definition, 339

- debugger controls, 347

- errors, 357

- execution process, 347

- iOS simulator selection, 341

- MyBookstore project, 340

- Pause/Continue button, 348

- stack trace, 348

- step controls, 350

  - Bookstore object, 351

  - init method, 351

  - Step Into button, 350

- Step Into button, 349

- Step Out button, 349

- Step Over button, 349

- Stop button, 348

- thread window and call

  - stack, 352

- variables, 347

  - Bookstore.m file, 354

  - breakpoint navigator, 353

  - delete, 353

  - initial variable pop-up, 354

  - properties, 355

  - warnings, 356

## E

Electronic Numerical Integrator And  
Computer (ENIAC), 43

## F

Flowchart, 84

## G

Getter method, 212

Grass template, 51

## H

Hook up, 177

  - app updation, 185

  - cleaning up, 183

  - connection, 180–181

  - firstLabel selection, 180

  - labels, 179

  - method completion, 185

  - nameLabel variable, 178

  - run option, 185–186

  - secondLabel, 182

  - SimpleLabelData class, 184

  - user interface objects, 177

  - variables, 182

  - ViewController.h file, 179

Human interface

  - guidelines (HIG), 279

**I, J**

Infinite loop, 90  
 Inheritance, 116  
 Instance methods, 162, 166  
 Instantiation, 21  
 Integrated development environment (IDE), 8  
 Interface, 119, 159  
 iPhone app
 

- actions and objects, 294
- controller and XIB files, 286
- document outline, 288
- groups creation, 285
- implementation file, 294
- interface builder, 281, 287
- iOS random number, 281
- Main.storyboard file, 286
- object library, 289
- outlet property code, 293
- outlets, 291
- project, 283
- randomNumberLabel outlet, 292
- randomNumber outlet, 292
- single view app template, 282
- source files, 284
- storyboard and XIB files, 286
- view creation, 290

**K**

Keychain, 298

**L**

locationManager delegate method, 337  
 Looping
 

- count-controlled loops, 88
- definition, 88

- for loop, 88
- infinite loop, 90
- while loop, 89

**M**

MasterViewController.m file, 350, 355  
 Model-View-Controller (MVC)
 

- pattern, 277
- architectural pattern, 277
- banking application, 278
- categories, 277
- objects, 277
- paradigm, 278
- representation, 279

 Moore, Gordon E., 44  
 Moore's Law, 44  
 Mutable container classes, 197
 

- non-mutable classes, 197
- NSMutableArray, 199
- NSMutableDictionary, 200
- NSMutableSet, 198
- unique objects, 199

 MyBookstore program, 212
 

- Bookstore object, 212, 224
  - addBooks method, 226
  - Bookstore.m file, 224–225
  - MainViewController.m file, 227
  - NSDictionary object, 226
  - numberOfBooks Method, 227
  - table view, 228
  - viewDidLoad method, 227
- delete key, 213
- initial view, 218
  - adding files, 219
  - cocoa touch class, 218
  - custom class, 223
  - MainViewController class, 218, 221

## INDEX

### MyBookstore program (*cont.*)

- root view controller selection, 223

- selection, 220

- Xcode screen, 222

- Main.storyboard file, 214

- navigation controller, 215–216

- root view controller, 217–218

- shrinking view, 217

- single-view application, 212

- template, 212

- trash, 214

- utilities pane, 215

- ViewController.h and .m files, 212, 213

### MyFirstApp project, 168

- workspace window, 169

- Xcode screen, 168

## N

NSArray, 194

NSDictionary class, 196, 197

NSMutableArray, 199

NSMutableDictionary, 200

NSMutableSet, 198

NSOrderedSame method, 266

NSSet class, 192

Numbering systems

- bits, 43

- bytes, 46

- hexadecimal system, 47

- unicode, 49

## O

Objective-C, 32

- Alice interface

- download option, 11

- IDE running, 11

Xcode IDE, 12

class

- calling methods, 160

- class methods, 161

- creation, 157

- dynamic binding, 160

- factory methods, 161

- foundation class, 159

- implementation file, 163

- @implementation keyword, 158

- instance methods, 162, 166

- interface file, 159, 165

- @interface keyword, 158

- methods, 158

- MyFirstApp (*see* MyFirstApp project)

- NSObject class, 158

- SimpleLabelData class, 157

- SimpleLabelData object, 158

- SimpleLabelData.h file, 158–159

concepts of, 191

data

- console log display, 70

- main.m source file, 68

- NSLog function, 69

- product name, 67

- project creation, 66

- totalSum, 69

- types, 64, 66

developer view

- algorithm, 2

- computer program, 2

- design requirements, 3

- OmniGraffle, 4

- process of, 2

- user interface (UI) design, 3

- Woodforest mobile banking, 5

development cycle, 5

- bugs, 5
- considerations, 6
- debugging, 6
- flowchart design, 6
- quality assurance (QA), 5
- testing, 5
- HelloWorld.h interface file, 129
- history of, 121
- hook up (*see* Hook up)
- implementation file, 129, 173
- language symbols and syntax
  - call a method, 128
  - class definition, 126
  - code begins and ends, 124
  - comments, 125
  - concepts, 122
  - end of a line of code, 124
  - interface, 126
  - method definition, 127
  - syntactical differences, 123
  - variable creation, 123
  - variables definition, 127
- main.m file, 131
- Main.storyboard file, 174
- NSObject, 130
- NSString object, 131
- objective, 128
- objects, 169
  - adding file, 170
  - file type selection, 171
  - SimpleLabelData interface file, 172
  - subclass, 172
  - workspace window, 172–173
- OOP (*see* Object oriented programming (OOP))
- planning program flow, 92
  - code refactoring, 98
  - command line tool project, 93
  - console output, 98
  - editor, 95
  - else-if statement, 97
  - main.m file, 94
  - modulus operator, 97
  - nest if statements, 97
  - RandomNumber, 94
  - scanf function, 97
  - source code, 95
- printGreeting method, 131–132
- SimpleLabelData.h file, 173
- Smalltalk, 122, 128
- user interface, 174
- Xcode (*see* Xcode)
- Object oriented programming (OOP), 101
  - Alice application, 8
  - benefits of, 117–118
  - classes, 103, 104
    - BookStore folder, 110
    - Customer.h file, 113
    - empty customer class, 114
    - header file, 116
    - inheritance, 116
    - instance variables, 115
    - Objective-C class, 111
    - project creation, 109
    - superclass selection, 112
  - couch object, 102
  - debugging, 118
  - design requirements, 7
  - Dog class, 103
  - instance, 103
  - integrated development environment, 8
  - interface, 119
  - methods, 9, 102, 107
    - Customer class, 107
    - Sale class, 108
    - UML diagram, 108

## INDEX

### Object oriented programming (OOP) (*cont.*)

- object, 7, 102
- polymorphism, 119
- principles, 7
- properties, 10, 102, 104
  - Book class, 106
  - Bookstore class, 105
  - Customer class, 105
  - Sale class, 106
- redundant code, 118
- replacement, 118
- UITableView, 10
- Xcode's iOS Simulator, 8–9

### Object tree, 21

## P

### Protocols

- delegate methods, 336
- EdibleItem, 335
- inheritance
  - behaviors and features, 334
  - definition, 333–334
- InventoryItem, 335
- method declarations, 334
- syntax, 335

### Planning program flow

- boolean logic, 76
- decision making and program flow, 85
- design requirements and flowchart, 84, 87, 91
- loop (*see* Looping)
- Objective-C, 92
- Pseudocode, 81
- truth tables
  - AND, 77–78
  - comparison operators, 80
  - NAND, 79
  - NOR, 79

NOT, 78

OR, 78

XOR, 79

### Polymorphism, 119

### Preferences file, 298

- reading preferences
  - integerForKey method, 300
  - stringForKey method, 300
  - synchronize function, 300
- writing preferences
  - multitasking, 299
  - NSUserDefaults object, 299
  - synchronize function, 300

### Properties, 208

- access, 209
- Book.h file, 208–209
- camel case, 210
- getter and setter method, 211
- NSString objects, 209
- stringWithContentsOfURL, 210

### Pseudocode, 81

- && and || logical operators, 83–84
- If-Then-Else code, 81–83

## Q, R

### Quality assurance (QA), 5

## S

### Sensitive data, 298

### Setter method, 212

### SQLite

- backup loss, 302
- Core Data, iOS, 303, 330
- database manager, 302
- single-user database, 302
- switch Statement, 271



**T**

## Table view

- BookTitleRow, 229
- identifier, 228
- MainViewController class, 229
- NSIndexPath object, 230

## Ternary operation, 262

## Truth tables

- AND, 77–78
- comparison operators, 80
- NAND, 79
- NOR, 79
- NOT, 78
- OR, 78
- XOR, 79

## Typecasting, 257

**U, V**

## User interfaces (UI), 3, 174

- actions, 275
- human interface guidelines, 279
- interface builder, 276
- iPhone (*see* iPhone app)
- MVC pattern, 277
  - architectural pattern, 277
  - banking application, 278
  - categories, 277
  - objects, 277
  - paradigm, 278
  - representation, 279
- storyboards and XIBs, 275
- outlets, 275

**W**

## Woodforest mobile banking, 5

**X, Y, Z**

## Xcode

- beta versions, 34
- command line tool template, 36
- creation, 35
- debug area console, 39
- debugger (*see* Debugging)
- documentation
  - developer window, 187
  - dialog, 186
  - help menu, 186
  - NSString class, 187
- editor area, 38
- error message, 40
- executing completion, 41
- HelloWorld, 37
- Mac App Store, 33
- navigator area, 38
- NSLog function, 40
- project creation, 133
  - Button control, 145
  - Button object, 145
  - class extension, 142
  - connection menu, 149, 151
  - debug area, 139
  - implementation file, 142–143
  - iPhone interface, 144
  - label object, 147
  - label size, 148
  - left portion, 137
  - list of templates, 134
  - main screen, 136
  - navigator, 139
  - no panes, 139
  - panes, 138
  - product name, company, and type, 135

## INDEX

### Xcode (*cont.*)

- referencing outlet, 152
- right portion, 137
- run button, 154
- standard editor, 137
- showName, 150
- source code, 140
- .storyboard file, 136
- text option, 153
- title modification, 146
- toolbar, 137
- utilities pane, 139
- ViewController.h file, 140
- ViewController.h
  - interface, 141
- ViewController object, 152
- ViewController.xib file, 144
- run button, 38
- syntax, 40
- welcome screen, 133