

# Index

## A

- add method, 163
- addTicketReplytoCollection function, 153–154
- Animation, 193–194
- animationsUtils method, 194
- Application structure, set up
  - avatar component, 103
  - dashboard module files, 92
  - list component in view, 94–95
  - list ViewModel, creation, 96–98
  - ojModule component, 94
  - tab View, creation, 99–102
  - ticket-desk.html file, 93
- Asynchronous module definition (AMD), 8
- Automatic dependency propagation
  - KnockoutJS, 17
  - ko.observable function, 17

## B

- Backbone JS, JET
  - JSFiddle workspace, 25
  - models and collections, 24
  - RequireJS configuration, 26–27
  - template, creation, 29–30
  - ViewModel function, 27–28
- beforeEach function, 229
- Browser logging, 209
  - error message, 210

- err parameter, 210
- general message, 210
- information message, 210
- levels, 210
- ojLogger, 211
- testing and debugging, 209
- warning message, 210
- Built-in hook points, 57
- bytesToSize function, 206

## C

- Callback function, 145, 150, 164
- Closed source usability, 4
- Close ticket confirmation
  - mock-up, 41–42
- Closure confirmation dialog, 167
- Cloud computing, 4
- Command Line Interface (CLI), 50
- Container height, 104–105
- copyCustomLibsToStaging
  - object, 56, 156
- create-ticket.html file, 194
- createVisible variable, 192
- customURL attribute, 154

## D

- Declarative bindings
  - attributes, 18
  - CSS classes, 18

## INDEX

Declarative bindings (*cont.*)  
  custom bindings, creation, 17  
  data-bind attributes, 18  
  KnockoutJS, 17  
  ViewModel code, 19  
deleteTab method, 229  
dispatch method, 163  
dispose method, 163

## E

Editor initialization, 144–147  
Enterprise applications  
  architecture limitations, 2–3  
  client-server model, 5  
  closed source systems, 4  
  designer and developer harmony, 5  
  open source, 5  
  user experience, 1–2  
.extend method, 25

## F

factory function (\$), 9  
File attachments, 157–158  
File picker, 147–150  
Flex bar, 148  
Flexbox  
  align-items, 89  
  attribute, properties, 89  
  flex-direction, 90  
  flex-wrap, 91  
  justify-content, 90  
Flex container, 88  
Flex, Oracle JET, 91–92  
FontAwesome library, 156–157  
Form creation, 195

## G

Gauge component, 137  
GIT integration, 50  
Glob/minimatch library, 60  
Gruntfile, 56

## H

handleAttached function, 194  
Header padding, 104  
Hooks directory, 57

## I

inline-search-styles.css file, 185  
inline-search-view.html file, 184–185  
Integrated Development Environment  
  (IDE), 50–51  
Istanbul code coverage tool, 223

## J

JavaScript Extension Toolkit (JET), 7  
JavaScript's asynchronous non-blocking  
  I/O model, 150  
jet-composites directory, 177  
JET tooling, 56  
JET web components  
  built-in events, 180  
  carousel, 176  
  component.json file, 178–180  
  events and slots, 180  
  loader.js file, 177–178  
  search functionality, 185,  
    187–188  
  W3C specification, 175  
js-signal library, 161–163

**K**

## Karma

- CLI, 221
- Istanbul code coverage tool, 223
- Jasmine and RequireJS, 222
- running process, 228
- set up, 221

karma.conf.js file, 222–225

Karma-coverage library, 223

## KnockoutJS

- bindings, 21
- data-bind attribute, 21
- Google polymer syntax, 21
- shadow DOM, 21
- user interfaces, 16
- ViewModel code, 23
- web components, 22–23

**L**

List of values (LOV), validation, 217–218

**M**

## Management tasks, creation

- API requests, 162
- closure and priority update, 164–166
- events, 162
- signals import, 161
- ticket ratings, 170–173

Menu bar, 36

## Messages

- component declaration, 211
- ojMessages component, 213
- ticket-desk ViewModel, 212
- ticket replies, 215–216

Mixins, 80–81

Mobile Application Framework (MAF), 76

## Mock API setup

- folder structure, 65
- tickets GET response file, 66–70

## Mock API, tickets

- creation, 189–190
- reply payloads, 112
- representative information, 116

Mock-server tool, 34

## Model-view-controller (MVC) pattern

- advantages, 16
- model, 15
- ViewModel, 15

## Model-View-ViewModel (MVVM),

- Oracle JET architecture, 15
- data binding, 14

**N**

Nesting, 78–79

Node.js, installation, 48

Node Package Manager (NPM), 47–50

Notifications mock-up, 43–44

**O**

ojBindIf component, 148, 157, 190

ojcli module, 50

ojModule, 58, 145–146

ojRatingGauge component, 170

One-way binding, 21

on-oj-action attribute, 155

onTabRemove function, 229

Oracle Alta theme, 75–77

## INDEX

### Oracle JET

- application structure, 53–56
  - Backbone JS 24, (*see also* Backbone JS, JET)
  - build command, 62
  - CLI (*see* Command Line Interface (CLI))
  - CSS custom properties, 77
  - default theming, 74
  - dialog component, 167
  - front-end application, 34
  - functionality, 34–35
  - Gauge (ojGauge), 136
  - IDE (*see* Integrated Development Environment (IDE))
  - libraries, 36
  - module, 31, 87
  - SASS (*see* Syntactically Awesome Style Sheets (SASS))
  - Scaffolding, 51–52
  - scripts directory, 56–57
  - serve command, 63–65
  - source directory, 57–61
  - tab bar, 102
  - theme builder, 81
  - themes, 74–77
  - theming application, 73–74
  - tooling, 176
  - web components, 35–36
  - Webpack, 24
- oraclejetconfig.json file, 54
- Oracle Skyros theme, 74–75
- Oracle Technology Network (OTN), 24

## P, Q

- Package *vs.* package-lock files, 54–56
- Page Skeleton, 36–37
- PostageCost variable, 23

- Property changed events, 180
- PUT HTTP method, 168

## R

- Refactor ticket replies, 206
- remove method, 163
- Replying to tickets
  - API requests, 141–142
  - trumbowyg setup, 142–143
- Representative information, 136
- RequireJS
  - AMD
    - definition, 9
    - specification, 8
  - block skeleton, 10
  - vs* define function, 11
  - HTML script tags, 10
- resetSearch method, 183–184

## S

- SASS object, 143–144
- scrollIntoView JavaScript method, 155
- scrollToReply function, 155
- Searching mock-up, 44–45
- Server-side web applications, 3
- Signal listeners
  - closeTicketSignal, 169
  - escalate priority, 170
  - save method, 168
  - updatePrioritySignal, 168
- Single-page applications (SPAs), 58
- Slot icon, 159
- Source directory, Oracle JET
  - index.html, 58–59
  - js/appController.js, 61

- js/main.js, 60–61
- js/path\_mapping.json, 59–60
- js/views, models, 61
- subscribe method, 182
- support-rep-container div, 138
- Syntactically awesome style
  - sheets (SASS)
    - features, 79–80
    - mixins, 80–81
    - nesting, 78–79
    - partial file, 83–84
    - theme creation, 81–84
    - variables and importing partials, 78

## T

- Tab component, 37
- Tabs functionality
  - BusyContext, 123
  - closing open tickets, 122
  - define block, 122
  - tabSelectionChanged Function, 121, 229
- \_tabs.scss, 108
  - ticket-desk.html, 121
- Template
  - KnockoutJS, 19
  - ViewModel code, creation, 20
- test-main.js file, 225–227
- text binding, 17
- Theme
  - color, 105–106
  - component styling, 107–108
  - container classes, 106
  - container height, 104–105
  - footer element, 108
  - header padding, 104
  - oracle logo removal, 104
  - Theme builder, Oracle JET, 81
  - third-party/trumbowyg.css file, import, 144
  - Three-step theme process, 84–85
  - ticket-desk.js, code-level coverage report, 230
  - ticket-desk-spec.js file, 228–229
  - TicketDeskViewModel
    - function, 97
  - Ticket list mock-up, 37–38
  - Ticket module creation, 190
  - Ticket Replies
    - custom URL, 131
    - list view component and template, 132–134
    - model and collection, 131
    - oj.Collection class, 131
  - ticketReply function, 152, 206
  - Ticket replying mock-up, 39–40
  - ticketReplyModel function, 154
  - Ticket section, creation, 42–43
  - ticketStatus function, 205
  - Ticket view model
    - app-utils.js File, 126
    - dateDifference
      - Function, 128
    - .get method, 125
    - initial view ticket, 131
    - path\_mapping.json file, 126
    - tidying up and styling, 134–135
    - view-ticket.html File, 129, 130
    - view-ticket.js, 127
  - toggleCreateTicket, 192
  - Trumbowyg, 142
    - library, 59
    - method, 153
    - validation, 219
  - Two-way binding, 22

## INDEX

### U

uploadFile function, 151–152

User experience, definition, 1

### V

#### Validation

createTicket function, 217

LOV, 217

ojLabel component, 217

required attribute, 217

valueFilter function, 182–183

ViewModel function, 96, 194

ViewModels, statictics, 229

view-ticket.js file, 145–146

View ticket mock-up, 38–39

View ticket module, 123

ViewTicketViewModel function,  
124–125, 128

Visual Builder Cloud Service (VBCS), 7

Visual Studio Code (VSC), 50–51

### W, X, Y, Z

What You See Is What You Get

(WYSIWYG), 35–36, 39, 141