

# Bibliography

## Books

- Binnie, Chris, *Practical Linux Topics*, Apress 2016, ISBN 978-1-4842-1772-6
- Both, David, *The Linux Philosophy for SysAdmins*, Apress, 2018, ISBN 978-1-4842-3729-8
- Gancarz, Mike, *Linux and the Unix Philosophy*, Digital Press – an imprint of Elsevier Science, 2003, ISBN 1-55558-273-7
- Kernighan, Brian W.; Pike, Rob (1984), *The UNIX Programming Environment*, Prentice Hall, Inc., ISBN 0-13-937699-2
- Libes, Don, *Exploring Expect*, O'Reilly, 2010, ISBN 978-1565920903
- Nemeth, Evi [et al.], *The Unix and Linux System Administration Handbook*, Pearson Education, Inc., ISBN 978-0-13-148005-6
- Matotek, Dennis, Turnbull, James, Lieverdink, Peter; *Pro Linux System Administration*, Apress, ISBN 978-1-4842-2008-5
- Raymond, Eric S., *The Art of Unix Programming*, Addison-Wesley, September 17, 2003, ISBN 0-13-142901-9
- Siever, Figgins, Love & Robbins, *Linux in a Nutshell 6th Edition*, (O'Reilly, 2009), ISBN 978-0-596-15448-6
- Sobell, Mark G., *A Practical Guide to Linux Commands, Editors, and Shell Programming Third Edition*, Prentice Hall; ISBN 978-0-13-308504-4
- van Vugt, Sander, *Beginning the Linux Command Line*, Apress, ISBN 978-1-4302-6829-1
- Whitehurst, Jim, *The Open Organization*, Harvard Business Review Press (June 2, 2015), ISBN 978-1625275271
- Torvalds, Linus and Diamond, David, *Just for Fun*, HarperCollins, 2001, ISBN 0-06-662072-4

## Web sites

BackBlaze, Web site, *What SMART Stats Tell Us About Hard Drives*, [www.backblaze.com/blog/what-smart-stats-indicate-hard-drive-failures/](http://www.backblaze.com/blog/what-smart-stats-indicate-hard-drive-failures/)

Both, David, *8 reasons to use LXDE*, <https://opensource.com/article/17/3/8-reasons-use-lxde>

Both, David, *9 reasons to use KDE*, <https://opensource.com/life/15/4/9-reasons-to-use-kde>

Both, David, *10 reasons to use Cinnamon as your Linux desktop environment*, <https://opensource.com/article/17/1/cinnamon-desktop-environment>

Both, David, *11 reasons to use the GNOME 3 desktop environment for Linux*, <https://opensource.com/article/17/5/reasons-gnome>

Both, David, *An introduction to Linux network routing*, <https://opensource.com/business/16/8/introduction-linux-network-routing>

Both, David, *Complete Kickstart*, [www.linux-databook.info/?page\\_id=9](http://www.linux-databook.info/?page_id=9)

Both, David, *Making your Linux Box Into a Router*, [www.linux-databook.info/?page\\_id=697](http://www.linux-databook.info/?page_id=697)

Both, David, *Network Interface Card (NIC) name assignments*, [www.linux-databook.info/?page\\_id=4243](http://www.linux-databook.info/?page_id=4243)

Both, David, *Using hard and soft links in the Linux filesystem*, [www.linux-databook.info/?page\\_id=5087](http://www.linux-databook.info/?page_id=5087)

Both, David, *Using rsync to back up your Linux system*, <https://opensource.com/article/17/1/rsync-backup-linux>

Bowen, Rich, *RTFM? How to write a manual worth reading*, <https://opensource.com/business/15/5/write-better-docs>

Charity, *Ops: It's everyone's job now*, <https://opensource.com/article/17/7/state-systems-administration>

Dartmouth University, *Biography of Douglas McIlroy*, [www.cs.dartmouth.edu/~doug/biography](http://www.cs.dartmouth.edu/~doug/biography)

DataBook for Linux, [www.linux-databook.info/](http://www.linux-databook.info/)

Digital Ocean, *How To Use journalctl to View and Manipulate Systemd Logs*, [www.digitalocean.com/community/tutorials/how-to-use-journalctl-to-view-and-manipulate-systemd-logs](http://www.digitalocean.com/community/tutorials/how-to-use-journalctl-to-view-and-manipulate-systemd-logs)

Edwards, Darwin, *Electronic Design, PCB Design And Its Impact On Device Reliability*, [www.electronicdesign.com/boards/pcb-design-and-its-impact-device-reliability](http://www.electronicdesign.com/boards/pcb-design-and-its-impact-device-reliability)

- Engineering and Technology Wiki, *IBM 1800*, [http://ethw.org/IBM\\_1800](http://ethw.org/IBM_1800)
- Fedora Magazine, *Tilix*, <https://fedoramagazine.org/try-tilix-new-terminal-emulator-fedora/>
- Fogel, Kark, *Producing Open Source Software*, <https://producingoss.com/en/index.html>
- Free On-Line Dictionary of Computing, *Instruction Set*, <http://foldoc.org/instruction+set>
- Free Software Foundation, *Free Software Licensing Resources*, [www.fsf.org/licensing/education](http://www.fsf.org/licensing/education)
- gnu.org, *Bash Reference Manual – Command Line Editing*, [www.gnu.org/software/bash/manual/html\\_node/Command-Line-Editing.html](http://www.gnu.org/software/bash/manual/html_node/Command-Line-Editing.html)
- Harris, William, *How the Scientific Method Works*, <https://science.howstuffworks.com/innovation/scientific-experiments/scientific-method6.htm>
- Heartbleed web site, <http://heartbleed.com/>
- How-two Forge, *Linux Basics: How To Create and Install SSH Keys on the Shell*, [www.howtoforge.com/linux-basics-how-to-install-ssh-keys-on-the-shell](http://www.howtoforge.com/linux-basics-how-to-install-ssh-keys-on-the-shell)
- Kroah-Hartman, Greg, *Linux Journal, Kernel Korner – udev – Persistent Naming in User Space*, [www.linuxjournal.com/article/7316](http://www.linuxjournal.com/article/7316)
- Krumins, Peter, *Bash emacs editing*, [www.catonmat.net/blog/bash-emacs-editing-mode-cheat-sheet/](http://www.catonmat.net/blog/bash-emacs-editing-mode-cheat-sheet/)
- Krumins, Peter, *Bash history*, [www.catonmat.net/blog/the-definitive-guide-to-bash-command-line-history/](http://www.catonmat.net/blog/the-definitive-guide-to-bash-command-line-history/)
- Krumins, Peter, *Bash vi editing*, [www.catonmat.net/blog/bash-vi-editing-mode-cheat-sheet/](http://www.catonmat.net/blog/bash-vi-editing-mode-cheat-sheet/)
- Kernel.org, *Linux allocated devices (4.x+ version)*, [www.kernel.org/doc/html/v4.11/admin-guide/devices.html](http://www.kernel.org/doc/html/v4.11/admin-guide/devices.html)
- Linux Foundation, *Filesystem Hierarchical Standard (3.0)*, <http://refspecs.linuxfoundation.org/fhs.shtml>
- Linux Foundation, *MIT License*, <https://spdx.org/licenses/MIT>
- The Linux Information Project, *GCC Definition*, [www.linfo.org/gcc.html](http://www.linfo.org/gcc.html)
- Linuxtopia, *Basics of the Unix Philosophy*, [www.linuxtopia.org/online\\_books/programming\\_books/art\\_of\\_unix\\_programming/ch01s06.html](http://www.linuxtopia.org/online_books/programming_books/art_of_unix_programming/ch01s06.html)
- LSB Work group - The Linux Foundation, *Filesystem Hierarchical Standard V3.0*, 3, [https://refspecs.linuxfoundation.org/FHS\\_3.0/fhs-3.0.pdf](https://refspecs.linuxfoundation.org/FHS_3.0/fhs-3.0.pdf)
- Opensource.com, <https://opensource.com/>

## BIBLIOGRAPHY

Opensource.com, *Appreciating the full power of open*, <https://opensource.com/open-organization/16/5/appreciating-full-power-open>

Opensource.com, David Both, *SpamAssassin, MIMEDefang, and Procmail: Best Trio of 2017*, Opensource.com, <https://opensource.com/article/17/11/spamassassin-mimedefang-and-procmail>

Opensource.org, *Licenses*, <https://opensource.org/licenses>

opensource.org, *The Open Source Definition (Annotated)*, <https://opensource.org/osd-annotated>

OSnews, *Editorial: Thoughts on Systemd and the Freedom to Choose*, [www.osnews.com/story/28026/Editorial\\_Thoughts\\_on\\_Systemd\\_and\\_the\\_Freedom\\_to\\_Choose](http://www.osnews.com/story/28026/Editorial_Thoughts_on_Systemd_and_the_Freedom_to_Choose)

Peterson, Christine, Opensource.com, *How I coined the term 'open source'*, <https://opensource.com/article/18/2/coining-term-open-source-software>

Petyerson, Scott K, *The source code is the license*, Opensource.com, <https://opensource.com/article/17/12/source-code-license>

Princeton University, *Interview with Douglas McIlroy*, [www.princeton.edu/~hos/frs122/precis/mcilroy.htm](http://www.princeton.edu/~hos/frs122/precis/mcilroy.htm)

Raspberry Pi Foundation, [www.raspberrypi.org/](http://www.raspberrypi.org/)

Raymond, Eric S., *The Art of Unix Programming*, [www.catb.org/esr/writings/taoup/html/index.html/](http://www.catb.org/esr/writings/taoup/html/index.html/)

Wikipedia, *The Unix Philosophy, Section: Eric Raymond's 17 Unix Rules*, [https://en.wikipedia.org/wiki/Unix\\_philosophy#Eric\\_Raymond%E2%80%99s\\_17\\_Unix\\_Rules](https://en.wikipedia.org/wiki/Unix_philosophy#Eric_Raymond%E2%80%99s_17_Unix_Rules)

Raymond, Eric S., *The Art of Unix Programming, Section The Rule of Separation*, [www.catb.org/~esr/writings/taoup/html/ch01s06.html#id2877777](http://www.catb.org/~esr/writings/taoup/html/ch01s06.html#id2877777)

*Understanding SMART Reports*, [https://lime-technology.com/wiki/Understanding\\_SMART\\_Reports](https://lime-technology.com/wiki/Understanding_SMART_Reports)

Unnikrishnan A, Linux.com, *Udev: Introduction to Device Management In Modern Linux System*, [www.linux.com/news/udev-introduction-device-management-modern-linux-system](http://www.linux.com/news/udev-introduction-device-management-modern-linux-system)

Venezia, Paul, *Nine traits of the veteran Unix admin*, InfoWorld, Feb 14, 2011, [www.infoworld.com/t/unix/nine-traits-the-veteran-unix-admin-276?page=0,0&source=fssr](http://www.infoworld.com/t/unix/nine-traits-the-veteran-unix-admin-276?page=0,0&source=fssr)

Wikipedia, *Alan Perlis*, [https://en.wikipedia.org/wiki/Alan\\_Perlis](https://en.wikipedia.org/wiki/Alan_Perlis)

Wikipedia, *Christine Peterson*, [https://en.wikipedia.org/wiki/Christine\\_Peterson](https://en.wikipedia.org/wiki/Christine_Peterson)

Wikipedia, *Command Line Completion*, [https://en.wikipedia.org/wiki/Command-line\\_completion](https://en.wikipedia.org/wiki/Command-line_completion)

Wikipedia, *Comparison of command shells*, [https://en.wikipedia.org/wiki/Comparison\\_of\\_command\\_shells](https://en.wikipedia.org/wiki/Comparison_of_command_shells)

Wikipedia, *Dennis Ritchie*, [https://en.wikipedia.org/wiki/Dennis\\_Ritchie](https://en.wikipedia.org/wiki/Dennis_Ritchie)

Wikipedia, *Device File*, [https://en.wikipedia.org/wiki/Device\\_file](https://en.wikipedia.org/wiki/Device_file)

Wikipedia, *Gnome-terminal*, <https://en.wikipedia.org/wiki/Gnome-terminal>

Wikipedia, *Hard Links*, [https://en.wikipedia.org/wiki/Hard\\_link](https://en.wikipedia.org/wiki/Hard_link)

Wikipedia, *Heartbleed*, <https://en.wikipedia.org/wiki/Heartbleed>

Wikipedia, *Initial ramdisk*, [https://en.wikipedia.org/wiki/Initial\\_ramdisk](https://en.wikipedia.org/wiki/Initial_ramdisk)

Wikipedia, *Ken Thompson*, [https://en.wikipedia.org/wiki/Ken\\_Thompson](https://en.wikipedia.org/wiki/Ken_Thompson)

Wikipedia, *Konsole*, <https://en.wikipedia.org/wiki/Konsole>

Wikipedia, *Linux console*, [https://en.wikipedia.org/wiki/Linux\\_console](https://en.wikipedia.org/wiki/Linux_console)

Wikipedia, *List of Linux-supported computer architectures*, [https://en.wikipedia.org/wiki/List\\_of\\_Linux-supported\\_computer\\_architectures](https://en.wikipedia.org/wiki/List_of_Linux-supported_computer_architectures)

Wikipedia, *Maslow's hierarchy of needs*, [https://en.wikipedia.org/wiki/Maslow's\\_hierarchy\\_of\\_needs](https://en.wikipedia.org/wiki/Maslow's_hierarchy_of_needs)

Wikipedia, *Open Data*, [https://en.wikipedia.org/wiki/Open\\_data](https://en.wikipedia.org/wiki/Open_data)

Wikipedia, *PHP*, <https://en.wikipedia.org/wiki/PHP>

Wikipedia, *PL/I*, <https://en.wikipedia.org/wiki/PL/I>

Wikipedia, *Programma 101*, [https://en.wikipedia.org/wiki/Programma\\_101](https://en.wikipedia.org/wiki/Programma_101)

Wikipedia, *Richard M. Stallman*, [https://en.wikipedia.org/wiki/Richard\\_Stallman](https://en.wikipedia.org/wiki/Richard_Stallman)

Wikipedia, *Rob Pike*, [https://en.wikipedia.org/wiki/Rob\\_Pike](https://en.wikipedia.org/wiki/Rob_Pike)

Wikipedia, *rsync*, <https://en.wikipedia.org/wiki/Rsync>

Wikipedia, *Rxvt*, <https://en.wikipedia.org/wiki/Rxvt>

Wikipedia, *SMART*, <https://en.wikipedia.org/wiki/SMART>

Wikipedia, *Software testing*, [https://en.wikipedia.org/wiki/Software\\_testing](https://en.wikipedia.org/wiki/Software_testing)

Wikipedia, *Terminator*, [https://en.wikipedia.org/wiki/Terminator\\_\(terminal\\_emulator\)](https://en.wikipedia.org/wiki/Terminator_(terminal_emulator))

Wikipedia, *Tony Hoare*, [https://en.wikipedia.org/wiki/Tony\\_Hoare](https://en.wikipedia.org/wiki/Tony_Hoare)

Wikipedia, *Unit Record Equipment*, [https://en.wikipedia.org/wiki/Unit\\_record\\_equipment](https://en.wikipedia.org/wiki/Unit_record_equipment)

Wikipedia, *Unix*, <https://en.wikipedia.org/wiki/Unix>

## BIBLIOGRAPHY

Wikipedia, *Windows Registry*, [https://en.wikipedia.org/wiki/Windows\\_Registry](https://en.wikipedia.org/wiki/Windows_Registry)

Wikipedia, *Xterm*, <https://en.wikipedia.org/wiki/Xterm>

WikiQuote, *C.\_A.\_R.\_Hoare*, [https://en.wikiquote.org/wiki/C.\\_A.\\_R.\\_Hoare](https://en.wikiquote.org/wiki/C._A._R._Hoare)

WordPress, *Home page*, <https://wordpress.org/>

# Index

## A

### Address

- hardware, 27, 31

- IP, 8, 10–12, 21, 24, 26, 28–30, 34, 39, 41, 44, 48, 66, 88, 90, 95, 98, 99, 101, 112, 115, 136, 184, 223, 333, 337, 354, 403

- IPV4, 9, 15, 16, 44

- IPV6, 16, 44, 93, 94, 353

- localhost, 43

- locally administered, 11–12, 37, 39

- loopback, 11, 101

- MAC, 10–13, 24, 26, 28, 29, 95, 375

- network, 10, 19, 50, 112, 113

- universally administered, 220

### Alias

- alias, 35, 41, 44, 57, 60, 62, 83, 136, 155, 156, 161, 225, 227, 228, 232, 256

- command, 62, 83

- host, 35, 41, 44

- user, 125, 155, 156, 161

### anaconda system installer

- anaconda, 22, 173, 269, 285, 291, 292, 300, 301

### Anti-virus

- anti-virus, 369

- Clam-AV, 369–371

### Apache web server

- Apache, 215–233, 306–312

- CGI scripting

- Bash, 356, 360, 383, 385, 390–392

- Perl, 229

- configuration, 223–224

- dynamic, 228

- index file, 219–221, 232, 239

- multiple web sites, 224, 233

- static, 221

- testing, 216–218

- virtual host, 224–227

- Authentication, 71, 168, 170–175, 323

### Automation

- Automate everything, 198, 360

- automation, 403, 404

- Bash scripts, 383, 385, 390, 391

- Chrony, 329, 330, 334–336

- scripts, 310

- shell scripts, 159, 384, 388

## B

### Backup

- backup, 67, 195, 355, 359–363, 381

- procedures, 362

- recovery testing, 363

- remote, 83–84

- rsbu, 360, 362

- rsync, 67, 355–360, 362

- tar, 67, 83, 84

- Bash, 68, 71, 76, 81, 83, 228, 288, 356, 360, 383, 390, 392

## INDEX

### Bash (*cont.*)

- configuration files
  - `/.bash_profile`, 76
  - `/.bashrc`, 76
  - `/etc/bashrc`, 75, 76
  - `/etc/profile`, 76
- global configuration directory
  - `/etc/profile.d`, 75, 76
- history, 304, 305
- program, 231, 293, 391
- shell options, 81, 83, 203, 288
- shell scripts, 390, 391
- tab completion, 93

### Binary

- executable, 384

- Boot, 3, 21, 30, 53, 69, 71, 112, 144, 217, 237, 255, 292, 333, 350, 353

## C

### Certificate

- authority, 171, 173
- self-signed, 159, 160, 171–173, 282

### Chicago, 327

### chroot, 346–349

### CIDR

- CIDR, 48, 354

### Cisco, 173

### Classroom, 258, 406

### CLI, 218, 229, 239, 269, 288

### Code

- source, 206, 384, 398

- Command, 5, 13, 14, 17, 28, 40, 83, 90, 111, 129, 138, 156, 162, 182, 217, 240, 252, 278, 288, 291, 300, 306, 332, 334, 338, 342, 356, 358, 367, 375, 378, 386, 394, 397

- Command line, 5, 13, 24, 52, 80, 84, 89, 135, 162, 240, 284, 287, 307, 308, 334, 338, 403

- interface, 13, 89, 92

- recall and editing, 338

- Command prompt, 80, 139, 161, 239, 338

- Comments, 46, 76, 120, 225, 259, 273, 289, 293

### Configuration files and directories

- `/.bash_profile`, 76

- `/.bashrc`, 76

- `/.procmailrc`, 203

- `/.ssh`, 74

- `/.ssh/known_hosts`, 69, 70

- `/etc/aliases`, 155, 156, 253, 254, 256

- `/etc/bashrc`, 74, 76

- `/etc/chrony.conf`, 330, 334, 336, 337

- `/etc/cron.d`, 255

- `/etc/cron.daily`, 369, 392, 393, 397

- `/etc/dhcp/dhcpd.conf`, 21, 103, 105

- `/etc/email/mimedefang-filter`, 193

- `/etc/exports`, 285

- `/etc/freshclam.conf`, 369

- `/etc/fstab`, 269, 292

- `/etc/hosts`, 34–37, 46

- `/etc/httpd/conf.d/mailman.conf`, 253

- `/etc/httpd/conf/httpd.conf`, 224

- `/etc/localtime`, 340, 343

- `/etc/mail`, 137, 144, 194

- `/etc/mail/local-host-names`, 136

- `/etc/mailman/mm_cfg.py`, 259

- `/etc/mail/mimedefang-filter`, 193

- `/etc/mail/sa-mimedefang.cf`, 197

- `/etc/mail/sendmail.mc`, 136, 147

- `/etc/mail/spamassassin/local.cf`, 193, 206, 208

- `/etc/motd`, 386, 393



- /etc/named.conf, 47, 48, 57, 58, 63, 106, 349
  - /etc/passwd, 378
  - /etc/procmailrc, 203
  - /etc/profile, 76
  - /etc/profile.d, 75
  - /etc/profile.d/myBashConfig.sh, 76
  - /etc/resolv.conf, 37, 47, 56, 60, 95, 337
  - /etc/samba/smb.conf, 296, 298
  - /etc/selinux/config, 377, 379
  - /etc/selinux/targeted/seusers, 379
  - /etc/shadow, 378
  - /etc/smrsh/procmail, 206
  - /etc/ssh, 70, 71
  - /etc/ssl/certs/vsftpd.crt, 282, 283
  - /etc/ssl/private/vsftpd.key, 282, 283
  - /etc/sysconfig/, 218, 355
  - /etc/sysconfig/iptables, 51, 112, 121, 146, 165, 218, 288, 289, 317, 354
  - /etc/sysconfig/network-scripts, 13, 14, 89, 91, 92, 110
  - /etc/sysconfig/network-scripts/ifcfg-enp0s3, 17, 47, 91, 93, 353
  - /etc/sysctl.d/, 111
  - /etc/sysctl.d/98-network.conf, 350, 352
  - /etc/yum.repos.d, 390
  - /var/named, 57, 346
  - /var/named/example.com.rev, 62
  - /var/named/example.com.zone, 58, 108, 145
  - Console, 154
    - virtual, 154
  - CPU, 2, 388, 390, 405, 406
    - usage, 234
  - cron, 84, 86, 335, 339, 362
    - cron.d, 339, 392
  - Curiosity, 401–403, 406
- ## D
- Data
    - random, 363
    - stream, 84, 135, 162, 270, 278, 370, 371, 386
  - Datagram, 165
  - DBUS, 323
  - D-bus, 52, 181
  - Desktop
    - KDE, 324
    - LXDE, 324
    - Xfce, 324
  - Desktop Management Interface
    - dmidecode, 389
  - Developer, 12, 263, 384, 405, 406
  - Device
    - data flow, 127
    - disk, 2
    - file
      - creation, 57–58, 62–63, 219–221
      - special rules
        - pts, 200, 210
  - DevOps, 327, 404
  - DHCP
    - client configuration, 29–31
    - server configuration, 24–29
  - Directory
    - date sequence, 360
    - home, 75, 76, 82, 172, 202, 203, 205, 207, 275, 282, 288, 295, 299, 301, 305–306, 317, 320, 357, 358, 382, 385, 387
    - listing, 275, 281
    - sort, 192, 307
  - DNF, 22, 23, 47, 51, 79, 119, 135, 163, 166, 183, 191, 193, 216, 252, 272, 274, 285, 293, 316, 320, 365, 369, 372, 376, 383, 390, 392, 396, 398

## INDEX

### Domain

- domain name, 21, 25, 26, 33, 34, 36, 38, 41–43, 45, 54, 57, 137, 142, 143, 231, 258, 337
- FQDN, 38, 41, 43, 44, 60, 137, 142, 147, 156
- Fully Qualified Domain Name, 38, 43, 137

- Domain Name Services (DNS), 15–18, 21, 24–26, 34, 36, 38–42, 44, 46–48, 50–58, 95, 101, 106–110, 127, 128, 142, 145–147, 221–222, 318, 328, 346, 403

### Drive

- hard, 4, 30, 356, 362, 363, 386
- partitioning, 4
- USB, 5, 356, 362

## E

Edison, Thomas A., 402

### Editor

- Emacs, 21
- favorite, 334
- text, 21, 25, 136, 156, 204
- vi, 241
- Vim, 195
- vim, 21, 92, 103, 195

Elegant, 72, 84

Emacs, 21

### Email

- client
  - mail, 160, 163, 169, 171
  - malix, 160–162
  - Thunderbird, 166–170
- data flow, 127–128
- filtering
  - client side, 188
  - server side, 190

headers, 129–134

message ID, 132

MIME, 129, 131

MTA, 127, 129, 132–134, 150–153

Procmail, 191–193, 203–206

SendMail, 134–144

server, 125–127, 129, 132–135, 145, 154, 159, 160, 163, 168, 171, 188–191, 193, 203, 207, 212

spam, 129, 134

structure, 129–134

Environment, 1, 7, 8, 10, 46, 50, 56, 63, 87, 154, 160, 185, 193, 223, 251, 321, 328, 329, 346, 374, 384

example.com, 18, 25, 38, 42–45, 57, 58, 60, 61, 95, 127, 133, 142, 143, 145, 155, 159, 168, 243, 245, 258

## F

Fail2Ban, 88, 119–123, 132

### Fedora

- 29, 14, 89, 138, 271
- 30, 191, 367
- Release, 191, 271

### File

everything is a file, 180

#### format

- ASCII text, 21, 89, 129
- binary, 274, 276, 279, 281

globbing, 309

handle, 278

multiple hard links, 359

naming, 111

ownership, 60, 62, 219, 226, 229, 237, 386

permissions, 391

sharing, 265–313

- Midnight Commander, 302–306
  - Thunar, 78–81
  - Filesystem
    - creating, 3
    - directory structure
      - /(root), 4
      - /dev, 64, 268, 269, 346
      - /etc, 34–36
      - /etc/cron.daily, 369, 392, 393, 397
      - /home, 4, 181
      - /mnt, 291, 301
      - /proc, 111, 112, 184, 352, 406
      - /sys, 378
      - /tmp, 4, 237, 304, 305, 363
      - /usr/local/bin, 391–393, 397
      - /var, 39, 48, 57, 58, 62, 63, 272, 285, 346, 349
    - inode, 268, 269
    - journal, 269
    - Linux, 346
    - types
      - EXT4, 4, 269
      - NFS, 266–268, 284–292
  - Filter, 74, 77, 113, 115, 116, 120–123, 131, 134, 146, 165, 177, 188, 189, 192–202, 205, 218, 262, 263, 280, 295, 317, 328, 354
  - Finding files, 14, 259, 362, 363, 390
  - Firewall
    - firewalld, 50–52, 113
    - iptables, 113–115, 218, 272, 288, 352–355
    - rules
      - adding, 112, 119, 175, 289
      - managing, 50, 51
    - tables
      - filter, 113
      - mangle, 114
      - nat, 113–114
      - raw, 114
      - security, 114
  - FQDN, *see* Fully qualified domain name (FQDN)
  - Free Open Source Software, 215, 403
  - FTP
    - active mode, 277–278
    - anonymous, 280–281
    - passive mode, 278
  - Fully qualified domain name (FQDN), 38, 41, 43, 44, 60, 137, 142, 147, 156
- ## G
- Getty, 379
  - GNU
    - General Public License, 338
    - utilities, 230, 364
  - GUI
    - desktop
      - KDE, 324
      - LXDE, 324
- ## H
- Hard drive
    - crashes, 363
  - Hardware
    - architecture, 18
    - detection, 371
    - dmidecode, 389
  - Help
    - facility, 306
    - option (-h), 357, 397
  - Hierarchy
    - Linux Philosophy for SysAdmins, 50, 402
    - of needs, 328

## INDEX

### Host

- naming, 3, 127, 129,  
136–138, 142, 224
  - StudentVM1, 26, 27, 31, 55,  
81, 104, 277
  - StudentVM2, 43, 69, 81,  
139, 275, 325
  - StudentVM3, 353
- HTML, 129, 191, 217, 219–223, 225–229,  
231–233, 236, 239, 241, 242, 263,  
271, 276, 307, 308, 330, 337, 340
- HTTP, 215–218, 222, 223, 266, 267, 309,  
310, 365, 403
- HTTPD, 215–217, 222, 224, 225, 228, 231,  
233, 235, 238, 239, 253, 307, 312,  
313, 375, 379

### I

- inode, 268, 269, 335
- Internet Assigned Numbers  
Authority, 40
- IANA, 40
- Interrupt  
hardware, 61
- IPTables, 50–52, 112–115, 121–123, 146,  
147, 165, 218, 272, 280, 288–290,  
295, 317, 352, 354, 355, 381
- ISO
- Fedora Xfce, 3, 5
  - file, 3, 267, 330
  - image, 3, 30, 267

### J

- Journal
- EXT4 filesystem, 4, 268, 269
  - system, 269

### K

- Kenlon, Seth, 50
- Kernel
- compiling, 405–406
  - kernel, 5, 12, 29, 96, 110–112,  
123, 138, 177, 331, 375, 378,  
379, 405–406
  - tuning, 406

### L

- Languages
- compiled, 135
  - scripting, 228
- Link
- hard, 84, 357, 359, 361, 362
  - multiple hard links, 359
  - soft, 357, 359
  - symbolic, 205, 340
  - symlink, 27, 52, 69, 198, 225, 227, 229,  
232, 285, 340, 347

### Linux

- boot, 3
- command line, 32, 284
- directory tree, 340, 356, 387, 391
- distribution
  - CentOS, 191, 206, 329, 330,  
375, 383, 403
  - Fedora, 71, 135, 151, 191,  
206, 237, 252, 324, 330, 375,  
378, 403, 404
  - Pop!\_OS, 89
  - Red Hat, 14, 22, 41, 135,  
189, 191, 206, 252, 316, 330,  
375, 385, 404
  - RHEL, 316, 329, 330, 375
  - Ubuntu, 89

- kernel, 5, 12, 29, 96, 110–112, 118, 138, 177, 331, 375, 378, 379, 405, 406
- startup
  - system, 137
  - supercomputers, 405
- Listserv, 157, 262, 264
- Live image
  - Fedora, 3, 30, 353
- Log files
  - following, 148, 149
  - /var/log/maillog, 137, 148, 205, 207
  - /var/log/secure, 122
- Logical Volume Management
  - Logical Volume Management, 4, 177
  - volume
    - group, 4, 268
    - logical, 4, 268
- Login
  - defaults, 324
  - success, 274, 279
- Logwatch, 123, 148, 155, 161, 188

## M

- Mackerras, Paul, 356
- Mailing list, 216, 251–264
- MailMan
  - create a mailing list, 256
  - installation, 252
  - integrating with Apache, 252–253
  - list defaults, 259–260
  - rejections, 262–263
  - user interface, 260–263
- Mail Transfer Agent (MTA), 127, 134, 135, 150, 158, 160, 189, 190
- Man pages, 14, 312, 343, 376
- MariaDB, 236–241, 247–249
- Memory

- CRT, 282, 283
- RAM, 3
- Microsoft
  - Windows, 32, 80, 81, 85, 215, 293–295, 298–300, 320
- Midnight Commander, 302–306, 313, 314
- MOTD, 385, 386, 392–394, 397
- Motherboard, 339
- Mount point, 268, 285, 291, 301, 302
- MySQL, 236–241, 247

## N

- Name server
  - caching, 33, 46–48, 53, 55, 57
  - name server, 29, 34, 37–39, 46–48, 53, 55, 57, 60, 64, 66, 106, 349
  - primary, 33, 57
  - root servers, 37, 39, 48, 54
  - top level, 37–39, 41, 56–57, 59
- Name services
  - Berkeley Internet Name Domain, 34, 64, 347
  - BIND, 34, 64, 347
  - DNS, 24, 33–66, 127
  - DNS database, 38–42, 44, 46, 127
  - forwarder, 48, 54–57, 107
  - forward zone file, 57–60, 108
  - named, 37, 47, 50
  - named-chroot, 346, 347
  - name search, 36–38
  - name services, 53–55
  - record types, 42–46
  - resolver, 34, 48, 53, 107
  - reverse zone, 42, 45, 57–65
  - root server, 39, 48, 54
  - zone, 42, 43, 46
  - zone file, 38, 39, 42, 43, 45, 57–60

## INDEX

Namespace, 165

NAT

Network, 3

Network

adapter, 5, 10, 12, 100–102, 123

interface, 12, 13, 15, 16, 52, 88–90, 94,  
99, 101, 110, 115, 116, 136, 158,  
175, 184, 298, 350

interface card, 13, 101, 175

interface configuration file, 13–17, 19,  
88–95

NAT, 3, 112–115, 122, 123, 146, 289

NAT network, 3

network, 7, 21, 24, 29, 52, 73, 87, 96, 99,  
136, 170, 175, 183, 267, 329, 350,  
352, 356, 403

NIC, 12, 13, 15, 16, 22, 89, 100, 101,  
175, 223

port, 175, 177, 183, 186, 381

startup, 5, 22, 94, 137, 247, 313, 353

Network Address Translation, 112, 113

NetworkManager, 8, 17, 89, 100

Network Time Protocol, 21, 24, 32, 268,  
269, 318, 327–344

NFS

filesystem, 284

mounting, 284

NFS, 267, 268, 284

server, 284–290

NTP

Chrony, 182, 329–332, 334, 336, 338, 343

configuring, 24, 334–338

implementation choices, 329, 330

NTP, 21, 24, 32, 268, 269, 318, 327–344

protocol, 21, 24, 32, 268, 269, 318,  
327–344

reference source, 337

server, 328

server hierarchy, 328

sources, 332, 333, 336

stratum, 328, 332–337

## O

Octal, 333

Open Source

Definition, 236

license, 215, 389

project, 236, 389

software, 119, 215, 356, 389, 403, 404

Opensource.com, 34, 36–50, 211, 349, 375,  
404, 405

OpenSSL, 159, 172, 173, 282

Operating system, 5, 37, 132, 215, 316, 339

Definition, 339

Distributions

CentOS, 191, 206, 375

Fedora, 14, 71, 135, 151, 191, 206,  
252, 315, 324

RHEL, 330, 375

Ubuntu, 89

## P, Q

Packages, 22, 135, 190, 192, 193, 216, 285,  
293, 329, 383–386, 388, 390, 398

installing, 22, 191, 285, 293, 383, 386

removing, 384, 393

RPM, 191, 192, 329, 384, 390, 398

Partition

Size, 4

Password

defaults, 68, 71, 203, 239, 245

encryption, 71, 175

security, 71

setting, 4, 203, 239, 296, 317

- Path, 49, 98, 112, 139, 141, 142, 149, 155,
  - 158, 177, 199, 202, 204, 212, 242,
  - 294, 295, 297, 298, 351, 361, 368,
  - 398, 402
- PCI, 12
- Perl
  - CGI scripts, 228, 230, 233
- Permissions
  - directory, 112, 226, 391
  - file, 85, 112, 252, 357, 391
  - group, 252, 391
  - user, 85, 226, 364
- PHB
  - PHB, 157
  - Pointy Haired Boss, 328
- Philosophy
  - Linux, 50, 402
- PHP, 228, 235, 236, 366
- PID, 27, 65, 164, 181, 182, 217, 238, 255,
  - 273, 347
- Pipe
  - named, 51
- Plain text, 21, 89, 129, 131, 150, 159, 166,
  - 170, 175, 220, 222
- Pointy Haired Boss, 328
- Portable, 21
- Postscript, 392
- Present working directory (PWD), 14, 25,
  - 75, 92, 111, 119, 137, 147, 194, 200,
  - 202, 205, 207, 208, 219, 226, 237,
  - 241, 247, 252, 253, 256, 274, 281,
  - 288, 290, 293, 294, 299, 306, 308,
  - 385, 394
- Privilege, 240, 271, 346, 379
- Privilege escalation, 271, 346
- Problem
  - determination, 62, 129, 197
  - resolution, 169, 402, 406
- Procedure, 247, 248, 362
- Processes, 134, 157, 177, 188, 194, 224,
  - 360, 375, 377, 379, 383, 384, 390,
  - 393, 403
- ID, 320
- priority, 45, 46
- Processor, 5, 235, 236
- proc filesystem
  - ip\_forward, 111, 112, 352
  - proc, 111, 112, 184, 352, 406
- procmail, 191–193, 195, 197, 203–206
- Program
  - CLI, 269, 288
- Protocols
  - CIFS, 293, 302
  - DHCP, 7–10, 13, 14, 21–32, 46, 55–56,
    - 88–90, 94–96, 99–106, 330, 353, 403
  - DNS, 15–18, 21, 24, 26, 34, 38–42, 44,
    - 46, 50–53, 55–58, 95, 106–110,
    - 127–128, 145–147, 221–222, 328,
    - 346–349, 403
  - FISH, 303
  - FTP, 36, 266–268, 271–281,
    - 301–306, 312
  - FTPS, 266, 267, 271
  - GOPHER, 310
  - HTTP, 215, 216, 223, 224, 235, 239, 266,
    - 267, 365, 403
  - IMAP, 125, 127, 128, 160, 163–166, 169,
    - 171–175, 185, 190, 212, 403
  - IMAPS, 171, 175, 185, 365
  - LDAP, 310
  - LDAPS, 310
  - NFS, 266–268, 284–292, 306
  - NTP, 21, 24, 328–330, 334–336, 339, 403
  - POP, 89, 125, 126, 163
  - POP3, 164, 310
  - POP3S, 164, 310

## INDEX

### Protocols (*cont.*)

- SCP, 76, 266, 310
  - SFTP, 267, 302, 303, 306, 310
  - SMB, 293, 302, 310
  - SMBS, 310
  - SMTP, 125–128, 146, 150–154, 166, 169–171, 175, 222, 310, 403
  - SSH, 36, 50, 67–85, 116, 118–120, 160, 175, 266, 267, 302, 303, 315, 321, 363–364
  - TCP, 50, 70–72, 87, 150, 163, 175, 182, 183, 215, 277–280, 287, 336
  - TCP/IP, 87
  - Telnet, 71, 116, 163, 166, 175, 222–224
  - TFTP, 310
  - VSFTP, 266, 268, 271–273, 276, 278, 282–284, 304, 310
- ### Public/private Keypairs
- `id_rsa`, 73, 74
  - `id_rsa.pub`, 73, 74, 77
  - PPKP, 68–77
  - private key, 69, 72–74
  - public key, 71–74, 76
- PWD, *see* Present working directory (PWD)
- Python, 228, 252

## R

- RAM, 2, 3
- Random, 73, 75, 180, 275, 279, 363
- Randomness, 328
- Reason
  - integrated, 407
- Reboot, 4, 23, 29, 47, 100, 110, 111, 119, 135, 138, 163, 287, 313, 350, 352, 377, 379, 380
- Recovery, 99, 363
- Red Hat Package Manager

- DNF, 396
- RPM, 192, 206, 263, 329, 369, 383, 384, 386, 388–390, 392–398
- YUM, 383

### Redirection, 153

### Regular expressions

- definition, 209
- file globbing, 312
- glob, 312
- metacharacters, 211
- pattern, 209, 211
- pattern matching, 211
- regular expressions, 310, 313
- sets, 310, 312
- wildcard, 309

### Remote desktop access, 315–325

### Repository

- Fedora, 237, 263, 329, 370, 403
- Requirements, 10, 63, 126, 150, 185, 190–192, 221, 235

### Return code, 153, 192

### rkhunter, 365, 367–369

### root

- `chkrootkit`, 365, 367
- `rootkit`, 367, 368
- `su-`, 11, 22, 28, 184, 366
- working as, 11

### Route

- default, 12, 15, 16, 28, 94, 96, 118
- gateway, 12, 13, 87, 88, 95, 97, 99
- router, 8, 10, 12, 13, 18, 24, 26, 29, 32, 48, 53, 55, 60, 87, 88, 96–99, 101, 104, 109–112, 117, 118, 123, 352, 403
- routing table, 88, 96, 118, 119

### Router

- StudentVM2, 12, 88, 99, 101, 106, 112, 155



- virtual, 8, 12, 13, 15, 16, 18, 24, 26, 32, 48, 53, 55, 88, 96, 99, 101, 104, 113
- RPM
  - building, 394–396
  - groups, 389, 391
  - rebuilding the RPM database, 398
  - rpm command, 398
  - spec file, 383–385, 388, 390–392, 394, 399
  - target architecture, 390, 399
  - utils-1.0.0-1.noarch.rpm, 399
- rsync
  - directory synchronization, 360
  - options
    - delete, 358–360
    - exclude, 360
    - link-dest, 359, 360
  - using for backups, 355, 360–362
- S**
- SAMBA
  - client, 267, 293, 298, 299
  - file sharing, 265–314
  - SAMBA, 266, 267, 292–302, 306, 312
- Satellite Server, 328
- Screen, 78, 138, 246, 316, 318–320, 323–325, 366, 389
- Script, 83–86, 198, 208, 229, 230, 232, 295, 310, 318, 323, 339, 356, 360, 362, 369, 382, 386, 390, 392, 393, 398
- Security
  - anti-virus, 369
  - backups, 355–356, 359–363, 381
  - bind-chroot, 47, 346
  - chroot, 346
  - Clam-AV, 369–371
  - firewall, 352, 363
  - IPTables, 352–355
  - network hardening, 350–352
  - password, 354, 357, 358
  - rkhunter, 365, 367–369
  - rootkit, 364–369
  - security, 345–382
  - SELinux, 374–381
  - Tripwire, 371–374
- SELinux, 374–381
- SendMail, 125, 127, 134–138, 140, 143, 144, 147–149, 151, 155, 158, 159, 183, 189–192, 194, 195, 198, 199, 202, 205–206, 208, 209, 211, 252, 264
- Server
  - Apache, 215–234
  - BIND, 33–34, 42, 43, 46–49, 65, 66, 107, 108, 223, 280, 285, 346, 366
  - DHCPD, 21–31, 103–105, 182, 366, 375
  - email, 62, 125–160, 163, 171, 185, 188, 189, 191, 193, 203, 207, 212
  - named, 39, 47–50, 349
  - name services, 33–66
  - Network Time Protocol (NTP), 21, 24, 32, 327–344
  - SendMail, 134–147
  - SSH, 67–85
  - web, 44, 215–234
- Sets, 19, 26, 76, 115, 116, 131, 138, 188, 193, 197, 309, 312, 369, 375
- Settings manager, 2
- Shell
  - Bash, 68, 71, 76, 83, 203, 228, 230, 231, 233, 293
  - login, 68, 203
  - nologin, 154, 160, 203
  - non-login, 202
  - script
    - mymotd, 385, 386
    - rsbu, 360, 362

## INDEX

### Shell (*cont.*)

- secure, 67, 68, 205

- shell, 68, 159, 203, 313, 384, 390

S.M.A.R.T, 125, 134, 135, 147, 149, 155, 158

Snapshot, 99, 100

Socket, 28, 169, 177, 198, 271

### Software

- open source, 119, 215, 356, 403, 404

- proprietary, 71

- vulnerabilities, 119, 183, 185, 186, 278, 283, 380

### Spam

- combating, 187–213

- email, 187, 188, 190, 208, 209

- /etc/mail/mimedefang-filter, 193

- /etc/mail/spamassassin/local.cf, 193, 206, 208

- MIMEDefang, 130, 131, 144, 150, 187, 188, 190, 192–199, 202, 205, 208–213, 258

- Procmail, 191–197, 203–206, 212

- spam, 62, 126, 129–131, 134, 136, 170, 187–213

- SpamAssassin, 62, 188, 190, 192, 193, 197, 198, 206–213, 262
  - configuration, 62
  - rules, 113, 194

### SSH

- connection, 68–71, 73, 77, 80, 84, 118, 180, 353–355, 363

- known\_hosts, 69, 70

- restrict root login, 363–364

- secure shell, 67–86

- SSH, 67–86

- X-forwarding, 78–81, 85, 315, 324

Standard Input/Output, 159

STARTTLS, 140, 151, 152, 159, 165, 171, 173, 174

State of North Carolina, 266, 282

### STDIO

- STDIN, 135, 162

- STDIO, 159

- STDOUT, 84, 288, 371, 386

### Storage media

- disk drive, 5

- hard drive, 4, 30, 356, 362, 363, 386

- RAM, 3

### Stream

- data, 84, 85, 135, 162, 270, 278, 313, 370, 371, 386

- standard, 21, 84

- text, 21

StudentNetwork, 3, 25, 30, 353

Supercomputers, 405

### Swap

- file, 4

- partition, 4

- space, 4

Switch user, 50, 189, 329

### SysAdmin

- lazy, 44, 398

- SysAdmin, 1, 13, 21, 34, 44, 50, 54, 56, 93, 113, 129, 139, 155, 160, 162, 176, 185, 186, 189, 193, 207, 230, 246, 276, 285, 327, 329, 375, 384, 398, 402–407

### system

- mounts, 268, 269, 284, 285, 291, 292, 301, 313

- services, 155, 329

- systemd, 27, 52, 63, 64, 69, 84, 86, 104, 105, 164, 198, 217, 238, 254, 255, 273, 285, 335, 341, 347

- targets, 128, 164, 181

- timers, 84, 86, 335

System Administrator, 66, 191, 276, 316

systemctl, 27, 30, 47, 52, 53, 55, 57, 59, 61,  
64, 69, 103, 109, 110, 120, 137, 138,  
144, 148, 163, 164, 198, 199, 208, 217,  
225, 254, 255, 273, 285, 295, 334, 347

## T

Tab completion, 93

tar, 67, 83–85, 237, 362, 385

tarball, 83, 237, 356, 362, 384, 385

TCP, 50, 70–72, 163, 175, 177, 215,  
277–279, 295, 336

TCP/IP

network model, 87

TCP/IP, 87

Teletype

teletype, 187

TTY, 366

Template

documentation, 263

Tenets

Use the Linux FHS, 50

Terminal

emulator, 320

session, 11, 28, 69, 75, 80, 137, 205, 222,  
270, 294, 322, 353, 378

Teletype, 187

TTY, 366

Test

sample, 200

Thinking

critical, 407

Thunar, 78–81

Thunderbird, 131, 160, 166–174, 185, 186,  
188, 199, 202, 203, 208, 209

TigerVNC

blank view screen, 323–324

configuration, 317

connection, 318, 321

TigerVNC, 316–321

window size, 318–319

Time

at, 130, 144, 271, 343

Chrony, 329–331, 334–338

chronyc, 337, 338

chronyd, 330

cron, 335, 339

date, 341–343

hardware, 339

NTP, 328–330

servers

public, 328

system, 332, 335, 339

time, 340–343

zones, 340–343

Tridgell, Andrew, 356

Tripwire, 371–374

## U

udev

rule, 89

udev, 89

UDP, 50, 175, 177, 287, 295, 336

Unix, 12, 126, 160, 187, 215, 279, 281, 295,  
406, 407

Updates

installing, 246, 367

Updates, 63, 246, 285, 337, 356

Upgrade, 367, 397

URL, 37, 38, 217, 222, 229, 231, 242, 243,  
245, 380, 385, 389, 390

USB

external backup drive, 362

Live, 5, 30, 353

USB, 5, 30, 353, 356, 362

## INDEX

### User

- account, 73, 77, 155, 252, 281, 313
- delete, 161
- home directory, 75, 76, 82, 207, 305–306, 357
- ID, 77, 243, 295, 310
- locking, 284
- login, 22, 69, 121, 154, 203, 386
- nologin, 154, 160
- non-root, 4, 24, 154, 363, 384, 388
- password, 4, 71, 73, 154, 168, 203, 271, 295, 306, 310, 322
- privileged, 277, 278
- root, 4, 5, 11, 24, 60, 69, 70, 73, 76, 83, 90, 92, 96, 101, 119, 134, 135, 184, 194, 204, 217, 224, 241, 242, 256, 259, 268, 301, 320, 336, 353, 354, 363, 376, 396, 397
- student, 154, 156, 165, 194, 258, 296, 299, 317, 379, 384, 385, 388
- unprivileged, 95, 271, 384
- user, 68, 71, 73, 81, 85, 121, 141, 154, 155, 160, 185, 198, 203, 207, 235, 246, 260–262, 267, 284, 295, 301, 306, 323, 346, 379

### Utilities

- GNU, 230, 364

- UW IMAP, 163, 190, 212

## V

### Variables

- content, 346
- naming, 233
- \$PATH, 368
- \$PWD, 219, 226, 237, 241, 306
- set, 352

- Vim, 21, 25, 103, 106, 108, 195, 289

### Virtual

- disk, 5
- drive, 4, 5
- machine, 2, 3, 5, 30, 88, 99, 100, 134, 137, 339, 381, 383
- network, 1, 4, 5, 7, 12, 48, 55, 58, 88, 96, 99, 100, 136, 158, 166, 173, 184, 186, 293, 315, 381, 405
- VNC, 315

### VirtualBox

- host-only adapter, 10, 100
- Manager, 3, 8, 10, 24, 100
- Network Manager, 8, 17, 89, 100
- VirtualBox, 3, 5, 8, 10, 12, 24, 30, 99, 100, 406

- Virtual private network (VPN), 15, 16, 67

- VM, 1–3, 5, 7, 12, 17, 30, 68, 166, 181, 233, 243, 285, 293, 336, 353, 405

- VNC, 315, 316, 318, 319, 321, 323, 324

### Volume

- logical, 4, 268
- volume, 181, 189, 370
- volume group, 4, 268

## W

### Windows

- closed, 80

### WordPress

- administering, 244–246
- configuration, 243, 247
- database, 240, 241
- WordPress, 216, 219, 235, 244, 246, 249

## X

### Xfce

- desktop, 324

- X-forwarding, 78–81, 85, 86, 315

xinetd, 163, 172  
 X Window System, 71, 78, 80, 81

## Y, Z

YUM, 383

## Command list

alias, 44, 57, 60, 62, 83, 155  
 arp, 90  
 awk, 287, 288  
 bash, 76, 81, 83, 230, 293, 360, 385, 391–393  
 cat, 21, 25, 401  
 cd, 306  
 chkconfig, 164, 368  
 chkrootkit, 365, 367  
 chmod, 275  
 chown, 219, 237, 254  
 chronyc, 330, 332, 334, 336, 343  
 chronyd, 182, 329, 330, 334  
 chroot, 346  
 clamav, 369–371  
 clamav-update, 369  
 column, 169, 179, 333  
 cp, 82, 226, 237  
 cron, 84, 335, 339, 362, 369  
 crontab, 365  
 curl, 308, 310–312  
 date, 42, 58, 127, 132, 360, 384  
 dig, 17, 19, 40, 45, 54, 59–61  
 dmesg, 358  
 dmidecode, 389  
 dnf, 166, 285, 383, 390  
 du, 365  
 e2label, 269  
 echo, 76  
 egrep, 365  
 emacs, 21  
 exit, 249  
 fail2ban, 88, 119–123, 132  
 false, 120  
 file, 304  
 find, 362  
 firewall-cmd, 276, 287  
 free, 230  
 grep, 21, 230  
 head, 221  
 history, 304, 305  
 hostname, 24, 38, 41–45, 57, 142, 258, 297, 337  
 hostnamectl, 138  
 hwclock, 339  
 id, 379  
 ifconfig, 90  
 ifdown, 90  
 info, 38  
 ip, 90, 354  
 iptables, 50, 51, 113, 115, 121, 146, 218, 272, 280, 288–289, 352, 381  
 iptables-restore, 288  
 iptables-save, 51, 52, 121, 122, 147, 290  
 journalctl, 104  
 ll, 83  
 ln, 206, 392, 394  
 logwatch, 123, 148, 155  
 ls, 280, 364  
 lvcreate, 268  
 mail, 44, 138, 150  
 mailx, 129, 131, 138, 151, 160–162, 202  
 make, 137, 194  
 man, 183  
 mandb, 376  
 mkdir, 274  
 mkfs, 268  
 mount, 291, 301

## INDEX

- mtr, 97, 98
- named, 39, 48, 50, 57, 63, 106, 182
- netstat, 127, 179
- NetworkManager, 13, 47, 89, 92, 110
- nmap, 183, 184, 186
- nmcli, 13–17, 89, 92, 93
- nslookup, 17, 55, 59–61
- openssl, 172, 173, 282
- passwd, 154, 318, 378
- pdbedit, 295
- ping, 29, 62, 66
- procmail, 191, 192, 197, 203–206
- ps, 318, 379
- pwd, 14, 25, 75, 77, 92, 111, 119, 137, 200, 219, 237, 253, 274, 281, 299, 306–308, 385, 394
- reboot, 4, 29, 47, 111, 163, 350, 352, 377, 379, 380
- rkhunter, 365, 367–373
- route, 88, 94, 98, 110
- rpcinfo, 286–288
- rpm, 329, 383, 384, 388, 392–394, 396–398
- rpmbuild, 383, 386, 389, 390
- rpmdev-setuptree, 387
- rsync, 67, 355–358, 360, 362, 363
- scp, 67, 76, 266, 310
- screen, 323, 366, 389
- script, 360, 362, 369
- sed, 21
- sestatus, 378
- smbclient, 296, 306
- sort, 190, 197, 265, 287, 288, 307
- ss, 179
- ssh, 71, 381
- ssh-keygen, 73
- stat, 140
- strings, 212, 368
- su, 11, 22, 28, 353, 363, 379
- systemctl, 27, 30, 47, 52, 53, 57, 59, 61, 64, 69, 103, 110, 120, 137, 138, 144, 163, 198, 208
- tail, 137, 194
- tar, 67, 83, 84, 385
- tcpdump, 270
- tee, 371
- telnet, 71, 116, 163, 166, 175, 222, 224
- testparm, 294, 297, 298
- time, 132
- timedatectl, 341
- traceroute, 97
- tripwire, 371–374
- umask, 275
- umount, 181
- uniq, 288
- unset, 323
- useradd, 154
- vgs, 268
- vi, 241
- vim, 21, 25, 92, 103, 289
- vncpasswd, 317
- vncserver, 322
- vncviewer, 321
- w, 43
- watch, 334, 344
- wget, 267, 308, 309, 312, 313
- yes, 69, 273, 281
- yum, 383, 390

## List of operators

- &, 80, 139, 161, 317
- \*, 196, 211, 333
- >, 288
- >>, 358
- 1>, 64
- 2>, 64