

Symbols and Notations

E^*	4 , 65 , 97	X^*	97 , 293
$\text{Sesq}_V (E)$	5	S / T	151
$x \perp y$	6	\sim	155
Y^\perp	6	F_∞	158
$X^{\perp\perp} = (X^\perp)^\perp$		\langle , \rangle	226 , 270
S , T	8	X°	226
(k, v, ε)	8	$\sigma(E, E')$	229
(E, ϕ)	9	$L(E, E') , L(E', E)$	233
$\ x\ , \ F\ , \ \phi\ $	9	$\sigma_1(\phi)$	246
$\langle \alpha_1 , \alpha_2 , \dots \rangle$	12	k_S	254
$\text{rad } X$	13	k^+	275
$A \overset{\perp}{\oplus} B , A \overset{\circ}{\oplus} B$	15	$\psi_{1\kappa}$	277
$\left(\frac{\alpha, \beta}{k}\right)$	17 , 407	$A[]$	293
$N(q)$	17	\sim , \approx	293
$[S]$	18	\tilde{V}	296
E_+ , E_-	19	V°	320
\cong	28	P	357
E_*	29	Q	358
$L(E)$	32	(Ψ, Q)	358
$\sigma(\phi)$	35	(E, Ψ, Q)	359
$L_{\perp\perp}(E)$	39	Ω_α	364
$\ E\ _\infty$	76	$K(X)$	387

Index of Names

A.A. Albert , 12,88,89,373
W. Allenspach , 38,225,235,238,248
P. Amport , 131
C. Arf , 375,388n
E. Artin , 2,339,355
F. Ayres , 155

R. Baer , 33,45,58,110,258,270
A. Bak , 375
W. Bäni , 62,63,131,135,150,243
244,246,327,353,376,381,382
W. Baur , 4,62
G. Birkhoff , 41,44,45
F. van der Blij , 330
J. Bognår , 1
F. Bolli , 391
N. Bourbaki , 9,258,361,375
L. Brand , 140,141,243,250

J.W.S. Cassels , 2
C. Chevalley , 375,376,382
P.M. Cohn , 93

M. Deuring , 373
L.E. Dickson , 50,54,55
J. Dieudonné , 14,18,29,368,408
R.H. Dye , 368

M. Eichler , 2
R. Elman , 255
R.D. Engle , 152
C.J. Everett , 68

F.K. Fischer , 136
H.R. Fischer , 4,84,267
A. Frapolli , 40,145
A. Fröhlich , 84

H.R. Glauser , 91,92,388,393
W. Greub , 330
H. Gross , 1,4,29,32,33,45,59,62,63
68,84,108,110,122,129,131,139
146,152,169,199,246,344,382,383

P. Hafner , 63,139,146,270
O. Hamara , 4,29
K. Hauschild , 270,296
C. Herrmann , 112
I.N. Herstein , 12,373
D. Hilbert , 90,258
S.S. Holland , 1,50,57,58,59,258
D. Husemoller , 2

N. Jacobson , 318,368
B. Jónsson , 138

I. Kaplansky , 1,2,25,31,41,75,83,86
97,99,108,129,202,221,368,408
H.A. Keller , 1,3,4,33,40,59,110,131
145,169,199,409,410
W. Klingenberg , 368
M. Knebusch , 253,255
M. Kneser , 84,368,375
G. Köthe , 36,231,245
M. Krasner , 84

T.Y. Lam , 84,85,255,330,409
S. Lang , 85
S. Lefschetz , 34
E.A. Lüssi , 4

G.W. Mackey , 225,233
M.D. Mac Laren , 45
F. Maeda , 45
S. Maeda , 45
L.E. Mattics , 267

- G. Maxwell , 29,70,74,85,152,160
165,254,255,264,265
- G. Mazzola , 270
- W. Meissner ., 49
- A. Meyer , 68
- V.H. Miller , 4,42
- J. Milnor , 2,152,190
- R. Moresi , 171,197
- M. Nagata , 85
- J. v. Neumann , 45
- E. Ogg , 26,29,32,45,63,246
- O.T. O'Meara , 2,29,84,85,86,267
- O. Ore , 90,93
- A. Pfister , 85,330
- V. Pless , 30,376,381,382
- A. Prestel , 58,255,257,278
- P. Pudlak , 112
- H.G. Quebbemann , 375
- H. Reiter , 375
- C.E. Rickart , 29
- A. Rosenberg , 253,255
- H.J. Ryser , 68
- J. Saranen , 4
- L.J. Savage , 268
- R. Scharlau , 375
- W. Scharlau , 12,375
- U. Schneider , 32,289
- J.A. Schouten , 12
- M. Schulte , 375
- R.J. Shaker , 368
- T.A. Springer , 369
- M. Studer , 209,382
- T. Szele , 258
- G. Terjanian , 85
- U. Tietze , 369
- J. Tits , 355,359,375,410
- J. Tuma , 112
- V.S. Varadarajan , 1
- P. Vermes , 155
- C.T.C. Wall , 355,358,359,375
- G.E. Wall , 376,382
- R. Ware , 253,255
- G.L. Watson , 68
- W.J. Wilbur , 1,59
- E. Witt , 15,127,257,368,369,375
- M. Ziegler , 257

Index

- algebraic (= compactly generated)
111,113
- archimedean , 58,272,289,297,303
- Arf
 - invariant , 368,409,412
 - 's theorem , 199,393,402,403
- antiautomorphism, -isomorphism
4,40

- back-and-forth argument (Ping-Pong property) , 61,71
- Baer orderability , 50,57ff
- Bäni's sigh , 218
- basis
 - $\pm\alpha$, 73
 - almost orthogonal , 156
 - congruent , 28,204,362
 - orthogonal , 12
 - orthonormal , 12
 - standard for ι -dense subspaces , 272ff
 - for arbitrary subspaces , 304
 - symplectic , 15
- Brauer group , 50,373

- Caley numbers , 330
- cancellation theorem , 30,128,186
379,380
- Clifford
 - algebra , 190
 - determinant , 190
- closure, closed , 19,35,43,227
- column finite , 12,155f
- compact , 111
- ly generated , 111
- conjugation , 17

- DCC (= descending chain condition) , 119,120
- decomposition
 - metabolic , 96ff
 - Witt , 96ff,128,131ff,195ff
- degenerate (= not nondegenerate)
361

- dense, ι -dense , 19
- Dickson
 - 's example of a division algebra without antiautomorphism , 50
 - invariant , 368
- Dieudonné
 - determinant , 286,339
 - 's lemma , 18,269,329
- dilatation , 365
- dual isomorphism , 40
- dual pair (= pairing) , 225,226-234
 - subpair of , 227
 - quotient pair of , 227
 - direct product of , 224
 - s homomorphisms between see: homomorphism
 - weak linear topologies of , 229
- dual system , 62

- embeddings that split , 314-320,346

- field
 - algebraic number field , 58
266,278
 - C_i -field , 85
 - hereditarily euclidean , 257
 - Hilbert , 84
 - Hilbert ordered , 258f
 - Kneser , 84
 - ordered , 91ff,270
 - p -field , 86
 - p -adic , 84
 - pythagorean , 257
 - reflexive , 408
 - SAP , 253,261
 - s for weak stability , 166
- form (see also under: space)
 - alternate , 10,131
 - associated to a quadratic form
354
 - bilinear , 6
 - definite, semidefinite , 16
269ff
 - derived from an involution
203
 - ϵ -hermitean , 8
 - hermitean, skew-hermitean , 10
 - orthosymmetric , 6
 - quadratic , 354ff,359

- form (cont.)
 - sesquilinear , 5
 - symmetric, skew-symmetric , 10
 - trace - valued , 14
- formally real , 57,59,75,86,89ff
92,262
- Fundamental Theorem of Projective
Geometry , 33,110
- Galois group , 52
- Gram
 - matrix, m-Gram matrix , 271
 - Schmidt orthogonalization , 63
- Hamel basis , 11
- Hasse principle , 255,259,260
- Hilbert
 - ordering , 16,59,83
 - space , 1,295,321,323
 - hilbertean , 1
- homomorphism
 - of pairs , 228
 - open , 229
 - transpose of , 228
- hybrid quantities , 12
- hyperbolic , 13,96ff,362
- indefinite (= not semidefinite)
68,93
 - at P , 259
 - totally , 255
- index (indices) , 43,176
 - inertial , 259,392
- initial triple , 124
- involution , 9,202ff,251
- irreducible
 - join , 111
 - meet , 213
- isometric , 28
- isometry, - type, - class , 28,361
 - algebraic , 248
- isomorphism , 40
 - index preserving , 111
 - partial , 236
- isotropic , 13
 - totally , 13,170
 - weakly , 255
- join - irreducible, - prime , 111
- k - ification (of vector spaces and
forms = extension of the field
of scalars) , 259,350
- kernel K , 387
- K - stable , 388
- Lagrange
 - 's identity , 330
 - 's method of undetermined multi-
pliers , 289
- lattice , 39
 - algebraic (= compactly genera-
ted) , 111,113
 - completely distributive , 111
 - distributive , 39
 - Glauser's , 388ff
 - modular , 39
 - Moresi's, M₃₇ , 197f
 - orthostable , 40,43,111
 - Studer's , 209f
 - with DCC (= descending chain
condition) , 119,120
- Laurent series , 84
- length , 9
- log frame theorem , 225,246
- matrix, associated with the stand-
ard basis , 273ff,306ff
- multiplier , 32
- nondegenerate , 13
- octaves , 330
- ordering , see: Baer, field, Hil-
bert
- Ore ring , 90ff
- orthocomplementation , 40
- orthogonal , 6,361
 - complement , 6
 - group , 29,364
 - invariants , 29,43,108
 - similarity , 204ff
 - sum (external) , 361
- ortho - isomorphism , 43
- ortholattice , 44
- orthostability , 40
- orthosymmetry, axiom of , 6

- pair
 - disjoint , 145
 - dual modular , 145,233
 - modular , 145,232
 - s sum of , 174
- Parseval
 - embeddings , 320-326
 - s identity , 297
- perpendicular , 6,43
- Ping - Pong property , 236
- polarity , 40
- product, crossed , 52,407
- pseudo - discriminant , 410
- Pythagoras number , 278
- ψ - invariant , 277,295,297ff

- quaternions
 - characteristic not two , 17
58,88,89,409
 - characteristic two , 18,373
407ff
- radical , 13
- reflexion , 364
- Representation Theorem , 45
- represented , 9
- row finite , 11,155f

- scaling , 11
- Schwarz inequality , 295,333
- self - adjoint , 202,203,211,220f
- separately continuous , 34,229
- separation
 - orthogonal , 101f,136-145
243-245,249
 - symplectic , 145-149,244,249
- shovel - property , 256
- signature , 253
- singular , 362
 - totally , 362,379,387
- similarity, similitude , 32,370
- space
 - euclidean , 46,245
 - isotropic , 13
 - preeuclidean , 46,245
 - quadratic , 359
 - space (cont.)
 - quasistable , 74ff,83,87,165
167,169,202,254,260,265
 - rigid , 152-157,160-162
 - sesquilinear , 9
 - stable , 69ff,83,169,254,260
 - weakly stable , 76,159,162-167
254,260
- spectral theorem , 285
- squaring process , 355,357
- string, diagonal , 155
- strong approximation property
(SAP) , 253
- Sylvester's law of inertia , 19
- symmetric elements (S) , 8
- symmetrization , 356

- tensor density , 335
- topology
 - linear , 34
 - locally convex , 298
 - vector space topology , 33
 - weak linear , 35
- trace , 8
- transvection , 365
- truncòn da Trentìn , 246

- union of chains condition , 72
- unit vector , 9
- unitary transformation (= operation of the associated orthogonal group (isometry))
- universal
 - strongly , 73,77,269,309
 - weakly , 73,328
- value map , 152
- vector
 - isotropic , 13
 - singular , 362
- weak : relating to the weak topologies
- Witt
 - decomposition, Theorem , 99
 - s theorem , 29,30,127,375ff
- Ω_{ij} - invariant , 333ff

Manuscripts

Manuscripts should be no less than 100 and preferably no more than 500 pages length.

They are reproduced by a photographic process and therefore must be typed with extreme care. Symbols not on the typewriter should be inserted by hand in indelible black ink. Corrections to the typescript should be made by pasting in the new text or painting out errors with white correction fluid.

The typescript is reduced slightly (75%) in size during reproduction; best results will not be obtained unless the text on any one page is kept within the overall limit 6¼ x 9½ in (16 x 24 cm). On request, the publisher will supply special paper with the typing area outlined.

Manuscripts should be sent to the editors or directly to:
Birkhäuser Boston Inc., 380 Green Street, Cambridge, MA 02139