
Index

A

- Acromiohumeral interval (AHI), 146
- American Shoulder and Elbow Surgeons (ASES) scores, 73, 117, 153
- Anteroposterior radiographs
 - cuff tear arthropathy, 40–43
 - supraspinatus and infraspinatus re-tear, 49
- Anterosuperior escape, 25
- Anterosuperior rotator cuff tears, 68
 - arthroscopic treatment
 - clinical outcomes, 74–75
 - coracoplasty, 74
 - outside-in technique, 74
 - subscapularis tendon, 73–75
 - cuff failure, 133
- Arthroscopic treatment
 - anterosuperior tears
 - clinical outcomes, 74–75
 - coracoplasty, 74
 - outside-in technique, 74
 - subscapularis tendon, 73–75
 - debridement, 147
 - irreparable tears, 76
 - LHB pathology, 76–77
 - partial repair, 76, 147
 - posterosuperior tears
 - anterior slide, 71
 - articular-sided releases, 70, 71
 - bursal-sided releases, 70
 - clinical outcomes, 73
 - marginal convergence technique, 71, 72
 - patient positioning, 69
 - portal placement, 69
 - posterior interval slide, 71
 - single/double-row repairs, 71, 72
 - tendon reattachment technique, 71
 - tendon retraction and scarring, 69–70
 - traction stitches, 70
 - transosseous equivalent technique, 71–72
 - prognostic variables, 67
 - radiographic evaluation, 68–69
 - rehabilitation, 75–76
 - subacromial decompression, 147
 - suprascapular nerve release, 148
 - suprascapular neuropathy, 77
 - tenotomy/tenodesis, 147–148

- Articular cartilage atrophy, 56–57
- Attrition theory, 2

B

- Bear-hug test, 27, 108, 109
- Belly-press test, 26, 27, 107–108
- Bilateral hemiarthroplasty, 124–126
- Biologic augmentation
 - cytokines and cells, 85–86
 - gene therapy, 87
 - patches (*see* Patches)
 - platelet rich plasma
 - arthroscopic rotator cuff repair, 82
 - formulation, 82
 - platelet concentration, 82
 - recurrent defect rate, 82–83
 - single PRP matrix globule, 82
 - stem cell therapy, 86–87
- Biomerix RCR patch, 84
- Biomet Comprehensive® reverse shoulder system, 136
- BNip3 expression, 6
- Bone morphogenetic proteins (BMP), 85
- Bony static stabilizers, 104

C

- CCAT/enhancer-binding proteins (C/EBPs), 8
- Computed tomography (CT)
 - atrophy and fatty infiltration, 32, 35
 - cuff tear arthropathy, 42, 44–46
- Constant-Murley score, 123
- Crescent-shaped tears, 68
- Cuff tear arthropathy (CTA)
 - acromial stress reactions/fractures, 42
 - anteroposterior radiographs, 40–43
 - CT
 - glenoid vault measurement, 42, 46
 - Walch classification, 42, 44–45
 - etiology, 39
 - hemiarthroplasty (*see* Hemiarthroplasty)
 - mechanical factors, 130, 131
 - MR imaging
 - deltoid dehiscence, 42, 46
 - rheumatoid arthritis, 46, 48
 - rotator cuff tear arthropathy, 42, 47

Cuff tear arthropathy (CTA) (cont.)

- Neer definition, 40
- nutritional factors, 130
- reverse arthroplasty, 124–126
- RTSA (*see* Reverse total shoulder arthroplasty (RTSA))
- ultrasound, 46, 48

D**Degeneration-microtrauma theory, 3****Deltoid tears**

- acromial detachment, 58
- acromial erosion and stress fractures, 58, 59
- etiology, 58
- partial thickness tears, 58
- T2-weighted MRI images, 57–58

Deltpectoral approach

- pectoralis major tendon transfer
 - subcoracoid pectoralis major transfer, 113
 - supracoracoid pectoralis major transfer, 116
- reverse total shoulder arthroplasty
 - advantages, 134–135
 - glenoid preparation, 135–136
 - humeral and glenoid preparation, 135
 - slings usage, 136

E**Empty can test, 26–28****Erb's brachial plexus palsy, 92****Extracellular matrix (ECM) scaffolds, 152****F****Fatty infiltration and muscle atrophy****MRI**

- Goutallier classification, 35–36
- imaging pitfalls, 37, 39
- occupation ratio, 37, 38
- Parsonage-Turner syndrome, 37, 39, 40
- subacute muscle denervation, 37, 39
- tangent sign, 37, 38
- traumatic edema, 39
- ultrasound, 36–37, 39

G**Gentle Codman pendulum exercise, 116****Glenohumeral joint**

- arthrosis, 40, 41
- balanced force couples, 104–105
- bony and soft tissue stabilizers, 104
- osteoarthritis, 61
- range of motion, 104
- reaction forces, 12–13
- replacement, arthroplasty, 152–153
- shoulder motion, 11, 12
- stability, 11
- steroid injection, 61

Goutallier fatty degeneration staging, 68**H****Hamada classification, 40, 41****Hemiarthroplasty, 153****clinical outcomes**

- ASES scores, 123
- bilateral hemiarthroplasty, 124–126
- Constant-Murley score, 123
- extended coverage humeral head, 123
- Neer's grading scale, 122–123
- pain relief and functional improvement, 123

contraindications, 122**indications, 122****rehabilitation, 122, 123****v.s. reverse arthroplasty, 124–126****Hornblower's sign, 26, 28****Hyaluronate injection, 61****I****Imaging studies****cuff tear arthropathy**

- acromial stress reactions/fractures, 42
- anteroposterior radiographs, 40–43
- CT, 42, 44–46
- etiology, 39
- MR imaging, 42, 46, 48
- Neer definition, 40
- ultrasound, 46, 48

fatty infiltration and muscle atrophy**MRI, 35–40****ultrasound, 36–37, 39****long head of the biceps tendon, 39****MR imaging, 32–33****postoperative rotator cuff, 46–47, 49–50****tendon retraction and quality, 33–35****ultrasound, 32–34****Internal rotation lag sign, 107****Irreparable rotator cuff tear****arthroscopic options, 76****latissimus dorsi tendon transfer (*see* Latissimus dorsi tendon transfer)****pectoralis major tendon transfer (*see* Pectoralis major tendon transfer)****treatment algorithm, 154–155****J****Jobe test, 26–28****c-Jun N-terminal protein kinase (JNK), 5****L****Lag signs, 26, 28–29****Latissimus dorsi tendon transfer****clinical outcomes**

- active external rotation, 98
- osteoarthritis, 98
- preoperative active shoulder forward flexion, 98
- salvage procedure, 98
- subscapularis, 97–98

- contraindications, 93–94
 - deltoid functioning, 150
 - Erb's brachial plexus palsy, 92
 - indications
 - pain refractory, 92
 - radiographic evaluation, 93
 - significant dysfunction and disability, 92–93
 - latissimus dorsi and teres major tendons, 96
 - patient characteristics, 150
 - technique, 94
 - active-assist supine forward elevation, 97
 - anterior incision, 94–95
 - bony landmarks, 94
 - considerations, 150
 - patient positioning, 94
 - posterior incision, 95, 96
 - supraspinatus and infraspinatus repair, 97
 - treatment algorithm, 150–152
 - value and appropriate timing, 150
 - Lift-off test, 26, 27, 107
 - Long head of the biceps tendon (LHB) tears
 - arthroscopic treatment, 76–77
 - imaging studies, 39
 - natural history, 57
 - L-shaped tears, 68
- M**
- Magnetic resonance imaging (MRI), 146
 - cuff tear arthropathy
 - deltoid dehiscence, 42, 46
 - rheumatoid arthritis, 46, 48
 - rotator cuff tear arthropathy, 42, 47
 - deltoid tears, 57–58
 - fatty infiltration and muscle atrophy
 - Goutallier classification, 35–36
 - imaging pitfalls, 37, 39
 - occupation ratio, 37, 38
 - Parsonage-Turner syndrome, 37, 39, 40
 - subacute muscle denervation, 37, 39
 - tangent sign, 37, 38
 - traumatic edema, 39
 - long head of the biceps tendon, 39
 - proton density-weighted MR image, 32, 33
 - subscapularis tears, 50, 109–111
 - supraspinatus and infraspinatus re-tear, 49
 - Mason-Allen stitch, 114, 115
 - Massive rotator cuff tears
 - Akt/mTOR signaling pathway, 8
 - anterosuperior tears, 55
 - arthroplasty
 - hemiarthroplasty (*see* Hemiarthroplasty)
 - rehabilitation, 154
 - reverse shoulder arthroplasty (*see* Reverse total shoulder arthroplasty (RTSA))
 - arthroscopic treatment (*see* Arthroscopic treatment)
 - biomechanics, 10–15
 - bone-tendon junction, 9–10
 - clinical presentation
 - history, 145
 - imaging studies, 146
 - physical examination, 145–146
 - crenate-shaped tears, 68
 - definition, 1–2
 - definition and classification, 144
 - DeOrio and Cofield classification, 32
 - etiology
 - extrinsic factors, 2
 - intrinsic factors, 2–3
 - functional and anatomic characteristics, 68
 - history, 24
 - imaging studies (*see* Imaging studies)
 - L-shaped tears, 68
 - mechanics/pathomechanics, 144–145
 - natural history
 - articular cartilage atrophy, 56–57
 - deltoid tears, 57–59
 - long head of the biceps tendon, 57
 - shoulder and periscapular kinematics, 56
 - tear progression, 54–55
 - nonoperative treatment (*see* Nonoperative treatment)
 - pathophysiology
 - age-related degeneration, 3, 4
 - CNS damage, 6
 - elevated cholesterol, 6
 - gene mutation/abnormalities, 6
 - inflammatory cytokines and mediators, 5–7
 - muscle degeneration, 7–9
 - oxidative stress, 5
 - repetitive microtrauma, 3, 5
 - smoking, 6
 - vascular proliferation, 5–6
 - physical examination
 - active and passive motion, 25
 - anterosuperior escape, 25
 - bear-hug test, 27
 - belly press test, 26, 27
 - empty can test, 26–28
 - Hornblower's sign, 26, 28
 - lag signs, 26, 28–29
 - lift-off tests, 26, 27
 - palpation, 25
 - pseudoparalysis, 25
 - shoulder girdle inspection, 25
 - Spurling's test, 24–25
 - posterolateral tears, 55, 68
 - prevalence, 53
 - scaffold devices, 152
 - tendon transfers
 - donor tendon selection, 149
 - latissimus dorsi transfer (*see* Latissimus dorsi tendon transfer)
 - pectoralis major transfer (*see* Pectoralis major tendon transfer)
 - U-shaped tears, 68
 - Zumstein definition, 32
 - Matrix metalloproteinase (MMP), 5
 - Milwaukee shoulder, 131

Muscle atrophy *See* Fatty infiltration and muscle atrophy
 Muscle degeneration, 7–9
 Myf-5 expression, 8

N

Napoleon sign, 108
 Neer's grading scale, 122–123
 Nonoperative treatment, 146–147

- nonsteroidal anti-inflammatories
 - clinical outcomes, 62–63
 - contraindications, 62
 - indications, 61
 - side effects, 60
- oral narcotics, 60
- prognostic factors, 64
- rehabilitation program, 63
- steroid injections
 - anterior injection, 60
 - benefits, 61
 - clinical outcomes, 62–64
 - contraindications, 62
 - indications, 61
 - lateral injection, 61
 - vs. NSAIDs, 60
 - posterior injection, 60–61
- viscosupplementation injections, 61, 64

O

Occupation ratio, 37, 38
 Oxford Shoulder Disability Questionnaire (OSDQ)

- scores, 147

P

Parsonage-Turner syndrome, 37, 39, 40
 Patches

- ECM scaffolds, 83
- indications, 84
- surgical technique
 - arthroscopic knots, 84
 - medial row anchor/aspect, 84
 - patient positioning, 84
 - postoperative care, 85
 - transosseous suture bridge technique, 84, 85
- synthetic scaffolds, 83–84

 Pectoralis major tendon transfer

- contraindications, 111–112
- indications, 111–112
- postoperative care and rehabilitation, 116
- sternal head transfer, 150–151
- subcoracoid pectoralis major transfer
 - bone anchors/transosseous technique, 114, 115
 - clinical outcomes, 117
 - coracoid process, 113
 - deltopectoral approach, 113
 - Mason-Allen stitch, 114
 - mobilization, 113–114
 - patient positioning, 112–113

tendon passage, 114
 wound closure, 115
 supracoracoid pectoralis major transfer

- blunt dissection, 115
- bone anchors/transosseous technique, 115
- clinical outcomes, 118
- deltopectoral approach, 116
- grasping stitch, 115
- patient positioning, 115, 116
- self-retaining retractor, 115
- two medial and one lateral suture bridge
 - technique, 116
 - wound closure, 115
- treatment algorithm, 150–152

 Peroxisome proliferator-activated receptors (PPARs), 8–9
 Physical therapy, 146–147
 Platelet rich plasma (PRP)-augmented repair

- arthroscopic rotator cuff repair, 82
- formulation, 82
- injections, 61
- platelet concentration, 82
- recurrent defect rate, 82–83
- single PRP matrix globule, 82

 Polyglycolic acid (PGA), 86
 Posterosuperior rotator cuff tears

- arthroscopic treatment
 - anterior slide, 71
 - articular-sided releases, 70, 71
 - bursal-sided releases, 70
 - clinical outcomes, 73
 - marginal convergence technique, 71, 72
 - patient positioning, 69
 - portal placement, 69
 - posterior interval slide, 71
 - single-/double-row repairs, 71, 72
 - tendon reattachment technique, 71
 - tendon retraction and scarring, 69–70
 - traction stitches, 70
 - transosseous equivalent technique, 71–72
- cuff failure, 133, 134
- force requirements, 92
- latissimus dorsi tendon transfer (*see* Latissimus dorsi tendon transfer)

R

Reverse total shoulder arthroplasty (RTSA), 153

- ball-and-socket designs, 131–132
- clinical outcomes
 - active forward flexion improvement, 136
 - vs. hemiarthroplasty, 136
 - long-term implant survivorship, 137–138
 - proximal humerus fractures, 136–137
 - revision surgery, 137
- complications
 - acromion fracture, 139
 - dislocation rate, 138
 - glenoid loosening, 138–139

- infection, 138
 - scapular notching, 138
 - contraindications, 134, 135
 - deltopectoral approach
 - advantages, 134–135
 - glenoid preparation, 135–136
 - humeral and glenoid preparation, 135
 - sling usage, 136
 - implant design modification, 130
 - indications
 - acute shoulder fracture in elderly, 133
 - anterior-superior escape, 133
 - cuff tear arthropathy, 133
 - failed cuff surgery, 133, 134
 - pseudoparalysis, 133
 - tuberosity malunion, 133
 - prosthesis design, 132
 - superolateral approach, 134
- S**
- Scaffold devices, 152
 - Scapular notching, 138
 - Short Form-36 (SF-36) scores, 147
 - Sirveaux classification, 42, 43
 - Soft tissue stabilizers, 104
 - Spurling's test, 24–25
 - Stem cell therapy, 86–87
 - Subcoracoid pectoralis major transfer
 - bone anchors/transosseous technique, 114, 115
 - clinical outcomes, 117
 - coracoid process, 113
 - deltopectoral approach, 113
 - Mason-Allen stitch, 114
 - mobilization, 113–114
 - patient positioning, 112–113
 - tendon passage, 114
 - wound closure, 115
 - Subscapularis tears
 - arthroscopic treatment, 73–75
 - epidemiology
 - prevalence, 102–103
 - traumatic subscapularis tears, 103
 - history and clinical presentation, 105–106
 - imaging studies
 - CT scan, 111
 - MRI, 109–111
 - plain radiographs, 109
 - ultrasound, 109
 - open stabilization procedure, 116
 - pectoralis major tendon transfer (*see* Pectoralis major tendon transfer)
 - physical examination
 - bear-hug test, 27, 108, 109
 - belly-press test, 26, 27, 107–108
 - diagnostic value, 108–109
 - glenohumeral instability, 106
 - internal rotation lag sign, 107
 - lift-off test, 26, 27, 107
 - Napoleon sign, 108
 - prior surgical incisions, 106
 - subscapularis muscle anatomy
 - coracohumeral ligament, 104
 - glenohumeral joint, 104–105
 - innervation, 104
 - superior aspect, 104
 - trapezoidal-shaped footprint, 105
 - Supracoracoid pectoralis major transfer
 - blunt dissection, 115
 - bone anchors/transosseous technique, 115
 - clinical outcomes, 118
 - deltopectoral approach, 116
 - grasping stitch, 115
 - patient positioning, 115, 116
 - self-retaining retractor, 115
 - two medial and one lateral suture bridge technique, 116
 - wound closure, 115
 - Suprascapular neuropathy
 - arthroscopic treatment, 77
 - muscle degeneration, 7
 - suprascapular nerve release, 148
- T**
- Tangent sign, 37
 - Tenotomy
 - fatty infiltration, 148
 - glenohumeral stability, 147–148
 - latissimus dorsi tendon transfer, 95
 - LHB pathology, 76–77, 148
 - subscapularis, 122
 - Tissue inhibitors of MMPs (TIMPs), 5
- U**
- Ultrasound
 - cuff tear arthropathy, 46, 48
 - fatty infiltration and muscle atrophy, 36–37, 39
 - long head of the biceps tendon, 39
 - supraspinatus and infraspinatus cuff tendon, 32–34
 - U-shaped tears, 68