

Index

A

ABS. *See* Automatic Block System (ABS)
Algorithmic blocking, 122, 129, 132–134, 138,
139, 145, 147, 151, 153, 156, 157, 206
Amtrak, 253
Anchor blocks, 8, 12, 13, 27, 28, 105, 106, 151
Annulment, 9–10, 92–95, 248
Approximate dynamic programming, 187, 200
Arrival, 7, 26–33, 45–47, 54, 58, 59, 63, 66,
69–71, 73, 74, 80, 83, 93, 106, 110,
112, 113, 115, 121, 165, 167–171,
196, 221–222, 224–225, 228, 230,
233, 237, 238, 243, 267
Assembly, 5, 90, 119, 221, 226–230, 234,
237, 265
Asset costs, 192
Automatic Block System (ABS), 62–63, 221
Automotive, 5, 81, 83, 117, 123, 143, 146,
150, 178, 187–188, 221, 225, 231,
239, 247
Average day, 206–217, 250
Axles, 44, 45, 51

B

Block(ing)
optimization, 144, 151
plan, 2, 6, 10, 38, 84, 86, 100, 102, 107, 108,
116, 119–124, 127, 130–132, 134–159,
161, 197, 204–206, 219, 222, 238
swapping, 2, 4, 6, 8, 13, 14, 16, 17, 19–21,
38, 86, 89–91, 107, 109, 110, 112,
113, 124, 127–129, 134, 150, 151,
203, 207, 210, 217
tables, 131

Block-to-train assignment (BTA), 2, 8–11,
13–17, 20, 22, 23, 25, 86, 89, 93,
94, 108, 134, 135, 205, 207
BNSF, 80, 135, 179, 186, 194, 230, 254,
261, 262
Bowl, 231, 234–239, 241
BTA. *See* Block-to-train assignment (BTA)
Burlington Northern (BN), 80, 204
Bypass blocks, 137

C

Cab signal, 52–53
Canadian National (CN), 80, 230, 232, 255
Canadian Pacific, 80, 122, 127, 132, 134,
147, 259
Capacitated, 10, 92, 97–98, 111, 115, 160,
187, 195–198, 203, 208–217
Capacities, 2, 58, 85, 121, 177, 191, 224,
245, 260
Car orders, 180, 182–184, 250
Car schedule(ing), 1, 3, 4, 6, 8–10, 24, 26, 29,
34, 38, 39, 79–94, 96–100,
105–109, 111–117, 122, 123, 147,
161, 185, 193–194, 196, 197, 200,
217, 228, 244
Car supply, 178–180, 184
Car-to-block assignment, 80, 82, 131, 132,
146
Centralized traffic control (CTC), 63, 221,
222
Chassis, 260–262, 264–265, 270–271, 276
Circuitry, 2, 18, 107, 110, 121, 138–140, 143,
150, 151, 156, 158, 267
Class code, 5, 6, 8, 85–87, 89, 127–129

- Classification, 9, 14, 36, 84, 86, 88–91, 95, 112, 121, 126, 128, 129, 136, 138, 139, 144, 146, 150, 152–158, 160, 192, 203, 217, 221, 226, 230, 235–237, 255
- Clean sheet approach, 139–140
- CNAM. *See* Conrail Network Analysis Model (CNAM)
- Commitments, 9, 24, 27, 28, 99, 100, 109–110, 115, 245, 246, 264
- Connection time, 4, 8, 9, 23, 54–55, 91–92, 200
- Conrail, 194, 204, 205
- Conrail Network Analysis Model (CNAM), 196, 205, 206
- Consist, 8, 10, 27, 43, 45–47, 49–55, 89, 126, 167, 196, 226, 241, 244, 252
- Containers, 99, 116, 178, 187, 248, 251, 254, 257–276
- Control systems, 61, 62, 238
- CPLEX, 269
- Crew assignment, 10, 20, 171, 199
- Crew district, 20, 21, 163–165, 167–169, 171, 174, 199
- Crew scheduling, 163–175, 199, 218
- Crew segment, 7, 14–16, 18
- CSX, 80, 85, 135, 179, 186, 204–206, 230, 232, 241, 252, 253, 261, 262, 276
- CSXU, 261
- CTC. *See* Centralized traffic control (CTC)
- Customer behavior, 248–251
- Customer service, 2, 9, 83, 96, 99, 117, 177, 179, 181, 192, 196, 247, 249
- Cut-offs, 8–9, 36, 90–91, 217, 228–229
- D**
- Deadheading, 25, 43–45, 47, 50, 163, 165, 171
- Decision engine, 231–233
- Demand driven, 197
- Departure track, 223, 227, 228, 234, 237
- Deregulation, 245, 248
- Detention, 163, 167, 171–173
- Dispatching, 57, 61–78, 82, 239, 272, 274, 276
- Distribution, 96, 177–188, 232, 234, 243, 273
- Double-stack, 259, 260
- Duty, 37, 165–168, 173
- Dynamic blocking, 122, 123, 135
- Dynamic car scheduling, 111–115, 200
- E**
- Elasticity, 4, 248–251
- EMP, 261
- Empty railcar, 80, 83, 96, 123, 148, 177–188
- Equipment, 12, 26, 40, 46, 52, 63, 178, 180, 181, 183–185, 187, 218, 238, 246, 248, 250, 257, 258, 260–261, 263, 264, 266, 270, 274–276
- Extra, 3, 9, 10, 32, 53, 82, 92–95, 97, 101, 109, 116, 197, 206, 248
- F**
- Federal Railroad Administration (FRA), 80, 163, 166
- Fleet sizing, 263–265
- Forecasting, 174, 175, 244, 248–250, 263–264, 272–273, 275
- G**
- Grain, 11, 27, 28, 34, 41, 63, 80, 81, 83, 96, 98, 99, 116, 123, 140, 146–148, 160, 178, 197, 198, 218, 247
- H**
- Hazardous material, 99, 123, 126, 141, 142, 206, 227, 243
- Horsepower, 44, 45, 51, 60
- Hub Group, 254, 261, 264, 271
- Hump, 123, 132, 150, 226, 227, 233–234, 240, 241
- I**
- Inbound, 3, 6, 8, 43, 47, 49, 52, 53, 94, 107, 195, 203, 217, 224–226, 230, 233, 238, 265, 270, 271
- Inspection, 7, 24, 31, 53, 89, 90, 199, 204, 225, 227–230
- Integer programming (IP), 50, 171, 269
- Interchange blocks, 10, 87–89, 93, 123, 140, 146, 149, 154
- Intermodal, 5, 10, 27, 28, 40, 45, 60, 62, 63, 79–81, 83, 99, 101, 109, 110, 115, 116, 119, 123, 125, 132, 135, 140, 142, 143, 146, 147, 178, 187, 192, 221, 225, 231, 239, 242, 247, 251, 253, 254, 257–276
- IP. *See* Integer programming (IP)
- J**
- JB Hunt, 261, 262, 276

L

- Lagrangian decomposition, 114, 158
- LAO. *See* Load accept optimization (LAO)
- Lead track, 231, 236, 239
- Linear program (LP), 209, 211–212, 215
- Line of road, 53, 57–78, 221, 222, 224, 228, 230, 239, 242
- Load accept optimization (LAO), 272, 274
- Load routing optimization (LRO), 272, 274–275
- Local, 5, 6, 8, 13, 26, 34–38, 40, 41, 61, 64, 65, 82, 84–89, 93–95, 97, 99, 110, 117, 121, 123, 124, 127–131, 133–135, 137, 139, 140, 143, 145–147, 149–152, 155, 157, 160, 161, 178, 199, 203, 222, 244
- Local trains, 5, 11, 24, 27, 34–38, 86, 87, 192, 199, 208
- Locomotive assignment, 15, 44, 46, 200
- Locomotive scheduling, 26, 43–56, 218
- LRO. *See* Load routing optimization (LRO)

M

- Main line, 13, 49, 77, 218, 223, 226, 237–239
- Mathematical programming, 154, 157–158
- Meet, 37–38, 48, 57–59, 61, 67, 68, 72, 74–77, 96, 99, 156, 158, 180–182, 185, 263, 271, 274
- Meet/pass planning, 57, 75, 78, 218
- Mergers, 78, 178, 204–205, 245, 247
- Missouri Pacific (MP), 80, 122
- Mixed integer programming (MIP), 241, 242, 269
- Monitoring, 80, 83, 93, 95, 96, 117, 140, 147
- Monte-Carlo simulation, 192, 198
- Multi-commodity network, 112, 199, 200, 253
- MultiRail, 107, 194, 196, 197, 204, 205, 207

N

- Network simulation models, 201, 204–206, 218, 219
- Norfolk Southern (NS), 76, 77, 80, 84, 85, 122, 127, 132, 134, 135, 147, 187, 204, 206, 240, 261

O

- OCEMA, 262
- Operating costs, 2, 192
- Operating plan, 1, 4, 13, 23, 49, 80, 84, 92, 94, 95, 97, 99, 111, 131, 150, 151, 160, 191–194, 198–200, 204–206, 224, 232, 245

- Optimization, 4, 9–11, 14–15, 18, 19, 40, 83, 107–109, 116, 127, 129, 130, 134–136, 140, 144, 146, 148–160, 174, 179–188, 199–201, 218, 240, 251, 254, 264–267, 273, 276
- Outbound, 3, 6–9, 12, 19, 29, 32, 43, 47, 49, 52, 53, 90, 91, 94–96, 99, 106, 107, 109, 121, 128, 129, 133, 148, 149, 159, 195–197, 203, 204, 216, 217, 226–230, 234, 236, 243, 264, 271

P

- Pacer, 260–262, 266–271, 275, 276
- Plan compliance, 54, 83–84, 93, 94
- PMake. *See* Probability of Making a Connection (PMake)
- Pools, 43, 47, 81, 126, 164–167, 169, 170, 172, 174, 178, 187, 199, 258, 261–262, 265, 270–271
- Price sensitivity, 248, 250–251
- Pricing, 101, 116, 245–255, 262–263
- Priority, 29, 33, 60, 62, 67, 72, 74, 75, 98, 103–106, 111, 141, 143, 181, 183, 212–215, 225, 231, 234, 271
- Probability of Making a Connection (PMake), 195, 229–230
- Processing time, 2, 6, 26, 29–31, 90, 113, 121, 224, 228, 230
- Process integration, 185

Q

- Quadratic cost perturbation (QCP), 171–173

R

- Railcar assignment, 181, 187
- Railcar fleet requirement, 4, 201
- Reliability, 4, 14, 84, 100, 121, 161, 187, 192, 195, 230, 249, 261
- Repositioning, 15, 27, 163, 165, 177, 187, 188, 225, 254, 261, 264–269, 272, 273, 275
- Reservation, 66, 77, 92, 93, 97, 101–107, 111, 160, 161, 250
- Revenue management, 101, 111, 116, 245–255
- Road trains, 5, 7–13, 33, 35, 36, 38, 40, 61, 64, 77, 85, 87, 208
- Routing, 1, 8, 13–22, 25, 26, 28, 45, 65, 95–100, 106, 107, 109, 111, 115, 120–122, 127, 129, 130, 132, 133, 135, 139, 141–144, 148, 152–154, 158–160, 187, 194, 231, 233, 239, 241, 253, 267

Rule-based blocking, 147
 Run-through, 10, 53, 87, 88, 126, 146

S

Santa Fe, 80, 204
 SCG. *See* Successive constraint generation (SCG)
 Service planning model (SPM), 195, 229
 Shipments, 2, 63, 79, 120, 180, 192, 249, 257
 Siding, 3, 5, 35, 57–59, 61–67, 72, 77, 86, 87, 102, 130, 218, 222, 228
 Signals, 52, 53, 58, 62, 63, 77, 78, 221, 230
 Simulation engine, 231–232, 240
 Southern Pacific, 80, 122, 204
 Space–time network, 46–48, 50, 54, 99, 167–171, 173
 Staggers Act, 245
 Stochasticity, 187
 Stringline, 58, 64, 67, 68
 Successive constraint generation (SCG), 171
 Switch, 6, 12, 14, 29, 34–37, 61, 63, 64, 77, 84–88, 90, 94, 99, 112, 113, 116, 127–129, 139, 149, 150, 152, 158, 180, 186, 192, 203, 204, 222, 224–229, 231, 233–235, 238, 242

T

Tabu search, 115, 157
 TCS, 80, 122
 Terminal simulation, 3
 Time-space network, 99, 100, 109–116, 135, 187, 188, 200, 267
 Tonnage driven, 197
 TOP, 80, 122
 TRAC, 262
 Traffic database, 4, 151, 193

Train-block, 5, 6, 8, 9, 33, 35, 39, 85, 91, 100, 103–114, 126–129, 135, 161, 203, 208–217, 225
 Train delay, 14, 52, 61, 165, 167, 169, 171, 173, 174
 Train Performance Calculator, 64–66, 68
 Train scheduling, 1–41, 79, 87, 108, 135, 165
 Transportation problem, 179, 181, 182, 274, 275
 Triplet analysis, 141, 143–144, 150
 Trip plan, 1, 10, 13, 26, 34–38, 79–117, 122, 134, 146, 147, 185, 192, 194–196, 207, 208, 217, 230

U

UMAX, 261
 Uncapacitated, 92, 93, 96, 97, 100, 192, 194, 195, 207–209, 212
 Union Pacific (UP), 80, 179, 186, 204, 261, 266, 276
 Unit trains, 5, 11, 27, 33–34, 37, 38, 40, 41, 60, 62, 79–81, 94, 96, 98, 101, 116, 119, 123, 140, 146, 148, 178, 197, 218, 247
 U.S. Federal Railroad Administration (FRA), 80

Y

Yard-blocks, 5, 6, 8, 35, 36, 85–87, 89, 91, 110, 124–129, 145
 Yard layout, 223, 226, 227, 235, 240, 241
 Yard simulation, 204, 222, 224, 230–240, 242, 244
 Yard workload, 33, 80, 95, 101, 102, 107, 108, 121, 195, 198, 203–204
 Yield management, 252–254