

INDEX

A

- Adenosine-3',5'-cyclic monophosphorothioate Rp-isomer (Rp-cAMPS)..... 139, 145
- Adenovirus 72, 73, 77, 78, 104, 109, 112, 113
- Adenylyl cyclase
gene 7, 76, 110, 113, 138, 185–187
- AKAPs. *See* A-kinase anchoring proteins (AKAPs)
- A-kinase anchoring proteins (AKAPs)
- AKAP18..... 140, 141, 152–155, 158–161, 171
- AKAP18 α 159, 171
- AKAP188 140, 153–156, 158–160, 162–164
- AKAP-PKA
disruptors 139–142, 151–165, 167, 168
inhibitor 138, 153–160
interaction 86, 137–139, 141, 151–165, 167
amphipathic helix 137, 139, 140, 142, 167
competitor peptides 171, 175, 179
disruption 137–147, 152
peptide disruptors 139, 140, 145, 167, 168
signaling complex 137–147
- Allosteric mechanism 46, 54
- Aorta
cannulation 111
- ATP 13, 38, 90, 144, 170, 208, 211
- Automated image analysis process 62

B

- Bacteriophage screening
amplification 170–171
bacteriophage construction 170–171
glutathione magnetic beads 170, 175, 176, 179, 180
PreScission protease 160, 176, 179
selection 120, 141, 168, 170–171, 176–178
- β 2-adrenergic receptor 143
- Bioinformatics 48, 140, 142
- BL21 strains 179
- BLUF-type photoreceptor domains 131
- Bovine serum albumin 96, 106, 112, 120
- bPac 131, 132, 134

C

- Ca²⁺
intracellular measurement 74, 76, 78–80, 85, 86
- CAAX motif 87, 88, 95
- cAMP
concentration 13, 14, 18, 26–29, 31–39, 51, 53, 59, 60, 66–69, 72, 76, 77, 79, 80, 82, 86, 87, 90, 91, 97–99, 104, 110, 134, 138, 142, 143, 184, 186, 192, 193, 195, 207, 212, 214
dynamics 25, 46, 57, 85–100, 132, 213
exchange protein activated directly by cAMP (EPAC)
binding domain 14, 15
cAMP-resin 192
dose response curve 26, 27, 31–35
N-terminal DEP 15
oscillations 90, 91
pools 28, 35
Rap1 15, 44
REM-domain 15
intracellular levels 13–23, 26, 27, 29, 33, 35, 71, 74, 85, 110, 121, 138, 142, 143, 191, 203, 205, 212–214
measurement 4, 35, 59–61, 63–68, 72–76, 80–82, 85, 90, 91, 98–100, 213
synthesis 13, 187
- Cardiomyocytes
adult murine 104, 114
autofluorescence 18, 20, 21, 114
contractile function 104, 112
culture 104, 112, 113
isolation 106, 110–112
mouse 103–114
primary 103–114
viral transduction 103–114
- Cervical dislocation 106, 111
- cGMP
reporters 62
- Chemical proteomics 191–200
- Cloning
strategy 120–123
- CNBD. *See* Cyclic nucleotides binding domain (CNBD)
- Coarse-grain 46
- Collagen 96, 106
- Collagenase 106

- Compartmentalization2, 85, 192, 204, 206
 Computational modeling.....204, 214
 construction204, 212
 Confocal microscopy 87, 88, 98
 Cotransfection 11, 97
 C-terminal polybasic stretch.....86–87
 Cyclic nucleotide-gated channel..... 1, 71, 72, 74,
 76, 78–82, 86, 203
 Cyclic nucleotides binding domain (CNBD) 43–46,
 50, 51, 53–56
 Cytochalasin D..... 9, 112, 113
- D**
- DB-cAMP. *See* Dibutyl cyclic adenosine monophosphate
 (DB-cAMP)
 Dibutyl cyclic adenosine monophosphate
 (DB-cAMP) 143, 144
 Disruptor peptide 139–141, 145, 146
 AKAP-in silico140
 Ht31139–141, 147, 152, 168
 DNA
 amplification.....169
 enzymes 120–122, 124–126, 137, 167, 169
 microinjection of DNA25, 86, 117, 123, 126–127
 modification169
 primers.....119–120, 123, 169, 174, 178
 sequencing169
- E**
- Edinburgh Minimal Medium (EMM).....182
 Electrophysiological measurements 71, 72, 80
 ELISA, *See* Enzyme-linked immunosorbent assay (ELISA)
 EMM. *See* Edinburgh Minimal Medium (EMM)
 Enzyme-linked immunosorbent assay (ELISA)..... 132, 134,
 135, 153–158, 160, 163
 E prostanoids (EP)144
euPacα..... 131, 132, 135
euPacβ..... 131, 132, 135
- F**
- fbp1*..... 181, 185, 189
 Fibronectin96
 Fission yeast181
 Flavins20, 133
 Fluorescence
 acceptor2, 7–10, 14, 15, 19,
 22, 26, 42, 47, 49, 59, 61, 62, 64, 65, 67, 104, 118,
 154, 159, 160, 164, 213
 bleaching 10, 14, 15, 18, 21
 CFP3, 5, 9, 15, 16, 21, 30–32, 51, 54–56,
 60–62, 64, 65, 67, 86–92, 94, 95, 98–100, 110, 118
 donor 2, 7–10, 14, 15, 19, 22, 26, 42, 47, 49, 51,
 59, 61, 62, 64, 66, 67, 118, 154, 159, 160, 164, 213
 FD-FLIM 14, 15, 18, 20, 21
 fluorophore 2, 3, 5, 7–10, 14, 15, 18,
 21, 26, 27, 36, 38, 59, 64, 91, 110, 111, 113, 114,
 118, 120, 159, 163–165, 213
 Förster resonance energy transfer (FRET)
 AKAR42–6, 11
 cyclic nucleotide-gated (CNG)
 channels probes.....71
 efficiency.....2, 26, 42, 47, 59, 60, 66–69
 EPAC-based sensor 110, 114
 EpacH90 2, 3, 5, 6
 FRET reporter calibration 25–39, 213, 214
 genetically engineered2
 limitations..... 27, 60, 72
 PKA-based sensor 2, 7, 10, 54
 probe..... 2, 3, 10, 59, 61, 67, 68, 71, 86, 92
 ratio changes 26–28, 90, 99
 reporters
 reporters: design.....47–50
 reporters: development2, 3, 25, 36, 41–56, 59
 reporters: geometrical considerations.....42, 48
 sensors2–5, 7–9, 13–23, 25–27,
 35, 36, 38, 39, 42, 50, 57, 86, 95, 97, 103–114,
 117–128, 133, 213, 214
 signal-to-noise 15, 39, 60, 98, 99, 127
 spatiotemporal resolution.....103, 214
 targeted sensors..... 3, 26, 36
 unimolecular sensor 50, 53–56, 213
 frequency-domain (FD)..... 14, 17–19
 imaging.....13–23, 27, 41, 60, 62–64, 67, 76, 118, 213
 lifetime..... 13–23, 59, 67, 164
 life time imaging (FLIM)14–22
 live cell60, 95, 103, 180, 214
 mCherry4–8, 11, 91, 95, 96, 100
 MTurquoise2, 15, 18, 19
 phototoxicity.....15, 98
 time correlated single photon counting (TCSPC).....14
 Venus3, 15
 YFP3–5, 9, 30–32, 38, 51–54,
 60–65, 87, 89–92, 94, 96, 98–100, 110, 114, 118
- Fluorescence polarization (FP)..... 145, 154
 Forskolin..... 5, 7, 9, 10, 18, 19, 21,
 26, 27, 34, 35, 64, 68, 72, 110, 113, 142, 143, 213
 Fura-2..... 72–74, 77–80
 Fura red 91, 92, 94, 99
- G**
- GEF-catalytic domain.....15
 Genetic crosses184
 Genotyping 120, 123, 127
 GKAP
 identification.....193, 199
 IRAG 192, 199
 GLP-1. *See* Glucagon-like peptide-1 (GLP-1)
 Glucagon90, 91

- Glucagon-like peptide-1 (GLP-1).....88–90
Gluco-incretin hormones88
- H**
- H895, 7, 11, 139, 144, 145
Helix mimetics153, 158
Heparin105, 106, 111
Homogenous time-resolved fluorescence assay
(HTRF).....153, 155, 158–160, 163–165
HTRF. *See* Homogenous time-resolved fluorescence assay
(HTRF)
- I**
- IBMX.....5, 7, 9, 10, 18, 19, 21,
26, 64, 68, 69, 72, 74, 88, 110, 132–135, 143
Image cytometry.....59, 61
Image segmentation62, 63, 65
In-gel digestion194, 196–197,
199, 200
Inhibitory peptides153, 154, 158
In-silico approach.....41–57
In-solution competition.....192, 193, 195–196
Insulin-secreting β -cells.....88–90, 96
Inter-chromophore distance47, 50, 52, 55, 56
Ionic currents
measurement.....71–76, 79–82
Isoproterenol17, 18, 68, 74,
119, 121, 122, 143, 144
- K**
- K-Ras87
- L**
- Label-free liquid chromatography-high resolution
mass spectrometry (LC-MS/MS).....192, 194,
197, 200
Lambert instruments FD-FLIM.....15
Laminin.....96, 104, 106, 109, 113
Langendorff apparatus.....105, 107, 111
LC-MS/MS. *See* Label-free liquid chromatography-high
resolution mass spectrometry (LC-MS/MS)
Liberase111
Light-induced cyclase.....132
Linker peptides.....47–48, 58
Lipofectamine5, 6, 92, 93, 119, 121
L-type Ca^{2+} channel80
- M**
- Mass action law for binding reactions205
Mass spectrometry.....192
Michaelis–Menten approximations205, 211
Microdomains7–8, 25
Microinfusion.....27–29, 31
- Microscopy.....59, 60, 62–64, 67, 68, 86–89,
92–93, 98, 100, 106, 114, 118, 154, 187, 189, 207
Modified Eagle's medium (MEM) with Hank's salts106
Modulation-optimum20
Monoclonal cell line30, 36
mRNA.....179
- N**
- NaN₃.....194, 198
Neighboring cells.....3
NIST-traceable light source.....61, 62
Nystatin.....73, 75, 82
- O**
- optogenetics.....134
- P**
- PAC. *See* Photoactive adenylyl cyclase (PAC)
Patch-clamp25–39, 86
PDE. *See* Phosphodiesterases (PDE)
Peptide Spectral Matches (PSMs).....198, 199
Peptidomimetics153
Perfusion system6–10, 74, 76, 97
PGE2. *See* Prostaglandin E2 (PGE2)
pGEX6P1.....174, 179
pH
fluorescent protein72
intracellular29–31, 36, 37
Phage display
library168, 171–176
selection.....141, 168, 171–172, 175, 177, 178
Phosphatase.....80, 138, 152, 193, 198
Phosphodiesterases (PDE)
activity35, 143, 183–185, 187, 188
gene183
inhibitors181–183, 186
mammalian13, 183
modulator181–190
trypanosome183
Photoactive adenylyl cyclase (PAC)
dark activity132–135
Photoisomerization10
PKA. *See* Protein kinase-A (PKA)
PKG
domain.....192
PKI. *See* Protein kinase inhibitor (PKI)
Plasma membrane25, 72, 82, 85–100, 138, 213
Plasmid
purification126, 183
Porphyrins133
Predictive model.....204, 205, 214
Proposed mechanism models.....204
Prostaglandin E2 (PGE2)68, 114, 143, 144
Protease enzyme106

Protein

engineering.....42, 141
 purification
 chromatography columns..... 170, 174,
 192, 194, 196, 197
 E. coli TOP10 cells.....170
 filtration buffer.....170, 174
 Glutathione Sepharose..... 170, 174, 179
 G-proteins.....208
 IPTG solution.....170, 174
 LB..... 170, 173–176, 179
 lysis buffer..... 127, 128, 170, 174, 193–195, 198
 protein-protein interactions..... 13, 14, 59,
 137, 151, 154, 163, 165
 wash buffer..... 170, 174–176
 Protein kinase-A (PKA)
 activation..... 1, 145, 152, 181,
 187, 207, 208, 211, 212
 activity.....2–5, 10, 80, 138,
 144, 152, 168, 181, 184, 187, 188
 co-localization.....192, 207
 docking and dimerization domain.....167
 holoenzyme.....44, 137, 138, 152, 211, 212
 interaction.....152, 153, 160, 167, 198
 phosphorylation..... 2, 13, 144, 212–213
 regulatory subunit..... 44, 45, 51, 52,
 86, 88, 95, 97, 98, 137, 138, 145, 152, 167–180,
 191, 199, 211, 212
 RI.....17, 25, 135, 137–142, 145, 146, 168, 211
 RII.....25, 86, 137–142, 145,
 146, 152, 153, 161, 167, 168, 171, 175, 178, 211
 Protein kinase inhibitor (PKI)..... 11, 139, 144
 Proteolysis.....200
 PSMs. *See* Peptide Spectral Matches (PSMs)
 Pyrimidine analog 5-fluoro orotic acid medium.....181

Q

Quantum yield.....15, 42

R

Rational design.....47–50, 57
 Reactive oxygen species (ROS).....21
 Refractive index.....42, 60
 RIAD. *See* RI-selective peptide (RIAD)
 RI-selective peptide (RIAD)..... 141, 142, 145
 Rp-cAMPS. *See* Adenosine-3',5'-cyclic
 monophosphorothioate Rp-isomer (Rp-cAMPS)
 R_{select}.....141

S

Schizosaccharomyces pombe..... 181
 Second messengers..... 13, 151, 191
 Sensitized emission (SE).....14
 Signaling cascades..... 145, 151, 205
 Small molecules.....140, 153, 154, 162, 163, 205
 SNARF-1.....29, 37
 Spectrum..... 26, 42, 63, 64, 69, 99, 114, 178
 STAD. *See* Stapled AKAP disruptor (STAD)
 Stapled AKAP disruptor (STAD).....141
 Statistic assessment
 graphpad prism.....155, 160
 ImageJ..... 11, 18, 62, 64, 68, 96
 KaleidaGraph.....8
 Mascot.....194, 198
 Matlab.....19, 61, 62, 64,
 73, 78, 207
 Metafluor..... 9, 10, 38, 96
 OriginPro.....8
 Proteome Discoverer.....194, 198
 Z' factor..... 186, 189, 190
 Subcellular compartments.....2, 25
 Sub-plasma membrane.....85–100

T

Terpyridin..... 153, 158
 Tetrad dissection.....184
 TIRF. *See* Total internal reflection fluorescence (TIRF)
 Total internal reflection fluorescence (TIRF)..... 87, 89,
 90, 92, 93, 95, 96, 98, 100
 Transfection..... 3–6, 8–11, 16–17, 19, 20, 29,
 30, 35, 37, 77, 80, 92–94, 96, 97, 99, 119, 121, 142
 Transgenic mice.....117–128
 Transgenic tools.....131–132
 Translocation..... 85–100, 206
 Tyrode buffer solution.....106, 109

V

Valinomycin.....29–31, 37
 Vannas scissors.....107, 111

W

Whole-cell
 measurement.....81–82

Y

Yeast-based high-throughput screen.....181–190