

INDEX

A

Affine transformation 120, 125, 146
Automated methods 80

B

Bayesian classification 241, 277
Bilinear and perspective/projective
transformations 121
Bioinformatics 41, 59
Biological variation 5–7, 15, 16, 18, 19, 28, 32, 33
Biomarkers identification 238, 239, 262,
264, 300
Block designs 21, 22, 33
Bonferroni 77, 217, 218

C

Chemometric methods 237–267
Classification matrix 253, 280, 282
Classification method 241, 272, 273, 277–279
Classification performance 281–282
Clustering method 234
Cluster sampling 14, 15, 220, 225
Conjugate gradient optimization 168, 174
Contourlet denoising (CD) 80
Contrast-limited adaptive histogram equalization
(CLAHE) 95, 103
Correlation analysis 77
Cost-benefit analysis 5, 30
Cross-validation 285

D

Data analysis 4, 11, 12, 34, 64, 72, 76–77,
133, 160, 218, 240
Discrimination power (DP) 245, 246, 257, 272, 312

E

Experiment layout 5, 17, 19
Experimental design 3–36, 218
Experimental variation 10, 22, 97, 98

F

Factorial design 17, 20, 22
False discovery rate (FDR) 77, 217–219, 313–315
Family wise error rate (FWER) 217, 219
Forward search 319, 320
Fuzzyfication 83, 317–318, 319–320
Fuzzy logic 316

G

Gaussian extrapolation of saturated protein
spots 203–210
Gaussian filter 82, 83
Gaussian noise 79, 80, 83, 87
Gel electrophoresis 56, 93, 99, 109,
111–113, 116, 157, 185, 237
Gel matching 70, 72, 73, 75–77,
126, 141, 162, 163, 250
Genetic algorithm 120, 143, 167
Genetic algorithm for numerical optimization of
constrained problems (GENOCOP) 167,
168, 170, 171, 173, 174, 182

H

Hierarchical grid transformation (HGT) 125, 143,
165–183
High-dimensional data 290
Histogram equalization 94, 95

I

Image analysis 8, 11, 56, 69, 72, 75–77,
96, 157–159, 167, 203–206, 210, 251, 272, 273,
299, 305
Image denoising 315
Image matching 110, 141, 146, 297
Image normalization 93, 142
Image pretreatment 79–88, 91–104,
279–280, 306, 309
Image processing 79, 85, 94, 109, 139, 141,
156, 161

330|Index

Image registration 119, 135–136, 143, 144, 156
Image segmentation 75, 119, 159, 160, 204, 311
Image warping 75–77, 110, 120, 121, 123,
130, 132, 165–183, 188

L

Latent variables (LVs) 224, 226, 228,
244, 258, 259, 261, 278, 283, 312
Leave-more-out (LMO) cross-validation 266, 285
Leave-one-out (LOO) cross-validation 260,
266, 278, 282, 285, 307, 312, 315
Legendre moments 271–286, 316
Linear discriminant analysis (LDA) 237–267, 272,
276, 277, 278, 279, 281, 282, 285, 319, 320, 324
Loadings 16, 155, 157, 190, 194, 218,
224, 226–229, 240, 244, 246, 248, 250–252,
258–259, 282–283, 308, 317, 321
Locally weighted regression (Loess) 100–104

M

Matched random sampling 15, 22
Median modified Wiener filter (MMWF) 80–85,
88, 292
Minimum curvilinear embedding (MCE) 80, 84,
290–296
Minimum curvilinearity 289–297
Missing values 72, 74, 133, 300
Modelling power (MP) 245
Moment function 271–286, 316
Morphological filter 206
Multi-dimensional scaling (MDS) 291, 319,
320, 324
Multiple testing 77, 215–234
Multivariate analysis 219, 309, 313
Multivariate approaches 76, 264, 312
Multivariate statistics 218–229, 316
M versus A-values (M-A plots) 99, 100, 103

N

Nearest neighbor algorithm 101, 217
Nested design 15, 17, 19, 20
Noise reduction filter 87
Non-error-rate% (NER%) 247, 249, 253,
260, 282, 284, 320
Nonlinear dimensionality reduction 80, 84,
289–297
NonLinear Iterative Partial Least Squares (NIPALS)
algorithm 217, 265
Non-parametric tests 34
Normalization for 2-DE 91–104
Normalization of DIGE gel 99–102
Normalization of multiple gels 96–99
Normalization of single gels 94–96

O

Optimal sample size 5, 8, 12, 23–30, 35

P

Partial least square (PLS) 77, 133,
217, 218, 220, 224, 225, 227, 238, 244, 246,
250, 258, 260, 261, 263, 278, 281, 282, 284,
307, 312, 313, 315
Partial least square-discriminant analysis
(PLS-DA) 220, 224, 225, 228, 237–267, 272,
278, 281, 282, 284, 312, 313
Pattern recognition 92, 215–234, 240, 273
Pixel-based analysis of multiple images for the
identification of changes (PMC) 133, 305–308
Pixel-based approaches 73, 144, 161, 299–325
Polynomial Savitzky-Golay 83
Polynomial transformation 123
Post-translational modifications (PTMs) 31, 48,
52, 74, 215, 216, 229–233
Power analysis 4, 23–25, 30, 34, 77
Precision and reliability of automated
systems 158–159
Pre-processing of the gel images 156
Principal component analysis (PCA) 77, 80,
96–98, 133, 217, 218, 225, 234, 238–240, 242,
244, 246, 247, 250–252, 257, 263, 290, 291,
293, 294, 297, 307, 308, 316, 317, 319, 320
Principle of attraction 111–113, 115
Principle of exhaustiveness 241
Principle of parsimony 239
Protein correlations 219, 230, 231
Protein isoform 48, 50, 52, 188, 301
Proteomics 3–5, 17, 24, 25, 33, 40,
52, 56, 61, 69, 72, 73, 75, 77, 119, 156, 165, 167,
185, 188, 215–234, 237, 241, 243, 244, 249,
265, 289–292

R

R^2 171, 188, 283–284
Randomization 5, 12, 15–17, 22
Random sampling 12, 14
Random variations 240, 247
Ranking-PCA 237–267
RBF-PLS 313
Replication 5, 15, 16, 238, 239, 247
Restriction landmark genomic scanning (RLGS) 120
Rolling-ball algorithm 206
Root mean square error (RMSE) 283, 284

S

Salt and pepper noise 81
Sample pool(ing) 16, 18, 19, 30

- Sampling 7, 8, 10, 12, 14, 15, 21, 40, 133, 143, 148, 295
- Sampling scheme 5, 8, 12, 14
- Score 97, 127, 130, 218, 220, 225–228, 243, 244, 250–253, 256, 258–259, 264, 282–283, 284, 308, 317, 319
- Significance analysis of microarrays data (SAM) 4, 313
- Singular value decomposition (SVD)
implementation 296
- Soft-independent model of class analogy (SIMCA)
237–267
boxes 242, 244, 245
- Software packages 69–77, 157–160, 167, 186, 194, 216, 272
- Software tool 301
- Spatial filtering 80, 87
- Spike noise 79, 83
- Split plot design 22
- Spot detection 11, 39, 61, 70–73, 75, 77, 80, 91, 130, 138, 155–163, 167, 185, 204, 205, 299, 301, 309
- Spot matching 59, 63, 75, 76, 92, 99, 109–117, 124, 127, 128, 130, 185, 186, 188
- Spot overlapping 51, 204
- Spot quantification 71, 72, 75, 93, 158, 159, 185, 194, 198, 205, 250
- Spot segmentation 156, 157, 161
- Spot volume data 92, 93, 97, 210, 238–241, 247, 250, 251, 272, 299, 300, 305
- Start-to-end processing of 2-D map images 309–316
- Statistical power analysis 23–25
- Stratified sampling 12, 14
- Supervised classification methods 240
- Systematic sampling 13, 14
- T**
- Technical variation 5, 8, 11, 15–17, 19, 24, 33, 34
- 3D mathematical morphology (3DMM) 80, 85–87
- Three-way PCA 316, 317
- Two-dimensional difference gel-electrophoresis (2-D DIGE) 91–104, 157, 225, 238
- Two-dimensional electrophoresis images (2-DE images) 69, 79–83, 85, 86, 88, 91–104, 109–117, 159–161, 238, 292
- Two-dimensional gel electrophoresis (2-D GE) 55–64, 109–116, 155–163, 203–210, 215–234, 238
- Two dimensional maps (2D-maps) 3–36, 177, 238, 251, 299–325
- 2D-maps denoising and background subtraction ... 79–88
- Two-dimensional polyacrylamide gel electrophoresis (2D-PAGE) maps 119–150, 174, 239, 240
- 2D software 57, 71, 72
- Type I error 23, 24, 30, 217, 233
- Type II error 23, 24, 30, 76
- U**
- Uninformative variable elimination partial least squares (UVE-PLS) 312, 313, 323
- Univariate statistics 23
- Unsupervised machine learning 290
- V**
- Variable importance plot (VIP) 220, 226, 228
- Variable selection 239, 241, 247, 251, 255, 265, 319, 324
- Visualization 56, 60, 156, 157, 209, 231, 289–295
- W**
- Warping 58, 70, 74, 76, 91, 119–150, 167–169, 172, 177–183, 189, 310, 315, 321
- Watershed transformation (WST) algorithm 138, 159–161, 207
- Wavelet denoising (WD) 80, 83, 188, 194, 195, 198, 309
- Z**
- Zernike moments 271–286, 316
- Z-score normalization 98, 99