

INDEX

A

- Ablation
 - rate48, 49
 - threshold fluence 48
- Accelerated Nuclear DNA Equipment (ANDE) 208
- Advection 146, 147, 151, 154, 157, 169, 172, 187
- Advection-diffusion equation 146, 151, 157, 169
- Affinity 87, 90, 96, 145
- Ampholyte 114, 117, 118, 121
- Analyte 55, 67, 87, 100, 114, 126, 133, 144, 167, 197, 239
- Anolyte 114, 118, 120

B

- Band broadeningv, 184, 241, 248
- Boundary conditions 157, 170, 172, 180, 188
- Bovine serum albumin (BSA) 135, 136, 138–141, 228, 231, 232
- Buccal
 - gDNA extraction 210
 - swab 208–210, 214, 216, 220
- Buffer
 - borate58, 60, 72, 75, 200
 - Britton-Robinson 114
 - high-conductivity72, 127, 128
 - 4-(2-hydroxyethyl)-1-piperazineethanesulfonic acid (HEPES) 72, 75, 76
 - ion 100, 103, 108
 - leading 100, 102, 103, 108, 145
 - low-conductivity127, 128, 151, 158
 - pH 114, 118, 128, 168, 226, 248
 - phosphate 72, 75, 127, 200, 232
 - run 58, 59, 200
 - strength 149
 - terminating100, 102, 103, 108
 - tris(hydroxymethyl)amino-methane (Tris)72, 88–93, 127, 200
- Buffered oxide etchant4–6, 9
- Burgers' equation 153

C

- Capacitively coupled contactless conductivity detector (C⁴D) 134
- Capillary
 - electrochromatography (CEC) 145, 146, 161
 - electrophoresis (CE) 1, 55, 66, 79, 87, 89, 91, 94, 95, 197, 202, 207, 210, 212, 219
 - isotachopheresis (CIETP) 145
 - molding 27, 31, 43, 44, 51
- Catholyte 114, 118
- Cetyltrimethylammonium bromide (CTAB) 76
- Charge coupled device (CCD) 59, 71, 114, 131, 210, 212, 214, 219, 220, 222, 227, 232, 242
- Charge-to-size ratio 87
- Chrome mask
 - Etchant4, 6, 7
- Collision induced dissociation (CID) 232
- Computer numerical control (CNC)
 - micromachining 21, 22, 34, 38–40
- Concentration 16, 45, 67, 72–76, 80, 88, 94, 99–102, 106, 109, 118, 123, 128, 131, 133, 135, 139, 140, 144–146, 149, 151, 153, 155, 157, 161, 162, 169, 179, 181, 184, 194, 201, 202, 234, 248
- Conductivity
 - contactless 134
 - detection 135, 136, 138
- Creatinine 135, 136, 138–140
- Crystallite melting point 16
- Cyclic olefin copolymers (COC) 1, 84

D

- Debye
 - Hückel67, 75, 158
 - layer 143, 158, 185
 - length 144, 146, 156, 158, 159
- Deep reactive-ion etching (DRIE) 126, 128
- Detection
 - absorbance 95, 145
 - amperometric 79, 204
 - electrochemical79–84, 198, 199, 203
 - fluorescence 57, 59, 95, 134, 214
 - mass spectrometry 79, 225

Diffusion	
coefficient	169, 170, 172, 175, 179
length	170, 203
time	151, 157, 184
Dirichlet problem.....	159
Dispersion	
anomalous.....	147, 151, 156, 158, 160, 161
electrodynamic	172, 176–183
electromigration	151
hydrodynamic.....	170, 172–175, 177, 184, 191, 192, 241
Taylor-Aris	156, 158, 160, 161, 172, 176, 177, 191
DNAscan	208
E	
Electric	
charge.....	143
current	67, 75, 83, 147
double layer	144
field	62, 67, 73, 74, 87, 100, 120, 125, 143–146, 149, 151, 159, 160, 164, 167–169, 173, 177, 179, 185, 188, 189, 193, 198, 202, 203, 230, 234, 240, 241, 246, 248
permittivity	144, 146
voltage.....	50, 56–59, 61, 62, 66, 67, 71, 73, 76, 79, 80, 83, 84, 95, 103, 108, 115, 120, 121, 128, 133, 135, 136, 138, 199, 202, 204, 210, 214, 227, 229–231, 235, 242, 246
Electrode	
pencil.....	134–137
platinum (Pt).....	71, 73–76, 126, 138
reference	81–83
working.....	82, 83
Electrolyte	
background (BGE)	80, 88, 136, 198
Electroosmotic flow (EOF).....	57–62, 65, 67, 69, 72–75, 77, 79, 87, 89, 96, 146, 152, 153, 160, 172, 178, 194, 198, 203, 226, 231, 232, 234, 235, 240
Electropherogram	89, 90, 139, 140, 212, 221, 243, 246, 247
Electrophoresis	
capillary	1, 55, 66, 79, 87, 89, 91, 94, 95, 114, 143, 197, 202, 207, 210, 212, 219, 245
gel.....	133
Electro-spray ionization (ESI)	
emitter.....	226, 229, 231, 232, 234, 235
source	226, 228, 232
voltage.....	226, 232
Elution	87, 211, 217
End-labeled free Solution electrophoresis (ELFSE).....	144
Explosives	90
External calibration method (ECAL)	101, 109
F	
Faceted design.....	152
Field-amplified sample stacking (FASS).....	65–68, 72–76
Flow Counterbalanced Capillary Electrophoresis (FCCE).....	240, 247
Fluorescence quantum yield	77
Free flow	
electrophoresis (FFE).....	113, 167
isoelectric focusing (FFIEF)	113, 176
zone electrophoresis (FFZE).....	170, 172, 176–179, 187
Function	
bessel.....	144, 158
complementary error	154
dirac delta	153
Haarhoff-Van der Linde (HVL).....	156
G	
Gated injection	65–67, 73–75, 83, 219, 231, 244, 246
Gaussian	
curve	243
distribution	49
fit	243
peak.....	60
shape	49
voltage.....	130
GeneMarker software.....	220
Glass	
borosilicate	2, 7, 82, 84, 116
soda-lime	2
Glass transition temperature.....	15, 16, 38, 46
Gradient	
conductivity	127, 128, 130
electrophoretic	125
focusing	128, 130
pH.....	113, 114, 123, 127, 128, 145, 176, 194
pressure	159, 172, 178, 183, 241
voltage.....	130
H	
Helmholtz-Smoluchowski	146
High salt stacking.....	91, 95
Hot embossing	16, 19, 34, 38, 46
Hydrodynamic voltammograms	204, 205
Hydrophilic	215

- Hydrophilize 72
Hydrophobic 69, 89, 96
- I**
- Injection molding 16, 20, 34, 39
Instrumentation v, 56, 82,
94, 125, 133, 135, 198, 199, 240
Internal standard method (ISTD) 101–103,
105, 106, 108–110
Ion beam etching 25, 29, 30, 36, 43, 50
Isoelectric
 Focusing (IEF) 113
 point (pI) 113
Isotachopherograms 107, 109
Isotachopheresis (ITP) 99–103,
105, 106, 109, 110
- J**
- Joule heating v, 72, 75, 95, 147,
158, 168, 169, 179, 184–193, 234, 239, 248
- K**
- Kirchhoff's rules 62
- L**
- Lab on a chip (LOC) 197
Langmuir model 162
Laplacian operator 159
Large-volume sample stacking with electroosmotic flow
 pump (LVSEP) 65, 67, 69,
71–74, 76, 77
Laser
 argon ion 59, 60
 CO₂ 21, 48, 136, 141, 213
 excimer 48
 Nd:YAG 48
 photoablation 21, 34, 40, 48
Laser-induced fluorescence (LIF) 70, 71,
198, 199, 242, 246, 249
Luer connectors 122
- M**
- Mass
 spectra 232–236
 spectrometry (MS) 79, 121, 198, 199, 225–236
Metal deposition system 80
Method-of-moments 167, 169,
173, 174, 182, 186, 189, 193
Micellar electrokinetic chromatography
 (MEKC) 69, 87–90, 94, 145
Micelle 69, 73, 76,
77, 87, 89, 96, 145
- Microchip
 bonding 7, 9
 electrophoresis (ME) 55, 59,
65, 80, 81, 83, 99, 135, 137, 197–205
 isotachopheresis (μ ITP) 99
Micro contact printing 14, 46
Microfluidic v, vi, 1–11,
20, 21, 23–25, 56, 60, 61, 65, 113–123, 149, 151,
156, 173, 185, 187, 197, 199, 203, 207–223,
225–236, 239–244, 247
Microfluidic-based Integrated rapid DNA Analysis
 System (MiDAS) 207–223
Microfluidic paper-based analytical devices
 (μ PADs) 134
MicroITP software 106
Micro stereolithography 30, 32,
36, 44, 51, 52
Micro total analysis systems (μ TAS) 55, 79
Micro transfer molding 15, 34, 37
Mobility 60, 67, 75,
89, 100, 102, 103, 105, 143–145, 147, 154, 156,
170, 179, 181, 198, 200, 234, 235
- N**
- Nanochannel 29, 31, 125–131
Nanofluidic 126, 131
Nanoporous glass junction 229
Nitroaromatic 90–93
Number of theoretical plates 147, 160
- O**
- Off-stoichiometric thiol-ene polymers
 (OSTE) 84
One-variable-at-a-time (OVAT) 203
Online
 pre-concentration 203
Orientation factor 172, 175, 177, 192
- P**
- Paper 14, 47,
133–141, 149, 230, 246
Peak
 asymmetry 154
 height 74–77, 92, 93
 tailing 163
 width 92, 93, 147, 202
Péclet numbers 151, 154,
170, 172, 180, 181, 187, 192
Photoinitiator 116, 117
Photolithography 14, 27,
41, 58, 84, 127–129, 199
Photomask 2–6, 9, 35,
40, 116, 117, 122, 126, 127

- Photoresist
 developer 4
 spinner 3, 5, 9
Picoammeter 227, 230, 242, 246
Pinched injection (PI) 57, 58, 74, 231, 234
Plasma etching 25, 27, 29, 35,
 36, 42, 43, 128
Plateau mode ITP 100, 101
Plate height 147, 149
Pleated channels 152
Point-of-analysis (POA) 207
Polyamide (PA) 16
Polycarbonate (PC) 46, 84, 209, 213
Poly(dimethylsiloxane) (PDMS) 1, 15,
 25, 29, 34–38, 42–45, 50, 51, 60, 71, 72, 75,
 80–82, 84, 198
Polyelectrolyte 144
Polyether ether ketone (PEEK) 25, 29,
 35, 36, 42, 50, 210, 214, 217, 229
Polyimide coating 232, 235
Polymerase chain reaction (PCR) 207–209,
 211, 212, 214–217, 219–222
Polymethyl methacrylate (PMMA) 1, 16,
 20, 22, 23, 25, 26, 28, 31, 34–36, 39, 41, 42, 50,
 84, 198
Polyoxymethylene (POM) 16, 25, 34
Polystyrene (PS) 1, 34, 39, 103, 107
Polysulfone (PSU) 16, 34, 215
Poly(vinyl alcohol) (PVA) 72, 75, 77
Pressure-driven flow 167–169,
 172, 177, 182, 184, 186, 187, 191, 192, 240,
 241, 244
Printed circuit board (PCB) 214, 215
Proteome Discoverer 229
Pseudostationary phase 69, 76
- R**
- Race-track effect 149, 151
Radius of curvature 151
RapidHIT 208
Relative standard deviation (RSD) 110, 232
Relative step height (RSH) 100, 101, 107, 109
Replica molding (REM) 14, 37, 45
Resolution 5, 22, 30, 33,
 52, 76, 77, 114, 116, 125, 133, 147, 158, 168,
 202–204, 235, 241, 246–248
Response Surface Methodology (RSM) 203
Retention factor 76
- S**
- Sample
 concentration 74, 151, 169, 201
 detection vi, 70, 101, 233
 injection v, 55, 65,
 68, 92, 103, 134, 157, 231, 232, 246
 loading 154, 219
 matrix 67, 72,
 76, 77, 87–93, 95, 96
 pH 67
 pre-concentration 203, 207
 variance 176
Selectivity 79, 92
Self-assembled monolayers (SAM) 14, 16, 37
Sensitivity 65, 68, 77,
 79, 87, 92, 96, 114, 121, 125, 133–135, 151,
 198–200, 202, 203, 226, 233
Separation
 buffer 94, 168, 200, 225, 240
 resolution 235, 241, 247, 248
 time 89, 95, 204, 241
 voltage 67, 89–93, 95, 204, 205, 246
Sheath flow 114, 118, 121
Short tandem repeat (STR) 208, 209, 217
Signal spikes 232, 235
Signal to noise (S/N) 204, 205
Silicon 1, 15, 31, 34,
 35, 37, 38, 40, 46, 80, 84, 126–130, 231
Sodium dodecyl sulfonate (SDS) 69, 72, 73, 75–77, 96,
 145, 205
Solvent-assisted micromolding (SAMIM) 15
Stationary phase 145, 146
Stokes-Einstein relation 156, 186
Stream broadening 167, 169,
 173, 174, 182, 186, 189, 193
Sudan III 89, 90, 96
Surfactant 73, 76, 87, 92–94, 96, 205
Sutherland's formula 147, 149
Sweeping 65, 69,
 70, 73, 75–77, 91, 95
- T**
- Taylor cone 232
Theory
 band broadening 143, 241
 lubrication 158, 161, 164
 Taylor-Aris 157
Thermoelectric cooler (TEC) 210
Total ion chromatogram (TIC) 232, 233, 236
Turn angle 151
- U**
- UV
 absorbance 95, 145
 light 9, 22, 23,
 35, 36, 42, 43, 52, 81, 82, 117
 patterning 23, 25, 26, 35, 41, 42

V

Van Deemter equation 174
 Viscosity 27, 44, 50, 52,
 56, 144, 146, 147, 149, 179, 186, 189, 191

W

Wall adsorption kinetics 161

X

X-ray lithography (XRL) 22

Z

Zeta potential 75, 144, 146,
 153, 158–162, 164, 240
 Zwitterion 113, 234, 248