

Index

A

- Abdominal mass, 17–36, 19t
 - midline, 23–24
 - solid, 24–25
- Abdominal wall defects
 - bladder exstrophy, 130
 - Absent testis, 154
- Actinomycin
 - rhabdomyosarcomas, 291
- Adolescence. *See also* Pediatric
 - early, 273–274
 - late
 - psychosocial implications, 275–276
- Adrenal hemorrhage, 26
- Adrenal hyperplasia
 - congenital, 27–28
- African American
 - urethral prolapse, 43–44
 - vesicoureteral reflux, 52
- Alarms
 - nocturnal enuresis, 226–227
- Alpha-antagonists
 - voiding dysfunction, 222
- Alternative continence channels, 248–249
- Ambiguous genitalia, 27–28, 28f
- Amniotic fluid, 2
 - volume
 - assessment, 5
- Androstenedione, 27–28
- Anorchidism
 - evaluation, 159t
- Anorectal defects
 - bladder exstrophy, 132–133
- Antegrade continent enema, 250–251
- Antenatal hydronephrosis, 57
- Antibiotics
 - vesicoureteral reflux, 64–65
- Anticholinergics
 - urinary incontinence, 240

Anus

- imperforate, 42–43
- Anxiety disorders, 275
- Appendicovesicostomy, 249
- Arnold-Chiari, 233
- Artificial urethral sphincter (AUS), 247–248
- Ascended testis, 155–156
- Ascites
 - neonatal, 23
 - urinary, 23
- AUS, 247–248
- Autologous blood, 93
- Autologous chondrocytes, 93–94
- Autologous collagen, 95
- Autologous free fat, 92–93
- Autologous injectable materials, 92

B

- BDMP, 106
- Beckwith-Wiedemann syndrome, 296–297
- Bilateral nonpalpable cryptorchidism
 - evaluation, 159t
- Bilateral nonpalpable testis, 158
- Bilateral reflux
 - cystogram, 189f
- Bilateral renal agenesis, 6
- Bilateral undescended testis (UDT), 158
- Biofeedback
 - voiding dysfunction, 224–226
- Bioglass, 94–95
- Birmingham (UK) Cooperative Study, 62
- Birth Defects Monitoring Program (BDMP), 106
- Bladder
 - augmentation, 242–244
 - complications, 244–246
 - laparoscopic, 251

- autoaugmentation, 242–243
 - with demucosalized bowel or stomach, 244
 - calculi, 245
 - enterocystoplasty, 243
 - fetal
 - formation, 3
 - gastrocystoplasty, 244
 - high-pressure
 - management, 239–244
 - ileocystoplasty, 243
 - increasing compliance, 242–244
 - perforation, 245
 - posterior urethral valve
 - ultrasound, 12f
 - primary closure
 - bladder exstrophy, 137–147
 - sigmoid cystoplasty, 243
 - smooth muscle cells, 95–96
 - tumor, 245
 - ultrasound
 - voiding dysfunction, 215
 - ureterocystoplasty, 243
- Bladder exstrophy, 38–39, 39f, 41f, 127–148
 - abdominal wall defects, 130
 - anatomy, 129–135
 - anorectal defects, 132–133
 - bony pelvis and muscular defects, 129–130, 130f
 - combined bladder closure and epispadias repair, 147
 - delivery room and nursery, 135–137
 - embryology, 128–129
 - female genital defects, 133, 136f
 - incidence, 128
 - inheritance, 128
 - male genital defects, 133
 - muscular defect, 132f
 - prenatal diagnosis, 135
 - primary bladder closure, 137–147
 - bladder, posterior urethra, abdominal wall closure, 140–147, 143f, 144f, 145f
 - pelvic osteotomy, 138–140, 139f
 - urinary defects, 133–135, 134f
- Bladder outlet
 - incompetence
 - surgery, 246–247
 - obstruction, 11
- Blood
 - autologous, 93
- Blunt injury, 30–31
- Bovine dermal collagen, 88–89
- Bowel
 - neurogenic, 249–250
- Buck's traction
 - modified, 141f
- Buserelin
 - undescended testis (UDT), 166
- C**
- Canada
 - STING (subtrigonal Teflon injection)
 - cost analysis, 96–97
- Cancer
 - undescended testis (UDT), 163–164
- Cantwell-Ransley epispadias repair, 141–142
- Caudal regression syndrome, 237
- Child abuse, 29–30
- Children. *See* Pediatric
- Chondrocytes
 - autologous, 93–94
- Chordee
 - hypospadias, 106–107
- Circumcision, 31–32
- Circumferential incision, 117
- Cisplatin
 - rhabdomyosarcomas, 283–284
- Cloacal exstrophy, 38–39, 41f
- Cognitive behavior, 276
- Collagen
 - autologous, 95
 - bovine dermal, 88–89
- Combined bladder closure and epispadias repair
 - bladder exstrophy, 147
- Combined epispadias repair and bladder closure
 - bladder exstrophy, 147

Complex uroflow with electromyography
 voiding dysfunction, 215–216, 218f
 Congenital adrenal hyperplasia, 27–28
 Congenital mesoblastic nephroma, 25
 Cremaster reflex, 162
 Cryptorchidism. *See also* Undescended testis (UDT)
 associated anomalies, 161t
 bilateral nonpalpable
 evaluation, 159t
 causes, 156–157
 classification, 157
 forms, 153–156
 hypospadias, 107
 Cystic nephroma, 22
 Cystoscopy
 vesicoureteral reflux, 66

D

Dactinomycin
 Wilms' tumor, 294
 Dartos pouch, 172
 DDAVP
 nocturnal enuresis, 227
 Deceleration injuries, 30
 Deflux, 91–92
 Delivery room and nursery
 bladder exstrophy, 135–137
 Denys-Drash syndrome, 296
 Desmopressin (DDAVP)
 nocturnal enuresis, 227
 Detrusor-sphincter dyssynergia, 234
 Developmental delays, 271
 Developmental perspectives
 genitourinary anomalies, 267–278
 Dextranomer
 hyaluronic acid, 68
 sodium hyaluronan, 91–92
 Diet
 voiding dysfunction, 223
 Differentness, 272
 Distal hypospadias, 112–116
 with chordee
 surgery, 116–121

meatal advancement, glanuloplasty (MAGPI), 112
 tubularized, incised plate urethroplasty (TIP), 112–113
 Distal ureter
 developmental abnormalities, 3–4
 Diverticula
 urethra
 hypospadias, 122
 Doazosin
 voiding dysfunction, 222
 Doppler imaging
 torsion, 32
 Doxorubicin
 rhabdomyosarcomas, 283–284
 Wilms' tumor, 294
 Dressings
 hypospadias, 111
 Duplicated collecting system, 10–11

E

Early adolescence, 273–274
 Early school years, 270–272
 Ectopic testis, 154
 Ectopic ureter, 200–206, 202f, 203f, 205f, 206f
 female, 201–204
 male, 204–206
 Electrostimulation
 bladder, 242
 Endoscopic injection needle, 86f
 Enema
 antegrade continent, 250–251
 Enterocystoplasty
 bladder, 243
 Enuresis, 220–221
 nocturnal, 226–227
 alarms, 226–227
 desmopressin (DDAVP), 227
 Environmental factors
 hypospadias, 105
 Epididymis
 elongated
 undescended testis, 171f
 Exstrophy-epispadias complex,
 128–129

F

- Falls, 30
- Familial reflux, 57
- Fascial defect
 - bladder exstrophy, 130
- Fascial slings, 248
- Female ectopic ureter, 201–204
- Female genital defects
 - bladder exstrophy, 133, 136f
- Female pseudohermaphroditism
 - evaluation, 159t
- Feminizing genitoplasty, 29f
- Fertility
 - undescended testis (UDT), 163
- Fetal bladder
 - formation, 3
- Fetal sex
 - determination, 6
- Fetal urinary tract
 - normal
 - ultrasound, 4–6
- Flank tenderness, 30
- Fluids
 - voiding dysfunction, 223
- Fowler-Stephens orchidopexy (FSO)
 - undescended testis (UDT), 172–173
- Free fat
 - autologous, 92–93
- Free grafts, 120–121
- FSO
 - undescended testis (UDT), 172–173
- Functional voiding disorders, 260
- Furosemide renal scan, 22

G

- Ganglioneuroma
 - vs. neuroblastoma, 308
- Gastrocystoplasty, 251
 - bladder, 244
- Gender
 - vesicoureteral reflux, 52
- Genetic factors
 - hypospadias, 104–105
- Genital defects
 - female
 - bladder exstrophy, 133, 136f
 - male
 - bladder exstrophy, 133

Genitalia

- ambiguous, 27–28
 - Genitoplasty
 - feminizing, 29f
 - Genitourinary anomalies
 - developmental perspectives, 267–278
 - Genitourinary oncology
 - pediatric, 281–313
 - Glenn-Anderson repair, 67
- H**
- hCG, 104
 - undescended testis (UDT), 166
 - Heineke-Mikulicz incision, 118
 - Hematuria, 30, 36–37
 - causes, 37t
 - renal interstitial, 36
 - Hemorrhage
 - adrenal, 26
 - Hemostasis
 - hypospadias, 110–111
 - Hernia
 - incarcerated, 34
 - inguinal
 - hypospadias, 107
 - undescended testis (UDT), 164–165
 - High-pressure bladder
 - management, 239–244
 - Hormonal factors
 - testicular descent, 156
 - Hormonal therapy
 - undescended testis (UDT), 166–167, 168t
 - Human chorionic gonadotropin (hCG), 104
 - undescended testis (UDT), 166
 - Hyaluronic acid
 - dextranomer, 68
 - Hydrocele, 34
 - Hydrocolpos, 23
 - Hydronephrosis, 6–8, 17–23, 19f, 20f
 - antenatal, 57
 - postnatal evaluation, 14–15
 - prenatal diagnosis, 1–15
 - prenatal management, 13f
 - prognostic evaluation, 13–14

Hydroureter, 21f
 21-hydroxylase deficiency, 27–28
 Hypercalciuria, 260
 Hypospadias, 103–122
 associated findings, 107–108
 chordee, 106–107
 classification, 109f
 cryptorchidism, 107
 distal. *See* Distal hypospadias
 endocrine factors, 104
 environmental factors, 105
 epidemiology, 106
 etiology, 104–106
 future research, 106
 genetic factors, 104–105
 inguinal hernia, 107
 intersexuality, 107–108
 island onlay repair, 116–118
 maternal factors, 105
 meatal stenosis, 122
 middle
 surgery, 116–121
 presentation, 108–110
 prostatic utricle, 108
 proximal
 surgery, 116–121
 surgery, 110–111
 complications, 121–122
 types, 111–122
 undescended testis (UDT), 160
 urethral diverticula, 122
 urethrocutaneous fistula, 121–122
 Hyposplasia
 undescended testis (UDT), 164f
 Hypothalamic–pituitary–testicular
 axis, 104

I

Ileocystoplasty
 bladder, 243
 Iliac wing angle, 131f
 Imipramine, 222
 urinary incontinence, 240
 Imperforate anus, 42–43
 Incontinence, 219–220, 271
 minimally invasive procedures, 251

 urinary. *See* Urinary incontinence
 Infancy, 268–270. *See also* Pediatric
 Inguinal hernia
 hypospadias, 107
 undescended testis (UDT), 164–165
 Inguinal orchidopexy
 undescended testis (UDT), 169–172
 skin incision, 170f
 Injectable materials, 247
 autologous, 92
 Injuries
 blunt, 30–31
 deceleration, 30
 sports, 30
 urethral, 31
 International Neuroblastoma Staging
 System, 312t
 International Reflux Study (IRS), 60–
 62, 61f, 62
 Intersex disorders, 27–28
 Intersexuality
 hypospadias, 107–108
 Intravenous pyelogram (IVP)
 ureteroceles, 190–191, 193f
 VCUG, 188
 Irinotecan
 rhabdomyosarcomas, 284, 292
 IRS, 60–62, 61f, 62
 Island onlay hypospadias repair, 116–
 118
 Island tube repair
 transverse, 118
 Ivalon, 94
 IVP
 ureteroceles, 190–191, 193f
 VCUG, 188

J

Joshi classification
 neuroblastoma, 307, 308t

K

Kalicinski technique, 69, 70f
 Kegel exercises
 voiding dysfunction, 224

- Kidney. *See also* Renal hypoplasia, 2
- Kidney disease
 polycystic, 22
- Kidney system
 primitive, 2
- Kropp procedure, 246–247
- L**
- Laparoscopic bladder augmentation, 251
- Laparoscopic orchidopexy
 undescended testis (UDT), 173
- Late adolescence
 psychosocial implications, 275–276
- Lower urinary tract
 embryology, 2
- Luteinizing hormone
 undescended testis (UDT), 166
- Luteinizing hormone-releasing hormone
 undescended testis (UDT), 166
- M**
- MACDP, 106
- Macroplastique, 89, 90–91
- MAGPI
 distal hypospadias, 112, 112f–113f
- Male ectopic ureter, 204–206
- Male genital defects
 bladder exstrophy, 133
- Maternal factors
 hypospadias, 105
- MDCK, 2, 3, 11–12, 22
- Meatal advancement, glanuloplasty (MAGPI)
 distal hypospadias, 112, 112f–113f
- Meatal stenosis
 hypospadias, 122
- Mechanical factors
 testicular descent, 156–157
- Megaureter, 10
 vesicoureteral reflux, 68–69
- Meningocele, 233
- Mental health
 undescended testis (UDT), 165
- Mesoblastic nephroma
 congenital, 25
- Mesonephric duct, 186
- Mesonephros, 2
- Metropolitan Atlanta Congenital Defects Program (MACDP), 106
- Meyer-Weigert law, 187
- Microvascular autotransplantation
 undescended testis (UDT), 173–174
- Midadolescence, 274–275
- Middle hypospadias
 surgery, 116–121
- Midline abdominal mass, 23–24
- MIS, 105, 153
- Mitrofanoff procedure, 249
- MMC, 233–234
- Modified Buck's traction, 141f
- Mood disorders, 275
- Motor vehicle accident, 30
- Müllerian inhibiting substance (MIS), 105, 153
- Multicystic dysplasia kidney (MDCK), 2, 3, 11–12, 22
- Myelodysplasia, 39–42, 233–235
- Myelomeningocele (MMC), 233–234
- N**
- National Wilms' Tumor Study Group (NWTS), 294
- Neonatal ascites, 23
- Nephrocalcinosis, 36
- Nephrogenic rests
 vs. Wilms' tumor, 298t
- Nephroma
 cystic, 22
- Neuroblastoma, 24, 305–313
 cause, 305–306
 future, 312–313
 vs. ganglioneuroma, 308
 imaging studies, 310–311
 laboratory evaluation, 309–310
 metaiodobenzylguanidine imaging, 311
 pathology, 306–308
 presentation and evaluation, 308–311
 screening, 309

- treatment, 311–312
- tumor markers, 309–310
- tumor staging, 311
- Neurogenic bowel, 249–250
- Nitrofurantoin
 - vesicoureteral reflux, 65
- Nocturnal enuresis, 226–227
 - alarms, 226–227
 - desmopressin (DDAVP), 227
- Nonpalpable testis
 - surgery, 174–175
- Nonsteroidal anti-inflammatory drugs
 - causing interstitial hematuria, 36
- Nursery
 - bladder exstrophy, 135–137
- NWTS, 294
- O**
- Obesity
 - undescended testis (UDT), 176
- Oligohydramnios, 5
- Onlay island flap, 115f
- Orchidopexy
 - inguinal
 - UDT, 169–172
 - UDT skin incision, 170f
 - laparoscopic
 - UDT, 173
 - reoperative
 - UDT, 176–177
 - staged
 - UDT, 174
- Orchiectomy
 - UDT, 174
- Orgasm, 273–274
- Ovarian cysts, 23
- Oxybutynin chloride
 - urinary incontinence, 240
- P**
- Paraphimosis, 31–32
- PCNL
 - pediatric stone disease, 262–263
- Pediatric genitourinary oncology, 281–313
- Pediatric stone disease, 259–264
 - etiology, 260
 - incidence, 259–260
 - management, 262–264
- Pediatric urology emergencies, 17–44, 18t
 - abdominal masses, 17–36
 - child abuse, 29–30
 - midline abdominal mass, 23–24
 - priapism, 35
 - renal vein thrombosis, 25–26
 - solid abdominal masses, 24–25
 - trauma, 30–31
 - uroolithiasis, 35–36
- Pediatric urology urgencies, 18t, 36–44
 - bladder exstrophy, 38–39
 - cloacal exstrophy, 38–39
 - hematuria, 36–37
 - imperforate anus, 42–43
 - myelodysplasia, 39–42
 - prune-belly syndrome, 43
 - urethral prolapse, 43–44
 - urinary tract infection, 37–38
- Pelvic muscle retraining
 - voiding dysfunction, 224–226
- Penis
 - examination, 109, 162
 - injuries, 31
 - lengthening, 146
- Percutaneous nephrolithotripsy (PCNL)
 - pediatric stone disease, 262–263
- Phimosis, 31–32
- Pippi-Salle technique, 247
- Politano-Leadbetter technique, 67
- Polycystic kidney disease, 22
- Polydimethylsiloxane, 90–91
- Polytef, 87–88, 91
- Polytetrafluoroethylene paste, 87–88
- Polyvinyl alcohol foam, 94
- Posterior urethral valves, 26–27
- Postpuberty
 - undescended testis (UDT), 176
- Preadolescent years, 272–273
- Pregnancy
 - vesicoureteral reflux, 65
- Preputial flap, 116
- Preputial island tube repair, 119f
- Preschool years, 270–272

Priapism, 35
 Primary bladder closure
 bladder exstrophy, 137–147
 Primitive kidney system, 2
 Privacy, 273
 Prostatic utricle
 hypospadias, 108
 Prostatomembranous junction, 31
 Proximal hypospadias
 surgery, 116–121
 Prune-belly syndrome, 43, 44f, 159
 Pseudohermaphroditism
 female
 evaluation, 159t
 Pseudomaturity, 270
 Psychosexual development, 272–275,
 274–275
 Pyelonephritis, 36, 54–55, 55f, 65

R

Radiographic imaging and localization
 studies
 undescended testis (UDT),
 165–166, 167t
 Reflux nephropathy
 vesicoureteral reflux, 54–55
 Renal. *See also* Kidney
 Renal agenesis, 2, 3
 bilateral, 6
 unilateral, 6
 Renal dysplasia, 2, 3
 Renal pelvis
 bilateral dilatation, 7f
 dilatation, 8
 minimal dilatation, 7
 Renal scan
 furosemide, 22
 Renal ultrasound
 voiding dysfunction, 215
 Renal vein
 thrombosis, 25–26
 Reoperative orchidopexy
 undescended testis (UDT), 176–177
 Retractable testis, 154
 Rhabdomyosarcomas, 282–294
 biopsy, 288
 cause, 284–285

classification, 286t
 endoscopy, 288
 future, 293–294
 history, 282–284
 IRS studies, 283–284, 290t
 management, 291f
 nodal basins, 289t
 outcomes, 286t
 pathology, 285–286
 preoperative evaluation, 287t
 presentation and evaluation, 286–
 288
 radiologic evaluation, 287–288
 staging, 288
 TNM classification, 289t, 290t
 treatment, 289–292
 outcomes, 292–294

S

Sacral agenesis, 237
 Sacrococcygeal teratomas, 23
 Sacroiliac joint angle, 131f
 School
 voiding dysfunction, 224
 School years
 early, 270–272
 Scintigraphy
 testicles, 32
 Scrotum
 acute, 32–34
 examination, 162
 injuries, 31
 masses, 32–34, 35f
 differential diagnoses, 34
 Self-esteem, 272
 Sex
 determination, 6
 Sexual counseling, 276
 Sexual drive, 273–274
 Shimada's classification
 neuroblastoma, 307, 307t
 Shock wave lithotripsy (SWL)
 pediatric stone disease, 262
 Sickle cell disease, 37
 Sigmoid cystoplasty
 bladder, 243
 Silicone balloon, 95
 Sleep cystogram, 40f

- Smooth muscle cells
 - bladder, 95–96
- Sodium hyaluronan
 - dextranomer, 91–92
- Solid abdominal masses, 24–25
- Spina bifida, 233
- Spina bifida occulta, 233
- Spinal dysraphism, 42f, 233
- Sports injury, 30
- Staged orchidopexy
 - undescended testis (UDT), 174
- Starr technique, 69, 69f
- STING (subtrigonal Teflon injection), 83–97
 - advantages, 85
 - autologous blood, 93
 - autologous chondrocytes, 93–94
 - autologous free fat, 92–93
 - autologous injectable materials, 92
 - bovine dermal collagen, 88–89
 - cost analysis, 96–97
 - cystoscopy, 85
 - deflux, 91–92
 - indications, 84–85
 - operative morbidity, 86–87
 - polydimethylsiloxane, 90–91
 - polytetrafluoroethylene paste, 87–88
- Stone disease
 - pediatric, 259–264
 - etiology, 260
 - incidence, 259–260
 - management, 262–264
- Subdartos pouch, 172
- Subtrigonal injection, 68
- Subtrigonal Teflon injection. *See* STING (subtrigonal Teflon injection)
- Sweden
 - STING (subtrigonal Teflon injection)
 - cost analysis, 96–97
- SWL
 - pediatric stone disease, 262
- T**
- Teflon, 89
- Teflon paste, 84, 87–88
- Teratomas
 - sacrococcygeal, 23
- Terazosin
 - voiding dysfunction, 222
- Testicular agenesis, 155
- Testicular biopsy
 - undescended testis (UDT), 172
- Testicular descent
 - hormonal factors, 156
 - incidence, 157
 - mechanical factors, 156–157
 - natural history, 157
- Testicular torsion
 - undescended testis (UDT), 165
- Testis
 - absent, 154
 - anatomy, 167–168
 - ascended, 155–156
 - bilateral nonpalpable, 158
 - blood supply, 167–168
 - development and descent, 152–153
 - ectopic, 154
 - examination, 162
 - injuries, 31
 - nonpalpable
 - surgery, 174–175
 - retractile, 154
 - scintigraphy, 32
 - torsion, 32, 33f, 34
 - tumor, 34
 - undescended. *See* Undescended testis (UDT)
 - vanishing, 155
 - surgery, 175
- Tethered cord syndrome, 235–237
- Timed voiding
 - voiding dysfunction, 223–224
- TIP
 - distal hypospadias, 112–113, 114f
- TMP-SMZ
 - vesicoureteral reflux, 65
- Toddlers, 268–270. *See also* Pediatric
- Toileting diaries
 - voiding dysfunction, 223
- Toilet training, 219
- Tolterodine
 - urinary incontinence, 240

- Topotecan
rhabdomyosarcomas, 284
- Transverse island tube repair, 118
- Trauma, 30–31
undescended testis (UDT), 165
- Triangular defect
bladder exstrophy, 130
- Tricyclic antidepressants
urinary incontinence, 240
voiding dysfunction, 222
- Trimethoprim-sulfamethoxazole (TMP-SMZ)
vesicoureteral reflux, 65
- Tubularized, incised plate urethroplasty (TIP)
distal hypospadias, 112–113, 114f
- 21-hydroxylase deficiency, 27–28
- Two-stage repair, 120
- U**
- UDT. *See* Undescended testis (UDT)
- Ultrasound, 237–238
- Umbilical artery catheterization, 25–26
- Undescended testis (UDT), 151–180
age
management, 177
associated anomalies, 160, 161t
bilateral, 158
cancer, 163–164
complications, 178
diagnosis, 161–163
embryology, 152–153
etymology, 152
fertility, 163
history, 161
hormonal therapy, 166–167, 168t
hypospadias, 160
hypospasia, 164f
incidental findings, 175–176
inguinal hernia, 164–165
inguinal orchidopexy, 169–172
skin incision, 170f
mental health, 165
orchiectomy, 174
physical examination, 162–163
postoperative follow-up, 177
potential pitfalls, 178
radiographic imaging and localization studies, 165–166, 167t
reoperative orchidopexy, 176–177
risk factors, 159–160
with short testicular vessels
Fowler-Stephens orchidopexy (FSO), 172–173
laparoscopic orchidopexy, 173
microvascular autotransplantation, 173–174
surgery, 172–175
special circumstances, 176
staged orchidopexy, 174
surgery, 167–172, 168t
anatomy, 167–168
outcomes, 179
teleology, 153
terminology, 153–156
testicular biopsy, 172
testicular prosthesis, 177–178
testicular torsion, 165
trauma, 165
treatment
indications, 163–165, 164t
- Unilateral renal agenesis, 6
- UPJ, 3, 9f
obstruction, 8–9, 260
- Ureter
composition, 53
distal
developmental abnormalities, 3–4
ectopic, 200–206, 202f, 203f, 205f, 206f
female ectopic, 201–204
male ectopic, 204–206
- Ureteral bud, 2
embryology, 186, 187f
origination, 187
- Ureteral duplication, 185–206
cystogram, 189f
embryology, 186–188
terminology, 185–186
- Ureteral imbrication, 69, 69f
- Ureterocele, 190–200
associated VUR, 196
cystogram, 194, 195f
diagnosis, 190

- ectopic treatment, 198–200
- incidence, 190
- intravesical treatment, 197–198
- IVP, 193f
- obstructing
 - treatment, 22
- prolapsed, 22f
- treatment outcomes, 194–197
- ultrasound, 191f, 192f
- Ureterocystoplasty
 - bladder, 243
- Ureteropelvic junction (UPJ), 3, 9f
 - obstruction, 8–9, 260
- Ureteroscopy
 - pediatric stone disease, 262
- Ureterovesical junction (UVJ), 4
 - obstruction, 9–10
- Urethra
 - dilation
 - urinary incontinence, 241–242
 - diverticula
 - hypospadias, 122
 - injuries, 31
 - prolapse, 43–44
- Urethrocutaneous fistula
 - hypospadias, 121–122
- Urinary ascites, 23
- Urinary defects
 - bladder exstrophy, 133–135, 134f
- Urinary diversion
 - hypospadias, 111
- Urinary incontinence
 - clean intermittent catheterization, 239–240
 - increasing bladder compliance, 242–244
 - management, 239–244
 - pharmacologic management, 240
 - reducing leak point pressure, 241
 - surgery, 240–241
 - urethral dilation, 241–242
 - vesicostomy, 241
- Urinary tract
 - embryology, 2–4
 - infection, 37–38, 56–57
 - lower
 - embryology, 2
 - normal fetal
 - ultrasound, 4–6
- Urine
 - production, 2
- Urodynamic testing, 238
- Urolithiasis, 35–36, 260
- Urologic evaluation, 237–239
- Urology emergencies
 - pediatric. *See pediatric.*
 - Pediatric urology emergencies
- Urology urgencies
 - pediatric. *See Pediatric urology urgencies*
- UVJ, 4
 - obstruction, 9–10
- V**
- VAC
 - rhabdomyosarcomas, 291–292
- Vanishing testis, 155
 - surgery, 175
- Vascular pedicle
 - freeing, 117
- VCUG, 18
 - vesicoureteral reflux, 58–60, 59f
- Vesicostomy
 - urinary incontinence, 241
- Vesicoureteral reflux (VUR), 3, 18, 51–72, 59f, 260
 - associated conditions, 58
 - classification, 60–62
 - complications, 71–72
 - contralateral, 71–72
 - cooperative studies, 62–63
 - diagnostic evaluation, 58–60
 - endoscopic treatment, 83–97
 - autologous blood, 93
 - autologous chondrocytes, 93–94
 - autologous free fat, 92–93
 - autologous injectable materials, 92
 - bovine dermal collagen, 88–89
 - deflux, 91–92
 - indications, 84–85
 - polydimethylsiloxane, 90–91
 - polytetrafluoroethylene paste, 87–88

- epidemiology, 52–53
- evaluation, 56–57
- extravesical techniques, 67–68
- follow-up, 72
- intravesical techniques, 66–67
- medical therapy, 64
- megaureter, 68–69
- minimally invasive techniques, 68
- obstruction, 71
- operative intervention, 66–69
- pathophysiology, 53–54
- persisting, 71
- postoperative management, 70–71
- pregnancy, 65
- reflux nephropathy, 54–55
- treatment, 64
- upper tract assessment, 60
- voiding cystourethrogram, 58–60
- Vincristine
 - rhabdomyosarcomas, 291
 - Wilms' tumor, 294
- Vincristine, actinomycin D, cyclophosphamide (VAC)
 - rhabdomyosarcomas, 291–292
- Voiding
 - anatomy and physiology, 232–233
- Voiding cystourethrogram (VCUG), 18
 - vesicoureteral reflux, 58–60, 59f
- Voiding disorders
 - functional, 260
- Voiding dysfunction, 211–228
 - assessment, 213–214
 - behavioral characteristics, 219–220
 - behavioral management, 223–224
 - bladder physiology, 213
 - bladder ultrasound, 215
 - complex uroflow with electromyography, 215–216
 - developmental considerations, 219
 - history, 214
 - KUB, 215
 - medical management, 222–223
 - MRI, 219
 - patient evaluation, 214–221
 - pelvic muscle retraining, 224–226
 - pharmacologic, 222–223
 - physical assessment, 222
 - physical examination, 214
 - prevalence, 211–213
 - renal ultrasound, 215
 - sequellae, 219–220
 - symptoms, 213–214
 - treatment, 221–226
 - outcome evaluation, 226
 - urinalysis and culture, 214–215
 - urodynamics, 217–219
 - voiding cystourethrogram (VCUG), 215, 217f
- VUR. *See* Vesicoureteral reflux (VUR)
- W**
- WAGR syndrome, 296
- Wetting, 220–221
- Wilms' tumor, 24f, 25, 294–305
 - cause, 295–297
 - clinical presentation, 298–299
 - future, 304–305
 - initial evaluation, 299t
 - vs. nephrogenic rests, 298t
 - pathology, 297–298
 - preoperative chemotherapy, 303
 - preoperative evaluation, 298–299
 - surgery, 300–303
 - syndromes, 296t
 - treatment, 300, 301t
 - outcomes, 303–304
 - tumor staging, 299–300
- Wilms' tumor, aniridia, genital anomalies, and mental retardation (WAGR) syndrome, 296
- Wolffian duct, 186
- Y**
- Young–Dees–Leadbetter technique, 246