

---

# Index

## A

- Alginate, 77–84
  - bead culture, 80–81, 82, 163, 165
  - construct characterization, 82
  - cylinder culture, 81, 82
  - properties, 78
  - use in bioreactors, 163, 165–166
- Articular cartilage, *see* cartilage

## B

- Bioactive peptides, 113–120
  - modification of animated glass, 116–119
    - coupling by DCC chemistry, 116, 118
    - coupling by EDC chemistry, 116, 118
    - coupling to iso(thio)cyanates, 117, 119
    - coupling to NHS groups, 117, 119
- Biochemical analysis, 217–229
  - collagen crosslinks, 218–219, 221, 224–226
  - hydroxyproline, 218, 220–221, 223–224
  - proteoglycans, 218–219, 222
  - type II collagen, 218, 220, 222–223,
- Bioreactors, 135–141, 159–169
  - cell viability, 167–168
  - culture of constructs, 166
  - mass transport, 166–167
- Bone marrow progenitor cells, 123–128, 133, 136
  - cell characterization, 127–128
  - cell isolation, 124–127
  - osteogenic differentiation, 125, 127
- Bone marrow stromal cells, *see* bone marrow progenitor cells
- Bone morphogenetic protein-2, 49–62

- compatibility with calcium phosphate, 51–52, 57
- formulation with calcium phosphate, 52–54
- in vitro retention kinetics, 54–56
- in vivo local retention, 58–60

## C

- Calcium phosphate, 49–64
  - compatibility with BMP-2, 51–52, 57
  - formulation with BMP-2, 52–54
  - morphology, 56
  - use as a carrier of BMP-2, 50
  - use in orthopaedics, 49–50
  - use in rat ectopic bone model, 52, 58–60
- Cardiac myocytes, 132–133, 136
- Cartilage, 78–80, 81–82, 131–132, 147–151, 233
  - biochemical analysis, 217–229
- Cell attachment to scaffolds
  - detection by microscopy, 207–215
- Cell seeding vessels, *see* bioreactors
- Chitosan, 41–48
  - antimicrobial properties, 42
  - biomedical applications, 42
  - chemical variability, 43
  - design of fabrication protocols, 43
  - formation from chitin, 41
  - properties, 41
  - relationship to glycosaminoglycans, 42
  - scaffold characterization, 44–46
  - scaffold fabrication, 44–45
- Chondrocytes, 78–80, 81–82, 132–134, 136, 147–155
  - culture on scaffolds, 149–150, 152–153, 163, 165–166
  - expansion, 149, 151–152
  - isolation, 149, 151, 162–163, 165

**E**

Electron microscopy, *see* microscopy

**F**

Fibrin microbeads, 11–24  
 application in wound healing, 20–21  
 cell attachment, 12, 14–16  
 imaging of attached cells, 18–20  
 preparation, 13–14  
 solubility, 14

Fibrinogen, 12–13, 15, 20

Fibroblasts,  
 attachment to fibrin microbeads, 14,  
 16, 19  
 use with HYAFF® 11, 30

**G**

Glycosaminoglycans, 25, 42, 87, 132,  
 218–219, 222

**H**

Hyaluronan, 25–39  
 ACP® sponges  
 product specification for tissue  
 engineering, 37  
 synthesis, 32–34  
 sponge formation, 34–35  
 cell seeding, 35  
 degradation of esterified polymers,  
 27–28  
 esterification, 26–27  
 preparation of the sodium salt, 28–29  
 properties, 25–26  
 membrane formation, 29  
 preparation for tissue culture, 29–  
 30  
 properties, 30–32  
 synthesis of total ester, 29

**I**

Immunostaining, *see* microscopy  
*in situ* hybridization, *see* microscopy

**K**

Keratinocytes  
 use with HYAFF® 11, 30

**M**

Mechanical testing, 239–251  
 biomechanical properties, 241–243  
 compression, 244–245  
 fatigue testing, 248  
*in situ* testing, 249  
 nanomolecular biomechanics, 246–  
 248,  
 shear, 245–246  
 tension, 245  
 Mercury intrusion porosimetry, 46  
 Microscopy, 171–195, 207–215  
 decalcifying, 177–178  
 electron microscopy  
 chitosan scaffolds, 45–46  
 hyaluronan ACP® sponges, 35–36  
 transmission electron microscopy,  
 197–204  
 embedding, 178, 183–184, 200–201  
 fixation, 177, 182–183, 199–201,  
 209–211  
 histological staining, 178–179, 184–  
 186, 200–201  
 immunostaining, 175–176, 179–180,  
 186–188, 210–215  
*in situ* hybridization, 176, 180–181,  
 188–191  
 microscopes, 181–182

**P**

PCR, 231–237  
 real-time PCR  
 cDNA synthesis, 232, 234  
 data analysis, 235  
 primers, 233–234  
 RNA extraction, 232–234  
 theoretical basis, 232  
 Pig skin wound-healing model, 20–21  
 Polylactides, *see* Poly- $\alpha$ -hydroxy acids

Poly- $\alpha$ -hydroxy acids, 1–7, 87–103  
  fabrication, 95–97, 99  
  hydrolytic degradation, 1–2  
  PGA, 1  
    scaffolds for tissue engineering, 4  
    tissue reactions, 3  
    use in bioreactors, 163, 165–166  
  PLA, 1  
    characterization, 4–5  
    drying, 5  
    extrusion, 5–6  
    gamma sterilization, 6  
    knitting, 6  
    sources, 4  
  PLDLA, 1, 3  
  PLGA, 4  
    surface modification, 90–92  
  PLLA, 1, 3  
    surface modification, 97, 100–102

**Q**

Quantitative PCR, *see* PCR

**R**

Real-time PCR, *see* PCR

**S**

Scaffolds for tissue engineering, 3–4,  
  131–142  
  biopolymers, 88–90  
  cell seeding, 135–141  
  processing, 65–73  
    compression molding and particle  
      leaching method, 67, 69, 71  
    freeze-drying, 67–68, 69, 71–72  
    melt-based technologies, 67, 68–  
      69, 70–71  
    microwave baking, 68, 69–70,  
      72–73  
    solvent casting and particle  
      leaching method, 66–67, 68, 70  
  surface characterization  
    contact angle measurement, 93–95,  
      102  
  surface modification, 113–115

**T**

Thrombin, 12–13

**W**

Wound-healing  
  fibrin microbeads, 12, 20–21