

A

- Actigraphy
 - delayed sleep phase syndrome, 66f
- Activity, 19
- Adenoidectomy
 - OSAHS, 121
- Adolescents
 - insomnia, 71–81
 - assessment and treatment, 76–78
 - etiology, 75, 76
 - female, 74, 75
 - sleep need and schedule changes, 71–73
- Alcohol, 19
 - OSAHS, 119
 - pregnancy and lactation, 189t
 - restless legs syndrome, 93
- Alprazolam
 - pregnancy and lactation, 189t
- Ambien®
 - insomnia, 24, 107, 107t
 - pregnancy and lactation, 189t
 - restless legs syndrome, 94t
 - sleep-related eating disorders, 161
- Amitriptyline
 - insomnia, 107, 108t
 - pregnancy and lactation, 189t
- Anovulation
 - polycystic ovarian syndrome, 128
- Anticonvulsants
 - restless legs syndrome, 94t, 95
- Antidepressants, 19
 - insomnia, 107, 108t
- Antihistamines
 - restless legs syndrome, 93
- Anxiety
 - adolescent insomnia, 76
- Apnea
 - defined, 127
- Autoimmune hypothyroidism, 152, 153
- Awakening
 - menopause
 - objective sleep quality, 228, 229

B

- BED. *See* Binge-eating disorder (BED)
 - Bed-sharing, 192, 193
 - Benzodiazepines. *See also specific types*
 - insomnia, 106, 107t
 - pregnancy, 34
 - restless legs syndrome, 94t, 95
 - sleepwalking, 168
 - Binge-eating disorder (BED), 162
 - nocturnal
 - vs sleep-related eating disorders, 163
 - Bipolar depression, 153
 - Bottle feeding, 37
 - Breast-feeding, 37
 - postpartum insomnia, 191, 192
 - Breathing
 - diaphragmatic
 - insomnia, 103, 104
 - Bupropion
 - REM sleep behavior disorder, 171
 - Bupropion-SR
 - sleep inertia, 169
- ## C
- Caffeine, 19
 - pregnancy and lactation, 189t
 - Carbamazepine
 - gRLS, 182
 - pregnancy and lactation, 189t
 - restless legs syndrome, 95
 - Carbidopa
 - pregnancy and lactation, 189t
 - restless legs syndrome, 94t, 95
 - Cataplectic events, 149
 - Cataplexy
 - tricyclic antidepressants, 150
 - Celexa
 - REM sleep behavior disorder, 171
 - Central nervous system
 - iron/ferritin/transferrin metabolism dysfunction
 - restless legs syndrome, 216, 217

Chlordiazepoxide
 lactation, 38
 Chronotherapy
 delayed sleep phase syndrome,
 65–67
 Circadian clockwork model
 mammalian, 64f
 Circadian rhythm
 control, 63, 64
 restless legs syndrome, 90, 212
 sleep-related eating disorders, 161
 Citalopram
 REM sleep behavior disorder, 171
 Climodien, 232
 insomnia
 menopause, 242, 243
 psychomotor performance, 240
 snoring, 244
 Clinical hyperandrogenemia, 126
 Clonazepam
 confusional arousals, 169
 pregnancy and lactation, 189t
 REM sleep behavior disorder, 171, 172
 restless legs syndrome, 94t
 sleepwalking, 168, 169
 Codeine
 pregnancy and lactation, 189t
 Cognitive behavior therapy
 adolescent insomnia, 77, 79t
 insomnia, 25, 100
 Cognitive therapy
 insomnia, 102, 103
 Confusional arousals, 166, 167
 treatment of, 168, 169
 Congestive heart failure
 obstructive sleep apnea, 131
 Continuous positive airway pressure
 (CPAP)
 nasal
 obstructive sleep apnea,
 139, 140, 140f
 OSAHS, 120
 pregnancy, 34
 Coronary artery disease
 obstructive sleep apnea, 131
 CPAP. *See* Continuous positive
 airway pressure (CPAP)

D

Dalmane®
 insomnia, 106, 107t
 Daytime sleepiness
 premenstrual period
 adolescents, 75
 Delayed sleep phase syndrome (DSPS)
 actigraphy, 66f
 adolescents, 63–68, 78–80
 case history, 65
 clinical research, 64
 sleep regulation, 65f
 treatment, 65, 66
 future directions, 67, 68
 vs insomnia, 73
 treatment, 80
 Delivery. *See* Labor and delivery
 Depression
 adolescent insomnia, 76
 bipolar, 153
 delayed sleep phase syndrome, 80
 postpartum
 insomnia, 193, 194
 sleep, 21, 36
 unipolar, 153
 Desyrel®
 adolescent insomnia, 78
 insomnia, 107, 108t
 Dextroamphetamine
 pregnancy and lactation, 189t
 Diabetes mellitus
 obstructive sleep apnea, 131
 Diaphragmatic breathing
 insomnia, 103, 104
 Diazepam
 pregnancy and lactation, 189t
 Diet aids, 19
 DIMS. *See* Disorder of initiating and
 maintaining sleep (DIMS)
 Diphenhydramine
 insomnia, 106
 pregnancy and lactation, 189t
 Disorder of initiating and maintaining
 sleep (DIMS), 10
 Dopaminergic agents
 restless legs syndrome, 90, 94t

Dopaminergic dysfunctional states
restless legs syndrome, 212, 215–218

Doral®

insomnia, 107t

Dream-enacting behaviors

REM sleep behavior disorder, 170

DSPS. *See* Delayed sleep phase syndrome (DSPS)

E

Echinacea, 19

EDS. *See* Excessive daytime sleepiness (EDS)

Effexor

pregnancy and lactation, 189t

REM sleep behavior disorder, 171

Elavil®

insomnia, 107, 108t

pregnancy and lactation, 189t

Emotional difficulties

adolescent insomnia, 76

Epworth Sleepiness Scale (ESS),
23, 145

ESS. *See* Epworth Sleepiness Scale (ESS)

Estazolam

insomnia, 106, 107t

Estradiol

psychomotor performance, 240

Estrogen, 48

menopause

restless legs syndrome, 219

sleep apnea, 112, 113, 244, 257

Eszopiclone

insomnia, 107t

Excessive daytime sleepiness (EDS),
138t, 145–153

diagnostic tests, 146–148

epidemiology, 11, 12

medications associated with, 152t

Exercise, 19

restless legs syndrome, 93

F

Feeding

bottle, 37

methods, 37

Fluoxetine. *See also* Prozac

adolescent insomnia, 78

cataplexy, 150

pregnancy and lactation, 189t

REM sleep behavior disorder, 171

Flurazepam

insomnia, 106, 107t

pregnancy and lactation, 189t

Fluticasone

OSAHS, 120

Folate supplements

gRLS, 182

Forced desynchrony

delayed sleep phase syndrome, 67

FRC. *See* Functional residual

capacity (FRC)

Functional residual capacity (FRC)

pregnancy, 199, 200

G

Gabapentin

gRLS, 182

restless legs syndrome, 94t, 95

Gender-neutral parasomnia, 166–169

Genetics

restless legs syndrome, 91, 212, 213

Genioglossus muscle activity, 53, 54f

Gestational hypertension, 190

Gestational restless legs syndrome
(gRLS)

clinical presentation, 181, 182

treatment, 182, 183

Glucose

intolerance

prevalence, 131f

sleep apneics, 136t

Gonadotropin-releasing hormone

menopause

restless legs syndrome, 219

gRLS. *See* Gestational restless legs
syndrome (gRLS)

Growth hormone

menopause

restless legs syndrome, 219

Grünberger alphabetical cancellation
test, 229

Grünberger Fine Motor Activity
Test, 229

H

Hair

growth, 126f

Halcion®

insomnia, 106
 pregnancy and lactation, 189t
 restless legs syndrome, 94t
 sleep-related eating disorders, 161

Hallucinations

hypnagogic (hypnopompic), 149

H1 antihistamines

restless legs syndrome, 93

Hemolysis-Elevated Liver

enzymes-Low Platelet count
 (HELLP) syndrome, 190

Herbal products, 19

insomnia, 108t

Hirsutism

polycystic ovarian syndrome, 128

Hormone replacement therapy

(HRT), 4, 22, 52

awakening quality, 237
 objective awakening quality,
 237–240
 obstructive sleep apnea, 256–258
 periodic leg movements, 235
 respiratory events, 234
 sleep architecture, 234
 sleep-disordered breathing, 253, 254
 sleep initiation and maintenance,
 231–234
 snoring, 234, 235
 subjective sleep, 237

Hot flashes, 22, 39

HRT. *See* Hormone replacement
 therapy (HRT)

Hydrocodone

restless legs syndrome, 94t

Hyperandrogenemia

clinical, 126

Hypersomnia

epidemiology, 11, 12
 idiopathic, 151
 perimenstrual, 146–148
 diagnosis, 148
 pathophysiology, 148
 treatment, 148
 premenstrual period
 adolescents, 75
 secondary, 152

Hypertension

gestational, 190
 obstructive sleep apnea, 131

Hypnagogic hallucinations, 149

Hypnopompic hallucinations, 149

Hypnotics

adolescent insomnia, 78
 delayed sleep phase syndrome, 67
 insomnia, 24

Hypothyroidism

autoimmune, 152, 153
 excessive daytime sleepiness,
 152, 153

I

ICSD. *See* International Classification
 of Sleep Disorders (ICSD)Idiopathic hypersomnia, 151, 151t
 vs narcolepsy, 152tIL-6. *See* Interleukin-6 (IL-6)

Imipramine

pregnancy and lactation, 189t

Inactivity, 19

Insomnia, 23–25. *See also* Postpartum
 insomnia

adolescents, 71–81
 assessment and treatment, 76–78
 etiology, 75, 76
 female, 74, 75
 case example, 23, 24
 conditioned, 23
 defined, 73
 vs delayed sleep phase
 syndrome, 73
 epidemiology of, 9, 10
 labor and delivery, 190, 191, 191t
 management, 24, 25
 menopause, 225–246
 methods, 227–229
 objective sleep quality, 228
 psychophysiological measures,
 241, 242
 study designs, 227–229
 nonhormonal treatment, 99–108
 pharmacological treatments, 106, 107
 pre-eclampsia, 190
 pregnancy, 49, 185–190, 187t

- clinical summary, 186, 187t, 188
 - leg sensations, 186–188
 - obesity, 188–190
 - snoring, 188–190
- prevalence, 11
- psychophysiological, 23
- workup, 23
- Insomniac postmenopausal syndrome, 229–242, 230f, 231t
- mnesic performance, 240t
- periodic leg movements, 237t
- psychomotor performance, 241
- respiratory variables, 236t
- sleep architecture, 235t
- sleep initiation and maintenance, 233t
- snoring, 237t
- subjective sleep and awakening quality, 238t
- thymopsychic findings, 239t
- Insulin
 - sleep apneics, 136t
- Interleukin-6 (IL-6)
 - sleep apneics, 136f
- International Classification of Sleep Disorders (ICSD)
 - menstrual cycle, 30
- International Restless Legs Syndrome Association, 91
- Iron deficiency
 - restless legs syndrome, 90, 93, 212
 - pregnancy, 181, 187
- Iron supplements
 - gRLS, 182
- K**
- Kolmogorov Smirnov test, 229
- L**
- Labor and delivery
 - insomnia, 190, 191
 - pregnancy sleep patterns, 36
- Lactation
 - chlordiazepoxide, 38
 - medication risk, 189t
 - postpartum insomnia, 191, 192
- Levodopa
 - pregnancy and lactation, 189t
 - restless legs syndrome, 94t, 95
- Life cycle
 - women, 29–41
- Lithium carbonate
 - sleep-related eating disorders, 162
- Lorazepam
 - lactation, 38
 - pregnancy and lactation, 189t
- Lunesta®
 - insomnia, 107t
- M**
- Maintenance of wakefulness test (MST)
 - for excessive daytime sleepiness, 146
- Male-predominant parasomnia, 169–172
- Mann-Whitney U-test, 229
- Massage
 - restless legs syndrome, 93
- Mazindol
 - pregnancy and lactation, 189t
- Medroxyprogesterone, 38
- Melatonin, 19
 - delayed sleep phase syndrome, 67
 - insomnia, 24, 108, 108t
 - menopause
 - restless legs syndrome, 220, 221
- Menarche, 47, 48
- Menopause, 4, 21, 22
 - awakening
 - objective sleep quality, 228, 229
 - estrogen
 - restless legs syndrome, 219
 - fat redistribution, 259
 - insomnia, 51, 52, 225, 246
 - methods, 227–229
 - objective sleep quality, 228
 - psychophysiological measures, 241, 242
 - study designs, 227–229
 - obesity, 259
 - restless leg syndrome, 52, 53, 215, 218–222
 - sleep apnea, 53
 - sleep-disordered breathing, 53, 54, 55
 - ventilatory responsiveness, 258, 259
- Menstrual-associated sleep disorder
 - diagnostic criteria, 147t

Menstrual cycle, 4, 29–32, 47, 48
 Meperidine
 pregnancy and lactation, 189t
 Metadone
 restless legs syndrome, 94t
 Methamphetamine
 pregnancy and lactation, 189t
 Midazolam
 pregnancy and lactation, 189t
 Mirtazapine
 REM sleep behavior disorder, 171
 Modafinil
 idiopathic hypersomnia, 151
 perimenstrual hypersomnia, 148
 pregnancy and lactation, 189t
 Morphine
 pregnancy and lactation, 189t
 MSLT. *See* Multiple sleep latency test (MSLT)
 MST. *See* Maintenance of wakefulness test (MST)
 Multiple sleep latency test (MSLT)
 for excessive daytime sleepiness, 146
 Muscle relaxants, 19

N

Narcolepsy, 148–150
 diagnostic criteria, 149t
 epidemiology, 150
 vs idiopathic hypersomnia, 152t
 pathophysiology, 150
 treatment, 150, 151
 Nasal continuous positive airway pressure
 obstructive sleep apnea, 139, 140, 140f
 National Sleep Foundation
 annual polls, 10, 52, 53
 NES. *See* Night-eating syndrome (NES)
 Nicotine, 19
 Night-eating syndrome (NES)
 vs sleep-related eating disorders, 163
 Night (sleep) terrors, 166, 167
 Nociceptive pathways dysfunction
 restless legs syndrome, 218
 Nocturnal binge-eating disorder
 vs sleep-related eating disorders, 163
 Non-REM sleep parasomnia, 166, 167, 166–169

Norepinephrine reuptake inhibitors, 19
 Numerical Memory Test, 229
 Nutritional supplements
 restless legs syndrome, 93

O

Obesity, 19
 menopause, 259
 obstructive sleep apnea, 137f
 polycystic ovarian syndrome, 129, 130
 predicting apnea-hypopnea index, 127t
 Objective awakening
 menopause
 objective sleep quality, 229
 Obstructive sleep apnea (OSA)
 aging, 256
 apnea-hypopnea index vs visceral fat, 135t
 causes, 252f
 diagnosis of, 126–128
 epidemiology, 129
 menopause, 251–260
 obesity, 137f
 pathophysiology, 134–137
 polycystic ovarian syndrome, 125–141
 polysomnographic features
 gender, 118
 pregnancy, 13, 199–203, 201–204
 management, 204, 205
 prevalence, 130t
 sequelae, 131, 132
 sleep-related eating disorders, 161
 treatment, 137–141
 Obstructive sleep apnea syndrome (OSAS), 4, 21, 138t
 epidemiology, 9, 12, 13
 premenopausal vs postmenopausal, 118–121
 premenopause, 111–121
 adverse consequences, 115, 116
 hormones, 112, 113
 prevalence, 111, 112
 signs, 115
 symptoms, 114, 115
 Opioids, 19
 restless legs syndrome, 94t, 95

- Oral appliances
 - OSAHS, 120, 121
- Oral conjugated equine estrogen, 38
- OSA. *See* Obstructive sleep apnea (OSA)
- OSAS. *See* Obstructive sleep apnea syndrome (OSAS)
- Over-the-counter (OTC) medications, 19
 - insomnia, 24
- Oxycodone
 - gRLS, 182
 - restless legs syndrome, 94t
- Oxymorphone
 - pregnancy and lactation, 189t
- P**
- Parasomnia, 157–174
 - clinical evaluation, 158–160
 - dream-enacting behaviors, 172, 173
 - female-predominant, 160–166
 - gender-neutral, 166–169
 - male-predominant, 169–172
 - non-REM sleep, 166, 167, 166–169
 - OSA, 172
 - pregnancy, 173
 - premenstrual, 31
 - sexual, 169
- Parkinson's disease
 - REM sleep behavior disorder, 170
- Paroxetine
 - pregnancy and lactation, 189t
- PCOS. *See* Polycystic ovarian syndrome (PCOS)
- Pemoline
 - pregnancy and lactation, 189t
- Pergolide
 - gRLS, 182
 - restless legs syndrome, 35
- Perimenopause, 38–41
- Perimenstrual hypersomnia, 146–148
 - diagnosis, 148
 - pathophysiology, 148
 - treatment, 148
- Periodic limb movement disorder (PLMD), 4, 22, 88
- Periodic limb movement of sleep (PLMS), 179
- Peripheral nerves
 - restless legs syndrome, 218
- Phototherapy
 - delayed sleep phase syndrome, 65
- PLMD. *See* Periodic limb movement disorder (PLMD)
- PLMS. *See* Periodic limb movement of sleep (PLMS)
- PMDD. *See* Premenstrual dysphoric disorder (PMDD)
- PMS. *See* Premenstrual syndrome (PMS)
- Polycystic ovarian syndrome (PCOS), 13
 - epidemiology, 128, 129
 - obstructive sleep apnea, 125–141
 - diagnosis, 125, 126
 - pathogenesis, 133f
 - pathophysiology, 132–134
 - sequelae, 129–131
 - sleep-disordered breathing, 138f, 139f
 - testosterone, 139f
 - waist-to-hip ratio, 138f
- Polysomnography, 9
 - confusional arousals, 168
 - excessive daytime sleepiness, 146
 - insomnia
 - menopause, 242
 - sleep-related dissociative disorders, 165, 166
 - sleep terrors, 168
 - sleepwalking, 168
- Postmenopause, 10
- Postpartum depression
 - pregnancy sleep patterns, 36
- Postpartum insomnia, 191–195
 - breast-feeding, 191, 192
 - clinical assessment, 192t
 - co-sleeping, 192, 193
 - depression, 193, 194
 - infant temperament, 194
 - lactation, 191, 192
- Postpartum sleep, 21, 35–37, 195t
 - depression, 21
- Pramipexole
 - restless legs syndrome, 95
- Pre-eclampsia
 - insomnia, 190
- Pregnancy, 4, 20, 21, 32–34, 48–51
 - insomnia, 49, 185–190, 187t
 - clinical summary, 186, 187t, 188
 - leg sensations, 186–188
 - obesity, 188–190
 - snoring, 188–190

- medical complications, 202t, 203t
 - medication risk, 189t
 - obstructive sleep apnea, 13, 199–204
 - management, 204, 205
 - respiratory changes, 199, 200
 - restless legs syndrome, 14, 91, 95, 212
 - sleep architecture, 199
 - sleep changes, 195t
 - snoring, 200, 201
- Menopause
 - sleep-disordered breathing, 53
- Premenstrual dysphoria, 4
- Premenstrual dysphoric disorder (PMDD), 30, 48
- Premenstrual parasomnia, 31
- Premenstrual period
 - adolescents, 75
- Premenstrual syndrome (PMS), 20, 30, 48
 - adolescents, 75
- Progesterone
 - obstructive sleep apnea, 112, 257
- Prolactin
 - menopause
 - restless legs syndrome, 219
- Prosom[®]
 - insomnia, 106, 107t
- Prozac. *See also* Fluoxetine
 - adolescent insomnia, 78
 - cataplexy, 150
 - pregnancy and lactation, 189t
 - REM sleep behavior disorder, 171
- Psychosocial disturbances
 - restless legs syndrome, 212
- Pubertal Development Scale, 77
- Q**
- Quazepam
 - insomnia, 107t
- R**
- Ramelteon
 - insomnia, 108, 108t
- Rapid eye movement (REM), 158
 - sleep behavior disorder, 164, 167, 169–172
 - clinical findings, 169–171
 - diagnosis, 171
 - treatment, 171, 172
- Relaxation therapy
 - adolescent insomnia, 78, 79t
 - insomnia, 25, 103, 104
 - sleepwalking, 168
- REM. *See* Rapid eye movement (REM)
- Remeron
 - REM sleep behavior disorder, 171
- Reproductive life stages, 47–56
- Restless legs syndrome (RLS), 4, 22, 87–96
 - adolescents, 75
 - conditions associated with, 211–213
 - diagnosis, 91, 92, 92t
 - epidemiology, 13, 14, 89, 90, 213–215
 - etiology, 90, 91
 - forms, 213
 - gestational
 - clinical presentation, 181, 182
 - treatment, 182, 183
 - management, 92–96, 94t
 - menopause, 52, 53, 215, 218–222
 - estrogen, 219
 - pathophysiology, 90, 91
 - pregnancy, 35, 49, 50, 179–183, 212
 - epidemiology, 179, 180
 - etiology, 180, 181
 - insomnia, 187
 - prevalence, 180t
 - prevalence, 9
 - rebound, 94, 95
 - sleep-related eating disorders, 161
 - subcortical nervous system
 - dysfunction, 215–218
- Restless Legs Syndrome Foundation, 93
- Restoril[®]
 - insomnia, 106, 107t
 - pregnancy and lactation, 189t
 - restless legs syndrome, 94t
- RLS. *See* Restless legs syndrome (RLS)
- Ropinirole
 - gRLS, 182
 - restless legs syndrome, 22, 95
- Rozerem[®]
 - insomnia, 108, 108t
- S**
- SCN. *See* Suprachiasmatic nucleus (SCN)
- Secobarbital
 - pregnancy and lactation, 189t

- Secondary hypersomnias, 152
- Sedatives
 - delayed sleep phase syndrome, 67
 - insomnia, 107
- Selective serotonin reuptake inhibitors (SSRI), 19
 - premenstrual syndrome, 31
 - REM sleep behavior disorder, 171
 - restless legs syndrome, 93
- Self-Assessment of Sleep and Awakening Quality Scale (SSA), 228
- Self-hypnosis
 - sleepwalking, 168
- Sertraline
 - pregnancy and lactation, 189t
 - REM sleep behavior disorder, 171
- Sexual parasomnia, 169
- Shifts, 4, 19, 20
- Sleep aids
 - pregnancy, 33, 34
 - restless legs syndrome, 94t
- Sleep apnea
 - hypothyroidism, 118
 - menopause, 53
 - menstrual cycle, 116
 - polycystic ovarian syndrome, 117, 118
 - pre-eclampsia, 116, 117
 - pregnancy, 116, 117
 - severity, 254, 255
- Sleep apneics, 136t
- Sleep debt, 71
- Sleep-disordered breathing
 - characteristics, 255
 - clinical presentation, 255, 256
 - menopausal transition, 254–256
 - menopause, 53, 54, 55
 - polycystic ovarian syndrome, 138f, 139f
 - positive airway pressure, 51
 - pregnancy, 50, 51
 - premenopause, 53
 - prevalence, 130f
- Sleep disorders
 - epidemiology, 9–14
 - historical perspectives, 9
 - workup, 19–25
- Sleep hygiene education
 - adolescent insomnia, 77, 78, 79t
 - insomnia, 25, 102
 - restless legs syndrome, 93
- Sleep inertia, 167
- Sleepiness
 - daytime
 - premenstrual period, 75
 - excessive daytime, 145–153
 - diagnostic tests, 146–148
 - epidemiology, 11, 12
 - medications associated with, 152t
- Sleep laboratory
 - obstructive sleep apnea, 127
- Sleep logs
 - adolescent insomnia, 77
 - insomnia, 23
- Sleep paralysis, 149
- Sleep rating scales
 - insomnia, 23
- Sleep-related dissociative disorders, 164, 165
- Sleep-related eating disorders (SRED), 160–163
 - differential diagnosis, 163, 164
 - vs nocturnal BED, 163
 - treatment, 164
- Sleep restriction consolidation
 - adolescent insomnia, 78, 79t
 - insomnia, 25, 101
- Sleep terrors, 166, 167
 - treatment of, 168, 169
- Sleepwalking, 166, 167
 - sleep-related eating disorders, 161
 - treatment of, 168, 169
- Smoking, 19
- Snoring
 - pregnancy, 200, 201
- Sonata®
 - insomnia, 106, 107t
 - pregnancy and lactation, 189t
 - restless legs syndrome, 94t
- Spinal cord
 - restless legs syndrome, 218
- SR. *See* Sustained-release (SR) methylphenidate
- SRED. *See* Sleep-related eating disorders (SRED)
- SSA. *See* Self-Assessment of Sleep and Awakening Quality Scale (SSA)
- SSRI. *See* Selective serotonin reuptake inhibitors (SSRI)

Stanford Sleepiness Scale
 insomnia, 23

Stimulants, 19

Stimulus control therapy
 adolescent insomnia, 78, 79t
 insomnia, 25, 101

Stroke
 obstructive sleep apnea, 131

Subjective sleep
 menopause
 objective sleep quality, 228, 229

Suprachiasmatic nucleus (SCN), 63

Sustained-release (SR) methyl-
 phenidate
 sleep inertia, 169

T

TCA. *See* Tricyclic antidepressants (TCA)

Temazepam
 insomnia, 106, 107t
 pregnancy and lactation, 189t
 restless legs syndrome, 94t

Testosterone
 polycystic ovarian syndrome, 139f

TNF- α . *See* Tumor necrosis factor- α
 (TNF- α)

Tonsillectomy
 OSAHS, 121

Tramadol
 restless legs syndrome, 94t

Trazodone
 adolescent insomnia, 78
 insomnia, 107, 108t
 pregnancy and lactation, 189t

Triazolam
 insomnia, 106
 pregnancy and lactation, 189t
 restless legs syndrome, 94t
 sleep-related eating disorders, 161

Tricyclic antidepressants (TCA), 19
 adolescent insomnia, 78
 insomnia, 107
 restless legs syndrome, 93

Tumor necrosis factor- α (TNF- α)
 sleep apneics, 136f

U

UARS. *See* Upper airway resistance
 syndrome (UARS)

Unipolar depression, 153

Upper airway
 anatomy, 260
 mechanics, 260

Upper airway resistance syndrome
 (UARS), 111
 gender, 113, 114

Uvulopalatopharyngoplasty (UPPP)
 obstructive sleep apnea, 141
 OSAHS, 121

V

Valerian, 19
 insomnia, 24, 108t

Venlafaxine
 pregnancy and lactation, 189t
 REM sleep behavior disorder, 171

W

Weight loss
 obstructive sleep apnea, 139, 140
 OSAHS
 premenopausal vs postmeno-
 pausal, 119

Wellbutrin
 REM sleep behavior disorder, 171

WHI. *See* Women's Health
 Initiative (WHI)

Wilcoxon test, 229

Women's Health Initiative (WHI)
 HRT, 38

Z

Zaleplon
 insomnia, 106, 107t
 pregnancy and lactation, 189t
 restless legs syndrome, 94t

Zolof
 pregnancy and lactation, 189t
 REM sleep behavior disorder, 171

Zolpidem
 insomnia, 24, 107, 107t
 pregnancy and lactation, 189t
 restless legs syndrome, 94t
 sleep-related eating disorders, 161