

Index

A

Adhesives, *see* Lateral flow immunoassay
Agriculture, 31
Alpha-1 Antitrypsin (AAT), 48
Analytes, 3, 22
Antibodies, 3, 59, 115, 121, 157, 190
 affinity, 59, 64, 65, 67
 binding, 62
 commercial sources, 61
 cross-absorption, 68
 dot spotting, 69, 70
 ELISA, 29, 65, 66, 88
 hybridoma, 66
 IgG, 63, 65, 124
 IgY, 65, 67
 monoclonal, 60, 66
 polyclonal, 60
 purification, 60, 66, 67
 by affinity, 67
 chaotropic agents, 68
 cyanogens bromide, 67
 dextran sulfate, 67
 epoxides, 67
 immunoabsorbents, 68
 PEG precipitation, 67
 succinimidyl esters, 67
 selection of, 62
 sera, 65
 titers, 65
Antigens, 3, 59
 carrier, 62
 hapten, 62
 IgG, 62, 63, 64
 immunogen, 64
 keyhole limpet hemocyanin (KLH), 62
 ovalbumin (OVA), 62
 recombinant proteins, 64
 serum albumen, 62

Association of Analytical Communities
 (AOAC), 40
Association Francaise de Normalisation
 (AFNOR), 40

B

Backing, 3, 14, 52, 53, 147
Bacterial polysaccharides (LPS), adjuvants, 65
Bioluminescence, 87
 aequorin, 87
Biosensors, 5
Biowarfare, 31, 36, 131
Blocking, 10, 101, 115
Blotting, 11, 135
B-type natriuretic Peptide (BNP), 46

C

Capture line, 3, 118
Carboxyfluorescein (FAM), 28
CCD-based reader systems, 23, 161, 169
Center for Drug Evaluation and Research
 (CDER), 41
Center for Veterinary Medicine (CVM), 41
Chaotropic agents, 68
Clinical diagnostics, 42, 46, 51, 131
Clinical Laboratory Improvement
 Amendment (CLIA), 44, 211
Colloidal carbon, 77
Colloidal gold, 14, 15, 23, 60, 78, 120, 157, 170
Compounded annual growth rate (CAGR), 36
Confocal measurements, 168
Conjugate pad, 3, 8, 11, 53, 55, 104, 120, 135
Conjugates, 157
 conjugated particles, *see* Lateral flow
 immunoassay
 protein A-gold conjugates, 78

Conjugation, 67, 75
 Constant of variance, Coefficients of variations (CV), 7, 11, 132, 135, 138
 Crosslinking agent, 62
 heterobifunctional, 62
 homobifunctional, 62
 Cross-reactivity, 157, 198, 200

D

Dispensing, 2, 9, 135, 150
 Dot spotting, 68, 78
 Drug testing
 cut-off value, 188
 effects of food, supplements, beverages, 195
 efficiency, 187
 false negative (FN), 186
 false positive (FP), 186
 guidelines, 186
 positive predictive value (PPV), 187
 sample manipulations, 197
 sensitivity, 187
 specificity, 187
 Drying, 9, 120, 125, 135, 139, 150
 Dual Path Platform (DPP), 48

E

Efficacy, 133
 Electrolytes, 78
 ELISA, 30, 65, 66, 88
 Environmental health, 31, 37, 51, 59, 131
 Enzyme immunoassay (EIA), 2
 European Free Trade Area (DFTA), 212

F

Flow characteristics, 9, 11
 Flow rate, 8, 11, 13, 59, 60, 99, 103, 106, 118, 123
 Fluorescence Labelled Optical-Read Immuno Dipstick Assay (FLORIDA), 48, 171
 Fluorescent dyes, 3, 11, 83
 conjugation, 84
 dynamic quenching, 83
 fluorescein, 84
 fluorescence, 83, 158, 161, 170
 fluorophore, 84
 lanthanide complexes, 84
 phosphorescence, 83

 photobleaching, 84
 photons, 84
 quantum dots, 85
 resonance energy transfer, 83
 Texas Red, 84
 thermal vibrational deactivation, 83
 Food and Drug Administration (FDA), 208
 Forensic science, 51
 Fusion, 5, 18, 115, 116, 122, 123

G

Gelatin, 78
 Gene amplification, 36

H

Hapten, 62
 Hazard Analysis and Critical Control Points (HAACP), 40
 Health Insurance Portability and Accountability Act (HIPAA), 26
 Housing and housing design, 149, 191
 HsCRP (high-sensitivity C reactive protein), 45
 Humidity, 10, 103
 Hybridoma, 66
 Hydrophilic, 9, 118, 125
 Hydrophobic, 9, 101, 118

I

IgY, 65, 67
 Immune system, 62
 Immunization, 60, 62
 adjuvants, bacterial polysaccharides (LPS), 65
 animal welfare committee, 65
 DNA immunization, 64
 humane treatment of animals, 65
 selection of animal species, 65
 chickens, 65
 goats, 65
 rabbits, 65
 Immunoelectron microscopy, 78
 Impregnation, 135, 139
 Infectious diseases
 chlamydia, 46
 Ebola, 31
 gonorrhoea, 46
 hepatitis C, 31
 HIV, 31

- influenza, 46
- legionella, 46
- malaria, 46
- measles, 46
- mononucleosis, 46
- mumps, 46
- rubella, 46
- SARS, 31
- sexually transmitted disease (STD), 44
- Strep A/B, 46
- Interdigitated ultramicroelectrode array (IDUA), 76
- International Organization for Standardization (ISO), 214
- In vitro diagnostic (IVD), 52, 155, 211, 212
- Isoelectric focusing (IEF), 71

- L**
- Lab-on-a-chip, 45
- Lamination, 14, 53, 55, 56, 127, 141, 148, 151, 154
- Lateral flow immunoassay, LFIA, LF
 - absorbent pad, 55, 105
 - bed volume, 105
 - adhesives, 190
 - industrial acrylic adhesives, 54
 - pressure-sensitive adhesives, psa, 3, 54
 - rubberadhesives, 54
 - applications
 - agriculture, 31, 39, 51, 59
 - animal health, 31, 38, 51
 - biowarfare, 31, 36, 131
 - clinical diagnostics, 42, 46, 51, 131
 - drugs of abuse, 51
 - environmental health, 31, 36, 51, 59, 131
 - food microbiology, 31, 39, 40, 131
 - forensic science, 51
 - infectious diseases, 31, 44, 46, 51
 - pregnancy tests (PT), 2, 45, 95
 - veterinary medicine, 31, 36, 38, 39, 59, 131
 - water safety, 36
 - backing, 3, 14, 52, 53, 147
 - format, 53
 - in-line automated assembler, 53
 - manual assembly, 53
 - polyester, 52
 - polystyrene, 52
 - poly vinyl chloride (PVC), 52
 - thickness, 52
 - biochip, 20
 - blotting, 11, 135
 - capture line, 3, 118
 - castChip, 19
 - configuration of, 3, 105
 - conjugated particles, 3, 122
 - colloidal carbon, 77
 - colloidal gold, 14, 15, 23, 60, 78, 120, 157, 170
 - conjugate preparation, 80
 - preparation of, 78
 - latex particles, 14, 15, 60, 90, 120, 122
 - advantage, 90
 - bead size, 122
 - nitrocellulose, 124
 - paramagnetic, 14, 23, 89, 158
 - Magnetic signal, 89
 - polystyrene beads, 124
 - silica, 124
 - conjugate pad, 3, 8, 11, 53, 55, 104, 120, 135
 - conjugate release, 116, 122, 126, 128
 - control line, 4, 8, 89
 - cover tapes, 56
 - dispensing, 2, 9, 135, 150
 - contact dispensing systems, 11, 135, 137, 138
 - dispensers, 135
 - dispensing room, 103
 - drop actuator, 135
 - drop sizes, 135
 - methods, 10, 19, 135, 137
 - positive displacement, 138
 - drying, 9, 120, 125, 135, 139, 150
 - forced air, 140
 - lyophilization, 140
 - flow characteristics, 9, 11
 - Fusion 5, 18, 115, 116, 122, 123
 - bead size, 123
 - blood separator, 119
 - carrier bead, 122
 - characteristics of, 116
 - performance of, 120, 121
 - reaction membrane, 122
 - housing and housing design, 149, 191
 - particle flow, 111
 - positioning, 110
 - shape, 110
 - viewing window, 110
 - humidity, 10, 103
 - impregnation, 135, 139
 - in-line, 139
 - lamination, 14, 53, 55, 56, 127, 141, 148, 151, 154
 - line intensity, 123

- Lateral flow immunoassay, (*cont.*)
- liners, 54, 147
 - manufacturing of, 7, 8, 133, 149
 - batch process, 149
 - in-line process, 149
 - membrane, 8, 51
 - nitrocellulose membrane, 2, 78, 95, 118, 123
 - blocking, 10, 101, 115
 - capillary flow, flow rate, wicking rate, 8, 11, 13, 59, 60, 99, 103, 106, 118, 123
 - hydrophilic, 9, 118, 125
 - hydrophobic, 9, 101, 118
 - cast, 97
 - handling, 102
 - lacquer, 97
 - manufacturing of, 2, 55, 56, 97
 - storage, 102
 - strip width, 108
 - testing, 98
 - pores size, 96
 - processing, 10
 - protein binding, 9, 19, 100, 118
 - release criteria, 96
 - surfactant content, 8, 59, 97, 118, 125, 139
 - void volume, 124
 - nucleic acid lateral flow (NALF), 29, 75
 - polymers, 2, 10, 97, 117, 118, 134, 139
 - processing of, 16
 - sample pad, 3, 8, 13, 51, 53, 55, 104, 135, 139
 - manufacture, 103
 - sample volume, 191
 - slitting, 141, 148, 154
 - spraying, 67, 101, 122, 124, 125, 127, 138, 143
 - surfactants, 118, 125, 134, 139
 - taping, 190
 - technologies
 - Dual Path Platform (DPP), 48
 - Fluorescence Labelled Optical-Read Immuno Dipstick Assay (FLORIDA), 48, 171
 - magneto-immunoassays, 48
 - UltraPlatform, 48
 - test line, test zone, 4, 59, 71, 89, 118
 - tolerance, 55
 - world markets
 - clinical diagnostics, 42, 46, 51
 - clinical and veterinary sectors, 36, 37
 - coagulation tests, 30
 - food and beverage industry, 39
 - lipid metabolism protein tests, 30
 - pharmaceutical industry, 40
 - veterinary medicine, 38
- Latex particles, 14, 15, 61, 90, 120, 122
- Line intensity, 123
- Liners, 54, 147
- Liposomes, 76
- Luminescent Oxygen Channeling Immunoassay (LOCI), 87
- advantages, 88
- M**
- Mass spectrometry, 29
- Matrix, 3
- Microfluidics, 5, 21
- Monoclonal, *see* Antibodies
- Multiplexed assays, 5, 7, 27, 157
- N**
- Nitrocellulose membrane, *see* Lateral Flow Immunoassay
- Nucleic acid lateral flow (NALF), 29, 75
- Numerical aperture, 169
- O**
- Office of Pharmaceutical Science (OPS), 41
- Office of Regulatory Affairs (ORA), 41
- Organization for Economic Co-operation and Development (OECD), 47
- Original equipment manufacturer (OEM), 24, 45
- P**
- Paramagnetic, 14, 23, 89, 158
- Patent, 205
 - certificate of registration, 210
 - Official Gazette, 210
 - Patent and Trademark Office (PTO), 210
 - Pre-market Approval Application (PMA), 211
- Point-of-care (POC), 5, 131, 155, 177, 185
- Polymerase Chain Reaction (PCR), 28
- Polymers, 2, 10, 97, 117, 118, 134, 139
- Pores size, 96
- Pregnancy tests (PT), 2, 45, 95
- Process Analytical Technology (PAT), 41
- Protein binding, 9, 19, 100, 118
- Proteomics, 29

Q

Quality control, 71

Quantum dots, 85

R

Radio-immunoassay (RIA), 2

Rapid Analyte Measurement Platform
(RAMP), 20, 23

Readers, 157

barcode, 172

calibration curve, 169

confocal measurements, 168

dynamic range, 169

field of view, 169

fluorescence visualizers, 180

hand-held, 158

illumination, 169

numerical aperture, 169

off-axis measurements, 168

portable, 158, 170, 172

position errors, 167

reader systems, 5, 23, 26

canner systems, 161

CCD-based systems, 23, 161, 169

Recombinant proteins, *see* AntigensRecombinase Polymerase Amplification
(RPA), 28Reproducibility, 6, 7, 9, 28, 34, 55, 69, 82,
90, 131, 132, 152, 178**S**

Sample pad, 3, 8, 13, 51, 53, 55, 104, 135, 139

SDS polyacrylamide gel electrophoresis, 71

Sensitivity, 15, 17, 26, 38, 48, 63, 76, 84,
157, 185, 190

lowest detectable dose LDD, 17

Signal-to-noise ratio, 75

Slitting, 141, 148, 154

Spraying, 67, 101, 122, 124, 125, 127,
138, 143Substance Abuse and Mental Health
Services Administration
(SAMHSA), 186, 205

Succinimidyl esters, 62, 67

Surface-Enhanced Raman Scattering
(SERS), 28

Surfactant, 8, 59, 97, 118, 125, 139

T

Test line, test zone, 3, 60, 71, 89, 118

Theranostic markets, 133

Trademark, 209

Troponin, 46, 61

UUp-converting Phosphor Technology
(UPT), 27

nanoparticle, 86

phosphorescence, 86

V

Veterinary medicine, 36, 38, 39, 59, 131

W

Western blots, 78

White phosphorus, 78

Wicking rate, 8, 11, 13, 59, 60, 99, 103, 106,
118, 123World markets, *see* Lateral Flow
Immunoassay