

- Absence epilepsy, pediatric electroencephalogram, 182, 183, 186
- AC, *see* Alternating current
- Acetylcholine receptor,
  - intercellular communication, 29
  - main immunogenic region, 354
- Actigraphy, 433
- Action potential,
  - ion channels, 23–25, 38
  - population spike in electroencephalogram, 25
  - propagation, 39
  - transmission, 26
- Active transport, 36, 37
- Acute inflammatory demyelinating polyradiculoneuropathy (AIDP),
  - diagnostic criteria, 278, 281
  - pediatric electromyography, 378, 379
- ADC, *see* Analog-to-digital converter
- ADHD, *see* Attention deficit/hyperactivity disorder
- Adolescents, *see* Pediatric electroencephalogram
- AIDP, *see* Acute inflammatory demyelinating polyradiculoneuropathy
- AIN, *see* Anterior interosseus neuropathy
- Alpha coma, 135, 137
- Alpha rhythm, electroencephalogram,
  - normal rhythm, 58–60
  - variant patterns,
    - adults, 83–85
    - children,
      - fast alpha variant, 176
      - slow alpha variant, 172
- ALS, *see* Amyotrophic lateral sclerosis
- Alternating current (AC), 6, 8
- AMPA receptor, intercellular communication, 27, 28
- Amplifier, 10, 11
- Amyotrophic lateral sclerosis (ALS), 290, 291, 321
- Analog-to-digital converter (ADC), 14, 15
- ANS testing, *see* Autonomic nervous system testing
- Anterior interosseus neuropathy (AIN), 255
- Apnea,
  - central apnea, 413, 415, 421, 422
  - mixed apnea, 413, 416
  - obstructive apnea, 413, 414, 423
- Attention deficit/hyperactivity disorder (ADHD),
  - epileptiform activity, 180
- Atypical partial benign epilepsy of childhood, 194, 198
- Autonomic nervous system (ANS) testing,
  - blood pressure recording, 450, 451
  - heart rate,
    - recording, 450
    - respiratory sinus arrhythmia, 452–454
    - 30:15 ratio, 454
    - Valsalva maneuver response, 451, 452
  - indications, 448
  - microneurography, 457, 458
  - neuroanatomy, 447–449
  - patient preparation, 450
  - sympathetic function tests,
    - head-up tilt-table testing, 454, 455
    - sympathetic skin response, 456, 457
    - Valsalva maneuver, 455, 456
- A-wave, 213, 214
- Axillary neuropathy, 263
- BAEP, *see* Brainstem auditory evoked potential
- Bell's palsy,
  - clinical features, 319
  - initial evaluation, 319, 320
  - later studies, 320
- Benign epileptiform transients of sleep (BETS), 88, 90, 103, 107
- Benign myoclonic epilepsy of infancy, 182
- Benign occipital epilepsy, electroencephalogram, 189, 191
- Benign Rolandic epilepsy (BRE),
  - electroencephalogram, 189, 190
- Beta activity, electroencephalogram,
  - focal ictal patterns, 119, 121
  - overview, 60
- BETS, *see* Benign epileptiform transients of sleep
- Blink reflex, 315–317
- Botulism, 363, 364, 3821
- Brachial plexopathy,
  - anatomy, 300, 301
  - electrodiagnostics
    - electromyography, 302, 303
    - nerve conduction studies,
      - F-waves, 302
      - motor nerve, 301
      - sensory nerve, 301, 302
    - nerve root stimulation, 302
    - patterns by disorder, 303, 306
    - pediatric electromyography, 377, 378
  - pathophysiology, 301

- Brain death, electroencephalogram, 135, 138, 139
- Brainstem auditory evoked potential (BAEP),  
 auditory pathway anatomy, 475, 476  
 interpretation, 479–482  
 patient-related variables, 478, 479  
 recording, 477, 478  
 stimulation, 477  
 waveforms, 476, 477
- BRE, *see* Benign Rolandic epilepsy
- Burst suppression, coma, 135, 136
- Canal of Guyon, 257, 258
- Capacitive reactance, 6
- Capacitor, 5, 6, 9, 26
- Carpal tunnel syndrome (CTS),  
 clinical presentation, 252  
 differential diagnosis, 252, 253  
 electromyography, 254  
 nerve conduction study, 253, 254  
 treatment, 254
- Central apnea, 413, 415, 421, 422
- Central motor conduction time (CMCT), 506, 507
- Centrottemporal spikes, 110–113
- Cerebellopontine angle (CPA) tumor, brainstem  
 auditory evoked potential, 479, 480,  
 482
- Channel gating, 22, 23
- Charcot-Marie-Tooth disease,  
 pediatric electromyography, 379, 380  
 polyneuropathy, 279, 280
- Cheyne-Stokes respiration, 135
- Children, *see* Pediatric electroencephalogram;  
 Pediatric electromyography
- Chronic inflammatory demyelinating  
 polyradiculoneuropathy (CIDP),  
 diagnostic criteria, 278, 282  
 pediatric electromyography, 379, 380
- CIDP, *see* Chronic inflammatory demyelinating  
 polyradiculoneuropathy
- CMAP, *see* Compound motor action potential
- CMCT, *see* Central motor conduction time
- Coma, electroencephalogram, 132, 134–137
- Complex repetitive discharges (CRDs), 235–237
- Compound motor action potential (CMAP),  
 measurement, 209, 210, 220, 357
- Conductor, 4
- Cone-shaped (O) waves, 92, 96
- Continuous spike waves of sleep (CSWS), 180, 202
- Coulomb, 3
- CPA tumor, *see* Cerebellopontine angle tumor
- Cramp discharge, 239
- Cranial nerves, *see specific nerves*
- CRDs, *see* Complex repetitive discharges
- CSWS, *see* Continuous spike waves of sleep
- CTS, *see* Carpal tunnel syndrome
- Current, 3–5
- DC, *see* Direct current
- Depolarization, 26
- Dermatomyositis, electromyography, 347
- Diabetic amyotrophy, 308
- Direct current (DC), 6
- Doose syndrome, *see* Myoclonic astatic epilepsy
- Drug withdrawal, electroencephalogram activation,  
 80
- ECF, *see* Extracellular fluid
- ECI, *see* Electrocerebral inactivity
- EDB, *see* Extensor digitorum brevis
- Edinger-Westphal nucleus, 449
- EEG, *see* Electroencephalogram
- EKG, *see* Electrocardiography
- Electrical safety, 15–17
- Electrical status epilepticus of sleep (ESES), 198
- Electrocardiography (EKG), sleep studies, 418
- Electrocerebral inactivity (ECI), 135, 138, 139
- Electroencephalogram (EEG),  
 activation,  
 drug withdrawal, 80  
 hyperventilation, 62, 73–77  
 photic stimulation, 62–64, 77, 78  
 sleep deprivation, 78–80  
 age-dependent variants, 98  
 alpha rhythm, 58–60, 83–85  
 awake and resting state, 58  
 benign epileptiform transients of sleep, 88, 90  
 beta activity, 60  
 brain death, 135, 138, 139  
 coma, 132, 134–137  
 digital signal analysis, 14, 15  
 electrodes,  
 placement, 12  
 types, 11, 12  
 epileptiform abnormalities, *see* Ictal patterns;  
 Interictal epileptiform abnormalities;  
 Periodic epileptiform discharges  
 epileptiform variant patterns, *see* Epileptiform  
 variant patterns  
 focal slowing, 127–129  
 frontal arousal rhythm, 88  
 generalized slowing, 129–132  
 lambda wave, 60, 62, 91, 93  
 lambdaoids, 92, 94–96  
 montages, 12, 46  
 mu rhythm, 60, 61, 85, 86  
 pediatric, *see* Pediatric electroencephalogram  
 physiological basis, 29–31  
 polysomnography, *see* Polysomnography

- population spike, 25
- recording principles, 57, 58
- sleep recordings, 64–70
- subclinical rhythmic electrographic discharge, 85, 88
- theta rhythm, 60, 85, 87, 88
- youth waves, 97, 98
- Electromyography (EMG),
  - brachial plexopathy, 302, 303
  - carpal tunnel syndrome, 254
  - chin electromyography in sleep staging, 401, 402
  - cranial muscles, 318, 319
  - femoral neuropathy, 266
  - limb electromyography in sleep studies, 418, 419
  - loudspeaker/amplifier, 230, 231
  - lumbosacral plexopathy, 308
  - motor unit potential,
    - activation, 242, 243
    - age-dependent changes, 248
    - amplitude, 241
    - duration, 240, 241
    - needle placement and morphology, 246, 248
    - phases, 241, 242
    - recruitment, 242
    - time course of abnormality development,
      - myopathic disorders, 243, 246
      - neurogenic disorders, 243
    - voluntary motor activity evaluation, 24
  - muscle strength, 248
  - myopathy, *see* Myopathy
  - needle electrode, 229, 230
  - neuromuscular transmission studies,
    - motor unit potential, 357
    - single-fiber electromyography, 359–362
  - normal muscle physiology,
    - insertional activity, 331
    - motor unit action potential, 330–333
    - motor unit recruitment, 333, 334
    - spontaneous activity, 331
  - oscilloscope, 230
  - pediatric, *see* Pediatric electromyography
  - peroneal neuropathy, 265
  - polyneuropathy, 276
  - radiculopathy and motor neuron disease
    - electrodiagnostics, 293–296
  - sampling error, 248
  - sciatic neuropathy, 267, 268
  - spontaneous potentials,
    - motor neurons,
      - cramp discharge, 239
      - doublets, triplets, and multiplets, 238
      - fasciculation potential, 237, 238
      - myokymic discharge, 238, 239
      - neuromyotonic discharge, 239
      - muscle fibers,
        - complex repetitive discharges, 235–237
        - fibrillation potentials, 232, 233
        - myotonic discharges, 234, 235
        - positive sharp waves, 233, 234
    - superficial radial sensory neuropathy, 261, 262
    - tarsal tunnel syndrome, 268
    - technique, 231
    - ulnar neuropathy,
      - elbow, 256, 257
      - wrist, 258, 259
    - volume conduction effects,
      - end-plate spikes, 50
      - fibrillation potentials and positive sharp waves, 49, 50
      - motor unit potentials, 50
- EMG, *see* Electromyography
- Epilepsy with GTCS on awakening, 183, 189
- Epileptiform variant patterns,
  - benign epileptiform transients of sleep, 88, 90
  - children, 172–176
  - 14- and 6-Hz positive bursts, 88, 89, 109, 110, 172
  - phantom spike and wave, 91, 110
  - wicket spikes, 91, 92
- EPSP, *see* Excitatory postsynaptic potential
- ESES, *see* Electrical status epilepticus of sleep
- Evoked potentials, *see* Brainstem auditory evoked potential; Motor evoked potential; Somatosensory evoked potential; Visual evoked potential
- Excitatory postsynaptic potential (EPSP), 27, 29–31
- Extensor digitorum brevis (EDB), 224, 225
- Extracellular fluid (ECF), 35, 36
- Eyelid myoclonus with absences,
  - electroencephalogram, 198, 200
- Facial nerve,
  - anatomy, 313, 314
  - conduction studies, 314
- FAR, *see* Frontal arousal rhythm
- Fasciculation potential, 237, 238
- Febrile seizure, electroencephalogram, 182, 184, 185
- Femoral nerve,
  - anatomy, 265
  - neuropathy,
    - clinical presentation, 266
    - electrophysiology, 266
    - imaging, 266
- Femoral nerve, lumbosacral plexus, 306
- Fibrillation potentials, 232, 233
- Filter, 9, 10
- FIRDA, *see* Frontal intermittent rhythmic delta activity

- Focal slowing, electroencephalogram, 127–129
- Frontal arousal rhythm (FAR), 88
- Frontal intermittent rhythmic delta activity (FIRDA), 129, 131
- Frontal sharp waves, 112
- F-wave,
  - applications, 211, 212
  - brachial plexopathy, 302
  - minimum latency, 210, 211
  - motor neuron disease, 292, 293
  - origins, 210
- GABA receptors, intercellular communication, 28, 29
- Gating, channels, 22, 23
- GBS, *see* Guillain-Barré syndrome
- Generalized slowing, electroencephalogram, 129–132
- Glia, properties, 19
- Goldman equation, 22, 37, 38
- Guillain-Barré syndrome (GBS), 276, 278, 281, 378, 379
- Heart rate,
  - recording, 450
  - respiratory sinus arrhythmia, 452–454
  - 30:15 ratio, 454
  - Valsalva maneuver response, 451, 452
- Hemifacial spasm, evaluation, 320
- HIHARS, *see* Hyperventilation-induced high-amplitude rhythmic slowing
- H-reflex,
  - motor neuron disease, 293
  - recording, 212, 213
  - minimum latency, 213
- Hyperventilation, electroencephalogram activation
  - clinical significance, 76
  - mechanism, 74
  - overview, 62, 73, 74
  - sobbing in children, 154, 162
  - technique, 75, 76
- Hyperventilation-induced high-amplitude rhythmic slowing (HIHARS), 183
- Hypoapnea, 413, 417
- Hypoglossal nerve
  - anatomy, 318
  - conduction studies, 318
- ICES, *see* International Classification of Epileptic Seizures
- ICF, *see* Intracellular fluid
- Ictal patterns,
  - focal patterns, 119
  - generalized patterns, 118, 119
- Idiopathic hypersomnia, 436
- Impedance, 8, 9
- Inclusion body myositis, electromyography, 347
- Inductive reactance, 6
- Inductor, 6
- Infants, *see* Pediatric electroencephalogram
- Inhibitory postsynaptic potential (IPSP), 27
- Input resistance, 26
- Insulator, 4
- Interictal epileptiform abnormalities, *see also* Epileptiform variant patterns,
  - activation and precipitants, 112, 117
  - clinical interpretation, 117
  - discharges by location,
    - centrotemporal spikes, 110–113
    - frontal sharp waves, 112
    - generalized spikes, 112, 114–116
    - occipital spikes, 112
    - temporal spikes, 110
  - spikes and sharp waves, 101–110
- Intermittent rhythmic delta activity (IRDA), 129, 130, 183
- International Classification of Epileptic Seizures (ICES), 180, 181
- Intracellular fluid (ICF), 35, 36
- IPSP, *see* Inhibitory postsynaptic potential
- IRDA, *see* Intermittent rhythmic delta activity
- Jeavons syndrome, *see* Eyelid myoclonus with absences
- JME, *see* Juvenile myoclonic epilepsy
- Joule, 3, 4
- Juvenile myoclonic epilepsy (JME),
  - electroencephalogram, 183, 188
- Lambda wave, electroencephalogram, 60, 62, 91, 93
- Lambdoids, *see* Positive occipital slow waves of sleep
- Lambert-Eaton myasthenic syndrome (LEMS), 357, 362, 363, 382
- Landau-Kleffner syndrome (LKS), epileptiform activity, 180, 198, 201, 202
- LEMS, *see* Lambert-Eaton myasthenic syndrome
- Lennox-Gastaut syndrome (LGS),
  - electroencephalogram, 194, 196, 197
- LGS, *see* Lennox-Gastaut syndrome
- LKS, *see* Landau-Kleffner syndrome
- Long thoracic neuropathy, 263
- Lumbosacral plexopathy,
  - anatomy, 306
  - electrodiagnostics,
    - electromyography, 308
    - nerve conduction studies,
      - F-waves, 308

- motor nerve, 307
  - sensory nerve, 307, 308
  - patterns by disorder, 308, 309
  - pathophysiology, 306
- Maintenance of wakefulness test (MWT)
  - indications, 432
  - interpretation, 433
  - polysomnography, 398
  - scoring, 433
  - techniques, 432, 433
- Martin-Gruber anastomosis (MGA), 223–225
- Masseter reflex, 316
- Masseter silent period, 316, 317
- Median nerve,
  - anatomy, 251, 252
  - neuropathy, *see also* Carpal tunnel syndrome,
    - anterior interosseus neuropathy, 255
    - proximal median neuropathy, 254, 255
  - somatosensory evoked potentials, 487–489, 494
- Membrane potential, 20, 22, 23, 37, 38
- MEP, *see* Motor evoked potential
- MEPP, *see* Miniature end-plate potential
- MGA, *see* Martin-Gruber anastomosis
- Microneurography, 457, 458
- Miniature end-plate potential (MEPP), 356
- Mixed apnea, 413, 416
- Motor evoked potential (MEP), transcranial
  - magnetic stimulation, 507, 509
- Motor neuron disease,
  - anatomic considerations, 290
  - electrodiagnostic examination,
    - electromyography, 293–296
    - nerve conduction studies,
      - F-waves, 292, 293
      - H-reflexes, 293
      - motor nerves, 292, 296
      - sensory nerves, 291–292, 296
  - overview, 289
  - pediatric electromyography, 376
  - physiological considerations, 290, 291
- Motor unit action potential (MUAP),
  - myopathic muscle, 340–343
  - normal muscle, 330–333
- Motor unit potential (MUP),
  - activation, 242, 243
  - age-dependent changes, 248
  - amplitude, 241
  - duration, 240, 241
  - morphology, 230
  - needle placement and morphology, 246, 248
  - phases, 241, 242
  - recruitment, 242
  - time course of abnormality development,
    - myopathic disorders, 243, 246
    - neurogenic disorders, 243
    - voluntary motor activity evaluation, 240
- MS, *see* Multiple sclerosis
- MSLT, *see* Multiple sleep latency test
- MUAP, *see* Motor unit action potential
- Multiple independent spike syndrome, 198
- Multiple sclerosis (MS), visual evoked potential,
  - 469
- Multiple sleep latency test (MSLT),
  - indications, 431
  - interpretation, 432
  - polysomnography, 398
  - scoring, 431, 432
  - technique, 431
- Mu rhythm, electroencephalogram, 60, 61, 85, 86
- Muscle,
  - anatomy, 327–329
  - electromyography, *see* Electromyography
  - physiology, 329, 330
- Muscular dystrophy, pediatric electromyography,
  - 383, 384
- Musculocutaneous neuropathy, 263
- MWT, *see* Maintenance of wakefulness test
- Myasthenia gravis, 364, 365, 381
- Myelin, 39, 40
- Myoclonic astatic epilepsy, electroencephalogram,
  - 198, 199
- Myokymic discharge, 238, 239
- Myopathy,
  - classification, 325, 326
  - clinical patterns, 326, 327
  - differential diagnosis with electrophysiology,
    - 345–347
  - electromyography,
    - acute illness myopathy, 348
    - advantages, 343, 344
    - congenital myopathy, 348
    - dermatomyositis, 347
    - endocrine myopathy, 348
    - inclusion body myositis, 347
    - insertional activity, 335
    - limitations, 344
    - motor unit action potential, 340–343
    - motor unit recruitment, 342
    - myotonic myopathy, 348
    - planning, 344
    - polymyositis, 347
    - spontaneous activity, 335–340
  - histopathology, 334, 335
  - nerve conduction studies, 344, 345
  - normal muscle anatomy and physiology, 327–330
  - pediatric electromyography, 383, 384

- Myotonic discharges, 234, 235  
 Myotonic disorders, pediatric electromyography, 384, 385  
 Myotonic myopathy, electromyography, 348
- Narcolepsy, 435, 436  
 NCS, *see* Nerve conduction study  
 Needle electrode examination, *see*  
   Electromyography
- Neonates, *see* Pediatric electroencephalogram  
 Nernst equation, 21  
 Nernst potential, 37
- Nerve conduction study (NCS),  
   A-wave, 213, 214  
   anatomic variations,  
     extensor digitorum brevis, 224, 225  
     Martin-Gruber anastomosis, 223–225  
   anodal block, 219, 220  
   averaging, 220, 221  
   brachial plexopathy,  
     F-waves, 302  
     motor nerve, 301  
     sensory nerve, 301, 302  
   carpal tunnel syndrome, 253, 254  
   compound motor action potential measurement,  
     209, 210  
   cranial nerves, *see specific nerves*  
   F-wave, 210–212  
   femoral neuropathy, 266  
   H-reflex, 212, 213  
   lumbosacral plexopathy,  
     F-waves, 308  
     motor nerve, 307  
     sensory nerve, 307, 308  
   myopathy, 344, 345  
   pediatric, *see* Pediatric nerve conduction study  
   peroneal neuropathy, 265  
   physiological factors affecting,  
     age, 221, 222  
     height, 222, 223  
     temperature, 221  
   physiology of stimulation, 207  
   polyneuropathy, 275, 276  
   radiculopathy and motor neuron disease  
     electrodiagnostics,  
       F-waves, 292, 293  
       H-reflexes, 293  
       motor nerves, 292, 295, 296  
       sensory nerves, 291–292, 295, 296  
   recording electrodes, 218, 219  
   sciatic neuropathy, 267, 268  
   sensory nerve action potential measurement,  
     208, 209  
   skin preparation, 217, 218  
   stimulus artifact, 218  
   superficial radial sensory neuropathy, 261, 262  
   tarsal tunnel syndrome, 268  
   ulnar neuropathy,  
     elbow, 256, 257  
     wrist, 258, 259  
   virtual cathode, 219  
   volume conduction effects in sensory nerve  
     conduction study, 47
- Neuromuscular junction (NMJ),  
   anatomy of terminal end-plate region, 353, 354  
   diseases,  
     botulism, 363, 364  
     congenital myasthenic syndromes, 365, 366  
     Lambert-Eaton myasthenic syndrome, 362,  
       363  
     myasthenia gravis, 364, 365  
   neuromuscular transmission studies,  
     electromyography,  
       motor unit potential, 357  
       single-fiber electromyography, 359–362  
       repetitive nerve stimulation, 357–359  
     pediatric electromyography, 381–383  
     postsynaptic electrophysiology of neuromuscular  
       transmission, 356, 357  
     presynaptic physiology, 355, 356
- Neuromyotonic discharge, 239
- Neuron, properties, 19
- Neuropathy, *see* Polyneuropathy; *specific nerves*
- NMDA receptor, intercellular communication, 27,  
 28
- NMJ, *see* Neuromuscular junction
- Nodes of Ranvier, 40
- Nonconvulsive status epilepticus, coma induction,  
 132, 133
- Obstructive apnea, 413, 414, 423
- Obturator nerve, lumbosacral plexus, 306
- Occipital intermittent rhythmic delta activity  
 (OIRDA), 183, 187
- Occipital spikes, 112
- Occipital spikes of blindness, 110
- OIRDA, *see* Occipital intermittent rhythmic delta  
 activity
- Optic nerve dysfunction, visual evoked potential,  
 469, 470
- Optic neuritis, visual evoked potential, 467, 469
- O waves, *see* Cone-shaped waves
- Parallel, circuit, 5, 6
- Parasomnias, 436–439
- Paroxysmal depolarization shift (PDS), 32
- Parsonage-Turner syndrome, 303
- Passive transport, 36

- PDS, *see* Paroxysmal depolarization shift
- Pediatric electroencephalogram,  
 abnormalities,  
   benign epileptic syndromes, 182–192  
   malignant epileptic syndromes, 192–202  
   overview, 179–181  
 adolescents, 165, 171, 172  
 early childhood, 154, 160–164  
 infancy,  
   early infantile epileptic encephalopathy, 193  
   infantile spasms, 193–195  
   normal electroencephalogram, 154–159  
   severe myoclonic seizures, 193  
 late childhood, 165, 168–170  
 neonates,  
   myoclonic encephalopathy, 193  
   preterm infants, 141–148  
   seizures, 192  
   term infants, 142, 150–153  
 normal variant patterns, 172–176  
 preschool children, 165–167
- Pediatric electromyography,  
 applications, 369  
 findings,  
   brachial plexus injury, 377, 378  
   mononeuropathy, 380, 381  
   motor neuron disease, 376  
   myopathy, 383, 384  
   myotonic disorders, 384, 385  
   neuromuscular junction, 381–383  
   polyneuropathy, 378–380  
   sensory neuropathy, 376, 377  
 indications, 374–376  
 technique and parameters, 372, 373
- Pediatric nerve conduction study, technique and parameters, 370–372
- Periodic epileptiform discharges,  
 overview, 119, 122  
 periodic generalized sharp complexes, 122  
 periodic generalized sharp waves with one-per-second frequency, 122, 123  
 periodic lateralized epileptiform discharges, 122, 124
- Periodic limb movement disorder (PLMD), 439
- Peroneal nerve,  
 anatomy, 264  
 lumbosacral plexus, 306  
 neuropathy at fibular head,  
   clinical presentation, 264  
   electrophysiology, 265  
   pediatric electromyography, 381
- Phantom spike and wave, 91, 110, 172, 173
- Photic stimulation, electroencephalogram,  
 clinical significance, 78  
 mechanism, 77, 78  
 overview, 62–64, 77  
 technique, 78
- Photosensitive epilepsy, 198
- PIN, *see* Posterior interosseous neuropathy
- Plexopathy, *see* Brachial plexopathy; Lumbosacral plexopathy
- PLMD, *see* Periodic limb movement disorder
- Polymyositis, electromyography, 347
- Polyneuropathy,  
 acute axonal sensorimotor polyneuropathies, 282  
 acute demyelinating sensorimotor polyneuropathies, 281, 282  
 chronic axonal sensorimotor polyneuropathies, 282  
 chronic demyelinating sensorimotor polyneuropathies, 282  
 differential diagnosis,  
   acquired versus inherited polyneuropathies, 279, 280  
   axonal versus demyelinating injury, 277–279  
   multiple mononeuropathies, 282–285  
   small fiber neuropathies, 280  
 electromyography, 276  
 motor polyneuropathies, 281  
 nerve conduction studies, 275, 276  
 pediatric electromyography, 378–380  
 sensory polyneuropathies, 281
- Polysomnography,  
 body position, 419  
 components, 396, 397  
 electrocardiography, 418  
 historical perspective, 393, 394  
 idiopathic hypersomnia, 435  
 indications, 396  
 interpretation, 419, 421–432  
 limb movement recording, 418–420  
 maintenance of wakefulness test, 398, 430, 431  
 medication effects, 398, 404  
 multiple sleep latency test, 398, 431, 432  
 narcolepsy, 434, 435  
 parasomnias, 435–438  
 periodic limb movement disorder, 438  
 respiratory measures,  
   airflow, 411, 412  
   oxygen saturation, 413  
   respiratory effort, 413  
 restless legs syndrome, 438, 441  
 sleep stage scoring,  
   chin electromyography, 401, 402  
   electroencephalography, 398, 401  
   eye movement recording, 401  
   normative values, 398, 403  
 rules,

- EEG arousals, 406
  - movement arousal, 406
  - movement time, 404, 406
  - overview, 398–400
  - rapid eye movement sleep, 408, 410
  - stage 1, 406, 407
  - stage 2, 406–408
  - stage W, 404, 405
  - stages 3 and 4, 407–409
  - sleep variables, 398, 401
  - sleep-related breathing disorders, 433, 434
  - video polysomnography, 419
- Polyspikes, 103, 105, 118
- Positive occipital slow waves of sleep (POSTS), 92, 94–96, 165, 170
- Positive sharp waves (PSWs), 233, 234
- Posterior interosseous neuropathy (PIN), 260
- Posterior slow waves of youth, 97, 98, 165, 166
- Posterior tibial nerve, somatosensory evoked potentials, 489–491, 494
- POSTS, *see* Positive occipital slow waves of sleep
- Potassium, gradients, 22
- Power, 8
- PSWs, *see* Positive sharp waves
- Pulse oximetry, 413
- Radial nerve,
  - anatomy, 258, 260
  - neuropathy,
    - axilla, 260
    - pediatric electromyography, 381
    - posterior interosseous neuropathy, 260
    - spiral groove, 260
    - superficial radial sensory neuropathy,
      - clinical presentation, 260, 261
      - differential diagnosis, 261
      - electrophysiology, 261, 262
- Radiculopathy,
  - anatomic considerations, 290
  - electrodiagnostic examination,
    - electromyography, 293–295
    - nerve conduction studies,
      - F-waves, 292, 293
      - H-reflexes, 293
      - motor nerves, 292, 295
      - sensory nerves, 291–292, 295
    - overview, 289
    - physiological considerations, 290
- Rapid eye movement (REM) sleep,
  - electroencephalogram, 69, 70, 394, 395
- Recurrent laryngeal nerve,
  - anatomy, 318
  - conduction studies, 318
- REM sleep, *see* Rapid eye movement sleep
- Repetitive nerve stimulation (RNS), neuromuscular transmission studies, 357–359
- Repetitive transcranial magnetic stimulation
  - clinical applications, 513, 514
  - overview, 513
- Resistance, 4
- Respiratory inductance plethysmography (RIP), 411, 413
- Restless legs syndrome (RLS), 439, 441
- RIP, *see* Respiratory inductance plethysmography
- RLS, *see* Restless legs syndrome
- RNS, *see* Repetitive nerve stimulation
- Safety, electrical, 15–17
- Saltatory conduction, 40
- Schwann cell, 40
- Sciatic nerve,
  - anatomy, 267
  - lumbosacral plexus, 306
  - neuropathy,
    - clinical presentation, 267
    - electrophysiology, 267, 268
    - imaging, 267
- Sensory nerve action potential (SNAP),
  - brachial plexopathy, 301
  - measurement, 208, 209
  - motor neuron disease, 291, 292
- Series, circuit, 5, 6
- Sharply contoured artifact, electroencephalogram, 110
- Sharp theta in the occiput of premature infants (STOP), 142, 144
- Sleep deprivation, electroencephalogram activation,
  - clinical significance, 78, 79
  - mechanism, 79, 80
  - technique, 80
- Sleep disorders,
  - actigraphy, 433
  - apnea,
    - central apnea, 413, 415, 421, 422
    - mixed apnea, 413, 416
    - obstructive apnea, 413, 414, 423
  - classification, 394, 395
  - hypoapnea, 413, 417
  - maintenance of wakefulness test, 398, 431, 432
  - multiple sleep latency test, 398, 430, 431
  - periodic limb movement disorder, 438
  - polysomnography, *see* Polysomnography
  - respiratory effort-related arousal, 418
  - restless legs syndrome, 438, 441
- Sleep,
  - benign epileptiform transients of sleep, 88, 90, 103, 107
  - electroencephalograms, 64–70



- infant electroencephalograms, 154–159
- neonatal electroencephalograms,
  - preterm infants, 141–148
  - term infants, 142, 150–153
- regulation, 395, 396
- stages,
  - rapid eye movement sleep, 69, 70, 394, 395
  - stage I, 64, 65
  - stage II, 64, 66
  - stage III, 66, 67
  - stage IV, 68, 70
- SNAP, *see* Sensory nerve action potential
- Sodium,
  - action potential, 23, 24
  - gradients, 22
- Sodium-potassium pump, 37, 38
- Somatosensory evoked potential (SSEP),
  - anatomy and physiology, 485, 486
  - applications,
    - disease, 493
    - intraoperative monitoring, 493–495
  - interpretation, 491–494
  - median nerve potentials, 487–489, 494
  - posterior tibial nerve potentials, 489–491
  - recording, 487
  - stimulation, 486
  - volume conduction effects, 44, 50, 51
- Spike-and-slow wave complex, 103, 118
- Spinal accessory nerve,
  - anatomy, 317
  - conduction studies, 317, 318
- Spinal accessory neuropathy, 263, 264, 321
- SREDA, *see* Subclinical rhythmic electrographic discharge
- SSEP, *see* Somatosensory evoked potential
- SSR, *see* Sympathetic skin response
- Standing wave, 47
- STOP, *see* Sharp theta in the occiput of premature infants
- Subclinical rhythmic electrographic discharge (SREDA), 85, 88
- Suprascapular neuropathy, 262, 263
- Sympathetic skin response (SSR), 456, 457
- Tarsal tunnel syndrome (TTS),
  - clinical presentation, 267, 268
  - electrophysiology, 268, 269
- Temporal spikes, 110
- Theta rhythm, electroencephalogram,
  - focal ictal patterns, 119, 120
  - midline theta rhythm, 88
  - normal rhythm, 60
  - psychomotor variant, 85, 87, 107, 108, 172, 175
  - sharp theta in the occiput of premature infants, 142, 144
  - temporal theta in the elderly, 98
- Thoracic outlet syndrome, 303
- Tibial nerve,
  - anatomy, 268
  - posterior tibial nerve somatosensory evoked potentials, 489–491, 494
  - tarsal tunnel syndrome,
    - clinical presentation, 267, 268
    - electrophysiology, 268
- Tilt-table testing, 454, 455,
- Transcranial magnetic stimulation (TMS)
  - equipment, 501, 502
  - paired-pulse transcranial magnetic stimulation
    - interhemispheric interactions, 511–513
    - intracortical inhibitory and facilitatory mechanisms, 511
  - principles, 499–501
  - repetitive transcranial magnetic stimulation,
    - clinical applications, 513, 514
    - overview, 513
  - safety considerations, 502–504
  - single-pulse transcranial magnetic stimulation,
    - central motor conduction time, 506, 507
    - diagnostic applications, 504, 505
    - motor evoked potential, 507, 509
    - motor threshold, 504, 506
    - silent period, 509
    - transcallosal conduction, 509–511
- Trigeminal nerve,
  - blink reflex, 315–317
  - conduction studies, 315
  - masseter reflex, 316
  - masseter silent period, 316, 317
  - neuralgia/neuropathy, 320, 321
- Triphasic waves, 132, 133
- TTS, *see* Tarsal tunnel syndrome
- Ulnar nerve,
  - anatomy, 255
  - neuropathy at elbow,
    - causes, 256
    - clinical presentation, 255, 256
    - electrophysiology, 256, 257
    - treatment, 257
  - neuropathy at wrist,
    - clinical syndromes, 257, 258
    - electrophysiology, 258, 259
  - pediatric electromyography, 380
- Valsalva maneuver,
  - heart rate response, 451, 452
  - sympathetic function tests, 455, 456

- Valsalva ratio (VR), 451, 452
- VEP, *see* Visual evoked potential
- Vertex wave, 103, 106
- Visual evoked potential (VEP),
  - chiasmal lesions, 471
  - compressive optic nerve lesions, 469, 470
  - features, 461, 463, 464
  - high-pressure state, 470
  - interpretation,
    - anterior pathways, 466
    - posterior pathways, 466, 467
  - ischemic optic neuropathy, 469
  - multiple sclerosis, 469
  - neurodegenerative disease, 470
  - operative monitoring, 470, 471
  - optic neuritis, 467, 469
  - P100, 467, 468, 471
  - psychiatric blindness, 471
  - recording,
    - averaging, 462, 463
    - check size, 462
    - contrast, 462
    - filters, 463
    - hardware, 463
    - patient factors, 463
    - repetition frequency, 462
    - stimulus, 461, 462
  - retrochiasmal lesions, 471
  - subject-related factors,
    - acuity, 466
    - age, 465
    - gender, 465
  - technical factors, 464, 465
  - traumatic visual loss, 470
- Voltage, 3, 26
- Volume conduction,
  - definition, 43
  - effects
    - electromyography,
      - end-plate spikes, 50
      - fibrillation potentials and positive sharp waves, 49, 50
      - motor unit potentials, 50
    - motor studies, 47–49
    - sensory nerve conduction study, 47
    - somatosensory evoked potentials, 50, 51
  - far-field potential, 44
  - near-field potential, 43
  - working model, 44, 46
- VR, *see* Valsalva ratio
- West syndrome, electroencephalogram, 193–195
- Wicket spikes, 91, 92, 103, 107
- Wrist drop, differential diagnosis, 261