

---

# Index

- AFM, *see* Atomic force microscopy
- Aldehydes,  
  functional determination on glass,  
    177  
  glass slide modification, 171  
  quantification on surfaces, 168, 169  
  surface chemistry, 45
- Alginate acid, polymer brush coating for  
  protein fouling prevention,  
    73, 74
- Allele-specific oligonucleotide, *see*  
  Oligonucleotide probe array
- Amino group,  
  aminopropylation of glass slides, 170  
  quantification on surfaces, 168, 169,  
    174–176, 230, 231
- Aminosilane, surface chemistry, 42–44
- Analyte, definition, 3
- Array comparative genomic  
  hybridization, *see*  
    Comparative genomic  
    hybridization
- Array,  
  applications, 15, 16  
  definition, 2, 3  
  historical perspective, 4–7  
  interdisciplinary development, 4  
  Internet resources, 22  
  prospects, 21, 22
- Atom transfer radical polymerization  
  (ATRP), polymer brush  
  coating for protein fouling  
  prevention, 74, 75
- Atomic force microscopy (AFM),  
  nanochip array detection,  
    429
- ATRP, *see* Atom transfer radical  
  polymerization
- Background,  
  definition, 39, 95  
  protein/peptide arrays, 50, 51  
  surface chemistry effects, 39, 40
- Biomek high-density replicating tool,  
  *see* Microplate protein  
  microarray
- Capillary electrophoresis, multiplex  
  ligation-dependent probe  
  amplification products, 255,  
    257, 263
- Carbohydrate microarray,  
  glycopeptide arrays, *see*  
    Glycopeptide arrays  
  overview and applications, 17–19  
  surface chemistry, 53, 54
- Carbon nanotube (CNT) nanoelectrode  
  array,  
  advantages, 415, 416  
  electrochemical detection, 422–425  
  fabrication, 418, 419, 421  
  nanotube features, 414, 415  
  nucleic acid analysis rationale, 417,  
    418  
  overview, 412, 414–416  
  probe functionalization, 421, 422

- prospects, 430
- sensitivity of electrode, 414, 415
- Carboxyl group,
  - carboxalkylation of glass slides, 171
  - quantification on surfaces, 168, 169, 177
- Cell microarray,
  - functional genomics,
    - cell transfection and fixation, 380
    - image acquisition, 380, 381
    - knockdown assessment, 381
    - materials, 375–378, 382, 383
    - microarray construction
      - printing, 379, 380, 383, 384
      - solutions, 378, 379, 383
    - plasmid preparation, 378, 383
    - principles, 375
    - small interfering RNA
      - preparation, 378
    - transfection assessment, 381
  - overview and applications, 19, 20
- CGH, *see* Comparative genomic hybridization
- CNT nanoelectrode array, *see* Carbon nanotube nanoelectrode array
- Combinatorial library,
  - definition, 2
  - formats, 3
  - historical perspective, 6, 7
- Comparative genomic hybridization (CGH),
  - challenges, 106
  - clone-based arrays, 106
  - crosslinking of silanized DNA, 107, 108
  - fluorescence ratio normalization, 115, 116
  - genomic probe labeling,
    - chemical activation, 112, 113, 117
    - random priming labeling, 113, 114, 118
  - high-resolution mapping,
    - agarose gel electrophoresis of fragmented DNA, 198, 200
  - applications, 189, 190
  - data analysis,
    - example, 206, 208
    - normalization, 204, 205
    - PAIR data combination, 203, 204
    - segmentation, 205, 206
    - viewing data, 206
    - window averaging, 205
  - DNA sample quality, 208, 209
  - fine-tiling array design, 195
  - hybridization and washing, 201, 202
  - mask preparation for synthesis, 196
  - materials, 196, 197
  - NimbleGen microarray,
    - access, 196
    - utilization, 190, 191, 196
  - NimbleScan™ analysis, 203
  - optimization,
    - oligonucleotide length, 192
    - probe selection, 192
    - strand selection, 192
  - ozone interference, 210
  - sample preparation,
    - fluorescent labeling, 200, 201, 210
    - pooling and suspension, 201
  - scanning, 202
  - sonication of genomic DNA, 198

- tiling formats in array design, 193
- whole genome array design,
  - 15-mer frequency
    - determination, 194
  - initial probe sets, 193, 194
  - oligo uniqueness, 194, 195
  - probe selection, 195
- hybridization and washing, 114, 115, 118
- image quantification, 115
- materials, 109, 110
- oligoarray construction, 108, 109
- principles of array comparative
  - genomic hybridization, 105, 106
- printing and processing of arrays, 112, 116, 117
- scanning, 115
- silanization of DNA, 106, 107, 110, 111, 116
- slides,
  - cleaning, 111
  - coating, 111, 112, 116
- Complementary DNA microarrays,
  - complementary DNA synthesis and labeling, 222, 223
  - immobilized DNA as probes, 213, 214, 222
  - materials, 215
  - probe design,
    - algorithms,
      - 30–70-mers, 219, 220
      - 150-mers, 216–219
    - overview, 214, 215, 222
    - unique sequence identification, 215, 216
  - probe immobilization, 221
  - probe preparation,
    - 30–70-mers, 221, 223
    - 150–160-mers, 220–223
    - RNA extraction, 221, 222
    - sensitivity, 214
    - spotting, 12, 13
- Copy number, *see* Multiplex ligation-dependent probe amplification
- Cy3, fluorescence spectral
  - characterization, 128, 130
- Cy5, fluorescence spectral
  - characterization, 128, 130
- Cystic fibrosis, *see* *In situ* synthesis; Oligonucleotide probe array
- DELFIA<sup>®</sup>, *see* Oligonucleotide-coated microparticles
- 1-*O*-(4,4'-Dimethoxytrityl)-6-aminohexanol (DTAH),
  - aldehyde determination on glass, 177
  - carboxyl group determination on glass, 177
  - epoxide group determination on glass, 176, 177, 182
  - functional group quantification on surfaces, 168, 183
  - synthesis, 173
- S*-4,4'-Dimethoxytrityl-3-mercaptopropionic acid (DMPA),
  - amino group determination on glass, 175
  - functional group quantification on surfaces, 168, 169, 178, 179
  - hydroxyl group determination on glass, 176
  - preparation of reagent, 174

- sulfhydryl group determination on
  - glass, 175
- synthesis, 171, 172
- 15-(4,4-Dimethoxytrityloxy)-12,13-dithapentadecanoic acid,
  - synthesis, 389–391, 398
- 4,4'-Dimethoxytrityl-*S*-(2-thio-5-nitropyridyl)-2-mercaptoethane (DTNPME),
  - functional group quantification on surfaces, 168, 181, 183
  - preparation of reagent, 174
  - sulfhydryl group determination on glass, 176
  - synthesis, 172, 173
- DMPA, *see S*-4,4'-Dimethoxytrityl-3-mercaptopropionic acid
- DMTr,
  - amino group determination
    - glass, 174, 175
    - polypropylene, 230, 231
  - functional group quantification on surfaces, 168, 169, 178
  - hydroxyalkyl group determination on glass, 175
  - hydroxyl group determination on polypropylene, 175
  - pyridinium (4,4-dimethoxytrityloxy)
    - acetate synthesis, 388, 389, 398
  - sulfhydryl group determination on glass, 175
- DNA microarray,
  - clinical prospects, 121
  - comparative genomic hybridization, *see* Comparative genomic hybridization
  - complementary DNA or long DNA fragments, *see* Complementary DNA microarrays
  - data quality analysis,
    - array fabrication, 122, 123
    - dye fluorescence spectral characterization, 128, 130
    - hybridization and washing, 124, 124
    - materials, 122
    - scanner calibration, 124, 129
    - target concentration effects on hybridization signals, 127, 129, 130
    - target oligonucleotide retention, 124, 126, 129
  - immobilization with
    - heterobifunctional reagents, *see* Heterobifunctional reagents
  - optimization,
    - hybridization, 99, 101
    - materials, 95–97, 99
    - spotting for probe optimization, 98, 100
    - standard curve construction, 98, 100
    - performance parameters, 93, 94
- DNA sequencing, *see* Single nucleotide polymorphism
- DNA silanization, *see* Comparative genomic hybridization
- DTAH, *see* 1-*O*-(4,4'-Dimethoxytrityl)-6-aminohexanol
- DTNPME, *see* 4,4'-Dimethoxytrityl-*S*-(2-thio-5-nitropyridyl)-2-mercaptoethane

- Electrochemical detection, carbon  
nanotube nanoelectrode  
arrays, 422–425
- Element, definition, 2, 3
- ELF, *see* Enzyme-labeled fluorescence
- ELISA, *see* Enzyme-linked  
immunosorbent assay
- Enzyme-labeled fluorescence (ELF),  
oligonucleotide probe array  
signal development, 291,  
292, 298
- Enzyme-linked immunosorbent assay  
(ELISA),  
antibody probing, 307, 308, 311  
peptide assays, 313, 314
- Epitope mapping, intein-mediated  
peptide arrays, 316, 326,  
327
- Epoxides,  
quantification on surfaces, 168, 169,  
176, 177, 182  
surface chemistry, 45
- Europium(III) fluorescence, *see*  
Oligonucleotide-coated  
microparticles
- Flow cytometry, microsphere  
glycopeptide array analysis  
of lectin binding, 406–408
- Fouling, *see* Protein fouling
- Full Moon BioSystem slides, protein  
microarrays, 365
- Glass surface,  
functional group chemistry, 166, 167  
functional group quantification, *see*  
*also specific reagents*  
overview, 168, 169  
reagent preparation, 171–174
- functionalization of microslides,  
activation, 169, 170, 183  
aldehyde group generation, 171  
aminopropylation, 170  
carboxalkylation, 171  
density determination, 177  
glycidylxypropylation, 170, 184  
hydroxyalkylation, 170  
materials, 169, 183  
mercaptopropylation, 170, 183,  
184
- Glycopeptide arrays,  
flow cytometry analysis, 406–408  
materials, 402, 403, 407  
microsphere coupling to  
glycopeptides,  
one-step coupling, 403, 405, 407,  
408  
two-step coupling  
activation, 405, 408  
coupling, blocking, and  
storage, 405, 406, 408  
multiplexed bead–lectin binding  
assay, 406  
principles of lectin analysis, 401, 402
- Heparin, polymer brush coating for  
protein fouling prevention,  
73
- Heterobifunctional reagents,  
NTMTA,  
features, 135  
immobilization chemistry, 152,  
153  
synthesis, 143, 144, 152, 160
- NTPAC,  
features, 136

- immobilization chemistry, 153
  - synthesis, 144, 145, 152, 160
  - oligonucleotide immobilization with NTMTA or NTPAC,
    - 5'-aminoalkylated
      - oligonucleotides,
      - deprotection, 141, 142
      - synthesis, 140–142
    - deprotection conditions, 138
    - hybridization with
      - complementary oligonucleotides, 147, 148
  - immobilization protocols, 145–147, 160
  - immobilized oligonucleotide
    - quantification, 149, 160
  - loading quantification, 150
  - materials, 136, 137
  - 3'-mercaptoalkylated
    - oligonucleotides,
    - deprotection, 143
    - synthesis, 142, 143
  - 5'-mercaptoalkylated
    - oligonucleotides,
    - deprotection, 140, 159
    - purification, 140
    - synthesis, 137, 139
  - optimal spot concentration
    - determination,
      - NTMTA, 148, 153, 154
      - NTPAC, 148, 149, 153, 155
  - specificity and mismatch
    - detection, 148, 157, 158
  - thermal stability of arrays, 158, 159
  - time requirement optimization, 149–151
  - overview, 134, 135
- Hyaluronic acid, polymer brush coating
    - for protein fouling prevention, 73, 74
  - Hybridization,
    - comparative genomic hybridization arrays, 114, 116, 118
    - detection approaches, 14, 15
    - high-resolution comparative genomic hybridization, 201, 202
    - mixed-phase hybridization, *see* Oligonucleotide-coated microparticles
    - oligonucleotide probe arrays, 290, 291, 297
    - optimization, 99, 101
    - probe density effects on kinetics, 14
    - reproducibility, 15
    - theory, 280, 281
  - Hydroxyl group,
    - hydroxyalkylation of glass slides, 170
    - polypropylene surface
      - hydroxylation, 171
    - quantification on surfaces, 168, 169, 175, 176
  - Ink-jet microdispensing, *see* Protein/peptide microarray
  - In situ* synthesis,
    - jetting/dispensing devices, 10
    - mask utilization, 7, 9
    - maskless arraying, 9, 10
    - overview, 7, 8, 134, 166
    - polypropylene oligonucleotide array construction,
      - amination of film, 230
      - amine density determination, 230, 231

- array block construction, 232, 243
- cleavable oligonucleotide for quality control, cleaved oligonucleotide synthesis and analysis, 241, 245
- probe density calculation, 241
- succinate cleavable linker synthesis, 240
- cystic fibrosis probe design, 232, 233, 235, 244, 245
- ESCA analysis, 231, 232
- LabVIEW software in array construction, 236, 238
- materials, 228–230, 243
- overview, 227, 228
- polymerase chain reaction target and primer synthesis, 242
- signal uniformity, 241, 242
- Southern Array Maker, 238–240, 245
- Intein-mediated protein ligation, *see* Protein/peptide microarray
- Kinase, intein-mediated peptide array assays, on-membrane assay, 332, 333 principles, 319, 333
- Lectins, *see* Glycopeptide arrays
- Market, array technology, 15
- Membranes, surface chemistry, 46, 47
- Mercapto group, mercaptopropylation of glass slides, 170, 183, 184 quantification on surfaces, 168, 169, 175, 176
- Microparticles, *see* Glycopeptide arrays; Oligonucleotide-coated microparticles
- Microplate protein microarray, aspirate and dispenser-based printing, 348, 349
- Biomek high-density replicating tool printing, antibody printing, 346, 347 overview, 340, 341 performance, 353, 354 postprint processing, 347 setting up, 346 source plate preparation, 349, 350
- cytokine assays, 350, 352, 353
- materials, 341–346, 359, 360
- PixSys printing, 356, 358
- principles, 339–341
- quenching and packaging of MTP plates, 347, 348, 360
- quill pin printing, 348, 354, 355
- Minisequencing, *see* Single nucleotide polymorphism
- Mixed-phase hybridization, *see* Oligonucleotide-coated microparticles
- MPLA, *see* Multiplex ligation-dependent probe amplification
- Multiplex ligation-dependent probe amplification (MPLA), capillary electrophoresis detection of products, 255, 257, 263 copy number change detection, 248 principles, 247–249 product detection on microarrays, hybridization, 259–261, 264 materials, 249–251, 261, 262

- modification for array detection, 254, 255, 262, 263
  - oligonucleotide probe printing, 251, 252, 254, 262
- Nanochip array,
- enzyme assays, 429, 430
  - overview, 412, 417
  - prospects, 430
  - protein detection, advantages, 425
  - antibody immobilization and hybridization, 428, 429
  - detection, 429
  - NanoArrayer, 425
  - surface modification, 426–428
- Nanotechnology, *see also* Carbon nanotube nanoelectrode array; Nanochip array, definition, 412, 413
- nanoarray rationale, 413, 414
- NimbleGen microarray, *see* Comparative genomic hybridization
- Nonspecific binding (NSB), *see also* Background, definition, 39
- fouling, *see* Protein fouling
- surface chemistry considerations, 50, 51, 60
- NSB, *see* Nonspecific binding
- NTMTA, *see* Heterobifunctional reagents
- NTPAC, *see* Heterobifunctional reagents
- Oligoethylene glycol alkenethiols, protein fouling prevention, 76–78, 80
- Oligonucleotide-coated microparticles, applications, 385, 386
- hybridization quantification with europium(III) fluorescence, DELFIA<sup>®</sup> detection, 397
- fluorescent tagging of oligonucleotides, 395, 396
- immobilization of oligonucleotides, 394, 398
- materials, 386–388, 397, 398
- microparticle derivatization, 391, 392, 398
- mixed-phase hybridization assays, 396–398
- oligonucleotide synthesis, 392–394, 398
- reagent synthesis, 15-(4,4-dimethoxytrityloxy)-12,13-dithapentadecanoic acid, 389–391, 398
- pyridinium (4,4-dimethoxytrityloxy) acetate, 388, 389, 398
- Oligonucleotide probe array, biotin label quantification, chemiluminescent detection, 289
- colorimetric detection, 290, 296
- dot blot preparation, 288, 289
- differentiation of closely-related sequences, 281–283, 292, 293
- ELF signal development, 291, 292, 298
- hybridization, amplicon hybridization, 290, 291, 297
- factors affecting, 292
- quality control, 290, 297
- theory, 280, 281

- materials, 283–285
- polymerase chain reaction, amplicon concentration estimation, 288, 295
- amplification, 286, 294
- electrophoresis of amplification products, 287, 295
- gel staining, 287, 295
- principles, 279, 280
- replica blot, 291
- SYBR GREEN I, destaining, 286
- staining, 285, 293, 294
- PCR, *see* Polymerase chain reaction
- PEG, *see* Polyethylene glycol
- Peptide microarray, *see* Protein/peptide microarray
- Phosphatase, intein-mediated peptide array assays, blotting, 330, 331
- immunoassay, 331
- incubation conditions, 330
- ligation reaction, 330
- on-membrane assay, 331, 332
- principles, 320, 321, 328
- substrate preparation, 329, 330
- PixSys, microplate protein microarray printing, 356, 358
- PLL, *see* Polylysine
- Polyethylene glycol (PEG), functional derivatives, 67, 73
- grafting, *see* Polymer brush coatings
- protein fouling prevention mechanisms, 66–69
- structure, 67
- surface coating, 67
- Polylysine (PLL), surface chemistry, 44, 45
- Polymerase chain reaction (PCR), oligonucleotide probe array, amplicon concentration estimation, 288, 295
- amplification, 286, 294
- electrophoresis of amplification products, 287, 295
- gel staining, 287, 295
- target and primer synthesis for polypropylene oligonucleotide array construction, 242
- Polymer brush coatings, fabrication of brushes, 70–73
- functional assessments of surface chemistries, 81, 82
- grafting density, 70–72
- grafting-from strategies, 74, 75
- grafting-to strategies, 72–74
- protein fouling prevention mechanisms, 69, 70
- Polymer thin film, surface chemistry, 45, 46
- Polypropylene surface, DMTr determination of hydroxyl groups, 175
- functional group chemistry, 167
- functionalization, density determination, 177
- hydroxylation, 171
- materials, 169, 183
- in situ* synthesis of oligonucleotide arrays, *see In situ* synthesis
- oligonucleotide probe array, *see* Oligonucleotide probe array
- Probe, definition, 3
- density, 95, 97, 98, 100
- loading, 38

- Protein fouling,  
  diagnostic surface selectivity, 61–65  
  performance benchmarks, 62–65  
  prevention strategies,  
    controlled interfacial chemistries,  
      75–81  
    overview, 65, 66  
  polyethylene glycol surfaces, 66–69  
  polymer brush coatings,  
    fabrication of brushes, 70–73  
    grafting density, 70–72  
    grafting-from strategies, 74, 75  
    grafting-to strategies, 72–74  
    mechanisms, 69, 70
- Protein/peptide microarray,  
  forward-phase protein microarray,  
    antibody detection, 369–371  
    Full Moon BioSystem slides, 365  
    humidity treatment, 369, 372  
    materials, 365  
    pretreatment, 369, 372  
    printing target preparation, 369  
    scanner calibration, 366–368
- glycopeptide arrays, *see*  
  Glycopeptide arrays
- ink-jet microdispensing of peptide  
  microarrays,  
    cellulose membrane substrate  
      preparation, 302, 303, 310  
  enzyme-linked immunosorbent  
    assay antibody probing, 307,  
    308, 311  
  materials, 300–302, 309, 310  
  peptide cleavage, 308, 309  
  peptide synthesis, 304–307, 311  
  printing system and set up, 303,  
    304, 310, 311
- intein-mediated peptide arrays,  
  antibody specificity analysis,  
    316–318, 327, 328  
  blotting of carrier protein–peptide  
    complex, 323, 324  
  epitope mapping, 316, 326, 327  
  kinase assays,  
    on-membrane assay, 332, 333  
    principles, 319, 333  
  ligation efficiency determination,  
    325, 335  
  materials, 321, 322, 334  
  peptide ligation to carrier protein,  
    323, 335–337  
  phosphatase assays,  
    blotting, 330, 331  
    immunoassay, 331  
    incubation conditions, 330  
    ligation reaction, 330  
    on-membrane assay, 331, 332  
    principles, 320, 321, 328  
    substrate preparation, 329, 330  
  principles, 314–316  
  sample preparation, 322, 323,  
    335, 336  
  Western blot, 325, 326
- microplate microarrays, *see*  
  Microplate protein  
  microarray
- nanochip array, *see* Nanochip array
- overview and applications, 16, 17,  
  299, 300, 364
- reverse-phase protein microarray,  
  antibody detection, 372  
  Full Moon BioSystem slides, 365  
  humidity treatment, 371  
  materials, 365  
  pretreatment, 372

- printing target preparation, 371
- scanner calibration, 366–368
- surface chemistry,
  - capture array, 51, 52
  - commercial products, 48, 49, 53
  - interaction array, 52, 53
  - reverse-phase array, 52
- Pyridinium (4,4-dimethoxytrityloxy)
  - acetate, synthesis, 388, 389, 398
- Quill pin, microplate protein microarray
  - printing, 348, 354, 355
- Radio frequency glow discharge (RFGD),
  - coating deposition, 80, 81
  - polypropylene derivatization, 228, 230
- Reverse blot, *see* Oligonucleotide probe array
- RFGD, *see* Radio frequency glow discharge
- RNA interference, *see* Cell microarray
- Saccharide microarray, *see* Carbohydrate microarray
- SAMs, *see* Self-assembled monolayers
- Scanning,
  - comparative genomic hybridization arrays, 115
  - high-resolution comparative genomic hybridization, 202
  - scanner calibration,
    - DNA microarrays, 124, 129
    - protein microarrays, 366–368
- SDTB, *see* *N*-Succinimidyl-4-*O*-(4,4'-dimethoxytrityl)butyrate
- Self-assembled monolayers (SAMs),
  - protein fouling prevention, 76, 77, 79, 80
- Single nucleotide polymorphism (SNP),
  - clinical significance, 267, 268
  - detection approaches, 268
  - sequencing on DNA chip,
    - DNA extraction, 270, 276
    - extended probe denaturation and revelation, 273
    - fluorescent signal acquisition and analysis, 273–276
    - interpretation, 274, 275
    - materials, 268–270, 275, 276
    - minisequencing reactions, 272, 273, 276
    - overview, 268
    - target extraction, 270–272
- Slide, *see* Glass surface
- Small interfering RNA, *see* Cell microarray
- SNP, *see* Single nucleotide polymorphism
- Southern Array Maker, polypropylene oligonucleotide array
  - construction, 238–240, 245
- Spot morphology,
  - surface chemistry effects, 38, 39
  - importance, 95
- Spotting,
  - complementary DNA or long DNA fragments, *see* Complementary DNA microarrays,
  - covalent linkage, 11
  - immobilization techniques, 11, 12
  - noncovalent linkage, 11
  - overview, 7, 8, 134, 166

- probe optimization, 98, 100
- substrates, 11, 134
- N*-Succinimidyl-4-*O*-(4,4'-dimethoxytrityl)butyrate (SDTB),
  - amino group determination,
    - glass, 176
    - polypropylene, 231
  - functional group quantification on surfaces, 168, 180, 183, 231
  - preparation of reagent, 174
  - synthesis, 172
- Sulfhydryls, *see* Mercapto group
- Surface chemistry, *see also* Spotting,
  - carbohydrate arrays, 53, 54
  - DNA microarrays
    - aldehyde surfaces, 45
    - aminosilane surfaces, 42–44
    - commercial arrays, 41, 42
    - custom array vendors, 42, 43
    - epoxide surfaces, 45
    - membranes, 46, 47
    - polylysine surfaces, 44, 45
    - polymer thin films, 45, 46
  - non-DNA array considerations,
    - cross-reactivity, 49, 50
    - nonspecific binding, 50, 51, 60
    - overview, 47
    - structure and bioactivity
      - preservation, 48
  - overview, 37, 38
  - processing parameter impact,
    - background, 39, 40
    - probe loading, 38
    - spot morphology, 38, 39
  - prospects, 54
  - protein/peptide arrays,
    - capture array, 51, 52
    - commercial products, 48, 49, 53
    - interaction array, 52, 53
    - reverse-phase array, 52
- SYBR GREEN I, *see* Oligonucleotide probe array
- Target, definition, 3
- Tissue microarray, overview and applications, 19, 20
- Western blot, intein-mediated peptide arrays, 325, 326